

Yinnian He

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8809848/publications.pdf>

Version: 2024-02-01

116
papers

2,155
citations

236925

25
h-index

289244

40
g-index

116
all docs

116
docs citations

116
times ranked

577
citing authors

#	ARTICLE	IF	CITATIONS
1	Block preconditioners for energy stable schemes of magnetohydrodynamics equations. Numerical Methods for Partial Differential Equations, 2023, 39, 501-522.	3.6	3
2	On the solution of the steady-state dual-porosity-Navier-Stokes fluid flow model with the Beavers-Joseph-Saffman interface condition. Journal of Mathematical Analysis and Applications, 2022, 505, 125577.	1.0	1
3	A Parallel Robin-Robin Domain Decomposition Method based on Modified Characteristic FEMs for the Time-Dependent Dual-porosity-Navier-Stokes Model with the Beavers-Joseph Interface Condition. Journal of Scientific Computing, 2022, 90, 1.	2.3	0
4	A time filter method for solving the double-diffusive natural convection model. Computers and Fluids, 2022, 235, 105265.	2.5	4
5	Difference finite element method for the 3D steady Stokes equations. Applied Numerical Mathematics, 2022, 173, 418-433.	2.1	4
6	Uniform Stability and Convergence with Respect to $(u, \mu, s, 1-\sigma)$ of the Three Iterative Finite Element Solutions for the 3D Steady MHD Equations. Journal of Scientific Computing, 2022, 90, 1.	2.3	7
7	Discontinuous Galerkin method for the coupled Stokes-Biot model. Numerical Methods for Partial Differential Equations, 2021, 37, 383-405.	3.6	6
8	Stability and Error Estimate of the Operator Splitting Method for the Phase Field Crystal Equation. Journal of Scientific Computing, 2021, 86, 1.	2.3	14
9	Least-squares virtual element method for the convection-diffusion-reaction problem. International Journal for Numerical Methods in Engineering, 2021, 122, 2672-2693.	2.8	7
10	A pressure-robust virtual element method for the Stokes problem. Computer Methods in Applied Mechanics and Engineering, 2021, 382, 113879.	6.6	17
11	Decoupled modified characteristic finite element method with different subdomain time steps for nonstationary dual-porosity-Navier-Stokes model. Applied Numerical Mathematics, 2021, 166, 238-271.	2.1	6
12	A strongly conservative finite element method for the coupled Stokes and dual-porosity model. Journal of Computational and Applied Mathematics, 2021, 404, 113879.	2.0	0
13	Two robust virtual element methods for the Brinkman equations. Calcolo, 2021, 58, 1.	1.1	3
14	A divergence-free weak virtual element method for the Navier-Stokes equation on polygonal meshes. Advances in Computational Mathematics, 2021, 47, 1.	1.6	3
15	A strongly conservative finite element method for the coupled Stokes-Biot Model. Computers and Mathematics With Applications, 2020, 80, 1421-1442.	2.7	16
16	A Posteriori Error Estimates for the Virtual Element Method for the Stokes Problem. Journal of Scientific Computing, 2020, 84, 1.	2.3	10
17	On the solutions of the 3D steady and unsteady primitive equations of the ocean. Journal of Mathematical Analysis and Applications, 2020, 491, 124243.	1.0	2
18	A Discontinuous Galerkin Method for the Coupled Stokes and Darcy Problem. Journal of Scientific Computing, 2020, 85, 1.	2.3	6

#	ARTICLE	IF	CITATIONS
19	A Mixed Discontinuous Galerkin Method for the Helmholtz Equation. <i>Mathematical Problems in Engineering</i> , 2020, 2020, 1-9.	1.1	0
20	Crank–Nicolson Leap-Frog Time Stepping Decoupled Scheme for the Fluid–Fluid Interaction Problems. <i>Journal of Scientific Computing</i> , 2020, 84, 1.	2.3	5
21	Two-Level Schwarz Methods for a Discontinuous Galerkin Approximation of Elliptic Problems with Jump Coefficients. <i>Journal of Scientific Computing</i> , 2020, 84, 1.	2.3	2
22	A lowest equal-order stabilized mixed finite element method based on multiphysics approach for a poroelasticity model. <i>Applied Numerical Mathematics</i> , 2020, 153, 1-14.	2.1	2
23	Regularity results of solution uniform in time for complex Ginzburg-Landau equation. <i>Frontiers of Mathematics in China</i> , 2020, 15, 305-315.	0.7	0
24	A diffuse interface model and semi-implicit energy stable finite element method for two-phase magnetohydrodynamic flows. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2019, 356, 435-464.	6.6	36
25	A divergence free weak virtual element method for the Stokes–Darcy problem on general meshes. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2019, 344, 998-1020.	6.6	33
26	Stability and convergence of semi-implicit time-stepping algorithm for stationary incompressible magnetohydrodynamics. <i>Computers and Mathematics With Applications</i> , 2019, 77, 1376-1395.	2.7	1
27	Weak Galerkin Finite Element Methods for the Simulation of Single-Phase Flow in Fractured Porous Media. <i>Journal of Scientific Computing</i> , 2018, 76, 1274-1300.	2.3	6
28	Local and parallel finite element algorithm based on the partition of unity method for the incompressible MHD flow. <i>Advances in Computational Mathematics</i> , 2018, 44, 1295-1319.	1.6	19
29	On the Euler implicit/explicit iterative scheme for the stationary Oldroyd fluid. <i>Numerical Methods for Partial Differential Equations</i> , 2018, 34, 906-937.	3.6	4
30	On an efficient second order backward difference Newton scheme for MHD system. <i>Journal of Mathematical Analysis and Applications</i> , 2018, 458, 676-714.	1.0	11
31	Unconditional convergence and optimal L_2 error estimates of the Crank–Nicolson extrapolation FEM for the nonstationary Navier–Stokes equations. <i>Computers and Mathematics With Applications</i> , 2018, 75, 134-152.	2.7	7
32	Optimal convergence analysis of Crank–Nicolson extrapolation scheme for the three-dimensional incompressible magnetohydrodynamics. <i>Computers and Mathematics With Applications</i> , 2018, 76, 2678-2700.	2.7	14
33	Decoupled schemes for unsteady MHD equations. I. time discretization. <i>Numerical Methods for Partial Differential Equations</i> , 2017, 33, 956-973.	3.6	17
34	Discontinuous finite volume methods for the stationary Stokes–Darcy problem. <i>International Journal for Numerical Methods in Engineering</i> , 2016, 107, 395-418.	2.8	19
35	An efficient and accurate fully discrete finite element method for unsteady incompressible Oldroyd fluids with large time step. <i>International Journal for Numerical Methods in Fluids</i> , 2016, 80, 375-394.	1.6	6
36	Uniform H^2 -regularity of solution for the 2D Navier–Stokes/Cahn–Hilliard phase field model. <i>Journal of Mathematical Analysis and Applications</i> , 2016, 441, 815-829.	1.0	10

#	ARTICLE	IF	CITATIONS
37	Second order time-space iterative method for the stationary Navier-Stokes equations. Applied Mathematics Letters, 2016, 59, 79-86.	2.7	4
38	Convergence of some finite element iterative methods related to different Reynolds numbers for the 2D/3D stationary incompressible magnetohydrodynamics. Science China Mathematics, 2016, 59, 589-608.	1.7	21
39	Two-Level Coupled and Decoupled Parallel Correction Methods for Stationary Incompressible Magnetohydrodynamics. Journal of Scientific Computing, 2015, 65, 920-939.	2.3	21
40	An efficient two-step algorithm for the incompressible flow problem. Advances in Computational Mathematics, 2015, 41, 1059-1077.	1.6	15
41	Unconditional convergence of the Euler semi-implicit scheme for the three-dimensional incompressible MHD equations. IMA Journal of Numerical Analysis, 2015, 35, 767-801.	2.9	147
42	Decoupled schemes for unsteady MHD equations II: Finite element spatial discretization and numerical implementation. Computers and Mathematics With Applications, 2015, 69, 1390-1406.	2.7	41
43	Two-Level Newton Iterative Method for the 2D/3D Stationary Incompressible Magnetohydrodynamics. Journal of Scientific Computing, 2015, 63, 426-451.	2.3	47
44	Stability and convergence of iterative methods related to viscosities for the 2D/3D steady Navier-Stokes equations. Journal of Mathematical Analysis and Applications, 2015, 423, 1129-1149.	1.0	19
45	H^2 -Stability of the First Order Fully Discrete Schemes for the Time-Dependent Navier-Stokes Equations. Journal of Scientific Computing, 2015, 62, 230-264.	2.3	22
46	An iterative meshfree method for the elliptic monge-ampère equation in 2D. Numerical Methods for Partial Differential Equations, 2014, 30, 1507-1517.	3.6	3
47	Streamline diffusion finite element method for stationary incompressible magnetohydrodynamics. Numerical Methods for Partial Differential Equations, 2014, 30, 1877-1901.	3.6	24
48	of center finite difference method based on H^2 Applied Mathematical Modelling, 2014, 38, 5439-5455.	4.2	8
49	Analysis of a fully discrete local discontinuous Galerkin method for time-fractional fourth-order problems. Applied Mathematical Modelling, 2014, 38, 1511-1522.	4.2	81
50	Two-level multiscale finite element methods for the steady navier-stokes problem. Acta Mathematica Scientia, 2014, 34, 960-972.	1.0	2
51	A new method to deduce high-order compact difference schemes for two-dimensional Poisson equation. Applied Mathematics and Computation, 2014, 230, 9-26.	2.2	19
52	First order decoupled method of the primitive equations of the ocean I: Time discretization. Journal of Mathematical Analysis and Applications, 2014, 412, 895-921.	1.0	9
53	Numerical simulation of the three dimensional Allen-Cahn equation by the high-order compact ADI method. Computer Physics Communications, 2014, 185, 2449-2455.	7.5	43
54	Two-Level Newton's Method for Nonlinear Elliptic PDEs. Journal of Scientific Computing, 2013, 57, 124-145.	2.3	11

#	ARTICLE	IF	CITATIONS
55	Euler implicit/explicit iterative scheme for the stationary Navier–Stokes equations. <i>Numerische Mathematik</i> , 2013, 123, 67-96.	1.9	38
56	A quadratic equal-order stabilized finite element method for the conduction–convection equations. <i>Computers and Fluids</i> , 2013, 86, 169-176.	2.5	18
57	Convergence and stability of two-level penalty mixed finite element method for stationary Navier-Stokes equations. <i>Frontiers of Mathematics in China</i> , 2013, 8, 837-854.	0.7	3
58	Analysis of the fractional Kawahara equation using an implicit fully discrete local discontinuous Galerkin method. <i>Numerical Methods for Partial Differential Equations</i> , 2013, 29, 1441-1458.	3.6	14
59	A Family of Fourth-Order and Sixth-Order Compact Difference Schemes for the Three-Dimensional Poisson Equation. <i>Journal of Scientific Computing</i> , 2013, 54, 97-120.	2.3	30
60	A stabilized multi-level method for non-singular finite volume solutions of the stationary 3D Navier–Stokes equations. <i>Numerische Mathematik</i> , 2012, 122, 279-304.	1.9	30
61	A new defect–correction method for the stationary Navier–Stokes equations based on local Gauss integration. <i>Mathematical Methods in the Applied Sciences</i> , 2012, 35, 1033-1046.	2.3	7
62	Two–level Newton iterative method for the 2D/3D steady Navier–Stokes equations. <i>Numerical Methods for Partial Differential Equations</i> , 2012, 28, 1620-1642.	3.6	37
63	P 1-Nonconforming Quadrilateral Finite Volume Methods for the Semilinear Elliptic Equations. <i>Journal of Scientific Computing</i> , 2012, 52, 519-545.	2.3	19
64	A defect-correction method for unsteady conduction–convection problems II: Time discretization. <i>Journal of Computational and Applied Mathematics</i> , 2012, 236, 2553-2573.	2.0	20
65	Convergence analysis for a higher order scheme for the time-dependent Navier–Stokes equations. <i>Applied Mathematics and Computation</i> , 2012, 218, 8269-8278.	2.2	1
66	The characteristic finite difference streamline diffusion method for convection-dominated diffusion problems. <i>Applied Mathematical Modelling</i> , 2012, 36, 561-572.	4.2	30
67	A parallel Oseen-linearized algorithm for the stationary Navier–Stokes equations. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2012, 209-212, 172-183.	6.6	31
68	A stabilized implicit fractional-step method for the time-dependent Navier–Stokes equations using equal-order pairs. <i>Journal of Mathematical Analysis and Applications</i> , 2012, 392, 209-224.	1.0	14
69	The Crank–Nicolson/Adams–Bashforth scheme for the time–dependent Navier–Stokes equations with nonsmooth initial data. <i>Numerical Methods for Partial Differential Equations</i> , 2012, 28, 155-187.	3.6	16
70	Nonconforming spline collocation methods in irregular domains II: Error analysis. <i>Numerical Methods for Partial Differential Equations</i> , 2012, 28, 441-456.	3.6	2
71	Homotopy analysis method for higher-order fractional integro-differential equations. <i>Computers and Mathematics With Applications</i> , 2011, 62, 3194-3203.	2.7	68
72	A defect-correction method for unsteady conduction convection problems I: spatial discretization. <i>Science China Mathematics</i> , 2011, 54, 185-204.	1.7	21

#	ARTICLE	IF	CITATIONS
73	A two-level finite element method for the stationary Navier-Stokes equations based on a stabilized local projection. <i>Numerical Methods for Partial Differential Equations</i> , 2011, 27, 460-477.	3.6	15
74	Modified homotopy perturbation method for solving the Stokes equations. <i>Computers and Mathematics With Applications</i> , 2011, 61, 2262-2266.	2.7	7
75	Convergence analysis of an implicit fractional-step method for the incompressible Navier-Stokes equations. <i>Applied Mathematical Modelling</i> , 2011, 35, 5856-5871.	4.2	13
76	A new parallel finite element algorithm for the stationary Navier-Stokes equations. <i>Finite Elements in Analysis and Design</i> , 2011, 47, 1262-1279.	3.2	39
77	On error estimates of the fully discrete penalty method for the viscoelastic flow problem. <i>International Journal of Computer Mathematics</i> , 2011, 88, 2199-2220.	1.8	13
78	Numerical implementation of the Crank-Nicolson/Adams-Bashforth scheme for the time-dependent Navier-Stokes equations. <i>International Journal for Numerical Methods in Fluids</i> , 2010, 62, 647-659.	1.6	13
79	On error estimates of the penalty method for the viscoelastic flow problem I: Time discretization. <i>Applied Mathematical Modelling</i> , 2010, 34, 4089-4105.	4.2	16
80	A penalty finite element method based on the Euler implicit/explicit scheme for the time-dependent Navier-Stokes equations. <i>Journal of Computational and Applied Mathematics</i> , 2010, 235, 708-725.	2.0	32
81	A coupled Newton iterative mixed finite element method for stationary conduction-convection problems. <i>Computing (Vienna/New York)</i> , 2010, 89, 1-25.	4.8	13
82	Newton Iterative Parallel Finite Element Algorithm for the Steady Navier-Stokes Equations. <i>Journal of Scientific Computing</i> , 2010, 44, 92-106.	2.3	54
83	Blow-up and global solutions for a class of nonlinear parabolic equations with different kinds of boundary conditions. <i>Applied Mathematics and Computation</i> , 2010, 217, 801-810.	2.2	3
84	Assessment of subgrid-scale models for the incompressible Navier-Stokes equations. <i>Journal of Computational and Applied Mathematics</i> , 2010, 234, 593-604.	2.0	32
85	Two-level stabilized finite element method for the transient Navier-Stokes equations. <i>International Journal of Computer Mathematics</i> , 2010, 87, 2341-2360.	1.8	3
86	A stabilised characteristic finite element method for transient Navier-Stokes equations. <i>International Journal of Computational Fluid Dynamics</i> , 2010, 24, 369-381.	1.2	14
87	Combination of standard Galerkin and subspace methods for the time-dependent Navier-Stokes equations with nonsmooth initial data. <i>Numerical Methods for Partial Differential Equations</i> , 2009, 25, 1009-1028.	3.6	3
88	Performance of several stabilized finite element methods for the Stokes equations based on the lowest equal-order pairs. <i>Computing (Vienna/New York)</i> , 2009, 86, 37-51.	4.8	28
89	The convergence of a new parallel algorithm for the Navier-Stokes equations. <i>Nonlinear Analysis: Real World Applications</i> , 2009, 10, 23-41.	1.7	8
90	Traveling wavefronts for a two-species ratio-dependent predator-prey system with diffusion terms and stage structure. <i>Nonlinear Analysis: Real World Applications</i> , 2009, 10, 1691-1701.	1.7	12

#	ARTICLE	IF	CITATIONS
91	Two-level Galerkin–Lagrange multipliers method for the stationary Navier–Stokes equations. Journal of Computational and Applied Mathematics, 2009, 230, 504-512.	2.0	2
92	Application of modified homotopy perturbation method for solving the augmented systems. Journal of Computational and Applied Mathematics, 2009, 231, 288-301.	2.0	7
93	Traveling wavefronts for a two-species predator–prey system with diffusion terms and stage structure. Applied Mathematical Modelling, 2009, 33, 1356-1365.	4.2	18
94	Stability and error analysis for spectral Galerkin method for the Navier–Stokes equations with L2 initial data. Numerical Methods for Partial Differential Equations, 2008, 24, 79-103.	3.6	12
95	Stability and convergence of the spectral Galerkin method for the Cahn–Hilliard equation. Numerical Methods for Partial Differential Equations, 2008, 24, 1485-1500.	3.6	25
96	A stabilized nonconfirming finite element method based on multiscale enrichment for the stationary Navier–Stokes equations. Applied Mathematics and Computation, 2008, 202, 700-707.	2.2	7
97	A penalty finite volume method for the transient Navier–Stokes equations. Applied Numerical Mathematics, 2008, 58, 1583-1613.	2.1	19
98	The existence of global attractors for semilinear parabolic equation in spaces. Nonlinear Analysis: Theory, Methods & Applications, 2008, 68, 3541-3549.	1.1	6
99	Superconvergence of discontinuous Galerkin finite element method for the stationary Navier-Stokes equations. Numerical Methods for Partial Differential Equations, 2007, 23, 421-436.	3.6	9
100	Finite volume method based on stabilized finite elements for the nonstationary Navier–Stokes problem. Numerical Methods for Partial Differential Equations, 2007, 23, 1167-1191.	3.6	14
101	A new stabilized finite element method for the transient Navier–Stokes equations. Computer Methods in Applied Mechanics and Engineering, 2007, 197, 22-35.	6.6	117
102	The finite volume method based on stabilized finite element for the stationary Navier–Stokes problem. Journal of Computational and Applied Mathematics, 2007, 205, 651-665.	2.0	17
103	High order iterative methods without derivatives for solving nonlinear equations. Applied Mathematics and Computation, 2007, 186, 1617-1623.	2.2	23
104	A multi-level discontinuous Galerkin method for solving the stationary Navier–Stokes equations. Nonlinear Analysis: Theory, Methods & Applications, 2007, 67, 1403-1411.	1.1	5
105	Parametric iterative methods of second-order for solving nonlinear equation. Applied Mathematics and Computation, 2006, 173, 1060-1067.	2.2	4
106	Multi-level spectral Galerkin method for the Navier–Stokes equations, II: time discretization. Advances in Computational Mathematics, 2006, 25, 403-433.	1.6	28
107	Using divergence free wavelets for the numerical solution of the 2-D stationary Navier–Stokes equations. Applied Mathematics and Computation, 2005, 163, 593-607.	2.2	11
108	Asymptotic behavior of the Navier–Stokes flow in a general 2D domain. Applied Mathematics Letters, 2005, 18, 1170-1176.	2.7	0

#	ARTICLE	IF	CITATIONS
109	Stability and error analysis for a spectral Galerkin method for the Navier-Stokes equations with H^2 or H^1 initial data. Numerical Methods for Partial Differential Equations, 2005, 21, 875-904.	3.6	25
110	A multilevel finite element method in space-time for the Navier-Stokes problem. Numerical Methods for Partial Differential Equations, 2005, 21, 1052-1078.	3.6	68
111	Multi-level spectral galerkin method for the navier-stokes problem I : spatial discretization. Numerische Mathematik, 2005, 101, 501-522.	1.9	33
112	Two-level Stabilized Finite Element Methods for the Steady Navier-Stokes Problem. Computing (Vienna/New York), 2005, 74, 337-351.	4.8	119
113	Numerical analysis of a modified finite element nonlinear Galerkin method. Numerische Mathematik, 2004, 97, 725-756.	1.9	10
114	Asymptotic behavior and time discretization analysis for the non-stationary Navier-Stokes problem. Numerische Mathematik, 2004, 98, 647-673.	1.9	18
115	Uniform stability of spectral nonlinear Galerkin methods. Numerical Methods for Partial Differential Equations, 2004, 20, 723-741.	3.6	3
116	Local tangential lifting virtual element method for the diffusion-reaction equation on the non-flat Voronoi discretized surface. Engineering With Computers, 0, , 1.	6.1	0