

M M Aghdam

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8809929/publications.pdf>

Version: 2024-02-01

213
papers

7,239
citations

44444

50
h-index

100535

70
g-index

214
all docs

214
docs citations

214
times ranked

3482
citing authors

#	ARTICLE	IF	CITATIONS
1	A comparative study of 1D nonlocal integral Timoshenko beam and 2D nonlocal integral elasticity theories for bending of nanoscale beams. <i>Continuum Mechanics and Thermodynamics</i> , 2023, 35, 1063-1085.	1.4	11
2	Vibrational behavior of temperature-dependent imperfect functionally graded plate lying on an elastic substrate. <i>Mechanics Based Design of Structures and Machines</i> , 2023, 51, 3868-3889.	3.4	8
3	Nonlinear forced vibrations of three-phase nanocomposite shells considering matrix rheological behavior and nano-fiber waviness. <i>Engineering With Computers</i> , 2023, 39, 557-574.	3.5	12
4	Microstructural properties of novel nanocomposite material based on hydroxyapatite and carbon nanotubes: fabrication and nonlinear instability simulation. <i>Journal of Nanostructure in Chemistry</i> , 2022, 12, 1-22.	5.3	12
5	Editorial to the Special Issue on Advanced Micro/Nanoscale Porous Materials for Novel Applications: Answering to Future Needs. <i>Transport in Porous Media</i> , 2022, 142, 1-4.	1.2	1
6	Tension Strain-Softening and Compression Strain-Stiffening Behavior of Brain White Matter. <i>Annals of Biomedical Engineering</i> , 2021, 49, 276-286.	1.3	24
7	Structural Anisotropy vs. Mechanical Anisotropy: The Contribution of Axonal Fibers to the Material Properties of Brain White Matter. <i>Annals of Biomedical Engineering</i> , 2021, 49, 991-999.	1.3	22
8	The importance of axonal directions in the brainstem injury during neurosurgical interventions. <i>Injury</i> , 2021, 52, 1271-1276.	0.7	4
9	Mind the gap: A mechanobiological hypothesis for the role of gap junctions in the mechanical properties of injured brain tissue. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2021, 115, 104240.	1.5	2
10	Numerical Investigation of Mechanical Behavior for Lattice Structure with Effect of Different Nanomaterial Types. <i>IOP Conference Series: Materials Science and Engineering</i> , 2021, 1094, 012172.	0.3	7
11	Advanced structural modeling of a fold in Origami/Kirigami inspired structures. <i>Thin-Walled Structures</i> , 2021, 161, 107406.	2.7	10
12	Fabrication and resonance simulation of 3D-printed biocomposite mesoporous implants with different periodic cellular topologies. <i>Bioprinting</i> , 2021, 22, e00138.	2.9	16
13	Semi-analytical solutions for buckling and free vibration of composite anisogrid lattice cylindrical panels. <i>Composite Structures</i> , 2021, 275, 114422.	3.1	11
14	Residual stresses in metal matrix composites. , 2021, , 247-278.		0
15	A generalized 2D BÃ©zier-based solution for stress analysis of notched epoxy resin plates reinforced with graphene nanoplatelets. <i>Thin-Walled Structures</i> , 2021, 169, 108484.	2.7	69
16	Calcium phosphate-PLA scaffolds fabricated by fused deposition modeling technique for bone tissue applications: Fabrication, characterization and simulation. <i>Ceramics International</i> , 2020, 46, 2447-2456.	2.3	84
17	Nonlinear primary resonance analysis of nanoshells including vibrational mode interactions based on the surface elasticity theory. <i>Applied Mathematics and Mechanics (English Edition)</i> , 2020, 41, 233-260.	1.9	38
18	Effect of magnetite nanoparticles on the biological and mechanical properties of hydroxyapatite porous scaffolds coated with ibuprofen drug. <i>Materials Science and Engineering C</i> , 2020, 111, 110835.	3.8	57

#	ARTICLE	IF	CITATIONS
19	Molecular dynamics simulations of the effect of temperature and strain rate on mechanical properties of graphene-epoxy nanocomposites. <i>Molecular Simulation</i> , 2020, 46, 476-486.	0.9	48
20	Development of porous implants with non-uniform mechanical properties distribution based on CT images. <i>Applied Mathematical Modelling</i> , 2020, 83, 801-823.	2.2	12
21	Microstructural characterization of YSZ-CoNiCrAlY two-layered thermal barrier coating formed on $\hat{\text{T}}^3\text{-TiAl}$ intermetallic alloy via APS process. <i>Intermetallics</i> , 2020, 118, 106704.	1.8	7
22	A knowledge map analysis of brain biomechanics: Current evidence and future directions. <i>Clinical Biomechanics</i> , 2020, 75, 105000.	0.5	7
23	Micromechanical Modeling of Gelatin-Based Nano-Composite Bone Scaffolds. , 2020, , .		0
24	Nonlocal electrothermomechanical instability of temperature-dependent FGM nanopanels with piezoelectric facesheets. <i>Iranian Journal of Science and Technology - Transactions of Mechanical Engineering</i> , 2019, 43, 579-593.	0.8	19
25	Improvement of high-temperature oxidation resistance of $\hat{\text{T}}^3\text{-TiAl}$ intermetallic alloy by YSZ-NiCoCrAlY coating using APS process. <i>Materials Research Express</i> , 2019, 6, 126541.	0.8	3
26	A robust BÄ©zier based solution for nonlinear vibration and post-buckling of random checkerboard graphene nano-platelets reinforced composite beams. <i>Composite Structures</i> , 2019, 212, 184-198.	3.1	104
27	Size-Dependent Nonlinear Mechanics of Biological Nanoporous Microbeams. <i>Advanced Structured Materials</i> , 2019, , 181-207.	0.3	8
28	Influence of MgO nanoparticles on the mechanical properties of coated hydroxyapatite nanocomposite scaffolds produced via space holder technique: Fabrication, characterization and simulation. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2019, 95, 76-88.	1.5	70
29	An efficient solver for fully coupled solution of interaction between incompressible fluid flow and nanocomposite truncated conical shells. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2019, 351, 478-500.	3.4	19
30	Nonlinear secondary resonance of nanobeams under subharmonic and superharmonic excitations including surface free energy effects. <i>Applied Mathematical Modelling</i> , 2019, 66, 195-226.	2.2	72
31	Size-dependent nonlinear secondary resonance of micro-/nano-beams made of nano-porous biomaterials including truncated cube cells. <i>Acta Mechanica</i> , 2019, 230, 1077-1103.	1.1	35
32	Numerical and experimental analysis of the closed-cell aluminium foam under low velocity impact using computerized tomography technique. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2019, 35, 144-155.	1.5	7
33	Effect of copper oxide nanoparticles on electrical conductivity and cell viability of calcium phosphate scaffolds with improved mechanical strength for bone tissue engineering. <i>European Physical Journal Plus</i> , 2019, 134, 1.	1.2	60
34	Nonlinear bending analysis of FG-CNTRC annular plates with variable thickness on elastic foundation. <i>Thin-Walled Structures</i> , 2019, 135, 453-462.	2.7	61
35	Nonlinear resonance investigation of nanoclay based bio-nanocomposite scaffolds with enhanced properties for bone substitute applications. <i>Journal of Alloys and Compounds</i> , 2019, 773, 636-653.	2.8	34
36	A New Multistep Technique Based on the Nonuniform Rational Basis Spline Curves for Nonlinear Transient Heat Transfer Analysis of Functionally Graded Truncated Cone. <i>Heat Transfer Engineering</i> , 2019, 40, 588-603.	1.2	6

#	ARTICLE	IF	CITATIONS
37	Nonlinear bending and instability analysis of bioceramics composed with magnetite nanoparticles: Fabrication, characterization, and simulation. <i>Ceramics International</i> , 2018, 44, 9540-9549.	2.3	42
38	A unified nonlocal strain gradient plate model for nonlinear axial instability of functionally graded porous micro/nano-plates reinforced with graphene platelets. <i>Materials Research Express</i> , 2018, 5, 045048.	0.8	89
39	Implementing General Power Law to Interconvert Linear Viscoelastic Functions of Modified Asphalt Binders. <i>Journal of Transportation Engineering Part B: Pavements</i> , 2018, 144, 04018010.	0.8	18
40	A Semi-analytical Solution for Bending of Nonlinear Magnetostrictive Beams. , 2018, , 333-344.		1
41	Nonlinear Size-Dependent Instability of Hybrid FGM Nanoshells. , 2018, , 107-143.		6
42	Nonlinear primary resonance of micro/nano-beams made of nanoporous biomaterials incorporating nonlocality and strain gradient size dependency. <i>Results in Physics</i> , 2018, 8, 879-892.	2.0	48
43	Vibrations of beam-type implants made of 3D printed bredigite-magnetite bio-nanocomposite scaffolds under axial compression: Application, communication and simulation. <i>Ceramics International</i> , 2018, 44, 11282-11291.	2.3	59
44	Free vibration of thin functionally graded viscoelastic open-cell foam plates on orthotropic visco-Pasternak medium. <i>Composite Structures</i> , 2018, 193, 42-52.	3.1	14
45	Comparison of elastic properties of open-cell metallic biomaterials with different unit cell types. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2018, 106, 386-398.	1.6	33
46	Boundary Layer Modeling of Nonlinear Axial Buckling Behavior of Functionally Graded Cylindrical Nanoshells Based on the Surface Elasticity Theory. <i>Iranian Journal of Science and Technology - Transactions of Mechanical Engineering</i> , 2018, 42, 229-245.	0.8	26
47	Nonlinear instability of hydrostatic pressurized microtubules surrounded by cytoplasm of a living cell including nonlocality and strain gradient microsize dependency. <i>Acta Mechanica</i> , 2018, 229, 403-420.	1.1	35
48	Nonlocal strain gradient shell model for axial buckling and postbuckling analysis of magneto-electro-elastic composite nanoshells. <i>Composites Part B: Engineering</i> , 2018, 132, 258-274.	5.9	97
49	Nonlinear bending of functionally graded porous micro/nano-beams reinforced with graphene platelets based upon nonlocal strain gradient theory. <i>Composite Structures</i> , 2018, 186, 68-78.	3.1	233
50	Nonlocal strain gradient beam model for postbuckling and associated vibrational response of lipid supramolecular protein micro/nano-tubules. <i>Mathematical Biosciences</i> , 2018, 295, 24-35.	0.9	65
51	Response of VSCL plates under moving load using a mixed integral-differential quadrature and novel NURBS based multi-step method. <i>Composites Part B: Engineering</i> , 2018, 140, 260-280.	5.9	14
52	Thermo-electro-radial coupling nonlinear instability of piezoelectric shear deformable nanoshells via nonlocal elasticity theory. <i>Microsystem Technologies</i> , 2018, 24, 1333-1346.	1.2	24
53	Nonlinear Resonance Response of Porous Beam-Type Implants Corresponding to Various Morphology Shapes for Bone Tissue Engineering Applications. <i>Journal of Materials Engineering and Performance</i> , 2018, 27, 5370-5383.	1.2	23
54	Nonlocal strain gradient plate model for nonlinear large-amplitude vibrations of functionally graded porous micro/nano-plates reinforced with GPLs. <i>Composite Structures</i> , 2018, 198, 51-62.	3.1	163

#	ARTICLE	IF	CITATIONS
55	Multiscale modeling of fatigue crack propagation in additively manufactured porous biomaterials. <i>International Journal of Fatigue</i> , 2018, 113, 416-427.	2.8	38
56	Mechanical and biological performance of axially loaded novel bio-nanocomposite sandwich plate-type implant coated by biological polymer thin film. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2018, 88, 238-250.	1.5	57
57	Analytical and experimental analyses for mechanical and biological characteristics of novel nanoclay bio-nanocomposite scaffolds fabricated via space holder technique. <i>Applied Clay Science</i> , 2018, 165, 112-123.	2.6	65
58	Passive vibration control of plate structures using shape memory alloy ribbons. <i>JVC/Journal of Vibration and Control</i> , 2017, 23, 69-88.	1.5	12
59	Hybrid material and foundation damping of Timoshenko beams. <i>JVC/Journal of Vibration and Control</i> , 2017, 23, 2869-2887.	1.5	9
60	Effects of manufacturing environments on the residual stresses in a SiC/Ti metal-matrix composite. <i>Science and Engineering of Composite Materials</i> , 2017, 24, 817-824.	0.6	7
61	Surface free energy effects on the postbuckling behavior of cylindrical shear deformable nanoshells under combined axial and radial compressions. <i>Meccanica</i> , 2017, 52, 1329-1352.	1.2	27
62	Application of refined beam elements to the coupled-field analysis of magnetostrictive microbeams. <i>Composites Part B: Engineering</i> , 2017, 115, 14-20.	5.9	12
63	Temperature-dependent nonlocal instability of hybrid FGM exponential shear deformable nanoshells including imperfection sensitivity. <i>International Journal of Mechanical Sciences</i> , 2017, 122, 129-142.	3.6	66
64	Micromechanical modeling of rate-dependent behavior of Connective tissues. <i>Journal of Theoretical Biology</i> , 2017, 416, 119-128.	0.8	8
65	Size dependency in axial postbuckling behavior of hybrid FGM exponential shear deformable nanoshells based on the nonlocal elasticity theory. <i>Composite Structures</i> , 2017, 166, 104-113.	3.1	66
66	Imperfection sensitivity of the size-dependent postbuckling response of pressurized FGM nanoshells in thermal environments. <i>Archives of Civil and Mechanical Engineering</i> , 2017, 17, 623-638.	1.9	62
67	Nonlinear buckling and postbuckling behavior of cylindrical shear deformable nanoshells subjected to radial compression including surface free energy effects. <i>Acta Mechanica Sinica</i> , 2017, 30, 209-222.	1.0	23
68	Mechanical behavior of unidirectional SiC/Ti composites subjected to off-axis loading at elevated temperatures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 688, 244-249.	2.6	6
69	Geometrical nonlinear free vibration responses of FG-CNT reinforced composite annular sector plates integrated with piezoelectric layers. <i>Composite Structures</i> , 2017, 171, 100-112.	3.1	96
70	Nonlinear instability of hydrostatic pressurized hybrid FGM exponential shear deformable nanoshells based on nonlocal continuum elasticity. <i>Composites Part B: Engineering</i> , 2017, 114, 404-417.	5.9	64
71	Analytical relationships for the mechanical properties of additively manufactured porous biomaterials based on octahedral unit cells. <i>Applied Mathematical Modelling</i> , 2017, 46, 408-422.	2.2	72
72	Imperfection sensitivity of the nonlinear axial buckling behavior of FGM nanoshells in thermal environments based on surface elasticity theory. <i>International Journal of Computational Materials Science and Engineering</i> , 2017, 06, 1750003.	0.5	0

#	ARTICLE	IF	CITATIONS
73	Size-dependent axial instability of microtubules surrounded by cytoplasm of a living cell based on nonlocal strain gradient elasticity theory. <i>Journal of Theoretical Biology</i> , 2017, 422, 59-71.	0.8	69
74	A coupled integralâ€“differential quadrature and B-spline-based multi-step technique for transient analysis of VSCL plates. <i>Acta Mechanica</i> , 2017, 228, 2965-2986.	1.1	19
75	On the micro-mechanical study of 1â€“3 type piezoelectric composites with semi-coupled thermo-electro-elastic effects. <i>Meccanica</i> , 2017, 52, 3693-3711.	1.2	2
76	Free damped vibration analysis of Mindlin plates with hybrid material-foundation viscoelasticity. <i>International Journal of Mechanical Sciences</i> , 2017, 121, 33-43.	3.6	17
77	Rate-dependent behavior of connective tissue through a micromechanics-based hyper viscoelastic model. <i>International Journal of Engineering Science</i> , 2017, 121, 91-107.	2.7	14
78	Nonlinear vibrations of pre- and post-buckled lipid supramolecular micro/nano-tubules via nonlocal strain gradient elasticity theory. <i>Journal of Biomechanics</i> , 2017, 65, 49-60.	0.9	72
79	Size-dependent nonlinear bending of micro/nano-beams made of nanoporous biomaterials including a refined truncated cube cell. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2017, 381, 3818-3830.	0.9	67
80	An efficient size-dependent shear deformable shell model and molecular dynamics simulation for axial instability analysis of silicon nanoshells. <i>Journal of Molecular Graphics and Modelling</i> , 2017, 77, 263-279.	1.3	36
81	Free vibration analysis of thick viscoelastic composite plates on visco-Pasternak foundation using higher-order theory. <i>Composite Structures</i> , 2017, 182, 25-35.	3.1	50
82	Nonlocal strain gradient beam model for nonlinear vibration of prebuckled and postbuckled multilayer functionally graded GPLRC nanobeams. <i>Composite Structures</i> , 2017, 179, 77-88.	3.1	105
83	Axial postbuckling analysis of multilayer functionally graded composite nanoplates reinforced with GPLs based on nonlocal strain gradient theory. <i>European Physical Journal Plus</i> , 2017, 132, 1.	1.2	60
84	A nonlocal strain gradient hyperbolic shear deformable shell model for radial postbuckling analysis of functionally graded multilayer GPLRC nanoshells. <i>Composite Structures</i> , 2017, 178, 97-109.	3.1	93
85	Nonlinear instability of axially loaded functionally graded multilayer graphene platelet-reinforced nanoshells based on nonlocal strain gradient elasticity theory. <i>International Journal of Mechanical Sciences</i> , 2017, 131-132, 95-106.	3.6	129
86	How does tissue regeneration influence the mechanical behavior of additively manufactured porous biomaterials?. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2017, 65, 831-841.	1.5	64
87	Microâ€“macro analysis of closed-cell aluminum foam with crushing behavior subjected to dynamic loadings. <i>Materials Today Communications</i> , 2017, 13, 170-177.	0.9	18
88	Mechanical Properties of Additively Manufactured Thick Honeycombs. <i>Materials</i> , 2016, 9, 613.	1.3	73
89	Size-dependent buckling and postbuckling behavior of piezoelectric cylindrical nanoshells subjected to compression and electrical load. <i>Materials and Design</i> , 2016, 105, 341-351.	3.3	63
90	A novel hybrid BÃ©zier based multi-step and differential quadrature method for analysis of rotating FG conical shells under thermal shock. <i>Composites Part B: Engineering</i> , 2016, 97, 120-140.	5.9	22

#	ARTICLE	IF	CITATIONS
91	A hybrid BÃ©zier based multi-step method and differential quadrature for 3D transient response of variable stiffness composite plates. <i>Composite Structures</i> , 2016, 154, 344-359.	3.1	24
92	Mechanical properties of additively manufactured octagonal honeycombs. <i>Materials Science and Engineering C</i> , 2016, 69, 1307-1317.	3.8	51
93	Nonlinear Forced Vibration of Nanobeams. , 2016, , 243-262.		4
94	Analytical Solutions for Generalized Duffing Equation. , 2016, , 263-278.		0
95	Enhanced thermal buckling of laminated composite cylindrical shells with shape memory alloy. <i>Journal of Composite Materials</i> , 2016, 50, 243-256.	1.2	44
96	Size-dependent axial buckling and postbuckling characteristics of cylindrical nanoshells in different temperatures. <i>International Journal of Mechanical Sciences</i> , 2016, 107, 170-179.	3.6	40
97	Computational prediction of the fatigue behavior of additively manufactured porous metallic biomaterials. <i>International Journal of Fatigue</i> , 2016, 84, 67-79.	2.8	105
98	Mechanical behavior of additively manufactured porous biomaterials made from truncated cuboctahedron unit cells. <i>International Journal of Mechanical Sciences</i> , 2016, 106, 19-38.	3.6	77
99	Surface stress effects on the nonlinear postbuckling characteristics of geometrically imperfect cylindrical nanoshells subjected to axial compression. <i>International Journal of Engineering Science</i> , 2016, 99, 92-106.	2.7	50
100	Transient analysis of rotating functionally graded truncated conical shells based on the Lordâ€™Shulman model. <i>Thin-Walled Structures</i> , 2016, 104, 168-184.	2.7	29
101	Design and modeling of a novel translational and angular micro-electromechanical accelerometer. <i>Aerospace Science and Technology</i> , 2016, 50, 15-24.	2.5	6
102	Micromechanics and constitutive modeling of connective soft tissues. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2016, 60, 157-176.	1.5	10
103	Mechanical properties of regular porous biomaterials made from truncated cube repeating unit cells: Analytical solutions and computational models. <i>Materials Science and Engineering C</i> , 2016, 60, 163-183.	3.8	108
104	Effect of mass multiple counting on the elastic properties of open-cell regular porous biomaterials. <i>Materials and Design</i> , 2016, 89, 9-20.	3.3	50
105	Surface stress effects on the nonlinear postbuckling characteristics of geometrically imperfect cylindrical nanoshells subjected to torsional load. <i>Composites Part B: Engineering</i> , 2016, 84, 140-154.	5.9	23
106	Modeling and analysis of reversible shape memory adaptive panels. <i>Journal of Intelligent Material Systems and Structures</i> , 2016, 27, 1624-1649.	1.4	3
107	Mechanics of additively manufactured porous biomaterials based on the rhombicuboctahedron unit cell. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2016, 53, 272-294.	1.5	81
108	Micromechanics of shape memory alloy fiberâ€™reinforced composites subjected to multi-axial non-proportional loadings. <i>Journal of Intelligent Material Systems and Structures</i> , 2015, 26, 2431-2445.	1.4	6

#	ARTICLE	IF	CITATIONS
109	Enhanced thermal stability of functionally graded sandwich cylindrical shells by shape memory alloys. <i>Smart Materials and Structures</i> , 2015, 24, 045022.	1.8	26
110	Simulation of interface damage in metal matrix composites under off-axis loading using cohesive zone model. <i>Computational Materials Science</i> , 2015, 108, 42-47.	1.4	13
111	Micro-macro thermo-mechanical analysis of axisymmetric shape memory alloy composite cylinders. <i>Composite Structures</i> , 2015, 131, 1001-1016.	3.1	1
112	Surface stress effects on the postbuckling behavior of geometrically imperfect cylindrical nanoshells subjected to combined axial and radial compressions. <i>International Journal of Mechanical Sciences</i> , 2015, 100, 1-22.	3.6	30
113	Nonlinear buckling and postbuckling behavior of cylindrical nanoshells subjected to combined axial and radial compressions incorporating surface stress effects. <i>Composites Part B: Engineering</i> , 2015, 79, 676-691.	5.9	23
114	A micromechanical study on the electro-elastic behavior of piezoelectric fiber-reinforced composites using the element-free Galerkin method. <i>Acta Mechanica</i> , 2015, 226, 3177-3194.	1.1	9
115	On the postbuckling behavior of geometrically imperfect cylindrical nanoshells subjected to radial compression including surface stress effects. <i>Composite Structures</i> , 2015, 131, 414-424.	3.1	21
116	Postbuckling behavior of circular higher-order shear deformable nanoplates including surface energy effects. <i>Applied Mathematical Modelling</i> , 2015, 39, 3678-3689.	2.2	25
117	On the free vibration characteristics of postbuckled third-order shear deformable FGM nanobeams including surface effects. <i>Composite Structures</i> , 2015, 121, 377-385.	3.1	74
118	Nonlinear dynamics of SMA-fiber-reinforced composite beams subjected to a primary/secondary-resonance excitation. <i>Acta Mechanica</i> , 2015, 226, 437-455.	1.1	41
119	A semi analytical approach for large amplitude free vibration and buckling of nonlocal FG beams resting on elastic foundation. <i>Composite Structures</i> , 2015, 119, 452-462.	3.1	117
120	Micro-mechanics of composite with SMA fibers embedded in metallic/polymeric matrix under off-axial loadings. <i>European Journal of Mechanics, A/Solids</i> , 2015, 49, 467-480.	2.1	17
121	Thermo-mechanical behavior of shape adaptive composite plates with surface-bonded shape memory alloy ribbons. <i>Composite Structures</i> , 2015, 119, 115-133.	3.1	41
122	Accurate damping analysis of viscoelastic composite beams and plates on suppressive foundation. <i>Journal of Composite Materials</i> , 2015, 49, 2187-2202.	1.2	12
123	Nonlinear Initial Value Ordinary Differential Equations. , 2015, , 117-136.		8
124	A simple and efficient 1-D macroscopic model for shape memory alloys considering ferro-elasticity effect. <i>Smart Structures and Systems</i> , 2015, 16, 641-665.	1.9	0
125	Exact solution for nonlinear thermal stability of hybrid laminated composite Timoshenko beams reinforced with SMA fibers. <i>Composite Structures</i> , 2014, 108, 811-822.	3.1	58
126	Active shape/stress control of shape memory alloy laminated beams. <i>Composites Part B: Engineering</i> , 2014, 56, 889-899.	5.9	30

#	ARTICLE	IF	CITATIONS
127	Geometrically non-linear transient thermo-elastic response of FG beams integrated with a pair of FG piezoelectric sensors. <i>Composite Structures</i> , 2014, 107, 48-59.	3.1	38
128	Effects of Interphase Damage and Residual Stresses on Mechanical Behavior of Particle Reinforced Metal-Matrix Composites. <i>Applied Composite Materials</i> , 2014, 21, 429-440.	1.3	14
129	Free vibration of functionally graded truncated conical shells under internal pressure. <i>Meccanica</i> , 2014, 49, 267-282.	1.2	44
130	On the vibration control capability of shape memory alloy composite beams. <i>Composite Structures</i> , 2014, 110, 325-334.	3.1	45
131	Large amplitude vibration and post-buckling analysis of variable cross-section composite beams on nonlinear elastic foundation. <i>International Journal of Mechanical Sciences</i> , 2014, 79, 47-55.	3.6	40
132	Effect of nonlinear elastic foundation on large amplitude free and forced vibration of functionally graded beam. <i>Composite Structures</i> , 2014, 115, 60-68.	3.1	56
133	Effects of manufacturing parameters on residual stresses in SiC/Ti composites by an elastic-viscoplastic micromechanical model. <i>Computational Materials Science</i> , 2014, 91, 62-67.	1.4	20
134	On the difference of pressure readings from the numerical, experimental and theoretical results in different bird strike studies. <i>Aerospace Science and Technology</i> , 2014, 32, 260-266.	2.5	36
135	Understanding residual stresses in metal matrix composites. , 2014, , 233-255.		1
136	Shape control of shape memory alloy composite beams in the post-buckling regime. <i>Aerospace Science and Technology</i> , 2014, 39, 575-587.	2.5	10
137	Free vibration of FGM L [∞] vy conical panels. <i>Composite Structures</i> , 2014, 116, 732-746.	3.1	64
138	Surface effects on the nonlinear forced vibration response of third-order shear deformable nanobeams. <i>Composite Structures</i> , 2014, 118, 149-158.	3.1	65
139	Free vibration analysis of rotating functionally graded carbon nanotube-reinforced composite truncated conical shells. <i>Composite Structures</i> , 2014, 117, 187-200.	3.1	165
140	On the transient response of viscoelastic beams and plates on viscoelastic medium. <i>International Journal of Mechanical Sciences</i> , 2014, 83, 133-145.	3.6	30
141	Vibration analysis of axially moving line supported functionally graded plates with temperature-dependent properties. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 2014, 228, 953-969.	1.1	24
142	A robust three-dimensional phenomenological model for polycrystalline SMAs: Analytical closed-form solutions. <i>International Journal of Engineering Science</i> , 2014, 82, 1-21.	2.7	17
143	Nonlinear bending of functionally graded tapered beams subjected to thermal and mechanical loading. <i>International Journal of Non-Linear Mechanics</i> , 2014, 65, 141-147.	1.4	44
144	Damage initiation and collapse behavior of unidirectional metal matrix composites at elevated temperatures. <i>Computational Materials Science</i> , 2013, 79, 402-407.	1.4	11

#	ARTICLE	IF	CITATIONS
145	Free vibration analysis of Mindlin plates partially resting on Pasternak foundation. <i>International Journal of Mechanical Sciences</i> , 2013, 75, 1-7.	3.6	36
146	An analytical approach for nonlinear vibration and thermal stability of shape memory alloy hybrid laminated composite beams. <i>European Journal of Mechanics, A/Solids</i> , 2013, 42, 454-468.	2.1	58
147	Free transverse vibration analysis of thin rectangular plates locally suspended on elastic beam. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 2013, 227, 1515-1524.	1.1	5
148	A phenomenological SMA model for combined axial-torsional proportional/non-proportional loading conditions. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013, 587, 12-26.	2.6	29
149	On the free vibration of thermally pre/post-buckled shear deformable SMA hybrid composite beams. <i>Aerospace Science and Technology</i> , 2013, 31, 73-86.	2.5	47
150	Active control of geometrically non-linear transient response of sandwich beams with a flexible core using piezoelectric patches. <i>Composite Structures</i> , 2013, 100, 517-531.	3.1	28
151	Free vibration analysis of moderately thick functionally graded plates on elastic foundation using the extended Kantorovich method. <i>Archive of Applied Mechanics</i> , 2013, 83, 177-191.	1.2	52
152	A new finite element model for low-velocity impact analysis of sandwich beams subjected to multiple projectiles. <i>Composite Structures</i> , 2013, 104, 21-33.	3.1	13
153	Seam pucker rating by deconvolution residual method. <i>International Journal of Clothing Science and Technology</i> , 2013, 25, 150-170.	0.5	5
154	Micromechanical analysis of unidirectional composites using a least-squares-based differential quadrature element method. <i>Journal of Mechanics of Materials and Structures</i> , 2012, 7, 119-135.	0.4	0
155	Extended Kantorovich method for static analysis of moderately thick functionally graded sector plates. <i>Mathematics and Computers in Simulation</i> , 2012, 86, 118-130.	2.4	39
156	A micromechanics based analysis of hollow fiber composites using DQEM. <i>Composites Part B: Engineering</i> , 2012, 43, 2921-2929.	5.9	14
157	Non-linear active control of FG beams in thermal environments subjected to blast loads with integrated FGP sensor/actuator layers. <i>Composite Structures</i> , 2012, 94, 3612-3623.	3.1	31
158	Thermo-mechanical buckling and nonlinear free vibration analysis of functionally graded beams on nonlinear elastic foundation. <i>Composites Part B: Engineering</i> , 2012, 43, 1523-1530.	5.9	116
159	Global optimization of laminated cylindrical panels based on fundamental natural frequency. <i>Composite Structures</i> , 2012, 94, 2697-2705.	3.1	21
160	A micromechanics-based analysis of effects of square and hexagonal fiber arrays in fibrous composites using DQEM. <i>European Journal of Mechanics, A/Solids</i> , 2012, 32, 32-40.	2.1	15
161	Free vibration analysis of moderately thick trapezoidal symmetrically laminated plates with various combinations of boundary conditions. <i>European Journal of Mechanics, A/Solids</i> , 2012, 36, 204-212.	2.1	33
162	Heat transfer in composite materials using a new truly local meshless method. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , 2011, 21, 293-309.	1.6	8

#	ARTICLE	IF	CITATIONS
163	Damage analysis of fiber reinforced Ti-alloy subjected to multi-axial loadingâ€”A micromechanical approach. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 7983-7990.	2.6	40
164	Polygonal shape reconstruction in the plane. <i>IET Computer Vision</i> , 2011, 5, 97.	1.3	15
165	A truly generalized plane strain meshless method for combined normal and shear loading of fibrous composites. <i>Engineering Analysis With Boundary Elements</i> , 2011, 35, 395-403.	2.0	9
166	Static analysis of rectangular thick plates resting on two-parameter elastic boundary strips. <i>European Journal of Mechanics, A/Solids</i> , 2011, 30, 442-448.	2.1	10
167	Nonlinear free vibration and post-buckling analysis of functionally graded beams on nonlinear elastic foundation. <i>European Journal of Mechanics, A/Solids</i> , 2011, 30, 571-583.	2.1	162
168	Bending analysis of moderately thick functionally graded conical panels. <i>Composite Structures</i> , 2011, 93, 1376-1384.	3.1	29
169	Bending analysis of moderately thick laminated conical panels with various boundary conditions. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 2011, 225, 1291-1300.	1.1	9
170	A semianalytical solution for the bending of clamped laminated doubly curved or spherical panels. <i>Journal of Mechanics of Materials and Structures</i> , 2010, 5, 855-873.	0.4	5
171	A generalized plane strain meshless local Petrovâ€”Galerkin method for the micromechanics of thermomechanical loading of composites. <i>Journal of Mechanics of Materials and Structures</i> , 2010, 5, 549-566.	0.4	4
172	A new local meshless method for steady-state heat conduction in heterogeneous materials. <i>Engineering Analysis With Boundary Elements</i> , 2010, 34, 1105-1112.	2.0	13
173	Micro-Macro Analysis of Viscoelastic Unidirectional Laminated Composite Plates Using DR Method. <i>Applied Composite Materials</i> , 2010, 17, 427-440.	1.3	16
174	Micromechanics of fibrous composites subjected to combined shear and thermal loading using a truly meshless method. <i>Computational Mechanics</i> , 2010, 46, 387-398.	2.2	12
175	Micromechanical modeling of interface damage of metal matrix composites subjected to off-axis loading. <i>Materials & Design</i> , 2010, 31, 829-836.	5.1	47
176	Non-linear bending analysis of laminated sector plates using Generalized Differential Quadrature. <i>Composite Structures</i> , 2010, 92, 2258-2264.	3.1	57
177	A Truly Generalized Plane Strain Meshless Model for Combined Normal and Shear Loading of Fiber Reinforced Materials. , 2010, , .		0
178	Finite-element and multivariate analyses of tension distribution and spinning parameter effects on a ring-spinning balloon. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 2010, 224, 253-258.	1.1	3
179	Analysis of micro-stresses in the SiC/Ti metal matrix composite using a truly local meshless method. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 2010, 224, 1567-1577.	1.1	9
180	The effects of interfacial debonding on the elastoplastic response of unidirectional silicon carbideâ€”titanium composites. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 2010, 224, 259-269.	1.1	19

#	ARTICLE	IF	CITATIONS
181	Notice of Retraction: A truly meshless model for analysis of micro-stresses in fibrous composite materials. , 2010, , .		0
182	Static Analysis of Moderately Thick Functionally Graded Plates With Various Boundary Conditions. , 2010, , .		0
183	Stress Analysis of Functionally Graded Cylinders Subjected to Thermo-Mechanical Loads Based on Bernstein Polynomials. , 2010, , .		0
184	A New Truly Meshless Method for Heat Conduction in Solid Structures. , 2010, , .		0
185	A Semi-Analytical Solution for Bending of Moderately Thick Doubly Curved Functionally Graded Panels. Mechanics of Advanced Materials and Structures, 2010, 17, 320-327.	1.5	25
186	HEAT TRANSFER OF NON-NEWTONIAN FLUID FLOW IN A CHANNEL LINED WITH POROUS LAYERS UNDER THERMAL NONEQUILIBRIUM CONDITIONS. Journal of Porous Media, 2010, 13, 235-246.	1.0	3
187	Bending analysis of thick orthotropic sector plates with various loading and boundary conditions. Composite Structures, 2009, 88, 212-218.	3.1	29
188	A semi-analytical solution for stress analysis of moderately thick laminated cylindrical panels with various boundary conditions. Composite Structures, 2009, 89, 543-550.	3.1	18
189	Interface damage of SiC/Ti metal matrix composites subjected to combined thermal and axial shear loading. Computational Materials Science, 2009, 46, 626-631.	1.4	15
190	Nonlinear Viscoelastic Response of Unidirectional Fiber-Reinforced Composites in Off-Axis Loading. Journal of Reinforced Plastics and Composites, 2009, 28, 1793-1811.	1.6	29
191	Static bending analysis of laminated cylindrical panels with various boundary conditions using the differential cubature method. Journal of Mechanics of Materials and Structures, 2009, 4, 509-521.	0.4	8
192	Micromechanical consideration of interface damage in fiber reinforced Ti-alloy under various combined loading conditions. Composites Science and Technology, 2008, 68, 3406-3411.	3.8	28
193	Application of the extended Kantorovich method to the bending of clamped cylindrical panels. European Journal of Mechanics, A/Solids, 2008, 27, 378-388.	2.1	20
194	Bending Analysis of Symmetrically Laminated Cylindrical Panels Using the Extended Kantorovich Method. Mechanics of Advanced Materials and Structures, 2007, 14, 523-530.	1.5	27
195	Bending analysis of thin annular sector plates using extended Kantorovich method. Thin-Walled Structures, 2007, 45, 983-990.	2.7	50
196	Application of Generalized Differential Quadrature Method to the Bending of Thick Laminated Plates with Various Boundary Conditions. Applied Mechanics and Materials, 2006, 5-6, 407-414.	0.2	11
197	Three-Dimensional Elasticity Analysis of Thick Rectangular Laminated Composite Plates Using Meshless Local Petrov-Galerkin (MLPG) Method. Applied Mechanics and Materials, 2006, 5-6, 331-338.	0.2	4
198	Micromechanics based analysis of randomly distributed fiber reinforced composites using simplified unit cell model. Composite Structures, 2005, 71, 327-332.	3.1	59

#	ARTICLE	IF	CITATIONS
199	Micromechanical modeling of interface damage of metal matrix composites subjected to transverse loading. <i>Composite Structures</i> , 2004, 66, 415-420.	3.1	47
200	Micromechanical analysis of layered systems of MMCs subjected to bending effects of thermal residual stresses. <i>Composite Structures</i> , 2004, 66, 563-569.	3.1	8
201	Bending analysis of thick laminated plates using extended Kantorovich method. <i>Composite Structures</i> , 2003, 62, 279-283.	3.1	43
202	More on the effects of thermal residual and hydrostatic stresses on yielding behavior of unidirectional composites. <i>Composite Structures</i> , 2003, 62, 285-290.	3.1	22
203	Asymmetric behaviour of fibrous metal matrix composites. <i>Materials Science and Technology</i> , 2001, 17, 1153-1157.	0.8	7
204	Micro-mechanics of off-axis loading of metal matrix composites using finite element analysis. <i>International Journal of Solids and Structures</i> , 2001, 38, 3905-3925.	1.3	54
205	Finite element micromechanical modelling of yield and collapse behaviour of metal matrix composites. <i>Journal of the Mechanics and Physics of Solids</i> , 2000, 48, 499-528.	2.3	95
206	Micromechanical modelling of layered systems containing titanium alloy and titanium MMC subjected to bending. <i>Materials Science and Technology</i> , 2000, 16, 848-852.	0.8	3
207	Solution to Reissner Plate with Clamped Edges. <i>Journal of Engineering Mechanics - ASCE</i> , 1996, 122, 679-682.	1.6	22
208	Large Amplitude Thermo-Mechanical Vibration Analysis of Asymmetrically Laminated Composite Beams. <i>Key Engineering Materials</i> , 0, 471-472, 745-750.	0.4	1
209	Free Vibration Analysis of Symmetrically Laminated Fully Clamped Skew Plates Using Extended Kantorovich Method. <i>Key Engineering Materials</i> , 0, 471-472, 739-744.	0.4	8
210	Fabrication, experimental study, and 2-D finite element computational homogenization of bone scaffolds under uniaxial and biaxial compressive loadings. <i>Proceedings of the Institution of Mechanical Engineers, Part N: Journal of Nanomaterials, Nanoengineering and Nanosystems</i> , 0, , 239779142210829.	0.5	0
211	Bending Analysis of Curve-Sided Quadrilateral Thin Plates Using the Extended Kantorovich Method. , 0, , .		0
212	The Simplified Unit Cell Method for Micromechanical Studies of Viscoelastic Properties of Unidirectional Fibre-Reinforced Composites. , 0, , .		0
213	Stacking Sequence Optimization for Laminated Cylindrical Panels Using the Globalized Nelder-Mead Method. , 0, , .		0