

John R Crawford

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8810077/publications.pdf>

Version: 2024-02-01

149
papers

20,472
citations

20759

60
h-index

10424

139
g-index

150
all docs

150
docs citations

150
times ranked

20908
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Levels of depression in transgender people and its predictors: Results of a large matched control study with transgender people accessing clinical services. <i>Journal of Affective Disorders</i> , 2018, 235, 308-315. | 2.0 | 108 |
| 2 | Modified confidence intervals for the Mahalanobis distance. <i>Statistics and Probability Letters</i> , 2017, 127, 131-137. | 0.4 | 5 |
| 3 | Transgender and anxiety: A comparative study between transgender people and the general population. <i>International Journal of Transgenderism</i> , 2017, 18, 16-26. | 3.5 | 116 |
| 4 | On point estimation of the abnormality of a Mahalanobis index. <i>Computational Statistics and Data Analysis</i> , 2016, 99, 115-130. | 0.7 | 14 |
| 5 | Wechsler Adult Intelligence Scale®-IV Dyads for Estimating Global Intelligence. <i>Assessment</i> , 2015, 22, 441-448. | 1.9 | 32 |
| 6 | Psychological and physical correlates of musculoskeletal symptoms in male professional divers and offshore workers. <i>Extreme Physiology and Medicine</i> , 2013, 2, 5. | 2.5 | 4 |
| 7 | UK population norms for the modified dental anxiety scale with percentile calculator: adult dental health survey 2009 results. <i>BMC Oral Health</i> , 2013, 13, 29. | 0.8 | 98 |
| 8 | Psychometric properties of the Quick Inventory of Depressive Symptomatology (QIDS-SR) in UK primary care. <i>Journal of Psychiatric Research</i> , 2013, 47, 592-598. | 1.5 | 25 |
| 9 | Differential item functioning of the HADS and PHQ-9: An investigation of age, gender and educational background in a clinical UK primary care sample. <i>Journal of Affective Disorders</i> , 2013, 147, 262-268. | 2.0 | 30 |
| 10 | Development of an eight-subtest short form of the WISC-IV and evaluation of its clinical utility in children with traumatic brain injury. <i>Child Neuropsychology</i> , 2013, 19, 662-670. | 0.8 | 15 |
| 11 | Using regression equations built from summary data in the psychological assessment of the individual case: Extension to multiple regression.. <i>Psychological Assessment</i> , 2012, 24, 801-814. | 1.2 | 36 |
| 12 | Some supplementary methods for the analysis of the RBANS.. <i>Psychological Assessment</i> , 2012, 24, 365-374. | 1.2 | 6 |
| 13 | Point and Interval Estimates of Percentile Ranks for Scores on the Texas Functional Living Scale. <i>Clinical Neuropsychologist</i> , 2012, 26, 1154-1165. | 1.5 | 2 |
| 14 | Single-case research in neuropsychology: A comparison of five forms of t-test for comparing a case to controls. <i>Cortex</i> , 2012, 48, 1009-1016. | 1.1 | 111 |
| 15 | Some supplementary methods for the analysis of WAIS®-IV index scores in neuropsychological assessment. <i>Journal of Neuropsychology</i> , 2012, 6, 192-211. | 0.6 | 8 |
| 16 | Inference for a binomial proportion in the presence of ties. <i>Journal of Applied Statistics</i> , 2011, 38, 1915-1934. | 0.6 | 3 |
| 17 | Comparing a single case to a control sample: Testing for neuropsychological deficits and dissociations in the presence of covariates. <i>Cortex</i> , 2011, 47, 1166-1178. | 1.1 | 116 |
| 18 | How the 1932 and 1947 mental surveys of Aberdeen schoolchildren provide a framework to explore the childhood origins of late onset disease and disability. <i>Maturitas</i> , 2011, 69, 365-372. | 1.0 | 42 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Measuring depression severity in general practice: discriminatory performance of the PHQ-9, HADS-D, and BDI-II. <i>British Journal of General Practice</i> , 2011, 61, e419-e426. | 0.7 | 91 |
| 20 | Percentile Norms and Accompanying Interval Estimates from an Australian General Adult Population Sample for Self-report Mood Scales (BAI, BDI, CRSD, CES-D, DASS, DASS-21, STAI-X, STAI-Y, SRDS, and SRDS). <i>Australian Psychologist</i> , 2011, 46, 3-14. | 1.5 | 326 |
| 21 | Mokken scaling analyses of the Personal Disturbance Scale (DSSI/sAD) in large clinical and non-clinical samples. <i>Personality and Individual Differences</i> , 2011, 50, 38-42. | 1.6 | 7 |
| 22 | Further evidence for regional variation in women's masculinity preferences. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2011, 278, 813-814. | 1.2 | 64 |
| 23 | Some supplementary methods for the analysis of the Delis-Kaplan Executive Function System.. <i>Psychological Assessment</i> , 2011, 23, 888-898. | 1.2 | 26 |
| 24 | An index-based short form of the WISC-IV with accompanying analysis of the reliability and abnormality of differences. <i>British Journal of Clinical Psychology</i> , 2010, 49, 235-258. | 1.7 | 67 |
| 25 | The health of a nation predicts their mate preferences: cross-cultural variation in women's preferences for masculinized male faces. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2010, 277, 2405-2410. | 1.2 | 237 |
| 26 | Point and interval estimates of effect sizes for the case-controls design in neuropsychology: Rationale, methods, implementations, and proposed reporting standards. <i>Cognitive Neuropsychology</i> , 2010, 27, 245-260. | 0.4 | 407 |
| 27 | Inferential methods for comparing two single cases. <i>Cognitive Neuropsychology</i> , 2010, 27, 377-400. | 0.4 | 49 |
| 28 | Bayes' theorem and diagnostic tests in neuropsychology: Interval estimates for post-test probabilities. <i>Clinical Neuropsychologist</i> , 2009, 23, 624-644. | 1.5 | 23 |
| 29 | On percentile norms in neuropsychology: Proposed reporting standards and methods for quantifying the uncertainty over the percentile ranks of test scores. <i>Clinical Neuropsychologist</i> , 2009, 23, 1173-1195. | 1.5 | 61 |
| 30 | Percentiles Please: The Case for Expressing Neuropsychological Test Scores and Accompanying Confidence Limits as Percentile Ranks. <i>Clinical Neuropsychologist</i> , 2009, 23, 193-204. | 1.5 | 62 |
| 31 | On comparing a single case with a control sample: An alternative perspective. <i>Neuropsychologia</i> , 2009, 47, 2690-2695. | 0.7 | 111 |
| 32 | A convenient method of obtaining percentile norms and accompanying interval estimates for self-report mood scales (DASS, DASS-21, HADS, PANAS, and sAD). <i>British Journal of Clinical Psychology</i> , 2009, 48, 163-180. | 1.7 | 96 |
| 33 | Differential deficit in executive control in euthymic bipolar disorder.. <i>Journal of Abnormal Psychology</i> , 2009, 118, 146-160. | 2.0 | 27 |
| 34 | An index-based short form of the WAIS-III with accompanying analysis of reliability and abnormality of differences. <i>British Journal of Clinical Psychology</i> , 2008, 47, 215-237. | 1.7 | 42 |
| 35 | Longitudinal aspects of emotion recognition in patients with traumatic brain injury. <i>Neuropsychologia</i> , 2008, 46, 148-159. | 0.7 | 93 |
| 36 | Social behavior following traumatic brain injury and its association with emotion recognition, understanding of intentions, and cognitive flexibility. <i>Journal of the International Neuropsychological Society</i> , 2008, 14, 318-26. | 1.2 | 126 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Psychometric comparison of PHQ-9 and HADS for measuring depression severity in primary care. <i>British Journal of General Practice</i> , 2008, 58, 32-36. | 0.7 | 435 |
| 38 | On the "Optimal" Size for Normative Samples in Neuropsychology: Capturing the Uncertainty When Normative Data Are Used to Quantify the Standing of a Neuropsychological Test Score. <i>Child Neuropsychology</i> , 2008, 14, 99-117. | 0.8 | 33 |
| 39 | On the reliability and standard errors of measurement of contrast measures from the D-KEFS. <i>Journal of the International Neuropsychological Society</i> , 2008, 14, 1069-1073. | 1.2 | 47 |
| 40 | Comparison of a single case to a control or normative sample in neuropsychology: Development of a Bayesian approach. <i>Cognitive Neuropsychology</i> , 2007, 24, 343-372. | 0.4 | 255 |
| 41 | Psychometric properties of the BASIS-24® (Behaviour and Symptom Identification Scale® Revised) Mental Health Outcome Measure. <i>International Journal of Psychiatry in Clinical Practice</i> , 2007, 11, 36-43. | 1.2 | 79 |
| 42 | Perceived Health Contributes to the Attractiveness of Facial Symmetry, Averageness, and Sexual Dimorphism. <i>Perception</i> , 2007, 36, 1244-1252. | 0.5 | 134 |
| 43 | Estimating the percentage of the population with abnormally low scores (or abnormally large score) Tj ETQq1 1 0.784314 rgBT /Overl <i>Neuropsychology</i> , 2007, 21, 419-430. | 1.0 | 128 |
| 44 | Using regression equations built from summary data in the neuropsychological assessment of the individual case.. <i>Neuropsychology</i> , 2007, 21, 611-620. | 1.0 | 57 |
| 45 | A predominance of category deficits for living things in Alzheimer's disease and Lewy body dementia. <i>Journal of the International Neuropsychological Society</i> , 2007, 13, 401-9. | 1.2 | 19 |
| 46 | Traumatic brain injury and prospective memory: Influence of task complexity. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2007, 29, 457-466. | 0.8 | 39 |
| 47 | The Effects of Acute Alcohol Intoxication on Person Memory: The Stereotypical Drunk. <i>Journal of Applied Social Psychology</i> , 2007, 37, 187-199. | 1.3 | 5 |
| 48 | Methods of testing for a deficit in single-case studies: Evaluation of statistical power by Monte Carlo simulation. <i>Cognitive Neuropsychology</i> , 2006, 23, 877-904. | 0.4 | 59 |
| 49 | Impact Factor as We Know it Handicaps Neuropsychology and Neuropsychologists. <i>Cortex</i> , 2006, 42, 1-2. | 1.1 | 18 |
| 50 | Comparing patients' predicted test scores from a regression equation with their obtained scores: A significance test and point estimate of abnormality with accompanying confidence limits.. <i>Neuropsychology</i> , 2006, 20, 259-271. | 1.0 | 86 |
| 51 | Impairments in theory of mind shortly after traumatic brain injury and at 1-year follow-up.. <i>Neuropsychology</i> , 2006, 20, 400-408. | 1.0 | 79 |
| 52 | The Prospective and Retrospective Memory Questionnaire (PRMQ): Latent structure, normative data and discrepancy analysis for proxy-ratings. <i>British Journal of Clinical Psychology</i> , 2006, 45, 83-104. | 1.7 | 90 |
| 53 | Cognitive and psychosocial correlates of alexithymia following traumatic brain injury. <i>Neuropsychologia</i> , 2006, 44, 62-72. | 0.7 | 97 |
| 54 | Testing for a deficit in single-case studies: Effects of departures from normality. <i>Neuropsychologia</i> , 2006, 44, 666-677. | 0.7 | 82 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Theory of mind following traumatic brain injury: The role of emotion recognition and executive dysfunction. <i>Neuropsychologia</i> , 2006, 44, 1623-1628. | 0.7 | 181 |
| 56 | Detecting dissociations in single-case studies: Type I errors, statistical power and the classical versus strong distinction. <i>Neuropsychologia</i> , 2006, 44, 2249-2258. | 0.7 | 33 |
| 57 | Objective neuropsychological test performance of professional divers reporting a subjective complaint of "forgetfulness or loss of concentration". <i>Scandinavian Journal of Work, Environment and Health</i> , 2006, 32, 310-317. | 1.7 | 18 |
| 58 | Psychometric Foundations of Neuropsychological Assessment. , 2005, , 121-140. | | 15 |
| 59 | A Meta-Analytic Review of Verbal Fluency Deficits in Huntington's Disease.. <i>Neuropsychology</i> , 2005, 19, 243-252. | 1.0 | 69 |
| 60 | Testing for Suspected Impairments and Dissociations in Single-Case Studies in Neuropsychology: Evaluation of Alternatives Using Monte Carlo Simulations and Revised Tests for Dissociations.. <i>Neuropsychology</i> , 2005, 19, 318-331. | 1.0 | 355 |
| 61 | Evaluation of Criteria for Classical Dissociations in Single-Case Studies by Monte Carlo Simulation.. <i>Neuropsychology</i> , 2005, 19, 664-678. | 1.0 | 65 |
| 62 | WAIS III UK: An extension of the UK comparability study. <i>British Journal of Clinical Psychology</i> , 2005, 44, 279-288. | 1.7 | 6 |
| 63 | The short-form version of the Depression Anxiety Stress Scales (DASS-21): Construct validity and normative data in a large non-clinical sample. <i>British Journal of Clinical Psychology</i> , 2005, 44, 227-239. | 1.7 | 3,684 |
| 64 | Design and development of a scale measuring fear of complications in type 1 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2005, 21, 264-270. | 1.7 | 33 |
| 65 | A meta-analytic review of verbal fluency deficits in schizophrenia relative to other neurocognitive deficits. <i>Cognitive Neuropsychiatry</i> , 2005, 10, 1-33. | 0.7 | 228 |
| 66 | Personal Disturbance Scale: Factor Structure Confirmed in a Large Nonclinical Sample. <i>Psychological Reports</i> , 2005, 96, 107-108. | 0.9 | 3 |
| 67 | When is Category Specific in Alzheimer's Disease?. <i>Cortex</i> , 2005, 41, 452-463. | 1.1 | 56 |
| 68 | A Meta-Analytic Review of Verbal Fluency Deficits in Depression. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2005, 27, 78-101. | 0.8 | 224 |
| 69 | Assessment of executive dysfunction. , 2005, , 233-246. | | 20 |
| 70 | The distribution of the difference between two t-variates. <i>Biometrika</i> , 2004, 91, 987-994. | 1.3 | 22 |
| 71 | Verbal fluency deficits in Parkinson's disease: A meta-analysis. <i>Journal of the International Neuropsychological Society</i> , 2004, 10, 608-622. | 1.2 | 360 |
| 72 | Inferential methods for comparing a single case with a control sample: modified t-tests versus mycroft et al.'s (2002) modified anova. <i>Cognitive Neuropsychology</i> , 2004, 21, 750-755. | 0.4 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Verbal fluency performance in dementia of the Alzheimer's type: a meta-analysis. <i>Neuropsychologia</i> , 2004, 42, 1212-1222. | 0.7 | 637 |
| 74 | The Positive and Negative Affect Schedule (PANAS): Construct validity, measurement properties and normative data in a large non-clinical sample. <i>British Journal of Clinical Psychology</i> , 2004, 43, 245-265. | 1.7 | 2,006 |
| 75 | An 'instantaneous' estimate of a lifetime's cognitive change. <i>Intelligence</i> , 2004, 32, 113-119. | 1.6 | 44 |
| 76 | Statistical Methods for Single-Case Studies in Neuropsychology: Comparing the Slope of a Patient's Regression Line with those of a Control Sample. <i>Cortex</i> , 2004, 40, 533-548. | 1.1 | 52 |
| 77 | A Meta-Analytic Review of Verbal Fluency Performance Following Focal Cortical Lesions.. <i>Neuropsychology</i> , 2004, 18, 284-295. | 1.0 | 568 |
| 78 | A Meta-Analytic Review of Verbal Fluency Performance in Patients With Traumatic Brain Injury.. <i>Neuropsychology</i> , 2004, 18, 621-628. | 1.0 | 226 |
| 79 | A Meta-Analytic Review of Prospective Memory and Aging.. <i>Psychology and Aging</i> , 2004, 19, 27-39. | 1.4 | 484 |
| 80 | The Depression Anxiety Stress Scales (DASS): Normative data and latent structure in a large non-clinical sample. <i>British Journal of Clinical Psychology</i> , 2003, 42, 111-131. | 1.7 | 1,247 |
| 81 | Differential deficits in expression recognition in gene-carriers and patients with Huntington's disease. <i>Neuropsychologia</i> , 2003, 41, 1484-1492. | 0.7 | 110 |
| 82 | Wanted: Fully Operational Definitions of Dissociations in Single-Case Studies. <i>Cortex</i> , 2003, 39, 357-370. | 1.1 | 148 |
| 83 | Neuropsychological Impairments and Changes in Emotional and Social Behaviour Following Severe Traumatic Brain Injury. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2003, 25, 157-172. | 0.8 | 217 |
| 84 | The Prospective and Retrospective Memory Questionnaire (PRMQ): Normative data and latent structure in a large non-clinical sample. <i>Memory</i> , 2003, 11, 261-275. | 0.9 | 355 |
| 85 | An Application of Individual Subtest Scores Calculation in the Cantonese Version of the Test of Everyday Attention. <i>Psychological Reports</i> , 2003, 93, 1275-1282. | 0.9 | 3 |
| 86 | Intra-individual measures of association in neuropsychology: Inferential methods for comparing a single case with a control or normative sample. <i>Journal of the International Neuropsychological Society</i> , 2003, 9, 989-1000. | 1.2 | 37 |
| 87 | A Structural Modeling Examination of the Executive Decline Hypothesis of Cognitive Aging Through Reanalysis of Crawford et al.'s (2000) Data. <i>Aging, Neuropsychology, and Cognition</i> , 2002, 9, 231-249. | 0.7 | 25 |
| 88 | Performance on tests of frontal lobe function reflect general intellectual ability. <i>Neuropsychologia</i> , 2002, 40, 970-977. | 0.7 | 79 |
| 89 | Investigation of the single case in neuropsychology: confidence limits on the abnormality of test scores and test score differences. <i>Neuropsychologia</i> , 2002, 40, 1196-1208. | 0.7 | 824 |
| 90 | The Personal Disturbance Scale (sAD): normative data and latent structure in a large non-clinical sample. <i>Personality and Individual Differences</i> , 2002, 33, 1343-1360. | 1.6 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Using Virtual Environments in the Assessment of Executive Dysfunction. Presence: Teleoperators and Virtual Environments, 2001, 10, 375-383. | 0.3 | 95 |
| 92 | The NART as an index of prior intellectual functioning: a retrospective validity study covering a 66-year interval. Psychological Medicine, 2001, 31, 451-458. | 2.7 | 239 |
| 93 | Problems in using health survey questionnaires in older patients with physical disabilities. The reliability and validity of the SF-36 and the effect of cognitive impairment. Journal of Evaluation in Clinical Practice, 2001, 7, 411-418. | 0.9 | 50 |
| 94 | Estimating premorbid IQ from demographic variables: A comparison of a regression equation vs. clinical judgement. British Journal of Clinical Psychology, 2001, 40, 97-105. | 1.7 | 39 |
| 95 | Normative data for the HADS from a large non-clinical sample. British Journal of Clinical Psychology, 2001, 40, 429-434. | 1.7 | 661 |
| 96 | Performance on the Test of Everyday Attention and Standard Tests of Attention following Severe Traumatic Brain Injury. Clinical Neuropsychologist, 2001, 15, 405-422. | 1.5 | 95 |
| 97 | Neuropsychologic Correlates of Brain White Matter Lesions Depicted on MR Images: 1921 Aberdeen Birth Cohort. Radiology, 2001, 221, 51-55. | 3.6 | 74 |
| 98 | The Covert Orienting of Visual Attention Following Severe Traumatic Brain Injury. Journal of Clinical and Experimental Neuropsychology, 2001, 23, 386-398. | 0.8 | 31 |
| 99 | The Executive Decline Hypothesis of Cognitive Aging: Do Executive Deficits Qualify as Differential Deficits and Do They Mediate Age-Related Memory Decline?. Aging, Neuropsychology, and Cognition, 2000, 7, 9-31. | 0.7 | 152 |
| 100 | Performance on the Modified Card Sorting Test by normal, healthy individuals: Relationship to general intellectual ability and demographic variables. British Journal of Clinical Psychology, 1999, 38, 27-41. | 1.7 | 17 |
| 101 | Non-mnemonic cognitive function in the scopolamine model of Alzheimer's Disease. Human Psychopharmacology, 1998, 13, 439-449. | 0.7 | 21 |
| 102 | Regression Equations in Clinical Neuropsychology: An Evaluation of Statistical Methods for Comparing Predicted and Obtained Scores. Journal of Clinical and Experimental Neuropsychology, 1998, 20, 755-762. | 0.8 | 127 |
| 103 | Payne and Jones Revisited: Estimating the Abnormality of Test Score Differences Using a Modified Paired Samples t Test. Journal of Clinical and Experimental Neuropsychology, 1998, 20, 898-905. | 0.8 | 118 |
| 104 | Introduction to the Assessment of Attention and Executive Functioning. Neuropsychological Rehabilitation, 1998, 8, 209-211. | 1.0 | 26 |
| 105 | PASAT and Components of WAIS-R Performance: Convergent and Discriminant Validity. Neuropsychological Rehabilitation, 1998, 8, 255-272. | 1.0 | 47 |
| 106 | Neuropsychological Assessment of the Elderly. , 1998, , 133-169. | | 7 |
| 107 | Base rate data on the abnormality of subtest scatter for WAIS-R short-forms. British Journal of Clinical Psychology, 1997, 36, 433-444. | 1.7 | 4 |
| 108 | WAIS-R short forms: Assessing the statistical significance of subtest differences. British Journal of Clinical Psychology, 1997, 36, 601-608. | 1.7 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Assessing the reliability and abnormality of subtest differences on the Test of Everyday Attention. <i>British Journal of Clinical Psychology</i> , 1997, 36, 609-617. | 1.7 | 18 |
| 110 | WAIS-R subtest scatter: Base-rate data from a healthy UK sample. <i>British Journal of Clinical Psychology</i> , 1996, 35, 235-247. | 1.7 | 11 |
| 111 | WAIS-R short-forms: Criterion validity in healthy and clinical samples. <i>British Journal of Clinical Psychology</i> , 1996, 35, 638-640. | 1.7 | 12 |
| 112 | The effects of scopolamine on the recall of repeated words: a preliminary investigation. <i>Human Psychopharmacology</i> , 1996, 11, 25-31. | 0.7 | 1 |
| 113 | The WAIS-R(UK): Basic psychometric properties in an adult UK sample. <i>British Journal of Clinical Psychology</i> , 1995, 34, 237-250. | 1.7 | 21 |
| 114 | Cognitive performance in UK sample of presymptomatic people carrying the gene for Huntington's disease. <i>Journal of Medical Genetics</i> , 1995, 32, 358-362. | 1.5 | 41 |
| 115 | The Mahalanobis Distance index of WAIS-R subtest scatter: Psychometric properties in a healthy UK sample. <i>British Journal of Clinical Psychology</i> , 1994, 33, 65-69. | 1.7 | 17 |
| 116 | Frontal lobe impairment in schizophrenia: relationship to intellectual functioning. <i>Psychological Medicine</i> , 1993, 23, 787-790. | 2.7 | 103 |
| 117 | Severe hypoglycemia and intelligence in adult patients with insulin-treated diabetes. <i>Diabetes</i> , 1993, 42, 341-344. | 0.3 | 56 |
| 118 | Estimation of Premorbid Intelligence in Schizophrenia. <i>British Journal of Psychiatry</i> , 1992, 161, 69-74. | 1.7 | 106 |
| 119 | Short-forms of the UK WAIS-R: Regression equations and their predictive validity in a general population sample. <i>British Journal of Clinical Psychology</i> , 1992, 31, 191-202. | 1.7 | 50 |
| 120 | Verbal Fluency: A NART-based equation for the estimation of premorbid performance. <i>British Journal of Clinical Psychology</i> , 1992, 31, 327-329. | 1.7 | 117 |
| 121 | Event related potentials, reaction time, and cognitive performance in idiopathic Parkinson's disease. <i>Biological Psychology</i> , 1992, 33, 73-89. | 1.1 | 45 |
| 122 | The Short NART: Cross-validation, relationship to IQ and some practical considerations. <i>British Journal of Clinical Psychology</i> , 1991, 30, 223-229. | 1.7 | 20 |
| 123 | Dementia in idiopathic Parkinson's disease: prevalence and relationship with symptoms and signs of Parkinsonism. <i>Psychological Medicine</i> , 1991, 21, 69-76. | 2.7 | 36 |
| 124 | The prediction of stress in carers: The role of behaviour, reported self care and dementia in patients with idiopathic Parkinson's disease. <i>International Journal of Geriatric Psychiatry</i> , 1991, 6, 737-742. | 1.3 | 14 |
| 125 | The Edinburgh cohort of HIV-positive drug users. <i>Aids</i> , 1990, 4, 651-656. | 1.0 | 41 |
| 126 | Assessing the validity of NART-estimated premorbid IQs in the individual case. <i>British Journal of Clinical Psychology</i> , 1990, 29, 435-436. | 1.7 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | A comparison of the WAIS and WAIS-R in matched UK samples. <i>British Journal of Clinical Psychology</i> , 1990, 29, 105-109. | 1.7 | 12 |
| 128 | Improved detection of cognitive impairment with the NART: An investigation employing hierarchical discriminant function analysis. <i>British Journal of Clinical Psychology</i> , 1990, 29, 239-241. | 1.7 | 18 |
| 129 | Mortality and Causes of Death in Idiopathic Parkinson's Disease: Results from the Aberdeen Whole Population Study. <i>Scottish Medical Journal</i> , 1990, 35, 173-175. | 0.7 | 42 |
| 130 | Multimodal Imaging in Alzheimer's Disease. <i>British Journal of Psychiatry</i> , 1990, 157, 216-220. | 1.7 | 41 |
| 131 | Estimating premorbid intelligence by combining the NART and demographic variables: An examination of the NART standardisation sample and supplementary equations. <i>Personality and Individual Differences</i> , 1990, 11, 1153-1157. | 1.6 | 37 |
| 132 | The U.K. factor structure of the WAIS-R is robust and highly congruent with the U.S.A. standardisation sample. <i>Personality and Individual Differences</i> , 1990, 11, 643-644. | 1.6 | 9 |
| 133 | WAIS vs WAIS-R in matched U.K. samples. <i>Personality and Individual Differences</i> , 1990, 11, 427-428. | 1.6 | 3 |
| 134 | Premorbid IQ estimates obtained by combining the NART and demographic variables: Construct validity. <i>Personality and Individual Differences</i> , 1990, 11, 209-210. | 1.6 | 15 |
| 135 | Does Endorsement of the Disease Concept of Alcoholism Predict Humanitarian Attitudes to Alcoholics?. <i>Substance Use and Misuse</i> , 1989, 24, 71-77. | 0.6 | 7 |
| 136 | The Wechsler adult intelligence scale—Revised (WAIS-R): factor structure in a U.K. sample. <i>Personality and Individual Differences</i> , 1989, 10, 1209-1212. | 1.6 | 28 |
| 137 | Estimation of premorbid intelligence: combining psychometric and demographic approaches improves predictive accuracy. <i>Personality and Individual Differences</i> , 1989, 10, 793-796. | 1.6 | 62 |
| 138 | Construct validity of the National Adult Reading Test: a factor analytic study. <i>Personality and Individual Differences</i> , 1989, 10, 585-587. | 1.6 | 52 |
| 139 | Neuropsychological deficits and morphological MRI brain scan abnormalities in apparently healthy non-encephalopathic patients with cirrhosis. <i>Journal of Hepatology</i> , 1989, 9, 319-325. | 1.8 | 74 |
| 140 | Magnetic resonance imaging in Alzheimer's disease, multi-infarct dementia, alcoholic dementia and Korsakoff's psychosis. <i>Acta Psychiatrica Scandinavica</i> , 1989, 80, 451-458. | 2.2 | 28 |
| 141 | Estimating premorbid IQ from demographic variables: Regression equations derived from a UK sample. <i>British Journal of Clinical Psychology</i> , 1989, 28, 275-278. | 1.7 | 42 |
| 142 | Late event related potentials in schizophrenia. <i>Schizophrenia Research</i> , 1988, 1, 182-183. | 1.1 | 2 |
| 143 | The relationship between demographic variables and NART performance in normal subjects. <i>British Journal of Clinical Psychology</i> , 1988, 27, 181-182. | 1.7 | 50 |
| 144 | Estimation of Premorbid Intelligence in Organic Conditions. <i>British Journal of Psychiatry</i> , 1988, 153, 178-181. | 1.7 | 159 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Public Attitudes to the Disease Concept of Alcoholism. Substance Use and Misuse, 1987, 22, 1129-1138. | 0.6 | 35 |
| 146 | Differential Diagnosis in Dementia Using the Cerebral Blood Flow Agent 99mTc HM-PAO. Journal of Computer Assisted Tomography, 1987, 11, 398-402. | 0.5 | 115 |
| 147 | Nuclear magnetic resonance imaging and single photon emission tomography with radioiodine labelled compounds in the diagnosis of dementia. Acta Psychiatrica Scandinavica, 1987, 75, 549-556. | 2.2 | 44 |
| 148 | Estimation of premorbid intellectual status in depression. British Journal of Clinical Psychology, 1987, 26, 313-314. | 1.7 | 74 |
| 149 | A comparison of minimal versus intensive controlled drinking treatment interventions for problem drinkers. British Journal of Clinical Psychology, 1986, 25, 185-194. | 1.7 | 51 |