

# John R Crawford

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8810077/publications.pdf>

Version: 2024-02-01

149  
papers

20,472  
citations

19657

61  
h-index

10445

139  
g-index

150  
all docs

150  
docs citations

150  
times ranked

20908  
citing authors

#	ARTICLE	IF	CITATIONS
1	Levels of depression in transgender people and its predictors: Results of a large matched control study with transgender people accessing clinical services. <i>Journal of Affective Disorders</i> , 2018, 235, 308-315.	4.1	108
2	Modified confidence intervals for the Mahalanobis distance. <i>Statistics and Probability Letters</i> , 2017, 127, 131-137.	0.7	5
3	Transgender and anxiety: A comparative study between transgender people and the general population. <i>International Journal of Transgenderism</i> , 2017, 18, 16-26.	3.5	116
4	On point estimation of the abnormality of a Mahalanobis index. <i>Computational Statistics and Data Analysis</i> , 2016, 99, 115-130.	1.2	14
5	Wechsler Adult Intelligence Scale®-IV Dyads for Estimating Global Intelligence. <i>Assessment</i> , 2015, 22, 441-448.	3.1	32
6	Psychological and physical correlates of musculoskeletal symptoms in male professional divers and offshore workers. <i>Extreme Physiology and Medicine</i> , 2013, 2, 5.	2.5	4
7	UK population norms for the modified dental anxiety scale with percentile calculator: adult dental health survey 2009 results. <i>BMC Oral Health</i> , 2013, 13, 29.	2.3	98
8	Psychometric properties of the Quick Inventory of Depressive Symptomatology (QIDS-SR) in UK primary care. <i>Journal of Psychiatric Research</i> , 2013, 47, 592-598.	3.1	25
9	Differential item functioning of the HADS and PHQ-9: An investigation of age, gender and educational background in a clinical UK primary care sample. <i>Journal of Affective Disorders</i> , 2013, 147, 262-268.	4.1	30
10	Development of an eight-subtest short form of the WISC-IV and evaluation of its clinical utility in children with traumatic brain injury. <i>Child Neuropsychology</i> , 2013, 19, 662-670.	1.3	15
11	Using regression equations built from summary data in the psychological assessment of the individual case: Extension to multiple regression.. <i>Psychological Assessment</i> , 2012, 24, 801-814.	1.5	36
12	Some supplementary methods for the analysis of the RBANS.. <i>Psychological Assessment</i> , 2012, 24, 365-374.	1.5	6
13	Point and Interval Estimates of Percentile Ranks for Scores on the Texas Functional Living Scale. <i>Clinical Neuropsychologist</i> , 2012, 26, 1154-1165.	2.3	2
14	Single-case research in neuropsychology: A comparison of five forms of t-test for comparing a case to controls. <i>Cortex</i> , 2012, 48, 1009-1016.	2.4	111
15	Some supplementary methods for the analysis of WAIS®-IV index scores in neuropsychological assessment. <i>Journal of Neuropsychology</i> , 2012, 6, 192-211.	1.4	8
16	Inference for a binomial proportion in the presence of ties. <i>Journal of Applied Statistics</i> , 2011, 38, 1915-1934.	1.3	3
17	Comparing a single case to a control sample: Testing for neuropsychological deficits and dissociations in the presence of covariates. <i>Cortex</i> , 2011, 47, 1166-1178.	2.4	116
18	How the 1932 and 1947 mental surveys of Aberdeen schoolchildren provide a framework to explore the childhood origins of late onset disease and disability. <i>Maturitas</i> , 2011, 69, 365-372.	2.4	42

#	ARTICLE	IF	CITATIONS
19	Measuring depression severity in general practice: discriminatory performance of the PHQ-9, HADS-D, and BDI-II. British Journal of General Practice, 2011, 61, e419-e426.	1.4	91
20	Percentile Norms and Accompanying Interval Estimates from an Australian General Adult Population Sample for Self-report Mood Scales (BAI, BDI, CRSD, CES-D, DASS, DASS-21, STAI-X, STAI-Y, SRDS, and SRAS). Australian Psychologist, 2011, 46, 3-14.	2.1	326
21	Mokken scaling analyses of the Personal Disturbance Scale (DSSI/sAD) in large clinical and non-clinical samples. Personality and Individual Differences, 2011, 50, 38-42.	2.9	7
22	Further evidence for regional variation in women's masculinity preferences. Proceedings of the Royal Society B: Biological Sciences, 2011, 278, 813-814.	2.6	64
23	Some supplementary methods for the analysis of the Delis-Kaplan Executive Function System.. Psychological Assessment, 2011, 23, 888-898.	1.5	26
24	An index-based short form of the WISC-IV with accompanying analysis of the reliability and abnormality of differences. British Journal of Clinical Psychology, 2010, 49, 235-258.	3.5	67
25	The health of a nation predicts their mate preferences: cross-cultural variation in women's preferences for masculinized male faces. Proceedings of the Royal Society B: Biological Sciences, 2010, 277, 2405-2410.	2.6	237
26	Point and interval estimates of effect sizes for the case-controls design in neuropsychology: Rationale, methods, implementations, and proposed reporting standards. Cognitive Neuropsychology, 2010, 27, 245-260.	1.1	407
27	Inferential methods for comparing two single cases. Cognitive Neuropsychology, 2010, 27, 377-400.	1.1	49
28	Bayes's theorem and diagnostic tests in neuropsychology: Interval estimates for post-test probabilities. Clinical Neuropsychologist, 2009, 23, 624-644.	2.3	23
29	On percentile norms in neuropsychology: Proposed reporting standards and methods for quantifying the uncertainty over the percentile ranks of test scores. Clinical Neuropsychologist, 2009, 23, 1173-1195.	2.3	61
30	Percentiles Please: The Case for Expressing Neuropsychological Test Scores and Accompanying Confidence Limits as Percentile Ranks. Clinical Neuropsychologist, 2009, 23, 193-204.	2.3	62
31	On comparing a single case with a control sample: An alternative perspective. Neuropsychologia, 2009, 47, 2690-2695.	1.6	111
32	A convenient method of obtaining percentile norms and accompanying interval estimates for self-report mood scales (DASS, DASS-21, HADS, PANAS, and sAD). British Journal of Clinical Psychology, 2009, 48, 163-180.	3.5	96
33	Differential deficit in executive control in euthymic bipolar disorder.. Journal of Abnormal Psychology, 2009, 118, 146-160.	1.9	27
34	An index-based short form of the WAIS-III with accompanying analysis of reliability and abnormality of differences. British Journal of Clinical Psychology, 2008, 47, 215-237.	3.5	42
35	Longitudinal aspects of emotion recognition in patients with traumatic brain injury. Neuropsychologia, 2008, 46, 148-159.	1.6	93
36	Social behavior following traumatic brain injury and its association with emotion recognition, understanding of intentions, and cognitive flexibility. Journal of the International Neuropsychological Society, 2008, 14, 318-26.	1.8	126

#	ARTICLE	IF	CITATIONS
37	Psychometric comparison of PHQ-9 and HADS for measuring depression severity in primary care. British Journal of General Practice, 2008, 58, 32-36.	1.4	435
38	On the "Optimal" Size for Normative Samples in Neuropsychology: Capturing the Uncertainty When Normative Data Are Used to Quantify the Standing of a Neuropsychological Test Score. Child Neuropsychology, 2008, 14, 99-117.	1.3	33
39	On the reliability and standard errors of measurement of contrast measures from the D-KEFS. Journal of the International Neuropsychological Society, 2008, 14, 1069-1073.	1.8	47
40	Comparison of a single case to a control or normative sample in neuropsychology: Development of a Bayesian approach. Cognitive Neuropsychology, 2007, 24, 343-372.	1.1	255
41	Psychometric properties of the BASIS-24® (Behaviour and Symptom Identification Scale® Revised) Mental Health Outcome Measure. International Journal of Psychiatry in Clinical Practice, 2007, 11, 36-43.	2.4	79
42	Perceived Health Contributes to the Attractiveness of Facial Symmetry, Averageness, and Sexual Dimorphism. Perception, 2007, 36, 1244-1252.	1.2	134
43	Estimating the percentage of the population with abnormally low scores (or abnormally large score) Tj ETQq1 1 0.784314 rgBT /Overl Neuropsychology, 2007, 21, 419-430.	1.3	128
44	Using regression equations built from summary data in the neuropsychological assessment of the individual case.. Neuropsychology, 2007, 21, 611-620.	1.3	57
45	A predominance of category deficits for living things in Alzheimer's disease and Lewy body dementia. Journal of the International Neuropsychological Society, 2007, 13, 401-9.	1.8	19
46	Traumatic brain injury and prospective memory: Influence of task complexity. Journal of Clinical and Experimental Neuropsychology, 2007, 29, 457-466.	1.3	39
47	The Effects of Acute Alcohol Intoxication on Person Memory: The Stereotypical Drunk. Journal of Applied Social Psychology, 2007, 37, 187-199.	2.0	5
48	Methods of testing for a deficit in single-case studies: Evaluation of statistical power by Monte Carlo simulation. Cognitive Neuropsychology, 2006, 23, 877-904.	1.1	59
49	Impact Factor as We Know it Handicaps Neuropsychology and Neuropsychologists. Cortex, 2006, 42, 1-2.	2.4	18
50	Comparing patients' predicted test scores from a regression equation with their obtained scores: A significance test and point estimate of abnormality with accompanying confidence limits.. Neuropsychology, 2006, 20, 259-271.	1.3	86
51	Impairments in theory of mind shortly after traumatic brain injury and at 1-year follow-up.. Neuropsychology, 2006, 20, 400-408.	1.3	79
52	The Prospective and Retrospective Memory Questionnaire (PRMQ): Latent structure, normative data and discrepancy analysis for proxy-ratings. British Journal of Clinical Psychology, 2006, 45, 83-104.	3.5	90
53	Cognitive and psychosocial correlates of alexithymia following traumatic brain injury. Neuropsychologia, 2006, 44, 62-72.	1.6	97
54	Testing for a deficit in single-case studies: Effects of departures from normality. Neuropsychologia, 2006, 44, 666-677.	1.6	82

#	ARTICLE	IF	CITATIONS
55	Theory of mind following traumatic brain injury: The role of emotion recognition and executive dysfunction. <i>Neuropsychologia</i> , 2006, 44, 1623-1628.	1.6	181
56	Detecting dissociations in single-case studies: Type I errors, statistical power and the classical versus strong distinction. <i>Neuropsychologia</i> , 2006, 44, 2249-2258.	1.6	33
57	Objective neuropsychological test performance of professional divers reporting a subjective complaint of "forgetfulness or loss of concentration". <i>Scandinavian Journal of Work, Environment and Health</i> , 2006, 32, 310-317.	3.4	18
58	Psychometric Foundations of Neuropsychological Assessment. , 2005, , 121-140.		15
59	A Meta-Analytic Review of Verbal Fluency Deficits in Huntington's Disease.. <i>Neuropsychology</i> , 2005, 19, 243-252.	1.3	69
60	Testing for Suspected Impairments and Dissociations in Single-Case Studies in Neuropsychology: Evaluation of Alternatives Using Monte Carlo Simulations and Revised Tests for Dissociations.. <i>Neuropsychology</i> , 2005, 19, 318-331.	1.3	355
61	Evaluation of Criteria for Classical Dissociations in Single-Case Studies by Monte Carlo Simulation.. <i>Neuropsychology</i> , 2005, 19, 664-678.	1.3	65
62	WAIS III UK: An extension of the UK comparability study. <i>British Journal of Clinical Psychology</i> , 2005, 44, 279-288.	3.5	6
63	The short-form version of the Depression Anxiety Stress Scales (DASS-21): Construct validity and normative data in a large non-clinical sample. <i>British Journal of Clinical Psychology</i> , 2005, 44, 227-239.	3.5	3,684
64	Design and development of a scale measuring fear of complications in type 1 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2005, 21, 264-270.	4.0	33
65	A meta-analytic review of verbal fluency deficits in schizophrenia relative to other neurocognitive deficits. <i>Cognitive Neuropsychiatry</i> , 2005, 10, 1-33.	1.3	228
66	Personal Disturbance Scale: Factor Structure Confirmed in a Large Nonclinical Sample. <i>Psychological Reports</i> , 2005, 96, 107-108.	1.7	3
67	When is Category Specific in Alzheimer's Disease?. <i>Cortex</i> , 2005, 41, 452-463.	2.4	56
68	A Meta-Analytic Review of Verbal Fluency Deficits in Depression. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2005, 27, 78-101.	1.3	224
69	Assessment of executive dysfunction. , 2005, , 233-246.		20
70	The distribution of the difference between two t-variates. <i>Biometrika</i> , 2004, 91, 987-994.	2.4	22
71	Verbal fluency deficits in Parkinson's disease: A meta-analysis. <i>Journal of the International Neuropsychological Society</i> , 2004, 10, 608-622.	1.8	360
72	Inferential methods for comparing a single case with a control sample: modified t-tests versus mycroft et al.'s (2002) modified anova. <i>Cognitive Neuropsychology</i> , 2004, 21, 750-755.	1.1	30

#	ARTICLE	IF	CITATIONS
73	Verbal fluency performance in dementia of the Alzheimer's type: a meta-analysis. <i>Neuropsychologia</i> , 2004, 42, 1212-1222.	1.6	637
74	The Positive and Negative Affect Schedule (PANAS): Construct validity, measurement properties and normative data in a large non-clinical sample. <i>British Journal of Clinical Psychology</i> , 2004, 43, 245-265.	3.5	2,006
75	An 'instantaneous' estimate of a lifetime's cognitive change. <i>Intelligence</i> , 2004, 32, 113-119.	3.0	44
76	Statistical Methods for Single-Case Studies in Neuropsychology: Comparing the Slope of a Patient's Regression Line with those of a Control Sample. <i>Cortex</i> , 2004, 40, 533-548.	2.4	52
77	A Meta-Analytic Review of Verbal Fluency Performance Following Focal Cortical Lesions.. <i>Neuropsychology</i> , 2004, 18, 284-295.	1.3	568
78	A Meta-Analytic Review of Verbal Fluency Performance in Patients With Traumatic Brain Injury.. <i>Neuropsychology</i> , 2004, 18, 621-628.	1.3	226
79	A Meta-Analytic Review of Prospective Memory and Aging.. <i>Psychology and Aging</i> , 2004, 19, 27-39.	1.6	484
80	The Depression Anxiety Stress Scales (DASS): Normative data and latent structure in a large non-clinical sample. <i>British Journal of Clinical Psychology</i> , 2003, 42, 111-131.	3.5	1,247
81	Differential deficits in expression recognition in gene-carriers and patients with Huntington's disease. <i>Neuropsychologia</i> , 2003, 41, 1484-1492.	1.6	110
82	Wanted: Fully Operational Definitions of Dissociations in Single-Case Studies. <i>Cortex</i> , 2003, 39, 357-370.	2.4	148
83	Neuropsychological Impairments and Changes in Emotional and Social Behaviour Following Severe Traumatic Brain Injury. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2003, 25, 157-172.	1.3	217
84	The Prospective and Retrospective Memory Questionnaire (PRMQ): Normative data and latent structure in a large non-clinical sample. <i>Memory</i> , 2003, 11, 261-275.	1.7	355
85	An Application of Individual Subtest Scores Calculation in the Cantonese Version of the Test of Everyday Attention. <i>Psychological Reports</i> , 2003, 93, 1275-1282.	1.7	3
86	Intra-individual measures of association in neuropsychology: Inferential methods for comparing a single case with a control or normative sample. <i>Journal of the International Neuropsychological Society</i> , 2003, 9, 989-1000.	1.8	37
87	A Structural Modeling Examination of the Executive Decline Hypothesis of Cognitive Aging Through Reanalysis of Crawford et al.'s (2000) Data. <i>Aging, Neuropsychology, and Cognition</i> , 2002, 9, 231-249.	1.3	25
88	Performance on tests of frontal lobe function reflect general intellectual ability. <i>Neuropsychologia</i> , 2002, 40, 970-977.	1.6	79
89	Investigation of the single case in neuropsychology: confidence limits on the abnormality of test scores and test score differences. <i>Neuropsychologia</i> , 2002, 40, 1196-1208.	1.6	824
90	The Personal Disturbance Scale (sAD): normative data and latent structure in a large non-clinical sample. <i>Personality and Individual Differences</i> , 2002, 33, 1343-1360.	2.9	16

#	ARTICLE	IF	CITATIONS
91	Using Virtual Environments in the Assessment of Executive Dysfunction. Presence: Teleoperators and Virtual Environments, 2001, 10, 375-383.	0.6	95
92	The NART as an index of prior intellectual functioning: a retrospective validity study covering a 66-year interval. Psychological Medicine, 2001, 31, 451-458.	4.5	239
93	Problems in using health survey questionnaires in older patients with physical disabilities. The reliability and validity of the SF-36 and the effect of cognitive impairment. Journal of Evaluation in Clinical Practice, 2001, 7, 411-418.	1.8	50
94	Estimating premorbid IQ from demographic variables: A comparison of a regression equation vs. clinical judgement. British Journal of Clinical Psychology, 2001, 40, 97-105.	3.5	39
95	Normative data for the HADS from a large non-clinical sample. British Journal of Clinical Psychology, 2001, 40, 429-434.	3.5	661
96	Performance on the Test of Everyday Attention and Standard Tests of Attention following Severe Traumatic Brain Injury. Clinical Neuropsychologist, 2001, 15, 405-422.	2.3	95
97	Neuropsychologic Correlates of Brain White Matter Lesions Depicted on MR Images: 1921 Aberdeen Birth Cohort. Radiology, 2001, 221, 51-55.	7.3	74
98	The Covert Orienting of Visual Attention Following Severe Traumatic Brain Injury. Journal of Clinical and Experimental Neuropsychology, 2001, 23, 386-398.	1.3	31
99	The Executive Decline Hypothesis of Cognitive Aging: Do Executive Deficits Qualify as Differential Deficits and Do They Mediate Age-Related Memory Decline?. Aging, Neuropsychology, and Cognition, 2000, 7, 9-31.	1.3	152
100	Performance on the Modified Card Sorting Test by normal, healthy individuals: Relationship to general intellectual ability and demographic variables. British Journal of Clinical Psychology, 1999, 38, 27-41.	3.5	17
101	Non-mnemonic cognitive function in the scopolamine model of Alzheimer's Disease. Human Psychopharmacology, 1998, 13, 439-449.	1.5	21
102	Regression Equations in Clinical Neuropsychology: An Evaluation of Statistical Methods for Comparing Predicted and Obtained Scores. Journal of Clinical and Experimental Neuropsychology, 1998, 20, 755-762.	1.3	127
103	Payne and Jones Revisited: Estimating the Abnormality of Test Score Differences Using a Modified Paired Samples t Test. Journal of Clinical and Experimental Neuropsychology, 1998, 20, 898-905.	1.3	118
104	Introduction to the Assessment of Attention and Executive Functioning. Neuropsychological Rehabilitation, 1998, 8, 209-211.	1.6	26
105	PASAT and Components of WAIS-R Performance: Convergent and Discriminant Validity. Neuropsychological Rehabilitation, 1998, 8, 255-272.	1.6	47
106	Neuropsychological Assessment of the Elderly. , 1998, , 133-169.		7
107	Base rate data on the abnormality of subtest scatter for WAIS-R short-forms. British Journal of Clinical Psychology, 1997, 36, 433-444.	3.5	4
108	WAIS-R short forms: Assessing the statistical significance of subtest differences. British Journal of Clinical Psychology, 1997, 36, 601-608.	3.5	4

#	ARTICLE	IF	CITATIONS
109	Assessing the reliability and abnormality of subtest differences on the Test of Everyday Attention. British Journal of Clinical Psychology, 1997, 36, 609-617.	3.5	18
110	WAIS-R subtest scatter: Base-rate data from a healthy UK sample. British Journal of Clinical Psychology, 1996, 35, 235-247.	3.5	11
111	WAIS-R short-forms: Criterion validity in healthy and clinical samples. British Journal of Clinical Psychology, 1996, 35, 638-640.	3.5	12
112	The effects of scopolamine on the recall of repeated words: a preliminary investigation. Human Psychopharmacology, 1996, 11, 25-31.	1.5	1
113	The WAIS-R(UK): Basic psychometric properties in an adult UK sample. British Journal of Clinical Psychology, 1995, 34, 237-250.	3.5	21
114	Cognitive performance in UK sample of presymptomatic people carrying the gene for Huntington's disease.. Journal of Medical Genetics, 1995, 32, 358-362.	3.2	41
115	The Mahalanobis Distance index of WAIS-R subtest scatter: Psychometric properties in a healthy UK sample. British Journal of Clinical Psychology, 1994, 33, 65-69.	3.5	17
116	Frontal lobe impairment in schizophrenia: relationship to intellectual functioning. Psychological Medicine, 1993, 23, 787-790.	4.5	103
117	Severe hypoglycemia and intelligence in adult patients with insulin-treated diabetes. Diabetes, 1993, 42, 341-344.	0.6	56
118	Estimation of Premorbid Intelligence in Schizophrenia. British Journal of Psychiatry, 1992, 161, 69-74.	2.8	106
119	Short-forms of the UK WAIS-R: Regression equations and their predictive validity in a general population sample. British Journal of Clinical Psychology, 1992, 31, 191-202.	3.5	50
120	Verbal Fluency: A NART-based equation for the estimation of premorbid performance. British Journal of Clinical Psychology, 1992, 31, 327-329.	3.5	117
121	Event related potentials, reaction time, and cognitive performance in idiopathic Parkinson's disease. Biological Psychology, 1992, 33, 73-89.	2.2	45
122	The Short NART: Cross-validation, relationship to IQ and some practical considerations. British Journal of Clinical Psychology, 1991, 30, 223-229.	3.5	20
123	Dementia in idiopathic Parkinson's disease: prevalence and relationship with symptoms and signs of Parkinsonism. Psychological Medicine, 1991, 21, 69-76.	4.5	36
124	The prediction of stress in carers: The role of behaviour, reported self care and dementia in patients with idiopathic Parkinson's disease. International Journal of Geriatric Psychiatry, 1991, 6, 737-742.	2.7	14
125	The Edinburgh cohort of HIV-positive drug users. Aids, 1990, 4, 651-656.	2.2	41
126	Assessing the validity of NART-estimated premorbid IQs in the individual case. British Journal of Clinical Psychology, 1990, 29, 435-436.	3.5	29

#	ARTICLE	IF	CITATIONS
127	A comparison of the WAIS and WAIS-R in matched UK samples. British Journal of Clinical Psychology, 1990, 29, 105-109.	3.5	12
128	Improved detection of cognitive impairment with the NART: An investigation employing hierarchical discriminant function analysis. British Journal of Clinical Psychology, 1990, 29, 239-241.	3.5	18
129	Mortality and Causes of Death in Idiopathic Parkinson's Disease: Results from the Aberdeen Whole Population Study. Scottish Medical Journal, 1990, 35, 173-175.	1.3	42
130	Multimodal Imaging in Alzheimer's Disease. British Journal of Psychiatry, 1990, 157, 216-220.	2.8	41
131	Estimating premorbid intelligence by combining the NART and demographic variables: An examination of the NART standardisation sample and supplementary equations. Personality and Individual Differences, 1990, 11, 1153-1157.	2.9	37
132	The U.K. factor structure of the WAIS-R is robust and highly congruent with the U.S.A. standardisation sample. Personality and Individual Differences, 1990, 11, 643-644.	2.9	9
133	WAIS vs WAIS-R in matched U.K. samples. Personality and Individual Differences, 1990, 11, 427-428.	2.9	3
134	Premorbid IQ estimates obtained by combining the NART and demographic variables: Construct validity. Personality and Individual Differences, 1990, 11, 209-210.	2.9	15
135	Does Endorsement of the Disease Concept of Alcoholism Predict Humanitarian Attitudes to Alcoholics?. Substance Use and Misuse, 1989, 24, 71-77.	0.6	7
136	The Wechsler adult intelligence scaleâ€”Revised (WAIS-R): factor structure in a U.K. sample. Personality and Individual Differences, 1989, 10, 1209-1212.	2.9	28
137	Estimation of premorbid intelligence: combining psychometric and demographic approaches improves predictive accuracy. Personality and Individual Differences, 1989, 10, 793-796.	2.9	62
138	Construct validity of the National Adult Reading Test: a factor analytic study. Personality and Individual Differences, 1989, 10, 585-587.	2.9	52
139	Neuropsychological deficits and morphological MRI brain scan abnormalities in apparently healthy non-encephalopathic patients with cirrhosis. Journal of Hepatology, 1989, 9, 319-325.	3.7	74
140	Magnetic resonance imaging in Alzheimer's disease, multiâ€”infarct dementia, alcoholic dementia and Korsakoff's psychosis. Acta Psychiatrica Scandinavica, 1989, 80, 451-458.	4.5	28
141	Estimating premorbid IQ from demographic variables: Regression equations derived from a UK sample. British Journal of Clinical Psychology, 1989, 28, 275-278.	3.5	42
142	Late event related potentials in schizophrenia. Schizophrenia Research, 1988, 1, 182-183.	2.0	2
143	The relationship between demographic variables and NART performance in normal subjects. British Journal of Clinical Psychology, 1988, 27, 181-182.	3.5	50
144	Estimation of Premorbid Intelligence in Organic Conditions. British Journal of Psychiatry, 1988, 153, 178-181.	2.8	159

#	ARTICLE	IF	CITATIONS
145	Public Attitudes to the Disease Concept of Alcoholism. Substance Use and Misuse, 1987, 22, 1129-1138.	0.6	35
146	Differential Diagnosis in Dementia Using the Cerebral Blood Flow Agent 99mTc HM-PAO. Journal of Computer Assisted Tomography, 1987, 11, 398-402.	0.9	115
147	Nuclear magnetic resonance imaging and single photon emission tomography with radioiodine labelled compounds in the diagnosis of dementia. Acta Psychiatrica Scandinavica, 1987, 75, 549-556.	4.5	44
148	Estimation of premorbid intellectual status in depression. British Journal of Clinical Psychology, 1987, 26, 313-314.	3.5	74
149	A comparison of minimal versus intensive controlled drinking treatment interventions for problem drinkers. British Journal of Clinical Psychology, 1986, 25, 185-194.	3.5	51