

Kung-Chu Ho

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/881060/publications.pdf>

Version: 2024-02-01

21
papers

826
citations

687363

13
h-index

794594

19
g-index

21
all docs

21
docs citations

21
times ranked

1080
citing authors

#	ARTICLE	IF	CITATIONS
1	Detection of lymph node metastasis in cervical and uterine cancers by diffusion-weighted magnetic resonance imaging at 3T. <i>Journal of Magnetic Resonance Imaging</i> , 2008, 28, 128-135.	3.4	213
2	Myometrial Invasion in Endometrial Cancer: Diagnostic Accuracy of Diffusion-weighted 3.0-T MR Imaging—Initial Experience. <i>Radiology</i> , 2009, 250, 784-792.	7.3	164
3	Correlation of apparent diffusion coefficients measured by 3T diffusion-weighted MRI and SUV from FDG PET/CT in primary cervical cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 200-208.	6.4	109
4	Positron emission tomography in evaluating the feasibility of curative intent in cervical cancer patients with limited distant lymph node metastases. <i>Gynecologic Oncology</i> , 2008, 110, 172-178.	1.4	56
5	¹⁸ F-fluorodeoxyglucose positron emission tomography in uterine carcinosarcoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 484-492.	6.4	48
6	Inter-Strain Differences in Default Mode Network: A Resting State fMRI Study on Spontaneously Hypertensive Rat and Wistar Kyoto Rat. <i>Scientific Reports</i> , 2016, 6, 21697.	3.3	34
7	Utility of 2-Fluoro-2-Deoxy-D-Glucose Positron Emission Tomography in Managing Patients of Colorectal Cancer With Unexplained Carcinoembryonic Antigen Elevation at Different Levels. <i>Diseases of the Colon and Rectum</i> , 2005, 48, 1900-1912.	1.3	28
8	TLG-S criteria are superior to both EORTC and PERCIST for predicting outcomes in patients with metastatic lung adenocarcinoma treated with erlotinib. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 2155-2165.	6.4	25
9	Identification of prognostic factors in patients with cervical cancer and supraclavicular lymph node recurrence. <i>Gynecologic Oncology</i> , 2011, 123, 253-256.	1.4	24
10	A preliminary investigation into textural features of intratumoral metabolic heterogeneity in (¹⁸ F)FDG PET for overall survival prognosis in patients with bulky cervical cancer treated with definitive concurrent chemoradiotherapy. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 6, 166-75.	1.0	23
11	Node/Aorta and Node/Liver SUV Ratios from ¹⁸ F-FDG PET/CT May Improve the Detection of Occult Mediastinal Lymph Node Metastases in Patients with Non-Small Cell Lung Carcinoma. <i>Academic Radiology</i> , 2012, 19, 685-692.	2.5	22
12	Respiration-averaged CT for attenuation correction in non-small-cell lung cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 607-615.	6.4	16
13	Pretreatment Primary Tumor SUVmax on ¹⁸ F-FDG PET/CT Images Predicts Outcomes in Patients With Salivary Gland Carcinoma Treated With Definitive Intensity-Modulated Radiation Therapy. <i>Clinical Nuclear Medicine</i> , 2017, 42, 655-662.	1.3	15
14	Presurgical Identification of Uterine Smooth Muscle Malignancies through the Characteristic FDG Uptake Pattern on PET Scans. <i>Contrast Media and Molecular Imaging</i> , 2018, 2018, 1-10.	0.8	15
15	Single-scan rest/stress imaging with ^{99m} Tc-Sestamibi and cadmium zinc telluride-based SPECT for hyperemic flow quantification: A feasibility study evaluated with cardiac magnetic resonance imaging. <i>PLoS ONE</i> , 2017, 12, e0183402.	2.5	11
16	Prognostic impact of combining whole-body PET/CT and brain PET/MR in patients with lung adenocarcinoma and brain metastases. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 467-477.	6.4	11
17	Use of Positron Emission Tomography to Detect Infection Around Antibiotic-loaded Cement Spacers in Patients With High C-Reactive Protein Levels. <i>Orthopedics</i> , 2011, 34, e605-9.	1.1	8
18	Detecting Triple-Vessel Disease with Cadmium Zinc Telluride-Based Single-Photon Emission Computed Tomography Using the Intensity Signal-to-Noise Ratio between Rest and Stress Studies. <i>Contrast Media and Molecular Imaging</i> , 2017, 2017, 1-8.	0.8	2

#	ARTICLE	IF	CITATIONS
19	2021 Advocacy Statements for the Role of Tc-Pyrophosphate Scintigraphy in the Diagnosis of Transthyretin Cardiac Amyloidosis: A Report of the Taiwan Society of Cardiology and the Society of Nuclear Medicine of the Republic of China. <i>Acta Cardiologica Sinica</i> , 2021, 37, 221-231.	0.2	2
20	Metal-semiconductor-metal electron detector with nano-hole array structure to improve the electricity characteristic and enhance the performance. , 2011, , .		0
21	Understanding the Collective Coulomb Forces of the ions in the microfluidic channel. , 2011, , .		0