

Paul E Norman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8811367/publications.pdf>

Version: 2024-02-01

218
papers

23,034
citations

17429

63
h-index

8384

147
g-index

222
all docs

222
docs citations

222
times ranked

34962
citing authors

#	ARTICLE	IF	CITATIONS
1	Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012, 380, 2095-2128.	6.3	11,038
2	Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. <i>BMJ, The</i> , 2014, 349, g4164-g4164.	3.0	528
3	Population based randomised controlled trial on impact of screening on mortality from abdominal aortic aneurysm. <i>BMJ: British Medical Journal</i> , 2004, 329, 1259-0.	2.4	412
4	Medical Treatment of Peripheral Arterial Disease. <i>JAMA - Journal of the American Medical Association</i> , 2006, 295, 547.	3.8	285
5	Effect modification by population dietary folate on the association between MTHFR genotype, homocysteine, and stroke risk: a meta-analysis of genetic studies and randomised trials. <i>Lancet, The</i> , 2011, 378, 584-594.	6.3	273
6	Lower Testosterone Levels Predict Incident Stroke and Transient Ischemic Attack in Older Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 2353-2359.	1.8	226
7	Circulating Markers of Abdominal Aortic Aneurysm Presence and Progression. <i>Circulation</i> , 2008, 118, 2382-2392.	1.6	215
8	Atherosclerosis and Abdominal Aortic Aneurysm. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 1075-1077.	1.1	212
9	Cohort Profile: The Health In Men Study (HIMS). <i>International Journal of Epidemiology</i> , 2009, 38, 48-52.	0.9	209
10	Global and Regional Burden of Death and Disability From Peripheral Artery Disease: 21 World Regions, 1990 to 2010. <i>Global Heart</i> , 2014, 9, 145.	0.9	204
11	Global and Regional Burden of Aortic Dissection and Aneurysms: Mortality Trends in 21 World Regions, 1990 to 2010. <i>Global Heart</i> , 2014, 9, 171.	0.9	196
12	Peripheral Arterial Disease and Risk of Cardiac Death in Type 2 Diabetes: The Fremantle Diabetes Study. <i>Diabetes Care</i> , 2006, 29, 575-580.	4.3	195
13	Abdominal Aortic Aneurysm Is Associated with a Variant in Low-Density Lipoprotein Receptor-Related Protein 1. <i>American Journal of Human Genetics</i> , 2011, 89, 619-627.	2.6	185
14	Abdominal Aortic Aneurysm. <i>Circulation</i> , 2007, 115, 2865-2869.	1.6	175
15	Meta-Analysis of Genome-Wide Association Studies for Abdominal Aortic Aneurysm Identifies Four New Disease-Specific Risk Loci. <i>Circulation Research</i> , 2017, 120, 341-353.	2.0	166
16	Reduced expansion rate of abdominal aortic aneurysms in patients with diabetes may be related to aberrant monocyte-matrix interactions. <i>European Heart Journal</i> , 2008, 29, 665-672.	1.0	160
17	Estimation of Global and Regional Incidence and Prevalence of Abdominal Aortic Aneurysms 1990 to 2010. <i>Global Heart</i> , 2014, 9, 159.	0.9	159
18	Current status of medical management for abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2011, 217, 57-63.	0.4	157

#	ARTICLE	IF	CITATIONS
19	Low Free Testosterone Predicts Mortality from Cardiovascular Disease But Not Other Causes: The Health in Men Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 179-189.	1.8	155
20	In Older Men an Optimal Plasma Testosterone Is Associated With Reduced All-Cause Mortality and Higher Dihydrotestosterone With Reduced Ischemic Heart Disease Mortality, While Estradiol Levels Do Not Predict Mortality. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E9-E18.	1.8	155
21	Reduced serum total osteocalcin is associated with metabolic syndrome in older men via waist circumference, hyperglycemia, and triglyceride levels. <i>European Journal of Endocrinology</i> , 2010, 163, 265-272.	1.9	148
22	Predictors, consequences and costs of diabetes-related lower extremity amputation complicating type 2 diabetes: The Fremantle Diabetes Study. <i>Diabetologia</i> , 2006, 49, 2634-2641.	2.9	135
23	Obesity, Adipokines, and Abdominal Aortic Aneurysm. <i>Circulation</i> , 2007, 116, 2275-2279.	1.6	135
24	Screening for abdominal aortic aneurysm: lessons from a population-based study. <i>Medical Journal of Australia</i> , 2000, 173, 345-350.	0.8	134
25	Reference Ranges and Determinants of Testosterone, Dihydrotestosterone, and Estradiol Levels Measured using Liquid Chromatography-Tandem Mass Spectrometry in a Population-Based Cohort of Older Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 4030-4039.	1.8	133
26	Population based randomised controlled trial on impact of screening on mortality from abdominal aortic aneurysm. <i>BMJ: British Medical Journal</i> , 2004, 329, 1259.	2.4	125
27	Site Specificity of Aneurysmal Disease. <i>Circulation</i> , 2010, 121, 560-568.	1.6	120
28	In men older than 70 years, total testosterone remains stable while free testosterone declines with age. The Health in Men Study. <i>European Journal of Endocrinology</i> , 2007, 156, 585-594.	1.9	118
29	Diagnosis and Monitoring of Abdominal Aortic Aneurysm: Current Status and Future Prospects. <i>Current Problems in Cardiology</i> , 2010, 35, 512-548.	1.1	117
30	C-Reactive Protein Levels and the Expansion of Screen-Detected Abdominal Aortic Aneurysms in Men. <i>Circulation</i> , 2004, 110, 862-866.	1.6	114
31	Association Between Osteopontin and Human Abdominal Aortic Aneurysm. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007, 27, 655-660.	1.1	114
32	Falls, injuries from falls, health related quality of life and mortality in older adults with vision and hearing impairment—Is there a gender difference?. <i>Maturitas</i> , 2011, 69, 359-364.	1.0	112
33	Screening for Abdominal Aortic Aneurysm Reduces Overall Mortality in Men. A Meta-analysis of the Mid- and Long-term Effects of Screening for Abdominal Aortic Aneurysms. <i>European Journal of Vascular and Endovascular Surgery</i> , 2008, 36, 167-171.	0.8	110
34	Lower serum testosterone is independently associated with insulin resistance in non-diabetic older men: the Health In Men Study. <i>European Journal of Endocrinology</i> , 2009, 161, 591-598.	1.9	109
35	Vitamin D, Shedding Light on the Development of Disease in Peripheral Arteries. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 39-46.	1.1	104
36	Long term relative survival after surgery for abdominal aortic aneurysm in Western Australia: population based study. <i>BMJ: British Medical Journal</i> , 1998, 317, 852-856.	2.4	101

#	ARTICLE	IF	CITATIONS
37	Challenges and opportunities in limiting abdominal aortic aneurysm growth. <i>Journal of Vascular Surgery</i> , 2017, 65, 225-233.	0.6	99
38	Understanding the Effects of Tobacco Smoke on the Pathogenesis of Aortic Aneurysm. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 1473-1477.	1.1	97
39	Lower sex hormone-binding globulin is more strongly associated with metabolic syndrome than lower total testosterone in older men: the Health in Men Study. <i>European Journal of Endocrinology</i> , 2008, 158, 785-792.	1.9	96
40	Association of Cardiovascular Risk Factors and Disease With Depression in Later Life. <i>American Journal of Geriatric Psychiatry</i> , 2007, 15, 506-513.	0.6	94
41	Successful Mental Health Aging: Results From a Longitudinal Study of Older Australian Men. <i>American Journal of Geriatric Psychiatry</i> , 2006, 14, 27-35.	0.6	93
42	The Association of C-Reactive Protein and CRP Genotype with Coronary Heart Disease: Findings from Five Studies with 4,610 Cases amongst 18,637 Participants. <i>PLoS ONE</i> , 2008, 3, e3011.	1.1	90
43	Falling rates of hospitalization and mortality from abdominal aortic aneurysms in Australia. <i>Journal of Vascular Surgery</i> , 2011, 53, 274-277.	0.6	90
44	Depression, Frailty, and All-Cause Mortality: A Cohort Study of Men Older than 75 Years. <i>Journal of the American Medical Association</i> , 2015, 16, 296-300.	1.2	89
45	A sequence variant associated with sortilin-1 (SORT1) on 1p13.3 is independently associated with abdominal aortic aneurysm. <i>Human Molecular Genetics</i> , 2013, 22, 2941-2947.	1.4	88
46	Peripheral arterial disease: prognostic significance and prevention of atherothrombotic complications. <i>Medical Journal of Australia</i> , 2004, 181, 150-154.	0.8	87
47	The potential role of homocysteine mediated DNA methylation and associated epigenetic changes in abdominal aortic aneurysm formation. <i>Atherosclerosis</i> , 2013, 228, 295-305.	0.4	86
48	Higher Serum Undercarboxylated Osteocalcin and Other Bone Turnover Markers Are Associated With Reduced Diabetes Risk and Lower Estradiol Concentrations in Older Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 63-71.	1.8	86
49	Negative Association between Infra-renal Aortic Diameter and Glycaemia: The Health In Men Study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2007, 33, 599-604.	0.8	84
50	Evaluation of the diagnostic and prognostic value of plasma D-dimer for abdominal aortic aneurysm. <i>European Heart Journal</i> , 2011, 32, 354-364.	1.0	81
51	Association Between Serum Lipoproteins and Abdominal Aortic Aneurysm. <i>American Journal of Cardiology</i> , 2010, 105, 1480-1484.	0.7	80
52	Incisional hernias are more common in aneurysmal arterial disease. <i>European Journal of Vascular and Endovascular Surgery</i> , 1996, 12, 196-200.	0.8	79
53	A Variant in <i>LDLR</i> Is Associated With Abdominal Aortic Aneurysm. <i>Circulation: Cardiovascular Genetics</i> , 2013, 6, 498-504.	5.1	78
54	In Older Men, Higher Plasma Testosterone or Dihydrotestosterone Is an Independent Predictor for Reduced Incidence of Stroke but Not Myocardial Infarction. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 4565-4573.	1.8	76

#	ARTICLE	IF	CITATIONS
55	Infrarenal Aortic Diameter Predicts All-Cause Mortality. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, 1278-1282.	1.1	73
56	Peroxisome proliferator-activated receptor ligands reduce aortic dilatation in a mouse model of aortic aneurysm. <i>Atherosclerosis</i> , 2010, 210, 51-56.	0.4	73
57	Associations of total osteocalcin with all-cause and cardiovascular mortality in older men. The Health In Men Study. <i>Osteoporosis International</i> , 2012, 23, 599-606.	1.3	71
58	Polymorphisms of the CRP gene inhibit inflammatory response and increase susceptibility to depression: The Health in Men Study. <i>International Journal of Epidemiology</i> , 2009, 38, 1049-1059.	0.9	70
59	Fenofibrate Increases High-Density Lipoprotein and Sphingosine 1 Phosphate Concentrations Limiting Abdominal Aortic Aneurysm Progression in a Mouse Model. <i>American Journal of Pathology</i> , 2012, 181, 706-718.	1.9	69
60	Matrix Biology of Abdominal Aortic Aneurysms in Diabetes: Mechanisms Underlying the Negative Association. <i>Connective Tissue Research</i> , 2007, 48, 125-131.	1.1	67
61	Angiotensin II Type 1 Receptor 1166C Polymorphism Is Associated With Abdominal Aortic Aneurysm in Three Independent Cohorts. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008, 28, 764-770.	1.1	67
62	Resveratrol Inhibits Growth of Experimental Abdominal Aortic Aneurysm Associated With Upregulation of Angiotensin-Converting Enzyme 2. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 2195-2203.	1.1	67
63	Mortality among People with Severe Mental Disorders Who Reach Old Age: A Longitudinal Study of a Community-Representative Sample of 37892 Men. <i>PLoS ONE</i> , 2014, 9, e111882.	1.1	67
64	Long-term relative survival following surgery for abdominal aortic aneurysm: a review. <i>Vascular</i> , 2001, 9, 219-224.	0.5	66
65	Accuracy of hospital morbidity data and the performance of comorbidity scores as predictors of mortality. <i>Journal of Clinical Epidemiology</i> , 2012, 65, 107-115.	2.4	64
66	A Systematic Review of Studies Examining Inflammation Associated Cytokines in Human Abdominal Aortic Aneurysm Samples. <i>Disease Markers</i> , 2009, 26, 181-188.	0.6	63
67	Higher free thyroxine levels are associated with all-cause mortality in euthyroid older men: the Health In Men Study. <i>European Journal of Endocrinology</i> , 2013, 169, 401-408.	1.9	63
68	Associations of Total Testosterone, Sex Hormone-Binding Globulin, Calculated Free Testosterone, and Luteinizing Hormone with Prevalence of Abdominal Aortic Aneurysm in Older Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1123-1130.	1.8	62
69	Genetic and epigenetic mechanisms and their possible role in abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2010, 212, 16-29.	0.4	58
70	Duration of diabetes and its association with depression in later life: The Health In Men Study (HIMS). <i>Maturitas</i> , 2016, 86, 3-9.	1.0	57
71	Older Men Who Use Computers Have Lower Risk of Dementia. <i>PLoS ONE</i> , 2012, 7, e44239.	1.1	55
72	A simple lifestyle score predicts survival in healthy elderly men. <i>Preventive Medicine</i> , 2005, 40, 712-717.	1.6	53

#	ARTICLE	IF	CITATIONS
73	Increased plasma levels of NGAL, a marker of neutrophil activation, in patients with abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2012, 220, 552-556.	0.4	52
74	Prevalence of abdominal aortic aneurysm in Western Australia. <i>British Journal of Surgery</i> , 2005, 78, 1118-1121.	0.1	51
75	Sequence variant on 9p21 is associated with the presence of abdominal aortic aneurysm disease but does not have an impact on aneurysmal expansion. <i>European Journal of Human Genetics</i> , 2009, 17, 391-394.	1.4	51
76	Enhanced antiplatelet effect of clopidogrel in patients whose platelets are least inhibited by aspirin: a randomized crossover trial. <i>Journal of Thrombosis and Haemostasis</i> , 2005, 3, 2649-2655.	1.9	50
77	Editor's Choice "Metformin Prescription is Associated with a Reduction in the Combined Incidence of Surgical Repair and Rupture Related Mortality in Patients with Abdominal Aortic Aneurysm. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 57, 94-101.	0.8	50
78	High rates of amputation among Indigenous people in Western Australia. <i>Medical Journal of Australia</i> , 2010, 192, 421-421.	0.8	49
79	Initial results of ultrasound screening for aneurysm of the abdominal aorta in Western Australia: relevance for endoluminal treatment of aneurysm disease. <i>Vascular</i> , 2001, 9, 234-240.	0.5	48
80	The association between C-reactive protein concentration and depression in later life is due to poor physical health: results from the Health in Men Study (HIMS). <i>Psychological Medicine</i> , 2007, 37, 1775-1786.	2.7	48
81	Pathophysiology of abdominal aortic aneurysm relevant to improvements in patients' management. <i>Current Opinion in Cardiology</i> , 2009, 24, 532-538.	0.8	48
82	Temporal trends in initial and recurrent lower extremity amputations in people with and without diabetes in Western Australia from 2000 to 2010. <i>Diabetes Research and Clinical Practice</i> , 2015, 108, 280-287.	1.1	47
83	Healthier lifestyle predicts higher circulating testosterone in older men: the Health In Men Study. <i>Clinical Endocrinology</i> , 2009, 70, 455-463.	1.2	46
84	Interleukin-6 Receptor Signaling and Abdominal Aortic Aneurysm Growth Rates. <i>Circulation Genomic and Precision Medicine</i> , 2019, 12, e002413.	1.6	46
85	Shared Genetic Risk Factors of Intracranial, Abdominal, and Thoracic Aneurysms. <i>Journal of the American Heart Association</i> , 2016, 5, .	1.6	45
86	Elevated LH predicts ischaemic heart disease events in older men: the Health in Men Study. <i>European Journal of Endocrinology</i> , 2011, 164, 569-577.	1.9	44
87	Haemodynamics and stresses in abdominal aortic aneurysms: A fluid-structure interaction study into the effect of proximal neck and iliac bifurcation angle. <i>Journal of Biomechanics</i> , 2017, 60, 150-156.	0.9	43
88	Monocyte chemoattractant protein-1 gene expression in injured pig artery coincides with early appearance of infiltrating monocyte/macrophages. , 1996, 62, 303-313.		42
89	Proteomic analysis of intra-arterial thrombus secretions reveals a negative association of clusterin and thrombospondin-1 with abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2011, 219, 432-439.	0.4	42
90	A systematic review of studies examining inflammation associated cytokines in human abdominal aortic aneurysm samples. <i>Disease Markers</i> , 2009, 26, 181-8.	0.6	42

#	ARTICLE	IF	CITATIONS
91	The influence of gender on outcome following peripheral vascular surgery: a review. <i>Vascular</i> , 2000, 8, 111-115.	0.5	41
92	Population-based record linkage study of the incidence of abdominal aortic aneurysm in Western Australia in 1985-1994. <i>British Journal of Surgery</i> , 2003, 85, 648-652.	0.1	41
93	Is Hypovitaminosis D Associated with Abdominal Aortic Aneurysm, and is There a Dose-response Relationship?. <i>European Journal of Vascular and Endovascular Surgery</i> , 2013, 45, 657-664.	0.8	41
94	Transforming growth factor- β^2 and abdominal aortic aneurysms. <i>Cardiovascular Pathology</i> , 2013, 22, 126-132.	0.7	41
95	B-vitamins reduce plasma levels of beta amyloid. <i>Neurobiology of Aging</i> , 2008, 29, 303-305.	1.5	40
96	Everolimus Limits Aortic Aneurysm in the Apolipoprotein E-deficient Mouse by Downregulating C-C Chemokine Receptor 2 Positive Monocytes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 814-821.	1.1	40
97	Long-term Outcomes of the Western Australian Trial of Screening for Abdominal Aortic Aneurysms. <i>JAMA Internal Medicine</i> , 2016, 176, 1761.	2.6	40
98	Is screening for abdominal aortic aneurysm bad for your health and well-being?. <i>ANZ Journal of Surgery</i> , 2004, 74, 1069-1075.	0.3	38
99	IGF1 and its binding proteins 3 and 1 are differentially associated with metabolic syndrome in older men. <i>European Journal of Endocrinology</i> , 2010, 162, 249-257.	1.9	38
100	Improving maximum walking distance in early peripheral arterial disease: Randomised controlled trial. <i>Australian Journal of Physiotherapy</i> , 2002, 48, 269-275.	0.9	37
101	Homocysteine, methylenetetrahydrofolate reductase C677T polymorphism and cognitive impairment: the health in men study. <i>Molecular Psychiatry</i> , 2012, 17, 559-566.	4.1	37
102	Temporal changes in the prevalence and associates of diabetes-related lower extremity amputations in patients with type 2 diabetes: the Fremantle Diabetes Study. <i>Cardiovascular Diabetology</i> , 2015, 14, 152.	2.7	37
103	Computational Biomechanics in Thoracic Aortic Dissection: Today's Approaches and Tomorrow's Opportunities. <i>Annals of Biomedical Engineering</i> , 2016, 44, 71-83.	1.3	37
104	Falling incidence of amputations for peripheral occlusive arterial disease in Western Australia between 1980 and 1992. <i>European Journal of Vascular and Endovascular Surgery</i> , 1997, 13, 14-22.	0.8	36
105	Long-Term Relative Survival in Elderly Patients After Carotid Endarterectomy. <i>Stroke</i> , 2003, 34, e95-8.	1.0	36
106	Smoking, body weight, physical exercise, and risk of lower limb total joint replacement in a population-based cohort of men. <i>Arthritis and Rheumatism</i> , 2011, 63, 2523-2530.	6.7	35
107	Polymorphisms of the Interleukin-6 Gene Promoter and Abdominal Aortic Aneurysm. <i>European Journal of Vascular and Endovascular Surgery</i> , 2008, 35, 31-36.	0.8	34
108	Association of PPAR β allelic variation, osteoprotegerin and abdominal aortic aneurysm. <i>Clinical Endocrinology</i> , 2010, 72, 128-132.	1.2	34

#	ARTICLE	IF	CITATIONS
109	Associations of IGF1 and IGF1R with all-cause and cardiovascular mortality in older men: the Health In Men Study. <i>European Journal of Endocrinology</i> , 2011, 164, 715-723.	1.9	34
110	Association of single-nucleotide polymorphisms in HLA class II/III region with knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 1454-1457.	0.6	33
111	Meta-analysis of the association between single nucleotide polymorphisms in TGF- β 2 receptor genes and abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2011, 219, 218-223.	0.4	33
112	Plasma homocysteine and MTHFR C677T polymorphism as risk factors for incident dementia. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2012, 83, 70-75.	0.9	33
113	The cardiovascular and prognostic significance of the infrarenal aortic diameter. <i>Journal of Vascular Surgery</i> , 2011, 54, 1817-1820.	0.6	32
114	CRP \geq 3 polymorphism increases risk of frailty. <i>Maturitas</i> , 2012, 71, 261-266.	1.0	32
115	Plasma total homocysteine is associated with abdominal aortic aneurysm and aortic diameter in older men. <i>Journal of Vascular Surgery</i> , 2013, 58, 364-370.	0.6	32
116	How Many Older People Are Frail? Using Multiple Imputation to Investigate Frailty in the Population. <i>Journal of the American Medical Association</i> , 2015, 314, 439.e1-439.e7.	1.2	32
117	Advanced Glycation End Products and esRAGE Are Associated With Bone Turnover and Incidence of Hip Fracture in Older Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 4224-4231.	1.8	32
118	Homocysteine, Alzheimer genes and proteins, and measures of cognition and depression in older men. <i>Journal of Alzheimer's Disease</i> , 2004, 6, 329-336.	1.2	31
119	Efficacy of B Vitamins in Lowering Homocysteine in Older Men. <i>Stroke</i> , 2006, 37, 547-549.	1.0	31
120	HOMOCYSTEINE AND ABDOMINAL AORTIC ANEURYSMS. <i>ANZ Journal of Surgery</i> , 2007, 77, 329-332.	0.3	31
121	Assessment of the association between genetic polymorphisms in transforming growth factor beta, and its binding protein (LTBP), and the presence, and expansion, of Abdominal Aortic Aneurysm. <i>Atherosclerosis</i> , 2010, 209, 367-373.	0.4	31
122	Telmisartan in the management of abdominal aortic aneurysm (TEDY): The study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 274.	0.7	31
123	Prevalence of abdominal aortic aneurysms in men with diabetes. <i>Medical Journal of Australia</i> , 1997, 166, 630-633.	0.8	29
124	Serum Testosterone is Inversely and Sex Hormone-binding Globulin is Directly Associated with All-cause Mortality in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e625-e637.	1.8	29
125	Diabetes, Myocardial Infarction and Stroke Are Distinct and Duration-Dependent Predictors of Subsequent Cardiovascular Events and All-Cause Mortality in Older Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 1038-1047.	1.8	28
126	Proportion of Undercarboxylated Osteocalcin and Serum P1NP Predict Incidence of Myocardial Infarction in Older Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3934-3942.	1.8	28

#	ARTICLE	IF	CITATIONS
127	Biomechanical Assessment Predicts Aneurysm Related Events in Patients with Abdominal Aortic Aneurysm. <i>European Journal of Vascular and Endovascular Surgery</i> , 2020, 60, 365-373.	0.8	26
128	Association of an allele on chromosome 9 and abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2010, 212, 539-542.	0.4	25
129	Temporal trends in the incidence and recurrence of hospitalised atherothrombotic disease in an Australian population, 2000â€“07: data linkage study. <i>Heart</i> , 2012, 98, 1449-1456.	1.2	25
130	Relation Between Serum Thrombospondin-2 and Cardiovascular Mortality in Older Men Screened for Abdominal Aortic Aneurysm. <i>American Journal of Cardiology</i> , 2013, 111, 1800-1804.	0.7	25
131	Vascular endothelial growth factor (VEGF) expression during arterial repair in the pig. <i>European Journal of Vascular and Endovascular Surgery</i> , 1998, 15, 225-230.	0.8	24
132	Traditional Risk Factors for Incident Cardiovascular Events Have Limited Importance in Later Life Compared With the Health in Men Study Cardiovascular Risk Score. <i>Stroke</i> , 2011, 42, 952-959.	1.0	24
133	General practitioners' attitudes to computerâ€“generated surgical discharge letters. <i>Medical Journal of Australia</i> , 1992, 157, 380-382.	0.8	23
134	THE QUALITY OF SURGICAL CARE PROJECT: BENCHMARK STANDARDS OF OPEN RESECTION FOR ABDOMINAL AORTIC ANEURYSM IN WESTERN AUSTRALIA. <i>ANZ Journal of Surgery</i> , 1998, 68, 404-410.	0.3	23
135	Apolipoprotein E genotype is associated with serum C-reactive protein but not abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2010, 209, 487-491.	0.4	23
136	Associations of Serum Testosterone and Sex Hormoneâ€“Binding Globulin With Incident Cardiovascular Events in Middle-Aged to Older Men. <i>Annals of Internal Medicine</i> , 2022, 175, 159-170.	2.0	23
137	Cardiovascular Disease, Depression and Mortality: The Health In Men Study. <i>American Journal of Geriatric Psychiatry</i> , 2012, 20, 433-440.	0.6	22
138	Plasma Angiopoietin-1 Is Lower After Ischemic Stroke and Associated With Major Disability But Not Stroke Incidence. <i>Stroke</i> , 2014, 45, 1064-1068.	1.0	22
139	Modulation of Kinin B2 Receptor Signaling Controls Aortic Dilatation and Rupture in the Angiotensin IIâ€“Infused Apolipoprotein Eâ€“Deficient Mouse. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016, 36, 898-907.	1.1	22
140	Replication studies in various ethnic populations do not support the association of the HIF-2Î± SNP rs17039192 with knee osteoarthritis. <i>Nature Medicine</i> , 2011, 17, 26-27.	15.2	21
141	Temporal changes in the prevalence and associates of foot ulceration in type 2 diabetes: The Fremantle Diabetes Study. <i>Journal of Diabetes and Its Complications</i> , 2015, 29, 356-361.	1.2	21
142	Morphology and Hemodynamics in Isolated Common Iliac Artery Aneurysms Impacts Proximal Aortic Remodeling. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019, 39, 1125-1136.	1.1	21
143	The application of computational modeling for risk prediction in type B aortic dissection. <i>Journal of Vascular Surgery</i> , 2020, 71, 1789-1801.e3.	0.6	21
144	Temporal Trends in Incident Hospitalization for Diabetes-Related Foot Ulcer in Type 2 Diabetes: The Fremantle Diabetes Study. <i>Diabetes Care</i> , 2021, 44, 722-730.	4.3	21

#	ARTICLE	IF	CITATIONS
145	The potential for a selective screening strategy for abdominal aortic aneurysm. <i>Journal of Medical Screening</i> , 2000, 7, 209-211.	1.1	19
146	Associations of IGF1 and its binding proteins with abdominal aortic aneurysm and aortic diameter in older men. <i>European Journal of Endocrinology</i> , 2012, 166, 191-197.	1.9	18
147	Increased serum angiopoietin-2 is associated with abdominal aortic aneurysm prevalence and cardiovascular mortality in older men. <i>International Journal of Cardiology</i> , 2013, 167, 1159-1163.	0.8	18
148	Lower plasma testosterone or dihydrotestosterone, but not estradiol, is associated with symptoms of intermittent claudication in older men. <i>Clinical Endocrinology</i> , 2013, 79, 725-732.	1.2	17
149	Reported High Salt Intake Is Associated with Increased Prevalence of Abdominal Aortic Aneurysm and Larger Aortic Diameter in Older Men. <i>PLoS ONE</i> , 2014, 9, e102578.	1.1	15
150	Lifestyle still predicts mortality in older men with established vascular disease. <i>Preventive Medicine</i> , 2005, 41, 583-588.	1.6	14
151	Serum carboxymethyllysine concentrations are reduced in diabetic men with abdominal aortic aneurysms: Health In Men Study. <i>Journal of Vascular Surgery</i> , 2009, 50, 626-631.	0.6	14
152	A large-scale replication study for the association of rs17039192 in HIF1 α with knee osteoarthritis. <i>Journal of Orthopaedic Research</i> , 2012, 30, 1244-1248.	1.2	14
153	A single nucleotide polymorphism in exon 3 of the kallikrein 1 gene is associated with large but not small abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2011, 217, 452-457.	0.4	13
154	Surgical Decision Making in Uncomplicated Type B Aortic Dissection: A Survey of Australian/New Zealand and European Surgeons. <i>European Journal of Vascular and Endovascular Surgery</i> , 2020, 60, 194-200.	0.8	13
155	Association between the Advanced Glycosylation End Product-Specific Receptor Gene and Cardiovascular Death in Older Men. <i>PLoS ONE</i> , 2015, 10, e0134475.	1.1	13
156	Low Shear Stress at Baseline Predicts Expansion and Aneurysm-Related Events in Patients With Abdominal Aortic Aneurysm. <i>Circulation: Cardiovascular Imaging</i> , 2021, 14, 1112-1121.	1.3	13
157	ABDOMINAL AORTIC ANEURYSM, INGUINAL HERNIAS AND EMPHYSEMA. <i>ANZ Journal of Surgery</i> , 2008, 78, 1034-1034.	0.3	12
158	Matrix Metalloproteinase-2 Gene Variants and Abdominal Aortic Aneurysm. <i>European Journal of Vascular and Endovascular Surgery</i> , 2009, 38, 169-171.	0.8	12
159	Population-based observational study of claudication in older men: the Health in Men Study. <i>Medical Journal of Australia</i> , 2010, 192, 641-645.	0.8	12
160	High-sensitivity Cardiac Troponin I Improves Cardiovascular Risk Prediction in Older Men: HIMS (The) Tj ETQq0 0 0 rgBT /Overlock 10 T	1.6	12
161	Morphometric changes seen in balloon-injured porcine iliac arteries: The influence of sympthectomy on intimal hyperplasia and remodelling. <i>European Journal of Vascular and Endovascular Surgery</i> , 1997, 13, 43-47.	0.8	11
162	Relationship between two sequence variations in the gene for peroxisome proliferator-activated receptor-gamma and plasma homocysteine concentration. Health in men study. <i>Human Genetics</i> , 2008, 123, 35-40.	1.8	11

#	ARTICLE	IF	CITATIONS
163	Management of peripheral arterial disease in the elderly: focus on cilostazol. <i>Clinical Interventions in Aging</i> , 2008, Volume 3, 17-23.	1.3	11
164	The association between the gene encoding 5-lipoxygenase activating protein and abdominal aortic aneurysms. <i>Atherosclerosis</i> , 2012, 220, 425-428.	0.4	11
165	Peripheral arterial disease increases the risk of subsequent hip fracture in older men: the Health in Men Study. <i>Osteoporosis International</i> , 2013, 24, 1683-1688.	1.3	11
166	Total joint replacement in men: old age, obesity and in-hospital complications. <i>ANZ Journal of Surgery</i> , 2013, 83, 376-381.	0.3	11
167	Physical activity and vascular disease in a prospective cohort study of older men: The Health In Men Study (HIMS). <i>BMC Geriatrics</i> , 2015, 15, 164.	1.1	11
168	U-Shaped Association of Plasma Testosterone, and no Association of Plasma Estradiol, with Incidence of Fractures in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 1489-1500.	1.8	11
169	The role of vitamin D3 in the aetiology of abdominal aortic aneurysms. <i>Medical Hypotheses</i> , 1995, 45, 17-20.	0.8	10
170	Does the Mediterranean paradox extend to abdominal aortic aneurysm?. <i>International Journal of Epidemiology</i> , 2001, 30, 1071-1075.	0.9	10
171	Are the national guidelines for health behaviour appropriate for older Australians? Evidence from the Men, Women and Ageing project. <i>Australasian Journal on Ageing</i> , 2011, 30, 13-16.	0.4	10
172	Serum secreted phospholipase A2 is associated with abdominal aortic aneurysm presence but not progression. <i>Atherosclerosis</i> , 2011, 216, 458-460.	0.4	9
173	Serum Endostatin Concentrations Are Higher in Men with Symptoms of Intermittent Claudication. <i>Disease Markers</i> , 2014, 2014, 1-5.	0.6	9
174	The influence of downstream branching arteries on upstream haemodynamics. <i>Journal of Biomechanics</i> , 2016, 49, 3090-3096.	0.9	9
175	Wall Stress and Geometry of the Thoracic Aorta in Patients With Aortic Valve Disease. <i>Annals of Thoracic Surgery</i> , 2018, 105, 1077-1085.	0.7	9
176	Cross-sectional associations of sex hormones with leucocyte telomere length, a marker of biological age, in a community-based cohort of older men. <i>Clinical Endocrinology</i> , 2019, 90, 562-569.	1.2	9
177	The anatomical distribution of iliac aneurysms: Is there an embryological basis?. <i>European Journal of Vascular and Endovascular Surgery</i> , 2003, 25, 82-84.	0.8	8
178	Influence of prazosin on experimental vein graft intimal thickening. <i>British Journal of Surgery</i> , 2005, 79, 276-279.	0.1	8
179	The Small Abdominal Aortic Aneurysm. <i>European Journal of Vascular and Endovascular Surgery</i> , 2006, 31, 237-238.	0.8	8
180	Use of routine hospital morbidity data together with weight and height of patients to predict in-hospital complications following total joint replacement. <i>BMC Health Services Research</i> , 2012, 12, 380.	0.9	8

#	ARTICLE	IF	CITATIONS
181	Downward trend in the prevalence of hospitalisation for atherothrombotic disease. <i>International Journal of Cardiology</i> , 2013, 164, 185-192.	0.8	8
182	Plasma ferritin concentrations are not associated with abdominal aortic aneurysm diagnosis, size or growth. <i>Atherosclerosis</i> , 2016, 251, 19-24.	0.4	8
183	A population-based study of polymorphisms in genes related to sex hormones and abdominal aortic aneurysm. <i>European Journal of Human Genetics</i> , 2011, 19, 363-366.	1.4	7
184	Plasma free thyroxine in the upper quartile is associated with an increased incidence of major cardiovascular events in older men that do not have thyroid dysfunction according to conventional criteria. <i>International Journal of Cardiology</i> , 2018, 254, 316-321.	0.8	7
185	Morphology and Computational Fluid Dynamics Support a Novel Classification of Common Iliac Aneurysms. <i>European Journal of Vascular and Endovascular Surgery</i> , 2020, 59, 786-793.	0.8	7
186	Nine-year survival in a case of untreated peritoneal mesothelioma. <i>Medical Journal of Australia</i> , 1989, 150, 43-44.	0.8	7
187	A Single-Nucleotide Polymorphism in the Gene Encoding Osteoprotegerin Is Associated With Diastolic Blood Pressure in Older Men. <i>American Journal of Hypertension</i> , 2009, 22, 1167-1170.	1.0	6
188	U-Shaped Relationship of Leukocyte Telomere Length With All-Cause and Cancer-Related Mortality in Older Men. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 164-171.	1.7	6
189	Wound healing with spray-on autologous skin grafting (ReCell) compared with standard care in patients with large diabetes-related foot wounds: an open-label randomised controlled trial. <i>International Wound Journal</i> , 2021, , .	1.3	6
190	Homocysteine and vitamin status in older people in Perth. <i>Medical Journal of Australia</i> , 2004, 180, 539-540.	0.8	6
191	Proximal false lumen thrombosis is associated with low false lumen pressure and fewer complications in type B aortic dissection. <i>Journal of Vascular Surgery</i> , 2022, 75, 1181-1190.e5.	0.6	6
192	THE INFLUENCE OF NIFEDIPINE ON MICROVASCULAR VEIN GRAFT INTIMAL THICKENING. <i>ANZ Journal of Surgery</i> , 1993, 63, 294-298.	0.3	5
193	Systolic Blood Pressure and Vascular Disease in Men Aged 65 Years and Over. <i>Hypertension</i> , 2017, 69, 1053-1059.	1.3	5
194	Abdominal aortic aneurysm events in postmenopausal women. <i>BMJ: British Medical Journal</i> , 2008, 337, a1894-a1894.	2.4	5
195	Cross vascular risk for first and recurrent hospitalised atherothrombosis determined retrospectively from linked data. <i>BMJ Open</i> , 2013, 3, e003813.	0.8	4
196	Diabetic foot disease in Indigenous people. <i>Diabetes Management</i> , 2014, 4, 489-500.	0.5	4
197	Androgens In Men Study (AIMS): protocol for meta-analyses of individual participant data investigating associations of androgens with health outcomes in men. <i>BMJ Open</i> , 2020, 10, e034777.	0.8	4
198	Cognitive Impairment in People with Diabetes-Related Foot Ulceration. <i>Journal of Clinical Medicine</i> , 2021, 10, 2808.	1.0	4

#	ARTICLE	IF	CITATIONS
199	Comparative Roles of Microvascular and Nerve Function in Foot Ulceration In Type 2 Diabetes: Response to Krishnan et al.. Diabetes Care, 2004, 27, 3026-3026.	4.3	4
200	Prevalence of peripheral arterial disease: persistence of excess risk in former smokers. Australian and New Zealand Journal of Public Health, 2002, 26, 219-224.	0.8	4
201	Expression of transforming growth factor- β 1 (TGF- β 1) and urokinase-type plasminogen activator (u-PA) genes during arterial repair in the pig. Cardiovascular Research, 1996, 31, 28-36.	1.8	3
202	Spray on skin for diabetic foot ulcers: an open label randomised controlled trial. Journal of Foot and Ankle Research, 2019, 12, 52.	0.7	3
203	The changes seen in balloon-injured porcine femoral arteries following sympathectomy. Vascular, 1999, 7, 526-531.	0.5	2
204	Influence of sex on the outcome of ruptured abdominal aortic aneurysm. British Journal of Surgery, 2002, 87, 499-499.	0.1	2
205	Reduced serum total osteocalcin is associated with metabolic syndrome in older men via waist circumference, hyperglycemia, and triglyceride levels. European Journal of Endocrinology, 2011, 164, 315.	1.9	2
206	Body Mass Index and Vascular Disease in Men Aged 65 Years and Over: HIMS (Health In Men Study). Journal of the American Heart Association, 2017, 6, .	1.6	2
207	Indications for operative management of abdominal aortic aneurysms. ANZ Journal of Surgery, 2004, 74, 470-476.	0.3	1
208	Screening for Abdominal Aortic Aneurysms: More Benefit than Cost. European Journal of Vascular and Endovascular Surgery, 2006, 32, 7-8.	0.8	1
209	TRENDS IN EMBOLECTOMY OF THE EXTREMITIES: A POPULATION-BASED STUDY. ANZ Journal of Surgery, 2008, 78, 561-563.	0.3	1
210	Diabetes and Aortic Aneurysm. American Journal of Cardiology, 2008, 101, 1680-1681.	0.7	1
211	Differential associations of ferritin and 25-hydroxyvitamin D with fasting glucose and diabetes risk in community dwelling older men. Diabetes/Metabolism Research and Reviews, 2019, 35, e3172.	1.7	1
212	Developments in Non-Surgical Therapies for Abdominal Aortic Aneurysm. Current Vascular Pharmacology, 2009, 7, 153-158.	0.8	1
213	Abdominal aortic aneurysm repair in octogenarians. ANZ Journal of Surgery, 2002, 72, 612-612.	0.3	0
214	VS20P TRENDS IN EMBOLECTOMY OF THE EXTREMITIES: A POPULATION-BASED STUDY. ANZ Journal of Surgery, 2007, 77, A102-A102.	0.3	0
215	P2-195 A propensity score for predicting major adverse outcomes after total joint replacement in men. Journal of Epidemiology and Community Health, 2011, 65, A275-A275.	2.0	0
216	P2-196 Smoking, body weight, physical exercise and risk of lower limb total joint replacement in a population-based cohort of men. Journal of Epidemiology and Community Health, 2011, 65, A275-A275.	2.0	0

#	ARTICLE	IF	CITATIONS
217	Screening for abdominal aortic aneurysm. BMJ: British Medical Journal, 2005, 330, 601.3-602.	2.4	0
218	Absolute v relative risk reduction. BMJ: British Medical Journal, 2010, 341, c6333-c6333.	2.4	0