

Paul E Norman

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8811367/paul-e-norman-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

216
papers

18,516
citations

59
h-index

134
g-index

222
ext. papers

20,881
ext. citations

5.4
avg, IF

6.03
L-index

#	Paper	IF	Citations
216	Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2095-128	40	8873
215	Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. <i>BMJ, The</i> , 2014 , 349, g4164	5.9	406
214	Population based randomised controlled trial on impact of screening on mortality from abdominal aortic aneurysm. <i>BMJ, The</i> , 2004 , 329, 1259	5.9	324
213	Effect modification by population dietary folate on the association between MTHFR genotype, homocysteine, and stroke risk: a meta-analysis of genetic studies and randomised trials. <i>Lancet, The</i> , 2011 , 378, 584-94	40	231
212	Medical treatment of peripheral arterial disease. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 295, 547-53	27.4	231
211	Cohort Profile: The Health In Men Study (HIMS). <i>International Journal of Epidemiology</i> , 2009 , 38, 48-52	7.8	192
210	Lower testosterone levels predict incident stroke and transient ischemic attack in older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 2353-9	5.6	190
209	Circulating markers of abdominal aortic aneurysm presence and progression. <i>Circulation</i> , 2008 , 118, 2382-92	10.7	182
208	Atherosclerosis and abdominal aortic aneurysm: cause, response, or common risk factors?. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010 , 30, 1075-7	9.4	160
207	Peripheral arterial disease and risk of cardiac death in type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetes Care</i> , 2006 , 29, 575-80	14.6	156
206	Abdominal aortic aneurysm is associated with a variant in low-density lipoprotein receptor-related protein 1. <i>American Journal of Human Genetics</i> , 2011 , 89, 619-27	11	145
205	Global and regional burden of death and disability from peripheral artery disease: 21 world regions, 1990 to 2010. <i>Global Heart</i> , 2014 , 9, 145-158.e21	2.9	142
204	Abdominal aortic aneurysm: the prognosis in women is worse than in men. <i>Circulation</i> , 2007 , 115, 2865-9	16.7	139
203	Reduced serum total osteocalcin is associated with metabolic syndrome in older men via waist circumference, hyperglycemia, and triglyceride levels. <i>European Journal of Endocrinology</i> , 2010 , 163, 265-72	6.5	136
202	Low free testosterone predicts mortality from cardiovascular disease but not other causes: the Health in Men Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 179-89	5.6	133
201	Global and regional burden of aortic dissection and aneurysms: mortality trends in 21 world regions, 1990 to 2010. <i>Global Heart</i> , 2014 , 9, 171-180.e10	2.9	133
200	Current status of medical management for abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2011 , 217, 57-63	3.1	132

199	Reduced expansion rate of abdominal aortic aneurysms in patients with diabetes may be related to aberrant monocyte-matrix interactions. <i>European Heart Journal</i> , 2008 , 29, 665-72	9.5	129
198	In older men an optimal plasma testosterone is associated with reduced all-cause mortality and higher dihydrotestosterone with reduced ischemic heart disease mortality, while estradiol levels do not predict mortality. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E9-18	5.6	128
197	Screening for abdominal aortic aneurysm: lessons from a population-based study. <i>Medical Journal of Australia</i> , 2000 , 173, 345-50	4	120
196	Obesity, adipokines, and abdominal aortic aneurysm: Health in Men study. <i>Circulation</i> , 2007 , 116, 2275-9	16.7	114
195	Reference ranges and determinants of testosterone, dihydrotestosterone, and estradiol levels measured using liquid chromatography-tandem mass spectrometry in a population-based cohort of older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 4030-9	5.6	113
194	Predictors, consequences and costs of diabetes-related lower extremity amputation complicating type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetologia</i> , 2006 , 49, 2634-41	10.3	112
193	Population based randomised controlled trial on impact of screening on mortality from abdominal aortic aneurysm 2004 , 329, 1259		112
192	Estimation of global and regional incidence and prevalence of abdominal aortic aneurysms 1990 to 2010. <i>Global Heart</i> , 2014 , 9, 159-70	2.9	108
191	In men older than 70 years, total testosterone remains stable while free testosterone declines with age. The Health in Men Study. <i>European Journal of Endocrinology</i> , 2007 , 156, 585-94	6.5	107
190	Association between osteopontin and human abdominal aortic aneurysm. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007 , 27, 655-60	9.4	104
189	C-reactive protein levels and the expansion of screen-detected abdominal aortic aneurysms in men. <i>Circulation</i> , 2004 , 110, 862-6	16.7	101
188	Site specificity of aneurysmal disease. <i>Circulation</i> , 2010 , 121, 560-8	16.7	100
187	Meta-Analysis of Genome-Wide Association Studies for Abdominal Aortic Aneurysm Identifies Four New Disease-Specific Risk Loci. <i>Circulation Research</i> , 2017 , 120, 341-353	15.7	97
186	Lower serum testosterone is independently associated with insulin resistance in non-diabetic older men: the Health In Men Study. <i>European Journal of Endocrinology</i> , 2009 , 161, 591-8	6.5	96
185	Diagnosis and monitoring of abdominal aortic aneurysm: current status and future prospects. <i>Current Problems in Cardiology</i> , 2010 , 35, 512-48	17.1	91
184	Screening for abdominal aortic aneurysm reduces overall mortality in men. A meta-analysis of the mid- and long-term effects of screening for abdominal aortic aneurysms. <i>European Journal of Vascular and Endovascular Surgery</i> , 2008 , 36, 167-171	2.3	91
183	Vitamin D, shedding light on the development of disease in peripheral arteries. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005 , 25, 39-46	9.4	88
182	Long term relative survival after surgery for abdominal aortic aneurysm in western Australia: population based study. <i>BMJ: British Medical Journal</i> , 1998 , 317, 852-6		87

181	Falls, injuries from falls, health related quality of life and mortality in older adults with vision and hearing impairment--is there a gender difference?. <i>Maturitas</i> , 2011 , 69, 359-64	5	85
180	Lower sex hormone-binding globulin is more strongly associated with metabolic syndrome than lower total testosterone in older men: the Health in Men Study. <i>European Journal of Endocrinology</i> , 2008 , 158, 785-92	6.5	82
179	Falling rates of hospitalization and mortality from abdominal aortic aneurysms in Australia. <i>Journal of Vascular Surgery</i> , 2011 , 53, 274-7	3.5	79
178	The association of C-reactive protein and CRP genotype with coronary heart disease: findings from five studies with 4,610 cases amongst 18,637 participants. <i>PLoS ONE</i> , 2008 , 3, e3011	3.7	79
177	Challenges and opportunities in limiting abdominal aortic aneurysm growth. <i>Journal of Vascular Surgery</i> , 2017 , 65, 225-233	3.5	76
176	Higher serum undercarboxylated osteocalcin and other bone turnover markers are associated with reduced diabetes risk and lower estradiol concentrations in older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 63-71	5.6	76
175	Association of cardiovascular risk factors and disease with depression in later life. <i>American Journal of Geriatric Psychiatry</i> , 2007 , 15, 506-13	6.5	74
174	A sequence variant associated with sortilin-1 (SORT1) on 1p13.3 is independently associated with abdominal aortic aneurysm. <i>Human Molecular Genetics</i> , 2013 , 22, 2941-7	5.6	73
173	Understanding the effects of tobacco smoke on the pathogenesis of aortic aneurysm. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 1473-7	9.4	73
172	The potential role of homocysteine mediated DNA methylation and associated epigenetic changes in abdominal aortic aneurysm formation. <i>Atherosclerosis</i> , 2013 , 228, 295-305	3.1	72
171	Association between serum lipoproteins and abdominal aortic aneurysm. <i>American Journal of Cardiology</i> , 2010 , 105, 1480-4	3	71
170	Incisional hernias are more common in aneurysmal arterial disease. <i>European Journal of Vascular and Endovascular Surgery</i> , 1996 , 12, 196-200	2.3	71
169	Peripheral arterial disease: prognostic significance and prevention of atherothrombotic complications. <i>Medical Journal of Australia</i> , 2004 , 181, 150-4	4	70
168	Negative association between infra-renal aortic diameter and glycaemia: the Health in Men Study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2007 , 33, 599-604	2.3	67
167	Successful mental health aging: results from a longitudinal study of older Australian men. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 27-35	6.5	67
166	In older men, higher plasma testosterone or dihydrotestosterone is an independent predictor for reduced incidence of stroke but not myocardial infarction. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 4565-73	5.6	64
165	Evaluation of the diagnostic and prognostic value of plasma D-dimer for abdominal aortic aneurysm. <i>European Heart Journal</i> , 2011 , 32, 354-64	9.5	64
164	Infrarenal aortic diameter predicts all-cause mortality. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004 , 24, 1278-82	9.4	64

163	Angiotensin II type 1 receptor 1166C polymorphism is associated with abdominal aortic aneurysm in three independent cohorts. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008 , 28, 764-70	9.4	63
162	Peroxisome proliferator-activated receptor ligands reduce aortic dilatation in a mouse model of aortic aneurysm. <i>Atherosclerosis</i> , 2010 , 210, 51-6	3.1	62
161	Associations of total osteocalcin with all-cause and cardiovascular mortality in older men. The Health In Men Study. <i>Osteoporosis International</i> , 2012 , 23, 599-606	5.3	61
160	Fenofibrate increases high-density lipoprotein and sphingosine 1 phosphate concentrations limiting abdominal aortic aneurysm progression in a mouse model. <i>American Journal of Pathology</i> , 2012 , 181, 706-18	5.8	60
159	Accuracy of hospital morbidity data and the performance of comorbidity scores as predictors of mortality. <i>Journal of Clinical Epidemiology</i> , 2012 , 65, 107-15	5.7	60
158	Matrix biology of abdominal aortic aneurysms in diabetes: mechanisms underlying the negative association. <i>Connective Tissue Research</i> , 2007 , 48, 125-31	3.3	60
157	Depression, frailty, and all-cause mortality: a cohort study of men older than 75 years. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 296-300	5.9	59
156	A variant in LDLR is associated with abdominal aortic aneurysm. <i>Circulation: Cardiovascular Genetics</i> , 2013 , 6, 498-504		58
155	A Systematic Review of Studies Examining Inflammation Associated Cytokines in Human Abdominal Aortic Aneurysm Samples. <i>Disease Markers</i> , 2009 , 26, 181-188	3.2	57
154	Polymorphisms of the CRP gene inhibit inflammatory response and increase susceptibility to depression: the Health in Men Study. <i>International Journal of Epidemiology</i> , 2009 , 38, 1049-59	7.8	56
153	Long-term relative survival following surgery for abdominal aortic aneurysm: a review. <i>Vascular</i> , 2001 , 9, 219-24		52
152	Associations of total testosterone, sex hormone-binding globulin, calculated free testosterone, and luteinizing hormone with prevalence of abdominal aortic aneurysm in older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 1123-30	5.6	50
151	Genetic and epigenetic mechanisms and their possible role in abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2010 , 212, 16-29	3.1	50
150	Mortality among people with severe mental disorders who reach old age: a longitudinal study of a community-representative sample of 37,892 men. <i>PLoS ONE</i> , 2014 , 9, e111882	3.7	50
149	Higher free thyroxine levels are associated with all-cause mortality in euthyroid older men: the Health In Men Study. <i>European Journal of Endocrinology</i> , 2013 , 169, 401-8	6.5	49
148	Resveratrol Inhibits Growth of Experimental Abdominal Aortic Aneurysm Associated With Upregulation of Angiotensin-Converting Enzyme 2. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017 , 37, 2195-2203	9.4	48
147	A simple lifestyle score predicts survival in healthy elderly men. <i>Preventive Medicine</i> , 2005 , 40, 712-7	4.3	47
146	Sequence variant on 9p21 is associated with the presence of abdominal aortic aneurysm disease but does not have an impact on aneurysmal expansion. <i>European Journal of Human Genetics</i> , 2009 , 17, 391-4	5.3	46

145	Enhanced antiplatelet effect of clopidogrel in patients whose platelets are least inhibited by aspirin: a randomized crossover trial. <i>Journal of Thrombosis and Haemostasis</i> , 2005 , 3, 2649-55	15.4	45
144	Increased plasma levels of NGAL, a marker of neutrophil activation, in patients with abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2012 , 220, 552-6	3.1	44
143	Prevalence of abdominal aortic aneurysm in Western Australia. <i>British Journal of Surgery</i> , 1991 , 78, 1118-21	5.1	43
142	Duration of diabetes and its association with depression in later life: The Health In Men Study (HIMS). <i>Maturitas</i> , 2016 , 86, 3-9	5	42
141	Older men who use computers have lower risk of dementia. <i>PLoS ONE</i> , 2012 , 7, e44239	3.7	42
140	Pathophysiology of abdominal aortic aneurysm relevant to improvements in patients' management. <i>Current Opinion in Cardiology</i> , 2009 , 24, 532-8	2.1	42
139	Initial results of ultrasound screening for aneurysm of the abdominal aorta in Western Australia: relevance for endoluminal treatment of aneurysm disease. <i>Vascular</i> , 2001 , 9, 234-40		42
138	The association between C-reactive protein concentration and depression in later life is due to poor physical health: results from the Health in Men Study (HIMS). <i>Psychological Medicine</i> , 2007 , 37, 1775-86	6.9	41
137	High rates of amputation among Indigenous people in Western Australia. <i>Medical Journal of Australia</i> , 2010 , 192, 421	4	39
136	Healthier lifestyle predicts higher circulating testosterone in older men: the Health In Men Study. <i>Clinical Endocrinology</i> , 2009 , 70, 455-63	3.4	39
135	Population-based record linkage study of the incidence of abdominal aortic aneurysm in Western Australia in 1985-1994. <i>British Journal of Surgery</i> , 1998 , 85, 648-52	5.3	39
134	Elevated LH predicts ischaemic heart disease events in older men: the Health in Men Study. <i>European Journal of Endocrinology</i> , 2011 , 164, 569-77	6.5	38
133	The influence of gender on outcome following peripheral vascular surgery: a review. <i>Vascular</i> , 2000 , 8, 111-5		38
132	Is hypovitaminosis D associated with abdominal aortic aneurysm, and is there a dose-response relationship?. <i>European Journal of Vascular and Endovascular Surgery</i> , 2013 , 45, 657-64	2.3	37
131	Everolimus limits aortic aneurysm in the apolipoprotein E-deficient mouse by downregulating C-C chemokine receptor 2 positive monocytes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 814-21	9.4	36
130	IGF1 and its binding proteins 3 and 1 are differentially associated with metabolic syndrome in older men. <i>European Journal of Endocrinology</i> , 2010 , 162, 249-57	6.5	35
129	Monocyte chemoattractant protein-1 gene expression in injured pig artery coincides with early appearance of infiltrating monocyte/macrophages. <i>Journal of Cellular Biochemistry</i> , 1996 , 62, 303-13	4.7	35
128	Temporal trends in initial and recurrent lower extremity amputations in people with and without diabetes in Western Australia from 2000 to 2010. <i>Diabetes Research and Clinical Practice</i> , 2015 , 108, 280-7	7.4	34

127	Shared Genetic Risk Factors of Intracranial, Abdominal, and Thoracic Aneurysms. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	34
126	Homocysteine, methylenetetrahydrofolate reductase C677T polymorphism and cognitive impairment: the health in men study. <i>Molecular Psychiatry</i> , 2012 , 17, 559-66	15.1	34
125	Proteomic analysis of intra-arterial thrombus secretions reveals a negative association of clusterin and thrombospondin-1 with abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2011 , 219, 432-9	3.1	34
124	Falling incidence of amputations for peripheral occlusive arterial disease in Western Australia between 1980 and 1992. <i>European Journal of Vascular and Endovascular Surgery</i> , 1997 , 13, 14-22	2.3	33
123	B-vitamins reduce plasma levels of beta amyloid. <i>Neurobiology of Aging</i> , 2008 , 29, 303-5	5.6	33
122	A systematic review of studies examining inflammation associated cytokines in human abdominal aortic aneurysm samples. <i>Disease Markers</i> , 2009 , 26, 181-8	3.2	33
121	Transforming growth factor- β and abdominal aortic aneurysms. <i>Cardiovascular Pathology</i> , 2013 , 22, 126-33	3.8	32
120	Is screening for abdominal aortic aneurysm bad for your health and well-being?. <i>ANZ Journal of Surgery</i> , 2004 , 74, 1069-75	1	32
119	Plasma homocysteine and MTHFR C677T polymorphism as risk factors for incident dementia. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2012 , 83, 70-5	5.5	31
118	Improving maximum walking distance in early peripheral arterial disease: randomised controlled trial. <i>Australian Journal of Physiotherapy</i> , 2002 , 48, 269-75		31
117	Polymorphisms of the interleukin-6 gene promoter and abdominal aortic aneurysm. <i>European Journal of Vascular and Endovascular Surgery</i> , 2008 , 35, 31-6	2.3	30
116	Plasma total homocysteine is associated with abdominal aortic aneurysm and aortic diameter in older men. <i>Journal of Vascular Surgery</i> , 2013 , 58, 364-70	3.5	29
115	Editor's Choice - Metformin Prescription is Associated with a Reduction in the Combined Incidence of Surgical Repair and Rupture Related Mortality in Patients with Abdominal Aortic Aneurysm. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019 , 57, 94-101	2.3	29
114	Meta-analysis of the association between single nucleotide polymorphisms in TGF- β receptor genes and abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2011 , 219, 218-23	3.1	28
113	Smoking, body weight, physical exercise, and risk of lower limb total joint replacement in a population-based cohort of men. <i>Arthritis and Rheumatism</i> , 2011 , 63, 2523-30		28
112	Associations of IGF1 and IGF1BP3 with all-cause and cardiovascular mortality in older men: the Health In Men Study. <i>European Journal of Endocrinology</i> , 2011 , 164, 715-23	6.5	28
111	TElmisartan in the management of abDominal aortic aneurYsm (TEDY): The study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 274	2.8	27
110	Association of PPAR γ allelic variation, osteoprotegerin and abdominal aortic aneurysm. <i>Clinical Endocrinology</i> , 2010 , 72, 128-32	3.4	27

109	Association of single-nucleotide polymorphisms in HLA class II/III region with knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2010 , 18, 1454-7	6.2	27
108	Homocysteine, Alzheimer genes and proteins, and measures of cognition and depression in older men. <i>Journal of Alzheimer's Disease</i> , 2004 , 6, 329-36	4.3	27
107	Long-term Outcomes of the Western Australian Trial of Screening for Abdominal Aortic Aneurysms: Secondary Analysis of a Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2016 , 176, 1761-1767	11.5	26
106	Temporal changes in the prevalence and associates of diabetes-related lower extremity amputations in patients with type 2 diabetes: the Fremantle Diabetes Study. <i>Cardiovascular Diabetology</i> , 2015 , 14, 152	8.7	26
105	CRP 1846G>A polymorphism increases risk of frailty. <i>Maturitas</i> , 2012 , 71, 261-6	5	26
104	Assessment of the association between genetic polymorphisms in transforming growth factor beta, and its binding protein (LTBP), and the presence, and expansion, of Abdominal Aortic Aneurysm. <i>Atherosclerosis</i> , 2010 , 209, 367-73	3.1	26
103	Prevalence of abdominal aortic aneurysms in men with diabetes. <i>Medical Journal of Australia</i> , 1997 , 166, 630-3	4	26
102	Homocysteine and abdominal aortic aneurysms. <i>ANZ Journal of Surgery</i> , 2007 , 77, 329-32	1	26
101	Long-term relative survival in elderly patients after carotid endarterectomy: a population-based study. <i>Stroke</i> , 2003 , 34, e95-8	6.7	26
100	Interleukin-6 Receptor Signaling and Abdominal Aortic Aneurysm Growth Rates. <i>Circulation Genomic and Precision Medicine</i> , 2019 , 12, e002413	5.2	25
99	Association of an allele on chromosome 9 and abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2010 , 212, 539-42	3.1	24
98	Efficacy of B vitamins in lowering homocysteine in older men: maximal effects for those with B12 deficiency and hyperhomocysteinemia. <i>Stroke</i> , 2006 , 37, 547-9	6.7	24
97	How many older people are frail? Using multiple imputation to investigate frailty in the population. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 439.e1-7	5.9	23
96	Temporal trends in the incidence and recurrence of hospitalised atherothrombotic disease in an Australian population, 2000-07: data linkage study. <i>Heart</i> , 2012 , 98, 1449-56	5.1	23
95	Vascular endothelial growth factor (VEGF) expression during arterial repair in the pig. <i>European Journal of Vascular and Endovascular Surgery</i> , 1998 , 15, 225-30	2.3	23
94	Haemodynamics and stresses in abdominal aortic aneurysms: A fluid-structure interaction study into the effect of proximal neck and iliac bifurcation angle. <i>Journal of Biomechanics</i> , 2017 , 60, 150-156	2.9	22
93	The Quality of Surgical Care Project: benchmark standards of open resection for abdominal aortic aneurysm in Western Australia. <i>ANZ Journal of Surgery</i> , 1998 , 68, 404-10	1	22
92	Computational Biomechanics in Thoracic Aortic Dissection: Today's Approaches and Tomorrow's Opportunities. <i>Annals of Biomedical Engineering</i> , 2016 , 44, 71-83	4.7	21

91	Diabetes, myocardial infarction and stroke are distinct and duration-dependent predictors of subsequent cardiovascular events and all-cause mortality in older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 1038-47	5.6	21
90	Proportion of Undercarboxylated Osteocalcin and Serum P1NP Predict Incidence of Myocardial Infarction in Older Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 3934-42	5.6	21
89	The cardiovascular and prognostic significance of the infrarenal aortic diameter. <i>Journal of Vascular Surgery</i> , 2011 , 54, 1817-20	3.5	21
88	Advanced Glycation End Products and esRAGE Are Associated With Bone Turnover and Incidence of Hip Fracture in Older Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 4224-4231	5.6	21
87	Relation between serum thrombospondin-2 and cardiovascular mortality in older men screened for abdominal aortic aneurysm. <i>American Journal of Cardiology</i> , 2013 , 111, 1800-4	3	20
86	Apolipoprotein E genotype is associated with serum C-reactive protein but not abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2010 , 209, 487-91	3.1	20
85	Plasma angiotensin-1 is lower after ischemic stroke and associated with major disability but not stroke incidence. <i>Stroke</i> , 2014 , 45, 1064-8	6.7	19
84	Cardiovascular disease, depression and mortality: the Health In Men Study. <i>American Journal of Geriatric Psychiatry</i> , 2012 , 20, 433-40	6.5	18
83	Replication studies in various ethnic populations do not support the association of the HIF-2[SNP rs17039192 with knee osteoarthritis. <i>Nature Medicine</i> , 2011 , 17, 26-7; author reply 27-9	50.5	18
82	Traditional risk factors for incident cardiovascular events have limited importance in later life compared with the health in men study cardiovascular risk score. <i>Stroke</i> , 2011 , 42, 952-9	6.7	18
81	General practitioners' attitudes to computer-generated surgical discharge letters. Members of the Department of General Surgery, Fremantle Hospital. <i>Medical Journal of Australia</i> , 1992 , 157, 380-2	4	18
80	Modulation of Kinin B2 Receptor Signaling Controls Aortic Dilatation and Rupture in the Angiotensin II-Infused Apolipoprotein E-Deficient Mouse. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016 , 36, 898-907	9.4	18
79	Temporal changes in the prevalence and associates of foot ulceration in type 2 diabetes: the Fremantle Diabetes Study. <i>Journal of Diabetes and Its Complications</i> , 2015 , 29, 356-61	3.2	15
78	Increased serum angiotensin-2 is associated with abdominal aortic aneurysm prevalence and cardiovascular mortality in older men. <i>International Journal of Cardiology</i> , 2013 , 167, 1159-63	3.2	15
77	The potential for a selective screening strategy for abdominal aortic aneurysm. <i>Journal of Medical Screening</i> , 2000 , 7, 209-11	1.4	15
76	Associations of IGF1 and its binding proteins with abdominal aortic aneurysm and aortic diameter in older men. <i>European Journal of Endocrinology</i> , 2012 , 166, 191-7	6.5	14
75	Biomechanical Assessment Predicts Aneurysm Related Events in Patients with Abdominal Aortic Aneurysm. <i>European Journal of Vascular and Endovascular Surgery</i> , 2020 , 60, 365-373	2.3	13
74	Serum carboxymethyllysine concentrations are reduced in diabetic men with abdominal aortic aneurysms: Health In Men Study. <i>Journal of Vascular Surgery</i> , 2009 , 50, 626-31	3.5	13

73	Morphology and Hemodynamics in Isolated Common Iliac Artery Aneurysms Impacts Proximal Aortic Remodeling. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019 , 39, 1125-1136	9.4	12
72	A large-scale replication study for the association of rs17039192 in HIF-2 α with knee osteoarthritis. <i>Journal of Orthopaedic Research</i> , 2012 , 30, 1244-8	3.8	12
71	Lower plasma testosterone or dihydrotestosterone, but not estradiol, is associated with symptoms of intermittent claudication in older men. <i>Clinical Endocrinology</i> , 2013 , 79, 725-32	3.4	12
70	Lifestyle still predicts mortality in older men with established vascular disease. <i>Preventive Medicine</i> , 2005 , 41, 583-8	4.3	12
69	Association between the Advanced Glycosylation End Product-Specific Receptor Gene and Cardiovascular Death in Older Men. <i>PLoS ONE</i> , 2015 , 10, e0134475	3.7	12
68	A single nucleotide polymorphism in exon 3 of the kallikrein 1 gene is associated with large but not small abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2011 , 217, 452-7	3.1	11
67	The association between the gene encoding 5-lipoxygenase activating protein and abdominal aortic aneurysms. <i>Atherosclerosis</i> , 2012 , 220, 425-8	3.1	10
66	Population-based observational study of claudication in older men: the Health in Men Study. <i>Medical Journal of Australia</i> , 2010 , 192, 641-5	4	10
65	Matrix metalloproteinase-2 gene variants and abdominal aortic aneurysm. <i>European Journal of Vascular and Endovascular Surgery</i> , 2009 , 38, 169-71	2.3	10
64	Morphometric changes seen in balloon-injured porcine iliac arteries: the influence of sympathectomy on intimal hyperplasia and remodelling. <i>European Journal of Vascular and Endovascular Surgery</i> , 1997 , 13, 43-7	2.3	10
63	Abdominal aortic aneurysm, inguinal hernias and emphysema. <i>ANZ Journal of Surgery</i> , 2008 , 78, 1034	1	10
62	Management of peripheral arterial disease in the elderly: focus on cilostazol. <i>Clinical Interventions in Aging</i> , 2008 , 3, 17-23	4	10
61	Relationship between two sequence variations in the gene for peroxisome proliferator-activated receptor-gamma and plasma homocysteine concentration. Health in men study. <i>Human Genetics</i> , 2008 , 123, 35-40	6.3	10
60	Reported high salt intake is associated with increased prevalence of abdominal aortic aneurysm and larger aortic diameter in older men. <i>PLoS ONE</i> , 2014 , 9, e102578	3.7	10
59	Serum Testosterone is Inversely and Sex Hormone-binding Globulin is Directly Associated with All-cause Mortality in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e625-e637	5.6	10
58	High-Sensitivity Cardiac Troponin I Improves Cardiovascular Risk Prediction in Older Men: HIMS (The Health in Men Study). <i>Journal of the American Heart Association</i> , 2019 , 8, e011818	6	9
57	Total joint replacement in men: old age, obesity and in-hospital complications. <i>ANZ Journal of Surgery</i> , 2013 , 83, 376-81	1	9
56	The role of vitamin D3 in the aetiology of abdominal aortic aneurysms. <i>Medical Hypotheses</i> , 1995 , 45, 17-20	3.8	9

55	Temporal Trends in Incident Hospitalization for Diabetes-Related Foot Ulcer in Type 2 Diabetes: The Fremantle Diabetes Study. <i>Diabetes Care</i> , 2021 , 44, 722-730	14.6	9
54	Plasma ferritin concentrations are not associated with abdominal aortic aneurysm diagnosis, size or growth. <i>Atherosclerosis</i> , 2016 , 251, 19-24	3.1	8
53	Peripheral arterial disease increases the risk of subsequent hip fracture in older men: the Health in Men Study. <i>Osteoporosis International</i> , 2013 , 24, 1683-8	5.3	8
52	Influence of prazosin on experimental vein graft intimal thickening. <i>British Journal of Surgery</i> , 1992 , 79, 276-9	5.3	8
51	Does the Mediterranean paradox extend to abdominal aortic aneurysm?. <i>International Journal of Epidemiology</i> , 2001 , 30, 1071-5	7.8	8
50	The influence of downstream branching arteries on upstream haemodynamics. <i>Journal of Biomechanics</i> , 2016 , 49, 3090-3096	2.9	8
49	U-Shaped Association of Plasma Testosterone, and no Association of Plasma Estradiol, with Incidence of Fractures in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	7
48	Wall Stress and Geometry of the Thoracic Aorta in Patients With Aortic Valve Disease. <i>Annals of Thoracic Surgery</i> , 2018 , 105, 1077-1085	2.7	7
47	Downward trend in the prevalence of hospitalisation for atherothrombotic disease. <i>International Journal of Cardiology</i> , 2013 , 164, 185-92	3.2	7
46	Physical activity and vascular disease in a prospective cohort study of older men: The Health In Men Study (HIMS). <i>BMC Geriatrics</i> , 2015 , 15, 164	4.1	7
45	Serum endostatin concentrations are higher in men with symptoms of intermittent claudication. <i>Disease Markers</i> , 2014 , 2014, 298239	3.2	7
44	Nine-year survival in a case of untreated peritoneal mesothelioma. <i>Medical Journal of Australia</i> , 1989 , 150, 43-4	4	7
43	The application of computational modeling for risk prediction in type B aortic dissection. <i>Journal of Vascular Surgery</i> , 2020 , 71, 1789-1801.e3	3.5	7
42	Use of routine hospital morbidity data together with weight and height of patients to predict in-hospital complications following total joint replacement. <i>BMC Health Services Research</i> , 2012 , 12, 380	2.9	6
41	Serum secreted phospholipase A2 is associated with abdominal aortic aneurysm presence but not progression. <i>Atherosclerosis</i> , 2011 , 216, 458-60	3.1	6
40	A population-based study of polymorphisms in genes related to sex hormones and abdominal aortic aneurysm. <i>European Journal of Human Genetics</i> , 2011 , 19, 363-6	5.3	6
39	A single-nucleotide polymorphism in the gene encoding osteoprotegerin is associated with diastolic blood pressure in older men. <i>American Journal of Hypertension</i> , 2009 , 22, 1167-70	2.3	6
38	The small abdominal aortic aneurysm. <i>European Journal of Vascular and Endovascular Surgery</i> , 2006 , 31, 237-8	2.3	6

37	The anatomical distribution of iliac aneurysms: is there an embryological basis?. <i>European Journal of Vascular and Endovascular Surgery</i> , 2003 , 25, 82-4	2.3	6
36	Systolic Blood Pressure and Vascular Disease in Men Aged 65 Years and Over: The HIMS (Health in Men Study). <i>Hypertension</i> , 2017 , 69, 1053-1059	8.5	5
35	Surgical Decision Making in Uncomplicated Type B Aortic Dissection: A Survey of Australian/New Zealand and European Surgeons. <i>European Journal of Vascular and Endovascular Surgery</i> , 2020 , 60, 194-200	2.3	5
34	Are the national guidelines for health behaviour appropriate for older Australians? Evidence from the Men, Women and Ageing project. <i>Australasian Journal on Ageing</i> , 2011 , 30 Suppl 2, 13-6	1.5	5
33	Plasma free thyroxine in the upper quartile is associated with an increased incidence of major cardiovascular events in older men that do not have thyroid dysfunction according to conventional criteria. <i>International Journal of Cardiology</i> , 2018 , 254, 316-321	3.2	4
32	Cross vascular risk for first and recurrent hospitalised atherothrombosis determined retrospectively from linked data. <i>BMJ Open</i> , 2013 , 3, e003813	3	4
31	The influence of nifedipine on microvascular vein graft intimal thickening. <i>ANZ Journal of Surgery</i> , 1993 , 63, 294-8	1	4
30	Abdominal aortic aneurysm events in postmenopausal women. <i>BMJ, The</i> , 2008 , 337, a1894	5.9	4
29	Cross-sectional associations of sex hormones with leucocyte telomere length, a marker of biological age, in a community-based cohort of older men. <i>Clinical Endocrinology</i> , 2019 , 90, 562-569	3.4	4
28	Diabetic foot disease in Indigenous people. <i>Diabetes Management</i> , 2014 , 4, 489-500	0	3
27	Comparative roles of microvascular and nerve function in foot ulceration in type 2 diabetes: response to Krishnan et al. <i>Diabetes Care</i> , 2004 , 27, 3026; author reply 3026-7	14.6	3
26	Morphology and Computational Fluid Dynamics Support a Novel Classification of Common Iliac Aneurysms. <i>European Journal of Vascular and Endovascular Surgery</i> , 2020 , 59, 786-793	2.3	3
25	Reduced serum total osteocalcin is associated with metabolic syndrome in older men via waist circumference, hyperglycemia, and triglyceride levels. <i>European Journal of Endocrinology</i> , 2011 , 164, 315	6.5	2
24	Expression of transforming growth factor- β (TGF- β) and urokinase-type plasminogen activator (u-PA) genes during arterial repair in the pig. <i>Cardiovascular Research</i> , 1996 , 31, 28-36	9.9	2
23	Influence of sex on the outcome of ruptured abdominal aortic aneurysm. <i>British Journal of Surgery</i> , 2002 , 87, 499-499	5.3	2
22	The changes seen in balloon-injured porcine femoral arteries following sympathectomy. <i>Vascular</i> , 1999 , 7, 526-31		2
21	Homocysteine and vitamin status in older people in Perth. <i>Medical Journal of Australia</i> , 2004 , 180, 539-40		2
20	Wound healing with "spray-on" autologous skin grafting (ReCell) compared with standard care in patients with large diabetes-related foot wounds: an open-label randomised controlled trial. <i>International Wound Journal</i> , 2021 ,	2.6	2

19	U-Shaped Relationship of Leukocyte Telomere Length With All-Cause and Cancer-Related Mortality in Older Men. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, 164-171	6.4	2
18	Differential associations of ferritin and 25-hydroxyvitamin D with fasting glucose and diabetes risk in community dwelling older men. <i>Diabetes/Metabolism Research and Reviews</i> , 2019 , 35, e3172	7.5	1
17	Androgens In Men Study (AIMS): protocol for meta-analyses of individual participant data investigating associations of androgens with health outcomes in men. <i>BMJ Open</i> , 2020 , 10, e034777	3	1
16	Body Mass Index and Vascular Disease in Men Aged 65 Years and Over: HIMS (Health In Men Study). <i>Journal of the American Heart Association</i> , 2017 , 6,	6	1
15	Trends in embolectomy of the extremities: a population-based study. <i>ANZ Journal of Surgery</i> , 2008 , 78, 561-3	1	1
14	Diabetes and aortic aneurysm. <i>American Journal of Cardiology</i> , 2008 , 101, 1680-1	3	1
13	Indications for operative management of abdominal aortic aneurysms. <i>ANZ Journal of Surgery</i> , 2004 , 74, 470-6	1	1
12	Proximal false lumen thrombosis is associated with low false lumen pressure and fewer complications in type B aortic dissection. <i>Journal of Vascular Surgery</i> , 2021 ,	3.5	1
11	Interleukin-6 Receptor Signalling and Abdominal Aortic Aneurysm Growth Rates		1
10	Spray on skin for diabetic foot ulcers: an open label randomised controlled trial. <i>Journal of Foot and Ankle Research</i> , 2019 , 12, 52	3.2	1
9	Associations of Serum Testosterone and Sex Hormone-Binding Globulin With Incident Cardiovascular Events in Middle-Aged to Older Men.. <i>Annals of Internal Medicine</i> , 2021 ,	8	1
8	Low Shear Stress at Baseline Predicts Expansion and Aneurysm-Related Events in Patients With Abdominal Aortic Aneurysm. <i>Circulation: Cardiovascular Imaging</i> , 2021 , CIRCIMAGING121013160	3.9	1
7	Screening for abdominal aortic aneurysms: more benefit than cost. <i>European Journal of Vascular and Endovascular Surgery</i> , 2006 , 32, 7-8	2.3	0
6	P2-195 A propensity score for predicting major adverse outcomes after total joint replacement in men. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, A275-A275	5.1	
5	P2-196 Smoking, body weight, physical exercise and risk of lower limb total joint replacement in a population-based cohort of men. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, A275-A275	5.1	
4	VS20PTRENDS IN EMBOLECTOMY OF THE EXTREMITIES: A POPULATION-BASED STUDY. <i>ANZ Journal of Surgery</i> , 2007 , 77, A102-A102	1	
3	Abdominal aortic aneurysm repair in octogenarians. <i>ANZ Journal of Surgery</i> , 2002 , 72, 612	1	
2	Prevalence of peripheral arterial disease: persistence of excess risk in former smokers. <i>Australian and New Zealand Journal of Public Health</i> , 2002 , 26, 219-224	2.3	

- 1 Developments in non-surgical therapies for abdominal aortic aneurysm. *Current Vascular Pharmacology*, **2009**, 7, 153-8

33