List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8811567/publications.pdf Version: 2024-02-01



IOHN P HAWSE

#	Article	IF	CITATIONS
1	The Tamoxifen Metabolite, Endoxifen, Is a Potent Antiestrogen that Targets Estrogen Receptor α for Degradation in Breast Cancer Cells. Cancer Research, 2009, 69, 1722-1727.	0.9	200
2	Functional role of KLF10 in multiple disease processes. BioFactors, 2010, 36, 8-18.	5.4	96
3	17α-Estradiol Alleviates Age-related Metabolic and Inflammatory Dysfunction in Male Mice Without Inducing Feminization. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2017, 72, 3-15.	3.6	91
4	Comprehensive assessment of estrogen receptor beta antibodies in cancer cell line models and tissue reveals critical limitations in reagent specificity. Molecular and Cellular Endocrinology, 2017, 440, 138-150.	3.2	91
5	BRD4 localization to lineage-specific enhancers is associated with a distinct transcription factor repertoire. Nucleic Acids Research, 2017, 45, 127-141.	14.5	90
6	Male breast cancer in the United States: Treatment patterns and prognostic factors in the 21st century. Cancer, 2020, 126, 26-36.	4.1	82
7	Role of TIEG1 in biological processes and disease states. Journal of Cellular Biochemistry, 2007, 102, 539-548.	2.6	75
8	Co-stimulation of the Bone-related Runx2 P1 Promoter in Mesenchymal Cells by SP1 and ETS Transcription Factors at Polymorphic Purine-rich DNA Sequences (Y-repeats). Journal of Biological Chemistry, 2009, 284, 3125-3135.	3.4	70
9	A contemporary review of male breast cancer: current evidence and unanswered questions. Cancer and Metastasis Reviews, 2018, 37, 599-614.	5.9	63
10	TGFβ inducible early gene-1 knockout mice display defects in bone strength and microarchitecture. Bone, 2006, 39, 1244-1251.	2.9	62
11	Estrogen receptor-beta sensitizes breast cancer cells to the anti-estrogenic actions of endoxifen. Breast Cancer Research, 2011, 13, R27.	5.0	58
12	First-in-Human Phase I Study of the Tamoxifen Metabolite Z-Endoxifen in Women With Endocrine-Refractory Metastatic Breast Cancer. Journal of Clinical Oncology, 2017, 35, 3391-3400.	1.6	58
13	ERβ1: characterization, prognosis, and evaluation of treatment strategies in ERα-positive and -negative breast cancer. BMC Cancer, 2014, 14, 749.	2.6	53
14	Research Resource: Global Identification of Estrogen Receptor Î ² Target Genes in Triple Negative Breast Cancer Cells. Molecular Endocrinology, 2013, 27, 1762-1775.	3.7	52
15	Krüppel-like Transcription Factor KLF10 Suppresses TGFβ-Induced Epithelial-to-Mesenchymal Transition via a Negative Feedback Mechanism. Cancer Research, 2017, 77, 2387-2400.	0.9	51
16	Histone demethylase JARID1B/KDM5B is a corepressor of TIEG1/KLF10. Biochemical and Biophysical Research Communications, 2010, 401, 412-416.	2.1	49
17	ERÎ ² -mediated induction of cystatins results in suppression of TGFÎ ² signaling and inhibition of triple-negative breast cancer metastasis. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E9580-E9589.	7.1	47
18	Estrogen Receptor β Isoform-Specific Induction of Transforming Growth Factor β-Inducible Early Gene-1 in Human Osteoblast Cells: An Essential Role for the Activation Function 1 Domain. Molecular Endocrinology, 2008, 22, 1579-1595.	3.7	44

#	Article	IF	CITATIONS
19	Development, characterization, and applications of a novel estrogen receptor beta monoclonal antibody. Journal of Cellular Biochemistry, 2012, 113, 711-723.	2.6	44
20	TGF-Î ² Inducible Early Gene 1 Regulates Osteoclast Differentiation and Survival by Mediating the NFATc1, AKT, and MEK/ERK Signaling Pathways. PLoS ONE, 2011, 6, e17522.	2.5	39
21	TIEG1/KLF10 Modulates Runx2 Expression and Activity in Osteoblasts. PLoS ONE, 2011, 6, e19429.	2.5	39
22	Endoxifen's Molecular Mechanisms of Action Are Concentration Dependent and Different than That of Other Anti-Estrogens. PLoS ONE, 2013, 8, e54613.	2.5	38
23	ERβ inhibits cyclin dependent kinases 1 and 7 in triple negative breast cancer. Oncotarget, 2017, 8, 96506-96521.	1.8	35
24	Identification of global gene expression differences between human lens epithelial and cortical fiber cells reveals specific genes and their associated pathways important for specialized lens cell functions. Molecular Vision, 2005, 11, 274-83.	1.1	34
25	Mutant Kras-induced upregulation of CD24 enhances prostate cancer stemness and bone metastasis. Oncogene, 2019, 38, 2005-2019.	5.9	33
26	Age-dependent changes in the mechanical properties of tail tendons in TGF-β inducible early gene-1 knockout mice. Journal of Applied Physiology, 2006, 101, 1419-1424.	2.5	32
27	Optimized immunohistochemical detection of estrogen receptor beta using two validated monoclonal antibodies confirms its expression in normal and malignant breast tissues. Breast Cancer Research and Treatment, 2020, 179, 241-249.	2.5	31
28	Runx2 Protein Represses Axin2 Expression in Osteoblasts and Is Required for Craniosynostosis in Axin2-deficient Mice*. Journal of Biological Chemistry, 2013, 288, 5291-5302.	3.4	30
29	Differential estrogenâ€receptor activation regulates extracellular matrix deposition in human airway smooth muscle remodeling <i>via</i> NFâ€PB pathway. FASEB Journal, 2019, 33, 13935-13950.	0.5	30
30	KLF10 Deficiency in CD4+ T Cells Triggers Obesity, Insulin Resistance, and Fatty Liver. Cell Reports, 2020, 33, 108550.	6.4	30
31	Aurora-A Mitotic Kinase Induces Endocrine Resistance through Down-Regulation of ERα Expression in Initially ERα+ Breast Cancer Cells. PLoS ONE, 2014, 9, e96995.	2.5	30
32	Health benefits attributed to 17α-estradiol, a lifespan-extending compound, are mediated through estrogen receptorÂα. ELife, 2020, 9, .	6.0	30
33	Estrogen Receptor Beta-Mediated Modulation of Lung Cancer Cell Proliferation by 27-Hydroxycholesterol. Frontiers in Endocrinology, 2018, 9, 470.	3.5	27
34	Differential Expression of Estrogen Receptor Variants in Response to Inflammation Signals in Human Airway Smooth Muscle. Journal of Cellular Physiology, 2017, 232, 1754-1760.	4.1	26
35	Impact of TIEG1 Deletion on the Passive Mechanical Properties of Fast and Slow Twitch Skeletal Muscles in Female Mice. PLoS ONE, 2016, 11, e0164566.	2.5	26
36	Estrogen Receptor Isoform-specific Regulation of the Retinoblastoma-binding Protein 1 (RBBP1) Gene. Journal of Biological Chemistry, 2006, 281, 28596-28604.	3.4	25

#	Article	IF	CITATIONS
37	CTNNB1 Mutations and Estrogen Receptor Expression in Neuromuscular Choristoma and Its Associated Fibromatosis. American Journal of Surgical Pathology, 2016, 40, 1368-1374.	3.7	25
38	TGFβâ€inducible early geneâ€1 (<i>TIEG1</i>) mutations in hypertrophic cardiomyopathy. Journal of Cellular Biochemistry, 2012, 113, 1896-1903.	2.6	24
39	TIEG1 modulates β-catenin sub-cellular localization and enhances Wnt signaling in bone. Nucleic Acids Research, 2017, 45, 5170-5182.	14.5	21
40	Osteoprotection Through the Deletion of the Transcription Factor RorÎ ² in Mice. Journal of Bone and Mineral Research, 2018, 33, 720-731.	2.8	21
41	Retinoblastoma binding protein-1 (RBP1) is a Runx2 coactivator and promotes osteoblastic differentiation. BMC Musculoskeletal Disorders, 2010, 11, 104.	1.9	20
42	17α-Estradiol prevents ovariectomy-mediated obesity and bone loss. Experimental Gerontology, 2020, 142, 111113.	2.8	20
43	Nicotinamide Mononucleotide Prevents Cisplatin-Induced Cognitive Impairments. Cancer Research, 2021, 81, 3727-3737.	0.9	20
44	Klotho/fibroblast growth factor 23- and PTH-independent estrogen receptor-α-mediated direct downregulation of NaPi-lla by estrogen in the mouse kidney. American Journal of Physiology - Renal Physiology, 2016, 311, F249-F259.	2.7	19
45	Development of a novel multiphysical approach for the characterization of mechanical properties of musculotendinous tissues. Scientific Reports, 2019, 9, 7733.	3.3	19
46	TGFβ Inducible Early Gene-1 Plays an Important Role in Mediating Estrogen Signaling in the Skeleton. Journal of Bone and Mineral Research, 2014, 29, 1206-1216.	2.8	18
47	TIEG1 enhances Osterix expression and mediates its induction by TGFÎ ² and BMP2 in osteoblasts. Biochemical and Biophysical Research Communications, 2016, 470, 528-533.	2.1	18
48	ERÎ ² Expression and Breast Cancer Risk Prediction for Women with Atypias. Cancer Prevention Research, 2015, 8, 1084-1092.	1.5	16
49	Estrogen directly and specifically downregulates NaPi-IIa through the activation of both estrogen receptor isoforms (ERα and ERβ) in rat kidney proximal tubule. American Journal of Physiology - Renal Physiology, 2015, 308, F522-F534.	2.7	16
50	Impact of TIEG1 on the structural properties of fast- and slow-twitch skeletal muscle. Muscle and Nerve, 2017, 55, 410-416.	2.2	15
51	TIEG and estrogen modulate SOST expression in the murine skeleton. Journal of Cellular Physiology, 2018, 233, 3540-3551.	4.1	14
52	Novel role of <i>Tieg1</i> in muscle metabolism and mitochondrial oxidative capacities. Acta Physiologica, 2020, 228, e13394.	3.8	14
53	Endoxifen, an Estrogen Receptor Targeted Therapy: From Bench to Bedside. Endocrinology, 2021, 162, .	2.8	14
54	Adenosine A _{2A} receptor blockade prevents cisplatin-induced impairments in neurogenesis and cognitive function. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, .	7.1	14

#	Article	IF	CITATIONS
55	Krüppel-Like Factor 10 participates in cervical cancer immunoediting through transcriptional regulation of Pregnancy-Specific Beta-1 Glycoproteins. Scientific Reports, 2018, 8, 9445.	3.3	11
56	Antitumor activity of Z-endoxifen in aromatase inhibitor-sensitive and aromatase inhibitor-resistant estrogen receptor-positive breast cancer. Breast Cancer Research, 2020, 22, 51.	5.0	11
57	KLF10 Mediated Epigenetic Dysregulation of Epithelial CD40/CD154 Promotes Endometriosis. Biology of Reproduction, 2016, 95, 62-62.	2.7	10
58	Estrogen receptor beta repurposes EZH2 to suppress oncogenic NFκB/p65 signaling in triple negative breast cancer. Npj Breast Cancer, 2022, 8, 20.	5.2	9
59	TIEG1-NULL OSTEOCYTES DISPLAY DEFECTS IN THEIR MORPHOLOGY, DENSITY AND SURROUNDING BONE MATRIX. Journal of Musculoskeletal Research, 2009, 12, 127-136.	0.2	8
60	The Effects of a Novel Hormonal Breast Cancer Therapy, Endoxifen, on the Mouse Skeleton. PLoS ONE, 2014, 9, e98219.	2.5	8
61	Krüppelâ€like factor 10 regulates the contractile properties of skeletal muscle fibers in mice. Muscle and Nerve, 2021, 64, 765-769.	2.2	8
62	Serum and Soleus Metabolomics Signature of Klf10 Knockout Mice to Identify Potential Biomarkers. Metabolites, 2022, 12, 556.	2.9	7
63	Skeletal and Uterotrophic Effects of Endoxifen in Female Rats. Endocrinology, 2017, 158, 3354-3368.	2.8	6
64	Ultrasound image processing to estimate the structural and functional properties of mouse skeletal muscle. Biomedical Signal Processing and Control, 2020, 56, 101735.	5.7	5
65	Sclerostin antibody treatment rescues the osteopenic bone phenotype of TGFβ inducible early geneâ€1 knockout female mice. Journal of Cellular Physiology, 2020, 235, 5679-5688.	4.1	5
66	Development and Characterization of Novel Endoxifen-Resistant Breast Cancer Cell Lines Highlight Numerous Differences from Tamoxifen-Resistant Models. Molecular Cancer Research, 2021, 19, 1026-1039.	3.4	2
67	Reply to On the proportion of male breast cancer among all breast cancers. Cancer, 2020, 126, 2034-2035.	4.1	1
68	Synergistic regulation of the Runx2 P1 promoter in mesenchymal cells by a conserved HLH box and purineâ€rich elements (GAY motifs). FASEB Journal, 2008, 22, 782.17.	0.5	0
69	Abstract 673: KLF10 is a Critical Mediator of Wnt Signaling in Aortic Valve Interstitial Cells. Arteriosclerosis, Thrombosis, and Vascular Biology, 2014, 34, .	2.4	0
70	Klotho/fgf23â€Independent and ERα Mediated Downregulation of NaPiâ€IIa and NaPiâ€IIc by Estrogen in the Mouse Kidney Proximal Tubule. FASEB Journal, 2015, 29, 970.2.	0.5	0