

Etsuro Hatano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8811909/publications.pdf>

Version: 2024-02-01

318
papers

10,291
citations

38742

50
h-index

49909

87
g-index

332
all docs

332
docs citations

332
times ranked

12167
citing authors

#	ARTICLE	IF	CITATIONS
1	Characterization and role of collagen gene expressing hepatic cells following partial hepatectomy in mice. <i>Hepatology</i> , 2023, 77, 443-455.	7.3	4
2	A nationwide certification system to increase the safety of highly advanced hepatobiliary&pancreatic surgery. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2023, 30, 60-71.	2.6	11
3	Landmarks to identify segmental borders of the liver: A review prepared for PAM&HBP expert consensus meeting 2021. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, 29, 82-98.	2.6	25
4	Landmarks and techniques to perform minimally invasive liver surgery: A systematic review with a focus on hepatic outflow. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, 29, 66-81.	2.6	33
5	Anatomy of the Middle Hepatic Vein Tributaries to Promote Safer Hepatic Vein-Guided Liver Resection. <i>Journal of Gastrointestinal Surgery</i> , 2022, 26, 122-127.	1.7	3
6	Learning process of laparoscopic liver resection and postoperative outcomes: chronological analysis of single-center 15-years&TM experience. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022, 36, 3398-3406.	2.4	8
7	Intraoperative indocyanine green imaging facilitates optimal surgical margin for colorectal liver metastasis with preoperatively undetected intrabiliary tumor growth. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, 29, .	2.6	0
8	Liver stiffness measured by virtual touch quantification predicts the occurrence of posthepatectomy refractory ascites in patients with hepatocellular carcinoma. <i>Surgery Today</i> , 2022, 52, 822-831.	1.5	2
9	Preoperative risk stratification of lymph node metastasis for non-functional pancreatic neuroendocrine neoplasm: An international dual-institutional study. <i>Pancreatology</i> , 2022, 22, 123-129.	1.1	6
10	Expert Consensus Guidelines: How to safely perform minimally invasive anatomic liver resection. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, 29, 16-32.	2.6	41
11	Increased Expressions of Programmed Death Ligand 1 and Galectin 9 in Transplant Recipients Who Achieved Tolerance After Immunosuppression Withdrawal. <i>Liver Transplantation</i> , 2022, 28, 647-658.	2.4	3
12	Dissecting aneurysm of the proper hepatic artery after laparoscopic hepatectomy possibly related to the Pringle maneuver: A case report. <i>Asian Journal of Endoscopic Surgery</i> , 2022, 15, 633-637.	0.9	2
13	Impact of neoadjuvant intensity-modulated radiation therapy on borderline resectable pancreatic cancer with arterial abutment; a prospective, open-label, phase II study in a single institution. <i>BMC Cancer</i> , 2022, 22, 119.	2.6	4
14	Minimally invasive anatomic liver resection: Results of a survey of world experts. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, 29, 33-40.	2.6	10
15	Liver Cancer Study Group of Japan Clinical Practice Guidelines for Intrahepatic Cholangiocarcinoma. <i>Liver Cancer</i> , 2022, 11, 290-314.	7.7	30
16	Letter to the editor. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, 29, .	2.6	0
17	<i>En bloc</i> excision of giant polycystic liver with hepatic cava and its auto&transplant caval reconstruction as a safe surgical procedure for liver transplantation. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, 29, .	2.6	1
18	Impact of the aberrant right hepatic artery on local recurrence of pancreatic ductal adenocarcinoma after pancreaticoduodenectomy. <i>Surgery</i> , 2022, 172, 691-699.	1.9	4

#	ARTICLE	IF	CITATIONS
19	Future liver remnant hypertrophy rate in portal vein embolization before left trisectionectomy: a retrospective cohort study. <i>Abdominal Radiology</i> , 2022, 47, 878-884.	2.1	1
20	The Tokyo 2020 terminology of liver anatomy and resections: Updates of the Brisbane 2000 system. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, 29, 6-15.	2.6	65
21	Laparoscopic pancreatoduodenectomy for a metastatic tumor in a portal annular pancreas. <i>Surgical Oncology</i> , 2022, 42, 101772.	1.6	0
22	Propionic Acid, Induced in Gut by an Inulin Diet, Suppresses Inflammation and Ameliorates Liver Ischemia and Reperfusion Injury in Mice. <i>Frontiers in Immunology</i> , 2022, 13, 862503.	4.8	14
23	Establishment of patient-derived organoids and a characterization-based drug discovery platform for treatment of pancreatic cancer. <i>BMC Cancer</i> , 2022, 22, 489.	2.6	6
24	The impact of human leukocyte antigen mismatch on recipient outcomes in living donor liver transplantation. <i>Liver Transplantation</i> , 2022, 28, 1588-1602.	2.4	4
25	Liver ductal organoids reconstruct intrahepatic biliary trees in decellularized liver grafts. <i>Biomaterials</i> , 2022, 287, 121614.	11.4	8
26	COVID-19 Incidence and its Clinical Course in Liver Transplant Recipients. <i>Acta Hepatologica Japonica</i> , 2022, 63, 293-296.	0.1	0
27	Impact of Preoperative CEA Uptrend on Survival Outcomes in Patients with Colorectal Liver Metastasis After Hepatectomy. <i>Annals of Surgical Oncology</i> , 2022, 29, 6745-6754.	1.5	3
28	What is a precise anatomic resection of the liver? Proposal of a new evaluation method in the era of fluorescence navigation surgery. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021, 28, 479-488.	2.6	16
29	The impact of peritoneal lavage cytology in biliary tract cancer (<sc>KHBO1701</sc>): Kansai <sc>Hepato-Biliary</sc> Oncology Group. <i>Cancer Reports</i> , 2021, 4, e1323.	1.4	6
30	Enhanced patterns on intraoperative contrast-enhanced ultrasonography predict outcomes after curative liver resection in patients with hepatocellular carcinoma. <i>Surgery Today</i> , 2021, 51, 764-776.	1.5	8
31	Severity of liver fibrosis using shear wave elastography is influenced by hepatic necroinflammation in chronic hepatitis patients, but not in cirrhotic patients. <i>Hepatology Research</i> , 2021, 51, 436-444.	3.4	5
32	Oncogenic transcriptomic profile is sustained in the liver after the eradication of the hepatitis C virus. <i>Carcinogenesis</i> , 2021, 42, 672-684.	2.8	6
33	Cathepsin B and D deficiency in the mouse pancreas induces impaired autophagy and chronic pancreatitis. <i>Scientific Reports</i> , 2021, 11, 6596.	3.3	12
34	A New Ultrasonographic "Fluttering Sign" for Hepatic Hemangioma. <i>Ultrasound in Medicine and Biology</i> , 2021, 47, 941-946.	1.5	3
35	Survey of surgical resections for neuroendocrine liver metastases: A project study of the Japan Neuroendocrine Tumor Society (JNETS). <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021, 28, 489-497.	2.6	8
36	Fibroblast growth factor receptor 2 (<i>FGFR2</i>) fusions in Japanese patients with intrahepatic cholangiocarcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 911-917.	1.3	3

#	ARTICLE	IF	CITATIONS
37	Sinusoidal Obstruction Syndrome Promotes Liver Metastatic Seeding of Colorectal Cancer Cells in a Rat Model. <i>Anticancer Research</i> , 2021, 41, 1803-1810.	1.1	2
38	Safety of Combined Division vs Separate Division of the Splenic Vein in Patients Undergoing Distal Pancreatectomy. <i>JAMA Surgery</i> , 2021, 156, 418.	4.3	4
39	Management of Hepatocellular Carcinoma in Japan: JSH Consensus Statements and Recommendations 2021 Update. <i>Liver Cancer</i> , 2021, 10, 181-223.	7.7	307
40	Antithrombin Together with NETs Inhibitor Protected Against Postoperative Adhesion Formation in Mice. <i>Cellular Physiology and Biochemistry</i> , 2021, 55, 400-412.	1.6	3
41	A Novel Real-time Navigation System for Lymphaticovenular Anastomosis Using Projection Mapping with Indocyanine Green Fluorescence. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2021, 9, e3758.	0.6	1
42	Treatment algorithm for thrombocytopenia in patients with chronic liver disease undergoing planned invasive procedures. <i>Hepatology Research</i> , 2021, 51, 1181-1195.	3.4	3
43	P.119: Evaluation of the Transplant Site Environment in Prevascularized Subcutaneous Islet Transplantation. <i>Transplantation</i> , 2021, 105, S44-S44.	1.0	0
44	Surgical Outcomes of Hepatocellular Carcinoma With Bile Duct Tumor Thrombus. <i>Annals of Surgery</i> , 2020, 271, 913-921.	4.2	44
45	ALPlat criterion for the resection of hepatocellular carcinoma based on a predictive model of posthepatectomy liver failure. <i>Surgery</i> , 2020, 167, 410-416.	1.9	18
46	Conversion to complete resection with mFOLFOX6 with bevacizumab or cetuximab based on K α €RAS status for unresectable colorectal liver metastasis (BECK study): Long α €term results of survival. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020, 27, 496-509.	2.6	9
47	Intraoperative Ultrasound Elastography Is Useful for Determining the Pancreatic Texture and Predicting Pancreatic Fistula After Pancreaticoduodenectomy. <i>Pancreas</i> , 2020, 49, 799-805.	1.1	7
48	Improvement in Hyperglycemia Prevents Surgical Site Infection Irrespective of Insulin Therapy in Non α €diabetic Patients Undergoing Gastrointestinal Surgery. <i>World Journal of Surgery</i> , 2020, 44, 1450-1458.	1.6	10
49	Hepatectomy using a novel cart-based indocyanine green fluorescence imaging system. <i>Surgery Today</i> , 2020, 50, 1308-1313.	1.5	5
50	Blockade of Tumor Necrosis Factor by Etanercept Prevents Postoperative Adhesion Formation in Mice. <i>Cellular Physiology and Biochemistry</i> , 2020, 54, 1041-1053.	1.6	4
51	Cytoglobin-expressing cells in the splenic cords contribute to splenic fibrosis in cirrhotic patients. <i>Histology and Histopathology</i> , 2020, 35, 1319-1328.	0.7	1
52	Optimal introduction of laparoscopic liver resection for Child α €Pugh B. <i>Asian Journal of Endoscopic Surgery</i> , 2019, 12, 287-293.	0.9	11
53	Randomised phase II trial of mFOLFOX6 plus bevacizumab versus mFOLFOX6 plus cetuximab as first-line treatment for colorectal liver metastasis (ATOM trial). <i>British Journal of Cancer</i> , 2019, 121, 222-229.	6.4	37
54	Clinical practice guidelines for hepatocellular carcinoma: The Japan Society of Hepatology 2017 (4th) Tj ETQq0 0 0 ggBT /Overlock 10 Tf	3.4	399

#	ARTICLE	IF	CITATIONS
55	Elevated levels of circulating ITIH4 are associated with hepatocellular carcinoma with nonalcoholic fatty liver disease: from pig model to human study. <i>BMC Cancer</i> , 2019, 19, 621.	2.6	33
56	The Effect of Daikenchuto, Japanese Herbal Medicine, on Adhesion Formation Induced by Cecum Cauterization and Cecum Abrasion in Mice. <i>Biological and Pharmaceutical Bulletin</i> , 2019, 42, 179-186.	1.4	4
57	A Prospective, Randomized Phase II Study of Adjuvant Gemcitabine Versus S-1 After Major Hepatectomy for Biliary Tract Cancer (KHBO 1208). <i>Annals of Surgery</i> , 2019, 270, 230-237.	4.2	41
58	Clinical Practice of Postoperative Adjuvant Chemotherapy in Patients with Colorectal Liver Metastases: Impact of the Completion for Six Months. <i>American Surgeon</i> , 2019, 85, 111-114.	0.8	0
59	Anti-interleukin-6 receptor antibody treatment ameliorates postoperative adhesion formation. <i>Scientific Reports</i> , 2019, 9, 17558.	3.3	27
60	Objective Response by mRECIST Is an Independent Prognostic Factor for Overall Survival in Hepatocellular Carcinoma Treated with Sorafenib in the SILIUS Trial. <i>Liver Cancer</i> , 2019, 8, 505-519.	7.7	20
61	Immunohistochemical characterization of cancer-associated fibroblasts at the primary sites and in the metastatic lymph nodes of human intrahepatic cholangiocarcinoma. <i>Human Pathology</i> , 2019, 83, 77-89.	2.0	18
62	Proposed model for the prediction of intrahepatic covalently closed circular DNA level in patients with chronic hepatitis B. <i>Hepatology Research</i> , 2019, 49, 271-283.	3.4	10
63	Serum Nardilysin, a Surrogate Marker for Epithelial-Mesenchymal Transition, Predicts Prognosis of Intrahepatic Cholangiocarcinoma after Surgical Resection. <i>Clinical Cancer Research</i> , 2019, 25, 619-628.	7.0	9
64	Impact of tumor shrinkage pattern by biweekly triplet gemcitabine/cisplatin/s-1 for biliary tract cancers: Implication for neoadjuvant therapy (KHBO1401-1A study).. <i>Journal of Clinical Oncology</i> , 2019, 37, 4093-4093.	1.6	3
65	A Case of Intraductal Papillary Mucinous Carcinoma Resected in an Elderly Man after 17 Years of Observation. <i>Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons)</i> , 2019, 44, 991-998.	0.0	0
66	Middle-Segment Preserving Pancreatectomy for an Intraductal Papillary Mucinous Carcinoma in the Pancreatic Head and Tail. <i>Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons)</i> , 2019, 44, 299-305.	0.0	0
67	A Case of Bile Leakage after Multiple Liver Cyst Fenestrations were Successfully Treated with Interventional Radiology. <i>Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons)</i> , 2019, 44, 1110-1116.	0.0	0
68	A Case of Ductal Adenocarcinoma and Neuroendocrine Tumor in the Pancreas. <i>Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons)</i> , 2019, 44, 985-990.	0.0	0
69	Neutrophil/lymphocyte ratio (NLR) may predict prognostic factor with gemcitabine/cisplatin/S-1 (GCS) for patients with advanced biliary tract cancer (MITSUBA /KHBO1401-1B).. <i>Journal of Clinical Oncology</i> , 2019, 37, e15656-e15656.	1.6	0
70	Multidisciplinary Treatment of Liver Metastasis from Colorectal Cancer to Create Novel Evidences. <i>Japanese Journal of Gastroenterological Surgery</i> , 2019, 52, 390-403.	0.1	0
71	Prevention of hepatocellular carcinoma by targeting MYCN-positive liver cancer stem cells with acyclic retinoid. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 4969-4974.	7.1	78
72	Preoperative criterion identifying a low-risk group for lymph node metastasis in intrahepatic cholangiocarcinoma. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2018, 25, 299-307.	2.6	20

#	ARTICLE	IF	CITATIONS
73	Sorafenib plus low-dose cisplatin and fluorouracil hepatic arterial infusion chemotherapy versus sorafenib alone in patients with advanced hepatocellular carcinoma (SILIUS): a randomised, open label, phase 3 trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2018, 3, 424-432.	8.1	216
74	Multicenter, randomized, controlled trial of Sâ€1 monotherapy versus Sâ€1 and interferonâ€1 combination therapy for hepatocellular carcinoma with extrahepatic metastases. <i>Hepatology Research</i> , 2018, 48, 717-726.	3.4	11
75	Impaired Value of 99m Tc-GSA Scintigraphy as an Independent Risk Factor for Posthepatectomy Liver Failure in Patients with Hepatocellular Carcinoma. <i>European Surgical Research</i> , 2018, 59, 12-22.	1.3	8
76	Multifocal Mass Lesions in Autoimmune Pancreatitis. <i>Case Reports in Gastroenterology</i> , 2018, 11, 686-693.	0.6	5
77	A Hilar Cholangiocarcinoma with Poor Preoperative Liver Function. <i>Japanese Journal of Gastroenterological Surgery</i> , 2018, 51, 57-64.	0.1	0
78	Laparoscopic Resection of an Epithelial Cyst in an Intrapancreatic Accessory Spleen. <i>Case Reports in Gastroenterology</i> , 2018, 11, 803-811.	0.6	1
79	CAAT/enhancer binding proteinâ€homologous protein deficiency attenuates liver ischemia/reperfusion injury in mice. <i>Liver Transplantation</i> , 2018, 24, 645-654.	2.4	8
80	Short- and long-term outcomes of the Frey procedure for chronic pancreatitis: a single-center experience and summary of outcomes in Japan. <i>Surgery Today</i> , 2018, 48, 58-65.	1.5	11
81	Real-time Navigation for Liver Surgery Using Projection Mapping With Indocyanine Green Fluorescence. <i>Annals of Surgery</i> , 2018, 267, 1134-1140.	4.2	115
82	Impact of statin use on the prognosis of patients with hepatocellular carcinoma undergoing liver resection: a subgroup analysis of patients without chronic hepatitis viral infection. <i>Surgery</i> , 2018, 163, 264-269.	1.9	17
83	Proposal of a New Preoperative Prognostic Model for Solitary Hepatocellular Carcinoma Incorporating 18F-FDG-PET Imaging with the ALBI Grade. <i>Annals of Surgical Oncology</i> , 2018, 25, 542-549.	1.5	25
84	Longâ€Term Survival of Recurrent Intrahepatic Cholangiocarcinoma: The Impact and Selection of Repeat Surgery. <i>World Journal of Surgery</i> , 2018, 42, 1848-1856.	1.6	36
85	Hepatectomy for Hilar Cholangiocarcinoma with Right-Sided Ligamentum Teres Using a Hepatectomy Simulation System. <i>Case Reports in Gastroenterology</i> , 2018, 11, 576-583.	0.6	5
86	<i>Is Noncurative Hepatic Resection Justified for Advanced Hepatocellular Carcinoma?</i>. <i>American Surgeon</i> , 2018, 84, 1938-1944.	0.8	4
87	Prediction of Delayed Arterial Hemorrhaging after Pancreaticoduodenectomy. <i>American Surgeon</i> , 2018, 84, 125-128.	0.8	1
88	A randomized phase II trial of adjuvant chemotherapy with gemcitabine versus S-1 after major hepatectomy for biliary tract cancer: Kansai Hepato-Biliary Oncology Group (KHBO1208). <i>Annals of Oncology</i> , 2018, 29, viii260.	1.2	0
89	Randomized phase III study of gemcitabine, cisplatin plus S-1 (GCS) versus gemcitabine, cisplatin (GC) for advanced biliary tract cancer (KHBO1401-MITSUBA). <i>Annals of Oncology</i> , 2018, 29, viii205.	1.2	93
90	Highlights of the Third Expert Forum of Asia-Pacific Laparoscopic Hepatectomy; Endoscopic and Laparoscopic Surgeons of Asia (ELSA) Visionary Summit 2017. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2018, 22, 1.	0.1	2

#	ARTICLE	IF	CITATIONS
91	Difficulty Achieving a Preoperative Diagnosis of IgG4-Related Sclerosing Cholangitis. Case Reports in Gastroenterology, 2018, 12, 425-431.	0.6	0
92	Necrostatin-7 suppresses RANK-NFATc1 signaling and attenuates macrophage to osteoclast differentiation. Biochemical and Biophysical Research Communications, 2018, 503, 544-549.	2.1	6
93	The feasibility study of short hydration with oral rehydration therapy in chemotherapy with cisplatin plus gemcitabine for biliary tract cancer (KHBO-1302). Annals of Oncology, 2018, 29, v33.	1.2	0
94	Real-time navigation system for sentinel lymph node biopsy in breast cancer patients using projection mapping with indocyanine green fluorescence. Breast Cancer, 2018, 25, 650-655.	2.9	21
95	Significance of hepatic resection and adjuvant hepatic arterial infusion chemotherapy for hepatocellular carcinoma with portal vein tumor thrombus in the first branch of portal vein and the main portal trunk: a project study for hepatic surgery of the Japanese Society of Hepato-Biliary-Pancreatic Surgery. Journal of Hepato-Biliary-Pancreatic Sciences, 2018, 25, 395-402.	2.6	26
96	Alpha-fetoprotein kinetics in patients with hepatocellular carcinoma receiving ramucirumab or placebo: an analysis of the phase 3 REACH study. British Journal of Cancer, 2018, 119, 19-26.	6.4	28
97	A randomized phase II study of mFOLFOX6 plus bevacizumab versus mFOLFOX6 plus cetuximab for previously untreated, liver-limited metastatic colorectal cancer that is unsuitable for resection (ATOM trial).. Journal of Clinical Oncology, 2018, 36, 734-734.	1.6	2
98	Is Noncurative Hepatic Resection Justified for Advanced Hepatocellular Carcinoma?. American Surgeon, 2018, 84, 1938-1944.	0.8	3
99	Phase I clinical trial of olprinone in liver surgery. Surgery Today, 2017, 47, 918-927.	1.5	1
100	Prospective registry for laparoscopic liver resection. Asian Journal of Endoscopic Surgery, 2017, 10, 173-178.	0.9	5
101	Portal vein reconstruction using vein grafts in pediatric living donor liver transplantation: Current status. Pediatric Transplantation, 2017, 21, e12888.	1.0	9
102	A Novel Biomarker-Based Preoperative Prognostic Grading System for Predicting Survival After Surgery for Intrahepatic Cholangiocarcinoma. Annals of Surgical Oncology, 2017, 24, 1351-1357.	1.5	28
103	Cost-effectiveness of EOB-MRI for Hepatocellular Carcinoma in Japan. Clinical Therapeutics, 2017, 39, 738-750.e4.	2.5	18
104	Short-term outcomes of laparoscopy-assisted hybrid living donor hepatectomy: a comparison with the conventional open procedure. Surgical Endoscopy and Other Interventional Techniques, 2017, 31, 5101-5110.	2.4	29
105	Nardilysin promotes hepatocellular carcinoma through activation of signal transducer and activator of transcription 3. Cancer Science, 2017, 108, 910-917.	3.9	9
106	Hepatic vagus nerve regulates Kupffer cell activation via $\alpha 7$ nicotinic acetylcholine receptor in nonalcoholic steatohepatitis. Journal of Gastroenterology, 2017, 52, 965-976.	5.1	47
107	Identification of keratin 19-positive cancer stem cells associating human hepatocellular carcinoma using CYFRA211. Cancer Medicine, 2017, 6, 2531-2540.	2.8	14
108	Perioperative and Long-term Outcome of the Warshaw Technique in Laparoscopic Spleen-preserving Distal Pancreatectomy. Surgical Laparoscopy, Endoscopy and Percutaneous Techniques, 2017, 27, 474-478.	0.8	6

#	ARTICLE	IF	CITATIONS
109	Pancreatic Stellate Cells Have Distinct Characteristics From Hepatic Stellate Cells and Are Not the Unique Origin of Collagen-Producing Cells in the Pancreas. <i>Pancreas</i> , 2017, 46, 1141-1151.	1.1	13
110	Visceral Adiposity and Sarcopenic Visceral Obesity are Associated with Poor Prognosis After Resection of Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , 2017, 24, 3732-3740.	1.5	113
111	Characterization of cancer associated fibroblasts in primary site and metastatic lymph nodes of intrahepatic cholangiocarcinoma by immunohistochemistry. <i>Journal of Hepatology</i> , 2017, 66, S466-S467.	3.7	0
112	Proposal of selection criteria for operative resection of hepatocellular carcinoma with inferior vena cava tumor thrombus incorporating hepatic arterial infusion chemotherapy. <i>Surgery</i> , 2017, 162, 742-751.	1.9	22
113	Multi-institutional phase II study on the feasibility of liver resection following preoperative mFOLFOX6 therapy for resectable liver metastases from colorectal cancers. <i>International Journal of Clinical Oncology</i> , 2017, 22, 316-323.	2.2	5
114	Impact of Skeletal Muscle Mass, Muscle Quality, and Visceral Adiposity on Outcomes Following Resection of Intrahepatic Cholangiocarcinoma. <i>Annals of Surgical Oncology</i> , 2017, 24, 1037-1045.	1.5	97
115	Is routine abdominal drainage necessary after liver resection?. <i>Surgery Today</i> , 2017, 47, 712-717.	1.5	14
116	Anterior Versus Conventional Approach for Resection of Large Right Lobe Hepatocellular Carcinoma. <i>Journal of Gastrointestinal Cancer</i> , 2017, 48, 25-30.	1.3	10
117	Prognostic relevance of miR-137 in patients with hepatocellular carcinoma. <i>Liver International</i> , 2017, 37, 271-279.	3.9	20
118	Ramucirumab as second-line treatment in patients with advanced hepatocellular carcinoma: Japanese subgroup analysis of the REACH trial. <i>Journal of Gastroenterology</i> , 2017, 52, 494-503.	5.1	39
119	Identification of Keratin 19 ⁺ Positive Cancer Stem Cells Associating Human Hepatocellular Carcinoma Using 18F-Fluorodeoxyglucose Positron Emission Tomography. <i>Clinical Cancer Research</i> , 2017, 23, 1450-1460.	7.0	21
120	Does response rate of chemotherapy with molecular target agents correlate with the conversion rate and survival in patients with unresectable colorectal liver metastases?: A systematic review. <i>European Journal of Surgical Oncology</i> , 2017, 43, 1003-1012.	1.0	33
121	Hepatic Pseudolymphoma with Fluorodeoxyglucose Uptake on Positron Emission Tomography. <i>Case Reports in Gastroenterology</i> , 2017, 10, 826-835.	0.6	5
122	Clinical application of projection mapping technology for surgical resection of lung metastasis. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2017, 25, 1010-1011.	1.1	23
123	Usefulness of Mac-2 Binding Protein Glycosylation Isomer for Prediction of Posthepatectomy Liver Failure in Patients With Hepatocellular Carcinoma. <i>Annals of Surgery</i> , 2017, 265, 1201-1208.	4.2	30
124	Chronological Profiling of Plasma Native Peptides after Hepatectomy in Pigs: Toward the Discovery of Human Biomarkers for Liver Regeneration. <i>PLoS ONE</i> , 2017, 12, e0167647.	2.5	5
125	Expression of Cancer Stem Cell-associated DKK1 mRNA Serves as Prognostic Marker for Hepatocellular Carcinoma. <i>Anticancer Research</i> , 2017, 37, 4881-4888.	1.1	12
126	A Surgical Case of Adenosquamous Carcinoma of the Distal Bile Duct. <i>Nihon Gekakei Rengo Gakkaiishi (Journal of Japanese College of Surgeons)</i> , 2017, 42, 252-260.	0.0	0

#	ARTICLE	IF	CITATIONS
127	A Surgical Case of Distal Bile Duct Carcinoma Associated with Primary Biliary Cirrhosis. <i>Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons)</i> , 2017, 42, 97-101.	0.0	0
128	C-Choline positive but F-FDG negative pancreatic metastasis from renal cell carcinoma on PET. <i>Nagoya Journal of Medical Science</i> , 2017, 79, 273-277.	0.3	5
129	Clinical trials of gemcitabine/cisplatin/S-1 (GCS) combination therapy for patients with advance biliary tract cancer. <i>Annals of Oncology</i> , 2016, 27, vii41.	1.2	0
130	Controversies over the Epithelial-to-Mesenchymal Transition in Liver Fibrosis. <i>Journal of Clinical Medicine</i> , 2016, 5, 9.	2.4	40
131	Validation of the FIB-4 index for evaluation of fibrosis in patients with recurrent hepatitis C after living donor liver transplantation: A single center experience. <i>Hepatology Research</i> , 2016, 46, 752-757.	3.4	7
132	Impact of Preferentially Expressed Antigen of Melanoma on the Prognosis of Hepatocellular Carcinoma. <i>Gastrointestinal Tumors</i> , 2016, 3, 128-135.	0.7	8
133	Is Surgical Resection Justified for Advanced Intrahepatic Cholangiocarcinoma?. <i>Liver Cancer</i> , 2016, 5, 280-289.	7.7	27
134	Impact of EUS-FNA for preoperative para-aortic lymph node staging in patients with pancreaticobiliary cancer. <i>Gastrointestinal Endoscopy</i> , 2016, 84, 467-475.e1.	1.0	42
135	Muscle Steatosis is an Independent Predictor of Postoperative Complications in Patients with Hepatocellular Carcinoma. <i>World Journal of Surgery</i> , 2016, 40, 1959-1968.	1.6	47
136	Posthepatectomy Liver Failure Affects Long-Term Function After Resection for Hepatocellular Carcinoma. <i>World Journal of Surgery</i> , 2016, 40, 929-936.	1.6	13
137	Prospective Randomized Controlled Phase III Trial Comparing the Efficacy of Sorafenib versus Sorafenib in Combination with Low-Dose Cisplatin/Fluorouracil Hepatic Arterial Infusion Chemotherapy in Patients with Advanced Hepatocellular Carcinoma. <i>Journal of Hepatology</i> , 2016, 64, S209-S210.	3.7	15
138	<i>TERT</i> promoter mutations and chromosome 8p loss are characteristic of nonalcoholic fatty liver disease-related hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2016, 139, 2512-2518.	5.1	36
139	Impact of postoperative changes in sarcopenic factors on outcomes after hepatectomy for hepatocellular carcinoma. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2016, 23, 57-64.	2.6	39
140	Suppression of MicroRNA-7 (miR-7) Biogenesis by Nuclear Factor 90-Nuclear Factor 45 Complex (NF90-NF45) Controls Cell Proliferation in Hepatocellular Carcinoma. <i>Journal of Biological Chemistry</i> , 2016, 291, 21074-21084.	3.4	63
141	SOX9 is a novel cancer stem cell marker surrogated by osteopontin in human hepatocellular carcinoma. <i>Scientific Reports</i> , 2016, 6, 30489.	3.3	80
142	Histological features of mixed neuroendocrine carcinoma and hepatocellular carcinoma in the liver: a case report and literature review. <i>Clinical Journal of Gastroenterology</i> , 2016, 9, 272-279.	0.8	29
143	Preventive Measures for Postoperative Bile Leakage After Central Hepatectomy: A Multicenter, Prospective, Observational Study of 101 Patients. <i>World Journal of Surgery</i> , 2016, 40, 1720-1728.	1.6	21
144	355 Real-Time Navigated Liver Surgery by Projection Mapping Using ICG Fluorescence. <i>Gastroenterology</i> , 2016, 150, S1028.	1.3	0

#	ARTICLE	IF	CITATIONS
145	Significant Improvement in Outcomes of Patients with Intrahepatic Cholangiocarcinoma after Surgery. <i>World Journal of Surgery</i> , 2016, 40, 2229-2236.	1.6	24
146	Liver transplantation for advanced hepatocellular carcinoma in patients with Child-Pugh A and B. <i>Surgery Today</i> , 2016, 46, 248-254.	1.5	17
147	Impact of the preoperative quantity and quality of skeletal muscle on outcomes after resection of extrahepatic biliary malignancies. <i>Surgery</i> , 2016, 159, 821-833.	1.9	118
148	A non-smooth tumor margin on preoperative imaging predicts microvascular invasion of hepatocellular carcinoma. <i>Surgery Today</i> , 2016, 46, 1275-1281.	1.5	42
149	Prediction of posthepatectomy liver failure based on liver stiffness measurement in patients with hepatocellular carcinoma. <i>Surgery</i> , 2016, 159, 399-408.	1.9	62
150	Feasibility of the liver-first approach for patients with initially unresectable and not optimally resectable synchronous colorectal liver metastases. <i>Surgery Today</i> , 2016, 46, 721-728.	1.5	14
151	P0008 : A multidrug strategy to attenuate ischemia reperfusion injury in experimental liver transplantation. <i>Journal of Hepatology</i> , 2015, 62, S293-S294.	3.7	0
152	P0371 : A multi-institution phase II study of gemcitabine/cisplatin/S-1 (GCS) combination chemotherapy for patients with advanced biliary tract cancer (KHBO 1002). <i>Journal of Hepatology</i> , 2015, 62, S451.	3.7	7
153	Osteopontin is a novel surrogate marker of SOX9-positive cancer stem cells in human hepatocellular carcinoma. <i>Journal of the American College of Surgeons</i> , 2015, 221, e101.	0.5	0
154	2337 Ramucirumab (RAM) as a second-line treatment in patients with advanced hepatocellular carcinoma (HCC) following first-line therapy with sorafenib in the randomized phase III REACH study: Analysis of alpha-fetoprotein (AFP) kinetics during treatment. <i>European Journal of Cancer</i> , 2015, 51, S446.	2.8	1
155	Ramucirumab (RAM) as second-line treatment in patients (pts) with advanced hepatocellular carcinoma (HCC): Japanese subgroup analysis of the phase III REACH trial. <i>Annals of Oncology</i> , 2015, 26, vii94.	1.2	0
156	O051 : SOX9 is a novel cancer stem cell marker surrogated by osteopontin in human hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2015, 62, S217.	3.7	1
157	Conversion to complete resection with mFOLFOX6 with bevacizumab or cetuximab based on Kâ€ras status for unresectable colorectal liver metastasis (BECK study). <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2015, 22, 634-645.	2.6	21
158	Intraoperative fluorescent cholangiography using indocyanine green for laparoscopic fenestration of nonparasitic huge liver cysts. <i>Asian Journal of Endoscopic Surgery</i> , 2015, 8, 71-74.	0.9	5
159	Spontaneous clearance of hepatitis C virus after liver transplantation: a report of four cases. <i>Surgical Case Reports</i> , 2015, 1, 124.	0.6	3
160	Portal vein reconstruction in adult living donor liver transplantation for patients with portal vein thrombosis in single center experience. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2015, 22, 467-474.	2.6	29
161	Impact of elderly donors for liver transplantation: A singleâ€center experience. <i>Liver Transplantation</i> , 2015, 21, 591-598.	2.4	20
162	Long-Term Outcomes of Hepatic Resection versus Living Donor Liver Transplantation for Hepatocellular Carcinoma: A Propensity Score-Matching Study. <i>Disease Markers</i> , 2015, 2015, 1-7.	1.3	16

#	ARTICLE	IF	CITATIONS
163	Safe and effective treatment with daclatasvir and asunaprevir in a liver transplant recipient with severe cholestatic hepatitis C. <i>Hepatology Research</i> , 2015, 45, 1360-1362.	3.4	9
164	Usefulness of operative planning based on 3-dimensional CT cholangiography for biliary malignancies. <i>Surgery</i> , 2015, 158, 1261-1271.	1.9	31
165	Hepatic Resection for Hepatocellular Carcinoma with Tumor Thrombus in the Major Portal Vein. <i>Digestive Surgery</i> , 2015, 32, 413-420.	1.2	31
166	A multi-institution phase II study of gemcitabine/cisplatin/S-1 (GCS) combination chemotherapy for patients with advanced biliary tract cancer (KHBO 1002). <i>Cancer Chemotherapy and Pharmacology</i> , 2015, 75, 293-300.	2.3	47
167	Impact of Hepatic Steatosis on Disease-Free Survival in Patients with Non-B Non-C Hepatocellular Carcinoma Undergoing Hepatic Resection. <i>Annals of Surgical Oncology</i> , 2015, 22, 2226-2234.	1.5	19
168	Laparoscopic Liver Resection in Obese Patients. <i>World Journal of Surgery</i> , 2015, 39, 1210-1215.	1.6	23
169	Hepatocellular Carcinoma with Bile Duct Tumor Thrombus: Surgical Outcomes and the Prognostic Impact of Concomitant Major Vascular Invasion. <i>World Journal of Surgery</i> , 2015, 39, 1485-1493.	1.6	28
170	Migration of splenic lymphocytes promotes liver fibrosis through modification of T helper cytokine balance in mice. <i>Journal of Gastroenterology</i> , 2015, 50, 1054-1068.	5.1	29
171	Laparoscopy-Specific Surgical Concepts for Hepatectomy Based on the Laparoscopic Caudal View: A Key to Reboot Surgeons' Minds. <i>Annals of Surgical Oncology</i> , 2015, 22, 327-333.	1.5	42
172	Relationship Between ¹⁸ F-FDG PET/CT Scans and KRAS Mutations in Metastatic Colorectal Cancer. <i>Journal of Nuclear Medicine</i> , 2015, 56, 1322-1327.	5.0	48
173	Salvage Living-Donor Liver Transplantation for Liver Failure Following Definitive Radiation Therapy for Recurrent Hepatocellular Carcinoma: A Case Report. <i>Transplantation Proceedings</i> , 2015, 47, 804-808.	0.6	1
174	Preoperative intramuscular adipose tissue content is a novel prognostic predictor after hepatectomy for hepatocellular carcinoma. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2015, 22, 475-485.	2.6	106
175	Keratin 19, a Cancer Stem Cell Marker in Human Hepatocellular Carcinoma. <i>Clinical Cancer Research</i> , 2015, 21, 3081-3091.	7.0	137
176	Complete pathological response induced by sorafenib for advanced hepatocellular carcinoma with multiple lung metastases and venous tumor thrombosis allowing for curative resection. <i>Clinical Journal of Gastroenterology</i> , 2015, 8, 300-305.	0.8	13
177	Long-term and perioperative outcomes of laparoscopic versus open liver resection for hepatocellular carcinoma with propensity score matching: a multi-institutional Japanese study. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2015, 22, 721-727.	2.6	204
178	Validation of the Conventional Resection Criteria in Patients with Hepatocellular Carcinoma in Terms of the Incidence of Posthepatectomy Liver Failure and Long-Term Prognosis. <i>Digestive Surgery</i> , 2015, 32, 344-351.	1.2	33
179	Regorafenib suppresses sinusoidal obstruction syndrome in rats. <i>Journal of Surgical Research</i> , 2015, 193, 693-703.	1.6	22
180	Effect of TU-100, a traditional Japanese medicine, administered after hepatic resection in patients with liver cancer: a multi-center, phase III trial (JFMC40-1001). <i>International Journal of Clinical Oncology</i> , 2015, 20, 95-104.	2.2	47

#	ARTICLE	IF	CITATIONS
181	A Systematic Review of Pharmacological Treatment Options Used to Reduce Ischemia Reperfusion Injury in Rat Liver Transplantation. PLoS ONE, 2015, 10, e0122214.	2.5	38
182	Pharmacokinetic Study of Adjuvant Gemcitabine Therapy for Biliary Tract Cancer following Major Hepatectomy (KHBO1101). PLoS ONE, 2015, 10, e0143072.	2.5	16
183	Laparoscopic liver resection: Toward a truly minimally invasive approach. World Journal of Gastrointestinal Endoscopy, 2015, 7, 159.	1.2	8
184	Randomised phase III study of gemcitabine, cisplatin plus S-1 (GCS) compared with gemcitabine plus cisplatin (GC) for unresectable or recurrent biliary tract cancer (KHBO1401-MITSUBA).. Journal of Clinical Oncology, 2015, 33, TPS4141-TPS4141.	1.6	1
185	Phase I study of adjuvant gemcitabine or S-1 in patients with biliary tract cancers undergoing major hepatectomy: KHBO1003 study. Cancer Chemotherapy and Pharmacology, 2014, 74, 699-709.	2.3	27
186	Soluble thrombomodulin attenuates sinusoidal obstruction syndrome in rat through suppression of high mobility group box 1. Liver International, 2014, 34, 1473-1487.	3.9	28
187	Hepatoprotective effect by pretreatment with olprinone in a swine partial hepatectomy model. Liver Transplantation, 2014, 20, 838-849.	2.4	9
188	Sorafenib in a hepatocellular carcinoma patient with end-stage renal failure: A pharmacokinetic study. Hepatology Research, 2014, 44, 685-688.	3.4	7
189	Leptin Receptor Somatic Mutations Are Frequent in HCV-Infected Cirrhotic Liver and Associated With Hepatocellular Carcinoma. Gastroenterology, 2014, 146, 222-232.e35.	1.3	38
190	O45 THE NEW POSSIBILITY OF AUTOLOGOUS HEPATOCYTE TRANSPLANTATION TO PREVENT ACUTE LIVER FAILURE AFTER MASSIVE HEPATECTOMY. Journal of Hepatology, 2014, 60, S19.	3.7	0
191	Liver Stiffness Measurement Predicts Posthepatectomy Liver Failure. Journal of Surgical Research, 2014, 186, 609.	1.6	0
192	A single-center analysis of the survival benefits of adjuvant gemcitabine chemotherapy for biliary tract cancer. International Journal of Clinical Oncology, 2014, 19, 485-489.	2.2	35
193	High risk of lung metastasis after resection of hepatocellular carcinoma more than 7 cm in diameter. Surgery Today, 2014, 44, 1900-1905.	1.5	27
194	Attenuation of steatohepatitis, fibrosis, and carcinogenesis in mice fed a methionine-choline deficient diet by CCAAT/enhancer-binding protein homologous protein deficiency. Journal of Gastroenterology and Hepatology (Australia), 2014, 29, 1109-1118.	2.8	49
195	The Impact of Posthepatectomy Liver Failure on the Recurrence of Hepatocellular Carcinoma. World Journal of Surgery, 2014, 38, 150-158.	1.6	18
196	Indication for neoadjuvant chemotherapy in patients with colorectal liver metastases based on a nomogram that predicts disease-free survival. Journal of Hepato-Biliary-Pancreatic Sciences, 2014, 21, 881-888.	2.6	17
197	Necrostatin-1 protects against reactive oxygen species (ROS)-induced hepatotoxicity in acetaminophen-induced acute liver failure. FEBS Open Bio, 2014, 4, 777-787.	2.3	127
198	Perioperative changes of procalcitonin levels in patients undergoing liver transplantation. Transplant Infectious Disease, 2014, 16, 790-796.	1.7	24

#	ARTICLE	IF	CITATIONS
199	Phase I study of adjuvant chemotherapy with gemcitabine plus cisplatin in patients with biliary tract cancer undergoing curative resection without major hepatectomy (KHBO1004). <i>Cancer Chemotherapy and Pharmacology</i> , 2014, 73, 1295-1301.	2.3	18
200	Clinical utility and limitations of FDG PET in detecting recurrent hepatocellular carcinoma in postoperative patients. <i>International Journal of Clinical Oncology</i> , 2014, 19, 1020-1028.	2.2	20
201	Assessment of [18F]-fluoroacetate PET/CT as a tumor-imaging modality: preclinical study in healthy volunteers and clinical evaluation in patients with liver tumor. <i>Annals of Nuclear Medicine</i> , 2014, 28, 371-380.	2.2	6
202	Exposureâ€“Toxicity Relationship of Sorafenib in Japanese Patients with Renal Cell Carcinoma and Hepatocellular Carcinoma. <i>Clinical Pharmacokinetics</i> , 2014, 53, 185-196.	3.5	73
203	Optimal cutâ€“off value for the number of colorectal liver metastases: a project study for hepatic surgery of the Japanese Society of Hepato-Biliary-Pancreatic Surgery. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> . 2014. 21. 169-175.	2.6	10
204	A case of xanthogranulomatous cholecystitis suspected to be adenocarcinoma based on the intraoperative peritoneal washing cytology. <i>International Journal of Surgery Case Reports</i> , 2014, 5, 138-141.	0.6	2
205	Effects of oral intake of hydrogen water on liver fibrogenesis in mice. <i>Hepatology Research</i> , 2014, 44, 663-677.	3.4	31
206	Phase I study of adjuvant chemotherapy with gemcitabine plus cisplatin in patients with biliary tract cancer undergoing curative resection without major hepatectomy (KHBO1004).. <i>Journal of Clinical Oncology</i> , 2014, 32, 347-347.	1.6	1
207	External Validation of a Nomogram Predicting Disease-free Survival after Curative Resection of Liver Metastasis from Colorectal Cancer. <i>Japanese Journal of Gastroenterological Surgery</i> , 2014, 47, 467-476.	0.1	1
208	Abstract 4650: Pharmacokinetic and pharmacodynamic study of adjuvant gemcitabine therapy of biliary tract cancer following major hepatectomy (KHBO1101). , 2014, , .		0
209	Loss of SMAD4 From Colorectal Cancer Cells Promotes CCL15 Expression to Recruit CCR1+ Myeloid Cells and Facilitate Liver Metastasis. <i>Gastroenterology</i> , 2013, 145, 1064-1075.e11.	1.3	108
210	Biological and clinical implications of retinoic acid-responsive genes in human hepatocellular carcinoma cells. <i>Journal of Hepatology</i> , 2013, 59, 1037-1044.	3.7	25
211	Effect of olprinone on liver microstructure in rat partial liver transplantation. <i>Journal of Surgical Research</i> , 2013, 183, 391-396.	1.6	8
212	A phase I study investigating the safety and pharmacokinetics of highly bioavailable curcumin (Theracurmin [®]) in cancer patients. <i>Cancer Chemotherapy and Pharmacology</i> , 2013, 71, 1521-1530.	2.3	160
213	Prediction of the Remnant Liver Hypertrophy Ratio after Preoperative Portal Vein Embolization. <i>European Surgical Research</i> , 2013, 51, 129-137.	1.3	29
214	Therapeutic potential and adverse events of everolimus for treatment of hepatocellular carcinoma â€“ systematic review and metaâ€“analysis. <i>Cancer Medicine</i> , 2013, 2, 862-871.	2.8	50
215	A phase I study investigating the safety and pharmacokinetics of highly bioavailable curcumin in cancer patients.. <i>Journal of Clinical Oncology</i> , 2013, 31, 290-290.	1.6	0
216	Radiation therapy for tumor thrombus in the portal vein or inferior vena cava in unresectable hepatocellular carcinoma. <i>Acta Hepatologica Japonica</i> , 2012, 53, 486-493.	0.1	3

#	ARTICLE	IF	CITATIONS
217	Sorafenib attenuates monocrotaline-induced sinusoidal obstruction syndrome in rats through suppression of JNK and MMP-9. <i>Journal of Hepatology</i> , 2012, 57, 1037-1043.	3.7	54
218	Current Status of Hepatocellular Carcinoma Treatment in Japan. <i>Clinical Drug Investigation</i> , 2012, 32, 25-35.	2.2	2
219	An eClinical trial system for cancer that integrates with clinical pathways and electronic medical records. <i>Clinical Trials</i> , 2012, 9, 408-417.	1.6	15
220	Preoperative FDG-PET Predicts Recurrence Patterns in Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2012, 19, 156-162.	1.5	51
221	Phase I trial of oral S-1 combined with gemcitabine and cisplatin for advanced biliary tract cancer (KHBO1002). <i>Cancer Chemotherapy and Pharmacology</i> , 2012, 69, 1181-1188.	2.3	11
222	Early evaluation of transcatheter arterial chemoembolization-refractory hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2012, 47, 343-346.	5.1	25
223	Effect of maintenance therapy with low-dose peginterferon for recurrent hepatitis C after living donor liver transplantation. <i>Journal of Viral Hepatitis</i> , 2012, 19, 32-38.	2.0	4
224	A nomogram predicting disease-free survival in patients with colorectal liver metastases treated with hepatic resection: multicenter data collection as a Project Study for Hepatic Surgery of the Japanese Society of Hepato-Biliary-Pancreatic Surgery. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2012, 19, 72-84.	2.6	162
225	Current Status of Hepatocellular Carcinoma Treatment in Japan. <i>Clinical Drug Investigation</i> , 2012, 32, 25-35.	2.2	3
226	Downregulation of the Wnt antagonist Dkk2 links the loss of Sept4 and myofibroblastic transformation of hepatic stellate cells. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2011, 1812, 1403-1411.	3.8	20
227	Proliferative activity in hepatocellular carcinoma is closely correlated with glucose metabolism but not angiogenesis. <i>Journal of Hepatology</i> , 2011, 55, 846-857.	3.7	117
228	Comparative study of cisplatin and epirubicin in transcatheter arterial chemoembolization for hepatocellular carcinoma. <i>Hepatology Research</i> , 2011, 41, 303-309.	3.4	17
229	The Authors Reply: The Mechanism of Improvement of Gas Exchange by Noninvasive Ventilation (NIV) Therapy for the Post-Operative State of Liver Cirrhosis Patients. <i>Internal Medicine</i> , 2011, 50, 265-266.	0.7	0
230	Loss of RUNX3 expression by histone deacetylation is associated with biliary tract carcinogenesis. <i>Cancer Science</i> , 2011, 102, 776-783.	3.9	13
231	Prognostic value of ^{18}F -fluorodeoxyglucose positron emission tomography in patients with extrahepatic bile duct cancer. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2011, 18, 39-46.	2.6	32
232	A multi-institution phase II study of gemcitabine/S-1 combination chemotherapy for patients with advanced biliary tract cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2011, 67, 1429-1434.	2.3	56
233	Olprinone attenuates excessive shear stress through up-regulation of endothelial nitric oxide synthase in a rat excessive hepatectomy model. <i>Liver Transplantation</i> , 2011, 17, 60-69.	2.4	31
234	Uptake of gadolinium-ethoxybenzyl-diethylenetriaminepentaacetic acid in metastatic adrenal tumour from hepatocellular carcinoma. <i>British Journal of Radiology</i> , 2011, 84, e182-e185.	2.2	1

#	ARTICLE	IF	CITATIONS
235	MicroRNA Profile Predicts Recurrence after Resection in Patients with Hepatocellular Carcinoma within the Milan Criteria. PLoS ONE, 2011, 6, e16435.	2.5	111
236	Abstract 4961: MicroRNA profile predicts recurrence after resection in patients with hepatocellular carcinoma within the Milan criteria. , 2011, , .		0
237	A Phosphodiesterase III Inhibitor Protects Rat Liver From Sinusoidal Obstruction Syndrome Through Heme Oxygenase-1 Induction. Annals of Surgery, 2010, 251, 780.	4.2	0
238	Surgery-Related Morbidity in Living Donors for Liver Transplantation. Transplantation, 2010, 89, 1276-1282.	1.0	118
239	Resistance to cisplatin-induced apoptosis via PI3K-dependent survivin expression in a rat hepatoma cell line. International Journal of Oncology, 2010, 37, .	3.3	7
240	Noninvasive Ventilation Improves the Outcome of Pulmonary Complications after Liver Resection. Internal Medicine, 2010, 49, 1501-1507.	0.7	15
241	FDG PET as a prognostic predictor in the early post-therapeutic evaluation for unresectable hepatocellular carcinoma. European Journal of Nuclear Medicine and Molecular Imaging, 2010, 37, 468-482.	6.4	54
242	Reply to the letter by Y. Ni et al. regarding "Expression of OATP1B3". Journal of Gastroenterology, 2010, 45, 351-352.	5.1	3
243	Coupled regulation of interleukin-12 receptor beta-1 of CD8+ central memory and CCR7-negative memory T cells in an early alloimmunity in liver transplant recipients. Clinical and Experimental Immunology, 2010, 160, 420-430.	2.6	4
244	Liver Transplantation for Congenital Biliary Dilatation: A Single-Center Experience. Digestive Surgery, 2010, 27, 492-501.	1.2	14
245	Premedication with 20 mg dexamethasone effectively prevents relapse of extensive skin rash associated with gemcitabine monotherapy. Annals of Oncology, 2010, 21, 189-190.	1.2	15
246	Hepatitis C Virus-related Cirrhosis is a Major Determinant of the Expression Levels of Hepatic Drug Transporters. Drug Metabolism and Pharmacokinetics, 2010, 25, 190-199.	2.2	66
247	838 OLPRINONE ATTENUATES SHEAR STRESS BY UP-REGULATING ENDOTHELIAL NITRIC OXIDE SYNTHASE IN RAT EXCESSIVE PARTIAL HEPATECTOMY MODEL. Journal of Hepatology, 2010, 52, S327.	3.7	0
248	Upregulation of multidrug resistance-associated protein 4 in the early stage of vascular invasion of hepatocellular carcinoma.. Journal of Clinical Oncology, 2010, 28, 4146-4146.	1.6	0
249	A history of smoking is inversely correlated with the incidence of gemcitabine-induced neutropenia. Annals of Oncology, 2009, 20, 1397-1401.	1.2	21
250	The NF90-NF45 Complex Functions as a Negative Regulator in the MicroRNA Processing Pathway. Molecular and Cellular Biology, 2009, 29, 3754-3769.	2.3	164
251	Inhibition of c-Jun NH2-terminal kinase switches Smad3 signaling from oncogenesis to tumor-suppression in rat hepatocellular carcinoma. Hepatology, 2009, 49, 1944-1953.	7.3	85
252	Expression of OATP1B3 determines uptake of Gd-EOB-DTPA in hepatocellular carcinoma. Journal of Gastroenterology, 2009, 44, 793-798.	5.1	313

#	ARTICLE	IF	CITATIONS
253	Dai-kenchu-to attenuates rat sinusoidal obstruction syndrome by inhibiting the accumulation of neutrophils in the liver. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009, 24, 1051-1057.	2.8	28
254	Prophylactic respiratory management after liver resection with bilevel positive airway pressure ventilation: Report of three cases. <i>Surgery Today</i> , 2009, 39, 172-174.	1.5	6
255	Resolution of Preoperative Portal Vein Thrombosis After Administration of Antithrombin III in Living Donor Liver Transplantation: Case Report. <i>Transplantation Proceedings</i> , 2009, 41, 3931-3933.	0.6	10
256	Impact of regulatory polymorphisms in organic anion transporter genes in the human liver. <i>Pharmacogenetics and Genomics</i> , 2009, 19, 647-656.	1.5	20
257	A Phosphodiesterase III Inhibitor Protects Rat Liver From Sinusoidal Obstruction Syndrome Through Heme Oxygenase-1 Induction. <i>Annals of Surgery</i> , 2009, 249, 806-813.	4.2	30
258	P-glycoprotein expression affects 18F-fluorodeoxyglucose accumulation in hepatocellular carcinoma in vivo and in vitro. <i>International Journal of Oncology</i> , 2009, , .	3.3	18
259	Factors affecting postoperative hyperbilirubinemia in the donor after living donor liver transplantation. <i>Hepato-Gastroenterology</i> , 2009, 56, 840-3.	0.5	0
260	Contribution of 18F-fluorodeoxyglucose positron emission tomography to the diagnosis of early pancreatic carcinoma. <i>Journal of Hepato-Biliary-Pancreatic Surgery</i> , 2008, 15, 634-639.	2.0	26
261	Fluorine-18 fluorodeoxyglucose positron emission tomography predicts lymph node metastasis, P-glycoprotein expression, and recurrence after resection in mass-forming intrahepatic cholangiocarcinoma. <i>Surgery</i> , 2008, 143, 769-777.	1.9	94
262	Hepatic Stellate Cells Secrete Angiopoietin 1 That Induces Angiogenesis in Liver Fibrosis. <i>Gastroenterology</i> , 2008, 135, 1729-1738.	1.3	243
263	Loss of Sept4 exacerbates liver fibrosis through the dysregulation of hepatic stellate cells. <i>Journal of Hepatology</i> , 2008, 49, 768-778.	3.7	34
264	501 18-BETA-GLYCYRRHETIC ACID, METABOLITE OF GLYCYRRHIZIN, INDUCES APOPTOSIS AND SUPPRESS THE EXPRESSION OF COLLAGEN TYPE I GENE IN HEPATIC STELLATE CELLS. <i>Journal of Hepatology</i> , 2008, 48, S189-S190.	3.7	0
265	956 PHOSPHODIESTERASE III INHIBITOR OVERCOMES RAT SINUSOIDAL OBSTRUCTION SYNDROME THROUGH HEME OXYGENASE-1 INDUCTION. <i>Journal of Hepatology</i> , 2008, 48, S357-S358.	3.7	0
266	CHOP deficiency attenuates cholestasis-induced liver fibrosis by reduction of hepatocyte injury. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 294, G498-G505.	3.4	176
267	Fluorine-18 Fluorodeoxyglucose Positron Emission Tomography Predicts Tumor Differentiation, P-glycoprotein Expression, and Outcome after Resection in Hepatocellular Carcinoma. <i>Clinical Cancer Research</i> , 2007, 13, 427-433.	7.0	185
268	Tumor necrosis factor signaling in hepatocyte apoptosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007, 22, S43-S44.	2.8	77
269	Influence of coexisting cirrhosis on outcomes after partial hepatic resection for hepatocellular carcinoma fulfilling the Milan criteria: An analysis of 293 patients. <i>Surgery</i> , 2007, 142, 685-694.	1.9	101
270	Surgical Resection of Hilar Cholangiocarcinoma: Analysis of Survival and Postoperative Complications. <i>World Journal of Surgery</i> , 2007, 31, 1258-1265.	1.6	180

#	ARTICLE	IF	CITATIONS
271	383 High volume hydrodynamic injection of plasmid DNA via the hepatic artery achieved a high level of gene expression in rat hepatocellular carcinoma induced diethylnitrosoamine. <i>Journal of Hepatology</i> , 2006, 44, S146.	3.7	0
272	Implication of Frequent Local Ablation Therapy for Intrahepatic Recurrence in Prolonged Survival of Patients With Hepatocellular Carcinoma Undergoing Hepatic Resection. <i>Annals of Surgery</i> , 2006, 244, 265-273.	4.2	118
273	Pancreatic arteriovenous malformation with portal hypertension. <i>Journal of Hepato-Biliary-Pancreatic Surgery</i> , 2006, 13, 344-346.	2.0	16
274	Preoperative Positron Emission Tomography with Fluorine-18-Fluorodeoxyglucose is Predictive of Prognosis in Patients with Hepatocellular Carcinoma after Resection. <i>World Journal of Surgery</i> , 2006, 30, 1736-1741.	1.6	102
275	Prognostic Index for Patients with Hepatocellular Carcinoma Combined with Tumor Thrombosis in the Major Portal Vein. <i>Journal of the American College of Surgeons</i> , 2006, 202, 431-438.	0.5	79
276	High volume hydrodynamic injection of plasmid DNA via the hepatic artery results in a high level of gene expression in rat hepatocellular carcinoma induced by diethylnitrosamine. <i>Journal of Gene Medicine</i> , 2006, 8, 1018-1026.	2.8	34
277	Single-Agent Gemcitabine for Biliary Tract Cancers. <i>Oncology</i> , 2006, 70, 358-365.	1.9	23
278	Complete response by a combination of 5-fluorouracil and interferon- β chemotherapy for lung metastasis of hepatocellular carcinoma after hepatic resection with portal and hepatic vein tumor thrombectomy. <i>Hepatology Research</i> , 2005, 33, 320-324.	3.4	9
279	Nuclear factor κ B inactivation in the rat liver ameliorates short term total warm ischaemia/reperfusion injury. <i>Gut</i> , 2005, 54, 835-842.	12.1	68
280	Blocking of PI3K/Akt pathway enhances apoptosis induced by SN-38, an active form of CPT-11, in human hepatoma cells. <i>International Journal of Oncology</i> , 2005, 26, 1301.	3.3	4
281	Relocation of Truncated Bid Plays an Important Role in Suppression of Tumor Necrosis Factor α Induced Apoptosis in Hepatocytes Isolated from Transgenic Mouse. <i>Journal of Surgical Research</i> , 2005, 127, 157-163.	1.6	2
282	Inhibition of tumor necrosis factor-induced apoptosis in transgenic mouse liver expressing creatine kinase. <i>Liver International</i> , 2004, 24, 384-393.	3.9	30
283	TNF α -induced hepatocyte apoptosis is associated with alterations of the cell cycle and decreased stem loop binding protein. <i>Surgery</i> , 2004, 135, 619-628.	1.9	9
284	Effectiveness of Endoscopic Nasobiliary Drainage for Postoperative Bile Leakage after Hepatic Resection. <i>World Journal of Surgery</i> , 2004, 28, 782-786.	1.6	27
285	Impact of novel histone deacetylase inhibitors, CHAP31 and FR901228(FK228), on adenovirus-mediated transgene expression. <i>Journal of Gene Medicine</i> , 2004, 6, 526-536.	2.8	21
286	Akt activation protects rat liver from ischemia/reperfusion injury ¹ . <i>Journal of Surgical Research</i> , 2004, 121, 159-170.	1.6	43
287	c-Jun-N-terminal kinase drives cyclin D1 expression and proliferation during liver regeneration. <i>Hepatology</i> , 2003, 37, 824-832.	7.3	223
288	Results of hepatic resection for hepatocellular carcinoma invading major portal and/or hepatic veins. <i>Surgical Oncology Clinics of North America</i> , 2003, 12, 65-75.	1.5	126

#	ARTICLE	IF	CITATIONS
289	HCC chemo-resistance to camptothecin is through NF- κ B-independent pathway. <i>Gastroenterology</i> , 2003, 124, A716.	1.3	0
290	Inactivation of the small GTPase Rac1 protects the liver from ischemia/reperfusion injury in the rat. <i>Surgery</i> , 2003, 134, 480-491.	1.9	39
291	Myoglobin gene expression attenuates hepatic ischemia reperfusion injury. <i>Journal of Surgical Research</i> , 2003, 110, 322-331.	1.6	16
292	Cholangitis and Liver Abscess after Percutaneous Ablation Therapy for Liver Tumors: Incidence and Risk Factors. <i>Journal of Vascular and Interventional Radiology</i> , 2003, 14, 1535-1542.	0.5	103
293	Resection for hepatocellular carcinoma with duodenal invasion: report of a case. <i>Hepato-Gastroenterology</i> , 2003, 50, 1034-6.	0.5	6
294	Suppression of Proliferative Cholangitis by E2F Decoy Oligodeoxynucleotide. <i>Journal of Surgical Research</i> , 2002, 102, 95-101.	1.6	9
295	Percutaneous Radiofrequency Ablation Therapy after Intrathoracic Saline Solution Infusion for Liver Tumor in the Hepatic Dome. <i>Journal of Vascular and Interventional Radiology</i> , 2002, 13, 313-315.	0.5	38
296	Kupffer Cell Targeting by Intraportal Injection of the HVJ Cationic Liposome. <i>European Surgical Research</i> , 2002, 34, 251-259.	1.3	7
297	Regulation of TNF- α and Fas-Induced Hepatic Apoptosis by NF- κ B. , 2002, , 27-32.		0
298	NF- κ B stimulates inducible nitric oxide synthase to protect mouse hepatocytes from TNF- α and Fas-mediated apoptosis. <i>Gastroenterology</i> , 2001, 120, 1251-1262.	1.3	151
299	Dominant-negative TAK1 induces c-Myc and G ₀ exit in liver. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 281, G1279-G1289.	3.4	19
300	Akt protects mouse hepatocytes from TNF- α and Fas-mediated apoptosis through NF- κ B activation. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 281, G1357-G1368.	3.4	102
301	The Mitochondrial Permeability Transition Augments Fas-induced Apoptosis in Mouse Hepatocytes. <i>Journal of Biological Chemistry</i> , 2000, 275, 11814-11823.	3.4	135
302	Protective pathways in TNFA - and fas-mediated apoptosis in hepatocytes. <i>Gastroenterology</i> , 2000, 118, A895.	1.3	0
303	JNK activation is required for hepatocyte proliferation and cyclin D1 expression following partial hepatectomy in rats. <i>Gastroenterology</i> , 2000, 118, A1020.	1.3	0
304	Gene transfer to the rat biliary tract with the HVJ-cationic liposome method. <i>Journal of Hepatology</i> , 1999, 30, 836-842.	3.7	18
305	Suppression of proliferative cholangitis in a rat model with direct adenovirus-mediated retinoblastoma gene transfer to the biliary tract. <i>Hepatology</i> , 1998, 28, 605-612.	7.3	25
306	The Beneficial Effect of Phosphocreatine Accumulation in the Creatine Kinase Transgenic Mouse Liver in Endotoxin-Induced Hepatic Cell Death. <i>Journal of Surgical Research</i> , 1998, 80, 229-235.	1.6	13

#	ARTICLE	IF	CITATIONS
307	Hepatic Preservation with Histidine-Tryptophan-Ketoglutarate Solution in Living-Related and Cadaveric Liver Transplantation. <i>Clinical Science</i> , 1997, 93, 81-88.	4.3	34
308	Prostaglandin E1 Resuscitates Hepatic Organic Anion Transport Independent of Its Hemodynamic Effect after Warm Ischemia. <i>Journal of Surgical Research</i> , 1997, 68, 56-62.	1.6	16
309	Hepatic Artery Thrombosis In Living Related Liver Transplantation1. <i>Transplantation</i> , 1997, 64, 1443-1446.	1.0	109
310	Energy metabolism and regeneration in transgenic mouse liver expressing creatine kinase after major hepatectomy. <i>Gastroenterology</i> , 1996, 110, 1166-1174.	1.3	36
311	Disorganization of microtubular network in postischemic liver dysfunction: its functional and morphological changes. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 1996, 1317, 27-35.	3.8	13
312	Graft size-matching in living related partial liver transplantation in relation to tissue oxygenation and metabolic capacity. <i>Transplant International</i> , 1996, 9, 15-22.	1.6	29
313	Induction of endotoxin tolerance in transgenic mouse liver expressing creatine kinase. <i>Hepatology</i> , 1996, 24, 663-669.	7.3	28
314	Graft size-matching in living related partial liver transplantation in relation to tissue oxygenation and metabolic capacity. <i>Transplant International</i> , 1996, 9, 15-22.	1.6	14
315	Direct measurement of hepatic indocyanine green clearance with near-infrared spectroscopy: Separate evaluation of uptake and removal. <i>Hepatology</i> , 1996, 23, 137-144.	7.3	41
316	CHANGES IN GLUCOSE TRANSPORTER 2 AND CARBOHYDRATE-METABOLIZING ENZYMES IN THE LIVER DURING COLD PRESERVATION AND WARM ISCHEMIA. <i>Transplantation</i> , 1996, 61, 869-874.	1.0	15
317	POSTOPERATIVE MONITORING OF THE OXYGENATION STATE OF THE GRAFT LIVER IN CASES WITH HEPATOPULMONARY SYNDROME. <i>Transplantation</i> , 1996, 62, 1676-1678.	1.0	6
318	A unique profile of insulin antibody titer in islet-transplanted patients. <i>Journal of Diabetes Investigation</i> , 0, , .	2.4	0