Gabriel S Dichter

List of Publications by Citations

Source: https://exaly.com/author-pdf/8812084/gabriel-s-dichter-publications-by-citations.pdf

Version: 2024-04-03

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85
papers

5,010
h-index

93
ext. papers

5,951
ext. citations

40
g-index

5.72
L-index

#	Paper	IF	Citations
85	fMRI of alterations in reward selection, anticipation, and feedback in major depressive disorder. <i>Journal of Affective Disorders</i> , 2009 , 118, 69-78	6.6	241
84	Dynamic Resting-State Functional Connectivity in Major Depression. <i>Neuropsychopharmacology</i> , 2016 , 41, 1822-30	8.7	209
83	A systematic review of relations between resting-state functional-MRI and treatment response in major depressive disorder. <i>Journal of Affective Disorders</i> , 2015 , 172, 8-17	6.6	208
82	The effects of psychotherapy on neural responses to rewards in major depression. <i>Biological Psychiatry</i> , 2009 , 66, 886-97	7.9	202
81	Reward circuitry function in autism spectrum disorders. <i>Social Cognitive and Affective Neuroscience</i> , 2012 , 7, 160-72	4	200
80	Dopamine transmission in the human striatum during monetary reward tasks. <i>Journal of Neuroscience</i> , 2004 , 24, 4105-12	6.6	192
79	Reward circuitry dysfunction in psychiatric and neurodevelopmental disorders and genetic syndromes: animal models and clinical findings. <i>Journal of Neurodevelopmental Disorders</i> , 2012 , 4, 19	4.6	181
78	Reward circuitry function in autism during face anticipation and outcomes. <i>Journal of Autism and Developmental Disorders</i> , 2012 , 42, 147-60	4.6	161
77	The neural circuitry mediating shifts in behavioral response and cognitive set in autism. <i>Biological Psychiatry</i> , 2008 , 63, 974-80	7.9	156
76	Brief report: feasibility of social cognition and interaction training for adults with high functioning autism. <i>Journal of Autism and Developmental Disorders</i> , 2008 , 38, 1777-84	4.6	118
75	Social-cognitive, physiological, and neural mechanisms underlying emotion regulation impairments: understanding anxiety in autism spectrum disorder. <i>International Journal of Developmental Neuroscience</i> , 2014 , 39, 22-36	2.7	115
74	Brief report: Circumscribed attention in young children with autism. <i>Journal of Autism and Developmental Disorders</i> , 2011 , 41, 242-7	4.6	114
73	SPARK: A US Cohort of 50,000 Families to Accelerate Autism Research. <i>Neuron</i> , 2018 , 97, 488-493	13.9	112
72	Remitted major depression is characterized by reward network hyperactivation during reward anticipation and hypoactivation during reward outcomes. <i>Journal of Affective Disorders</i> , 2012 , 136, 1126	5 -3 4	110
71	Autism is characterized by dorsal anterior cingulate hyperactivation during social target detection. <i>Social Cognitive and Affective Neuroscience</i> , 2009 , 4, 215-26	4	108
70	Functional magnetic resonance imaging of autism spectrum disorders. <i>Dialogues in Clinical Neuroscience</i> , 2012 , 14, 319-51	5.7	108
69	Resting frontal brain activity: linkages to maternal depression and socio-economic status among adolescents. <i>Biological Psychology</i> , 2004 , 67, 77-102	3.2	105

(1996-2010)

68	The effects of Brief Behavioral Activation Therapy for Depression on cognitive control in affective contexts: An fMRI investigation. <i>Journal of Affective Disorders</i> , 2010 , 126, 236-44	6.6	102
67	Social stimuli interfere with cognitive control in autism. <i>NeuroImage</i> , 2007 , 35, 1219-30	7.9	97
66	Assessing the effects of bupropion SR on mood dimensions of depression. <i>Journal of Affective Disorders</i> , 2004 , 78, 235-41	6.6	94
65	Phenomenology and measurement of circumscribed interests in autism spectrum disorders. <i>Autism</i> , 2011 , 15, 437-56	6.6	93
64	Resting-state connectivity predictors of response to psychotherapy in major depressive disorder. <i>Neuropsychopharmacology</i> , 2015 , 40, 1659-73	8.7	92
63	Unipolar depression does not moderate responses to the Sweet Taste Test. <i>Depression and Anxiety</i> , 2010 , 27, 859-63	8.4	90
62	Common and distinct neural features of social and non-social reward processing in autism and social anxiety disorder. <i>Social Cognitive and Affective Neuroscience</i> , 2014 , 9, 367-77	4	86
61	Early- and late-onset startle modulation in unipolar depression. <i>Psychophysiology</i> , 2004 , 41, 433-40	4.1	86
60	Affective context interferes with cognitive control in unipolar depression: an fMRI investigation. Journal of Affective Disorders, 2009 , 114, 131-42	6.6	73
59	Sustained anterior cingulate cortex activation during reward processing predicts response to psychotherapy in major depressive disorder. <i>Journal of Affective Disorders</i> , 2016 , 203, 204-212	6.6	68
58	Major depressive disorder is characterized by greater reward network activation to monetary than pleasant image rewards. <i>Psychiatry Research - Neuroimaging</i> , 2011 , 194, 263-270	2.9	65
57	Remitted major depression is characterized by reduced prefrontal cortex reactivity to reward loss. Journal of Affective Disorders, 2013, 151, 756-762	6.6	61
56	Impaired modulation of attention and emotion in schizophrenia. Schizophrenia Bulletin, 2010, 36, 595-6	06 .3	59
55	Startle modulation before, during and after exposure to emotional stimuli. <i>International Journal of Psychophysiology</i> , 2002 , 43, 191-6	2.9	59
54	Quantitative EEG during seizures induced by electroconvulsive therapy: relations to treatment modality and clinical features. I. Global analyses. <i>Journal of ECT</i> , 2000 , 16, 211-28	2	57
53	Adults with autism spectrum disorders exhibit decreased sensitivity to reward parameters when making effort-based decisions. <i>Journal of Neurodevelopmental Disorders</i> , 2012 , 4, 13	4.6	56
52	Affective responses by adults with autism are reduced to social images but elevated to images related to circumscribed interests. <i>PLoS ONE</i> , 2012 , 7, e42457	3.7	56
51	Elevated plus-maze behavior in adult offspring of selectively bred rats. <i>Physiology and Behavior</i> , 1996 , 60, 299-304	3.5	55

50	Neural Mechanisms of Emotion Regulation in Autism Spectrum Disorder. <i>Journal of Autism and Developmental Disorders</i> , 2015 , 45, 3409-23	4.6	52
49	Quantitative EEG during seizures induced by electroconvulsive therapy: relations to treatment modality and clinical features. II. Topographic analyses. <i>Journal of ECT</i> , 2000 , 16, 229-43	2	52
48	The chronometry of affective startle modulation in unipolar depression. <i>Journal of Abnormal Psychology</i> , 2008 , 117, 1-15	7	51
47	Attention deficits in schizophreniapreliminary evidence of dissociable transient and sustained deficits. <i>Schizophrenia Research</i> , 2010 , 122, 104-12	3.6	44
46	Future directions for research in autism spectrum disorders. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2014 , 43, 828-43	5.4	42
45	Social Stimuli Induce Activation of Oxytocin Neurons Within the Paraventricular Nucleus of the Hypothalamus to Promote Social Behavior in Male Mice. <i>Journal of Neuroscience</i> , 2020 , 40, 2282-2295	6.6	40
44	Smoking withdrawal is associated with increases in brain activation during decision making and reward anticipation: a preliminary study. <i>Psychopharmacology</i> , 2012 , 219, 563-73	4.7	39
43	Age Trends in Visual Exploration of Social and Nonsocial Information in Children with Autism. <i>Research in Autism Spectrum Disorders</i> , 2012 , 6, 842-851	3	38
42	Association between the oxytocin receptor (OXTR) gene and mesolimbic responses to rewards. <i>Molecular Autism</i> , 2014 , 5, 7	6.5	37
41	Neural mechanisms of cognitive reappraisal in remitted major depressive disorder. <i>Journal of Affective Disorders</i> , 2013 , 151, 171-7	6.6	36
40	Attenuation of Frontostriatal Connectivity During Reward Processing Predicts Response to Psychotherapy in Major Depressive Disorder. <i>Neuropsychopharmacology</i> , 2017 , 42, 831-843	8.7	35
39	Generativity abilities predict communication deficits but not repetitive behaviors in Autism Spectrum Disorders. <i>Journal of Autism and Developmental Disorders</i> , 2009 , 39, 1298-304	4.6	34
38	Performance of children with autism spectrum disorders on the dimension-change card sort task. Journal of Autism and Developmental Disorders, 2010 , 40, 448-56	4.6	29
37	Neural indicators of emotion regulation via acceptance vs reappraisal in remitted major depressive disorder. <i>Social Cognitive and Affective Neuroscience</i> , 2015 , 10, 1187-94	4	28
36	Increased reward value of non-social stimuli in children and adolescents with autism. <i>Frontiers in Psychology</i> , 2015 , 6, 1026	3.4	24
35	Reward processing in autism: a thematic series. <i>Journal of Neurodevelopmental Disorders</i> , 2012 , 4, 20	4.6	24
34	Affective modulation of the startle eyeblink and postauricular reflexes in autism spectrum disorder. <i>Journal of Autism and Developmental Disorders</i> , 2010 , 40, 858-69	4.6	24
33	Atypical modulation of cognitive control by arousal in autism. <i>Psychiatry Research - Neuroimaging</i> , 2008 , 164, 185-97	2.9	23

(2020-2016)

32	Late Positive Potential ERP Responses to Social and Nonsocial Stimuli in Youth with Autism Spectrum Disorder. <i>Journal of Autism and Developmental Disorders</i> , 2016 , 46, 3068-77	6	23
31	Do venlafaxine XR and paroxetine equally influence negative and positive affect?. <i>Journal of Affective Disorders</i> , 2005 , 85, 333-9	6	21
30	Vicarious Effort-Based Decision-Making in Autism Spectrum Disorders. <i>Journal of Autism and Developmental Disorders</i> , 2017 , 47, 2992-3006	6	20
29	Functional neuroimaging of treatment effects in psychiatry: methodological challenges and recommendations. <i>International Journal of Neuroscience</i> , 2012 , 122, 483-93		20
28	Reward Network Modulation as a Mechanism of Change in Behavioral Activation. <i>Behavior Modification</i> , 2020 , 44, 186-213	5	20
27	The effects of intranasal oxytocin on reward circuitry responses in children with autism spectrum disorder. <i>Journal of Neurodevelopmental Disorders</i> , 2018 , 10, 12	6	19
26	Neural mechanisms of negative reinforcement in children and adolescents with autism spectrum disorders. <i>Journal of Neurodevelopmental Disorders</i> , 2015 , 7, 12	6	18
25	Mapping social target detection with functional magnetic resonance imaging. <i>Social Cognitive and Affective Neuroscience</i> , 2009 , 4, 59-69		18
24	Rates of Co-occurring Psychiatric Disorders in Autism Spectrum Disorder Using the Mini International Neuropsychiatric Interview. <i>Journal of Autism and Developmental Disorders</i> , 2019 , 49, 3819-48	832	17
23	Intact Hedonic Responses to Sweet Tastes in Autism Spectrum Disorder. <i>Research in Autism Spectrum Disorders</i> , 2014 , 8, 230-236		17
22	Relations among intelligence, executive function, and P300 event related potentials in schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2006 , 194, 179-87	8	16
21	Pretreatment brain connectivity during positive emotion upregulation predicts decreased anhedonia following behavioral activation therapy for depression. <i>Journal of Affective Disorders</i> , 6.0 2019 , 243, 188-192	6	16
20	Functional neuroimaging of social and nonsocial cognitive control in autism. <i>Journal of Autism and Developmental Disorders</i> , 2013 , 43, 2903-13	6	14
19	Neural mechanisms of subclinical depressive symptoms in women: a pilot functional brain imaging study. <i>BMC Psychiatry</i> , 2012 , 12, 152	2	12
18	Age and Gender Effects on Intrinsic Connectivity in Autism Using Functional Integration and Segregation. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018 , 3, 414-422	4	12
17	Brief Report: Cognitive Control of Social and Nonsocial Visual Attention in Autism. <i>Journal of Autism and Developmental Disorders</i> , 2016 , 46, 2797-2805	6	11
16	A simultaneous [C]raclopride positron emission tomography and functional magnetic resonance imaging investigation of striatal dopamine binding in autism. <i>Translational Psychiatry</i> , 2021 , 11, 33	6	11
15	Neural Mechanisms of Social and Nonsocial Reward Prediction Errors in Adolescents with Autism Spectrum Disorder. <i>Autism Research</i> , 2020 , 13, 715-728	1	9

14	Experience Sampling of Positive Affect in Adolescents with Autism: Feasibility and Preliminary Findings. <i>Research in Autism Spectrum Disorders</i> , 2016 , 29-30, 57-65	3	9
13	Neural Mechanisms of Reward Prediction Error in Autism Spectrum Disorder. <i>Autism Research & Treatment</i> , 2019 , 2019, 5469191	3.2	8
12	Early Life Abuse Moderates the Effects of Intranasal Oxytocin on Symptoms of Premenstrual Dysphoric Disorder: Preliminary Evidence From a Placebo-Controlled Trial. <i>Frontiers in Psychiatry</i> , 2018 , 9, 547	5	8
11	Neural reward response to substance-free activity images in opiate use disorder patients with depressive symptoms. <i>Drug and Alcohol Dependence</i> , 2019 , 198, 180-189	4.9	7
10	Social and nonsocial visual prediction errors in autism spectrum disorder. Autism Research, 2019, 12, 87	8 5 883	7
9	fMRI tracks reductions in repetitive behaviors in autism: two case studies. <i>Neurocase</i> , 2010 , 16, 307-16	0.8	7
8	A potential mechanistic role for neuroinflammation in reward processing impairments in autism spectrum disorder. <i>Biological Psychology</i> , 2019 , 142, 1-12	3.2	7
7	A Nexus Model of Restricted Interests in Autism Spectrum Disorder. <i>Frontiers in Human Neuroscience</i> , 2020 , 14, 212	3.3	6
7		3·3 7·9	4
	Neuroscience, 2020, 14, 212 T78. Attenuated Default Mode Network Functional Connectivity is Associated With Improvement in Depressive Symptoms Following Mindfulness-Based Cognitive Therapy in a Transdiagnostic		
6	Neuroscience, 2020, 14, 212 T78. Attenuated Default Mode Network Functional Connectivity is Associated With Improvement in Depressive Symptoms Following Mindfulness-Based Cognitive Therapy in a Transdiagnostic Anhedonic Sample. Biological Psychiatry, 2019, 85, S158-S159 Dynamic Eye Tracking as a Predictor and Outcome Measure of Social Skills Intervention in Adolescents and Adults with Autism Spectrum Disorder. Journal of Autism and Developmental	7.9	4
6 5	T78. Attenuated Default Mode Network Functional Connectivity is Associated With Improvement in Depressive Symptoms Following Mindfulness-Based Cognitive Therapy in a Transdiagnostic Anhedonic Sample. <i>Biological Psychiatry</i> , 2019 , 85, S158-S159 Dynamic Eye Tracking as a Predictor and Outcome Measure of Social Skills Intervention in Adolescents and Adults with Autism Spectrum Disorder. <i>Journal of Autism and Developmental Disorders</i> , 2021 , 51, 1173-1187 Multilevel growth curve analyses of behavioral activation for anhedonia (BATA) and mindfulness-based cognitive therapy effects on anhedonia and resting-state functional	7·9 4.6	2
654	T78. Attenuated Default Mode Network Functional Connectivity is Associated With Improvement in Depressive Symptoms Following Mindfulness-Based Cognitive Therapy in a Transdiagnostic Anhedonic Sample. <i>Biological Psychiatry</i> , 2019 , 85, S158-S159 Dynamic Eye Tracking as a Predictor and Outcome Measure of Social Skills Intervention in Adolescents and Adults with Autism Spectrum Disorder. <i>Journal of Autism and Developmental Disorders</i> , 2021 , 51, 1173-1187 Multilevel growth curve analyses of behavioral activation for anhedonia (BATA) and mindfulness-based cognitive therapy effects on anhedonia and resting-state functional connectivity: Interim results of a randomized trial. <i>Journal of Affective Disorders</i> , 2021 , 292, 161-171 Social motivation in autism: Gaps and directions for measurement of a putative core construct.	7·9 4.6 6.6	2