

Katja Fischer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8812453/publications.pdf>

Version: 2024-02-01

85
papers

2,761
citations

159585

30
h-index

206112

48
g-index

100
all docs

100
docs citations

100
times ranked

2419
citing authors

#	ARTICLE	IF	CITATIONS
1	An RNA Interference Tool to Silence Genes in <i>Sarcoptes scabiei</i> Eggs. <i>International Journal of Molecular Sciences</i> , 2022, 23, 873.	4.1	2
2	Spinosad topical suspension (0.9%): a new topical treatment for scabies. <i>Expert Review of Anti-Infective Therapy</i> , 2022, 20, 1149-1154.	4.4	2
3	A unique group of scabies mite pseudoproteases promotes cutaneous blood coagulation and delays plasmin-induced fibrinolysis. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0008997.	3.0	4
4	Molecular diagnosis of scabies using a novel probe-based polymerase chain reaction assay targeting high-copy number repetitive sequences in the <i>Sarcoptes scabiei</i> genome. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009149.	3.0	7
5	First Description of the Composition and the Functional Capabilities of the Skin Microbial Community Accompanying Severe Scabies Infestation in Humans. <i>Microorganisms</i> , 2021, 9, 907.	3.6	2
6	Scabies itch: an update on neuroimmune interactions and novel targets. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 1765-1776.	2.4	12
7	First evidence of the activity of an entomopathogenic fungus against the eggs of <i>Sarcoptes scabiei</i> . <i>Veterinary Parasitology</i> , 2021, 298, 109553.	1.8	3
8	<i>In vitro</i> ovicidal activity of current and under development scabicides: which treatments kill scabies eggs?. <i>British Journal of Dermatology</i> , 2020, 182, 511-513.	1.5	26
9	How to eliminate scabies parasites from fomites: A high-throughput <i>ex vivo</i> experimental study. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, 241-245.	1.2	22
10	High-quality nuclear genome for <i>Sarcoptes scabiei</i> —A critical resource for a neglected parasite. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008720.	3.0	25
11	Proteases and pseudoproteases in parasitic arthropods of clinical importance. <i>FEBS Journal</i> , 2020, 287, 4284-4299.	4.7	9
12	<i>In Vitro</i> Activity of Beauvericin against All Developmental Stages of <i>Sarcoptes scabiei</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2020, 64, .	3.2	13
13	Lemongrass (<i>Cymbopogon citratus</i>) oil: A promising miticidal and ovicidal agent against <i>Sarcoptes scabiei</i> . <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008225.	3.0	23
14	The Management of Scabies in the 21st Century: Past, Advances and Potentials. <i>Acta Dermato-Venereologica</i> , 2020, 100, adv00112-234.	1.3	36
15	High-throughput metagenome analysis of the <i>Sarcoptes scabiei</i> internal microbiota and in-situ identification of intestinal <i>Streptomyces</i> sp.. <i>Scientific Reports</i> , 2019, 9, 11744.	3.3	11
16	The Challenge of Developing a Single-Dose Treatment for Scabies. <i>Trends in Parasitology</i> , 2019, 35, 931-943.	3.3	29
17	Cytoplasmic and periplasmic expression of recombinant shark VNAR antibody in <i>Escherichia coli</i> . <i>Preparative Biochemistry and Biotechnology</i> , 2019, 49, 315-327.	1.9	2
18	Isolation and characterization of malaria PfHRP2 specific VNAR antibody fragments from immunized shark phage display library. <i>Malaria Journal</i> , 2018, 17, 383.	2.3	26

#	ARTICLE	IF	CITATIONS
19	Kunitz type protease inhibitor EgKI-1 from the canine tapeworm <i>Echinococcus granulosus</i> as a promising therapeutic against breast cancer. <i>PLoS ONE</i> , 2018, 13, e0200433.	2.5	17
20	The Development of Single Domain Antibodies for Diagnostic and Therapeutic Applications. , 2018, , .		3
21	Efficacy and Pharmacokinetics Evaluation of a Single Oral Dose of Afoxolaner against <i>Sarcoptes scabiei</i> in the Porcine Scabies Model for Human Infestation. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .	3.2	26
22	Phylogenetic relationships, stage-specific expression and localisation of a unique family of inactive cysteine proteases in <i>Sarcoptes scabiei</i> . <i>Parasites and Vectors</i> , 2018, 11, 301.	2.5	9
23	Gene silencing by RNA interference in <i>Sarcoptes scabiei</i> : a molecular tool to identify novel therapeutic targets. <i>Parasites and Vectors</i> , 2017, 10, 289.	2.5	22
24	Single Domain Antibodies as New Biomarker Detectors. <i>Diagnostics</i> , 2017, 7, 52.	2.6	29
25	Complement inhibition by <i>Sarcoptes scabiei</i> protects <i>Streptococcus pyogenes</i> - An in vitro study to unravel the molecular mechanisms behind the poorly understood predilection of <i>S. pyogenes</i> to infect mite-induced skin lesions. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005437.	3.0	40
26	Preclinical Study of Single-Dose Moxidectin, a New Oral Treatment for Scabies: Efficacy, Safety, and Pharmacokinetics Compared to Two-Dose Ivermectin in a Porcine Model. <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0005030.	3.0	68
27	Genomic resources and draft assemblies of the human and porcine varieties of scabies mites, <i>Sarcoptes scabiei</i> var. <i>hominis</i> and var. <i>suis</i> . <i>GigaScience</i> , 2016, 5, 23.	6.4	28
28	Mitochondrial Genome Sequence of the Scabies Mite Provides Insight into the Genetic Diversity of Individual Scabies Infections. <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0004384.	3.0	30
29	A novel coagulation inhibitor from <i>Schistosoma japonicum</i> . <i>Parasitology</i> , 2015, 142, 1663-1672.	1.5	19
30	Functional expression of a novel Kunitz type protease inhibitor from the human blood fluke <i>Schistosoma mansoni</i> . <i>Parasites and Vectors</i> , 2015, 8, 408.	2.5	52
31	Pseudoproteases: mechanisms and function. <i>Biochemical Journal</i> , 2015, 468, 17-24.	3.7	31
32	Cloning and Characterization of Two Potent Kunitz Type Protease Inhibitors from <i>Echinococcus granulosus</i> . <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0004268.	3.0	34
33	Parasitic scabies mites and associated bacteria joining forces against host complement defence. <i>Parasite Immunology</i> , 2014, 36, 585-593.	1.5	46
34	Scabies Mite Inactive Serine Proteases Are Potent Inhibitors of the Human Complement Lectin Pathway. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e2872.	3.0	50
35	Scabies Mites Alter the Skin Microbiome and Promote Growth of Opportunistic Pathogens in a Porcine Model. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e2897.	3.0	67
36	A Scabies Mite Serpin Interferes with Complement-Mediated Neutrophil Functions and Promotes Staphylococcal Growth. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e2928.	3.0	51

#	ARTICLE	IF	CITATIONS
37	Parasitic mites of medical and veterinary importance – is there a common research agenda?. <i>International Journal for Parasitology</i> , 2014, 44, 955-967.	3.1	38
38	Autoantibodies to iron-binding proteins in pigs infested with <i>Sarcoptes scabiei</i> . <i>Veterinary Parasitology</i> , 2014, 205, 263-270.	1.8	8
39	Intestinal proteases of free-living and parasitic astigmatid mites. <i>Cell and Tissue Research</i> , 2013, 351, 339-352.	2.9	19
40	An Aspartic Protease of the Scabies Mite <i>Sarcoptes scabiei</i> Is Involved in the Digestion of Host Skin and Blood Macromolecules. <i>PLoS Neglected Tropical Diseases</i> , 2013, 7, e2525.	3.0	26
41	Novel insights into an old disease. <i>Current Opinion in Infectious Diseases</i> , 2013, 26, 110-115.	3.1	18
42	Complement Inhibitors from Scabies Mites Promote Streptococcal Growth – A Novel Mechanism in Infected Epidermis?. <i>PLoS Neglected Tropical Diseases</i> , 2012, 6, e1563.	3.0	52
43	Scabies. <i>Advances in Parasitology</i> , 2012, 79, 339-373.	3.2	27
44	Malaria infection alters the expression of <i>Bcl-2</i> cell activating factor resulting in diminished memory antibody responses and survival. <i>European Journal of Immunology</i> , 2012, 42, 3291-3301.	2.9	38
45	Novel Scabies Mite Serpins Inhibit the Three Pathways of the Human Complement System. <i>PLoS ONE</i> , 2012, 7, e40489.	2.5	62
46	Quantitative PCR-based genome size estimation of the astigmatid mites <i>Sarcoptes scabiei</i> , <i>Psoroptes ovis</i> and <i>Dermatophagoides pteronyssinus</i> . <i>Parasites and Vectors</i> , 2012, 5, 3.	2.5	32
47	Scabies Mite Peritrophins Are Potential Targets of Human Host Innate Immunity. <i>PLoS Neglected Tropical Diseases</i> , 2011, 5, e1331.	3.0	36
48	A Tractable Experimental Model for Study of Human and Animal Scabies. <i>PLoS Neglected Tropical Diseases</i> , 2010, 4, e756.	3.0	71
49	Scabies Mite Inactivated Serine Protease Paralogs Inhibit the Human Complement System. <i>Journal of Immunology</i> , 2009, 182, 7809-7817.	0.8	89
50	Characterization of a Serine Protease Homologous to House Dust Mite Group 3 Allergens from the Scabies Mite <i>Sarcoptes scabiei</i> . <i>Journal of Biological Chemistry</i> , 2009, 284, 34413-34422.	3.4	46
51	Structural Mechanisms of Inactivation in Scabies Mite Serine Protease Paralogues. <i>Journal of Molecular Biology</i> , 2009, 390, 635-645.	4.2	33
52	Complement evasion of the scabies mite <i>Sarcoptes scabiei</i> . <i>Molecular Immunology</i> , 2009, 46, 2849.	2.2	1
53	Scabies and bacterial skin infections at a molecular level. <i>Microbiology Australia</i> , 2009, 30, 177.	0.4	0
54	Scabies mite inactivated protease paralogues inhibit human complement. <i>Molecular Immunology</i> , 2008, 45, 4171-4172.	2.2	0

#	ARTICLE	IF	CITATIONS
55	Scabies mite inactivated protease paralogues. International Congress Series, 2006, 1289, 85-88.	0.2	1
56	The chitinase allergens Der p 15 and Der p 18 from <i>Dermatophagoides pteronyssinus</i> . Clinical and Experimental Allergy, 2006, 36, 831-839.	2.9	55
57	PCR-BASED ASSAY TO SURVEY FOR KNOCKDOWN RESISTANCE TO PYRETHROID ACARICIDES IN HUMAN SCABIES MITES (<i>SARCOPTES SCABIEI</i> VAR <i>HOMINIS</i>). American Journal of Tropical Medicine and Hygiene, 2006, 74, 649-657.	1.4	46
58	SCABIES MITE INACTIVATED SERINE PROTEASE PARALOGUES ARE PRESENT BOTH INTERNALLY IN THE MITE GUT AND EXTERNALLY IN FECES. American Journal of Tropical Medicine and Hygiene, 2006, 75, 683-687.	1.4	30
59	PCR-based assay to survey for knockdown resistance to pyrethroid acaricides in human scabies mites (<i>Sarcoptes scabiei</i> var <i>hominis</i>). American Journal of Tropical Medicine and Hygiene, 2006, 74, 649-57.	1.4	16
60	Scabies mite inactivated serine protease paralogues are present both internally in the mite gut and externally in feces. American Journal of Tropical Medicine and Hygiene, 2006, 75, 683-7.	1.4	17
61	Analysis of <i>Sarcoptes scabiei</i> finds no evidence of infection with <i>Wolbachia</i> . International Journal for Parasitology, 2005, 35, 131-135.	3.1	12
62	IDENTIFICATION AND CHARACTERIZATION OF <i>SARCOPTES SCABIEI</i> AND <i>DERMATOPHAGOIDES PTERONYSSINUS</i> GLUTATHIONE S-TRANSFERASES: IMPLICATION AS A POTENTIAL MAJOR ALLERGEN IN CRUSTED SCABIES. American Journal of Tropical Medicine and Hygiene, 2005, 73, 977-984.	1.4	48
63	Identification and characterization of <i>Sarcoptes scabiei</i> and <i>Dermatophagoides pteronyssinus</i> glutathione S-transferases: implication as a potential major allergen in crusted scabies. American Journal of Tropical Medicine and Hygiene, 2005, 73, 977-84.	1.4	20
64	Sulfadoxine Resistance in <i>Plasmodium vivax</i> Is Associated with a Specific Amino Acid in Dihydropteroate Synthase at the Putative Sulfadoxine-Binding Site. Antimicrobial Agents and Chemotherapy, 2004, 48, 2214-2222.	3.2	100
65	A Multigene Family of Inactivated Cysteine Proteases in <i>Sarcoptes scabiei</i> . Journal of Investigative Dermatology, 2004, 123, 240-241.	0.7	54
66	A novel <i>Plasmodium falciparum</i> ring stage protein, REX, is located in Maurer's clefts. Molecular and Biochemical Parasitology, 2004, 136, 181-189.	1.1	81
67	Ten families of variant genes encoded in subtelomeric regions of multiple chromosomes of <i>Plasmodium chabaudi</i> , a malaria species that undergoes antigenic variation in the laboratory mouse. Molecular Microbiology, 2003, 48, 1209-1223.	2.5	33
68	Mechanisms for a Novel Immune Evasion Strategy in the Scabies Mite <i>Sarcoptes Scabiei</i> : A Multigene Family of Inactivated Serine Proteases. Journal of Investigative Dermatology, 2003, 121, 1419-1424.	0.7	87
69	Normalization of a cDNA Library Cloned in λZAP by a Long PCR and cDNA Reassociation Procedure. BioTechniques, 2003, 34, 250-254.	1.8	22
70	GENERATION AND CHARACTERIZATION OF CDNA CLONES FROM <i>SARCOPTES SCABIEI</i> VAR. <i>HOMINIS</i> FOR AN EXPRESSED SEQUENCE TAG LIBRARY: IDENTIFICATION OF HOMOLOGUES OF HOUSE DUST MITE ALLERGENS. American Journal of Tropical Medicine and Hygiene, 2003, 68, 61-64.	1.4	72
71	Generation and characterization of cDNA clones from <i>Sarcoptes scabiei</i> var. <i>hominis</i> for an expressed sequence tag library: identification of homologues of house dust mite allergens. American Journal of Tropical Medicine and Hygiene, 2003, 68, 61-4.	1.4	28
72	Characterization of microsatellite loci in <i>Anopheles flavirostris</i> , the principal malaria vector in the Philippines. Molecular Ecology Notes, 2002, 2, 527-528.	1.7	0

#	ARTICLE	IF	CITATIONS
73	Primary Structure of the Plasmodium vivax crk2 Gene and Interference of the Yeast Cell Cycle upon Its Conditional Expression. <i>Experimental Parasitology</i> , 2001, 97, 119-128.	1.2	5
74	Aldolase genes of Plasmodium species. <i>Molecular and Biochemical Parasitology</i> , 2001, 113, 327-330.	1.1	11
75	Prediction of many new exons and introns in Plasmodium falciparum chromosome 2. <i>Molecular and Biochemical Parasitology</i> , 2001, 118, 187-199.	1.1	15
76	Clags in Plasmodium falciparum and other species of Plasmodium. <i>Molecular and Biochemical Parasitology</i> , 2001, 118, 259-263.	1.1	9
77	The sequence of a 200 kb portion of a Plasmodium vivax chromosome reveals a high degree of conservation with Plasmodium falciparum chromosome 3. <i>Molecular and Biochemical Parasitology</i> , 2001, 118, 211-222.	1.1	27
78	Characterization and cloning of the gene encoding the vacuolar membrane protein EXP-2 from Plasmodium falciparum1Note: Nucleotide sequence data reported in this paper are available in the EMBL, GenBank, and DDJB databases under the accession number AJ000652.1. <i>Molecular and Biochemical Parasitology</i> , 1998, 92, 47-57.	1.1	30
79	stevor and rif are Plasmodium falciparum multicopy gene families which potentially encode variant antigens. <i>Molecular and Biochemical Parasitology</i> , 1998, 97, 161-176.	1.1	230
80	Expression of var Genes Located within Polymorphic Subtelomeric Domains of Plasmodium falciparum Chromosomes. <i>Molecular and Cellular Biology</i> , 1997, 17, 3679-3686.	2.3	63
81	Construction and Characterization of a Plasmodium vivax Genomic Library in Yeast Artificial Chromosomes. <i>Genomics</i> , 1997, 42, 467-473.	2.9	26
82	A method to measure the cytoplasmic pH of single, living Plasmodium falciparum parasites. <i>Behring Institute Mitteilungen</i> , 1997, , 44-50.	0.2	2
83	Current status of the Plasmodium falciparum genome project. <i>Molecular and Biochemical Parasitology</i> , 1996, 79, 1-12.	1.1	55
84	Construction and rapid screening of a representative yeast artificial chromosome library from the Plasmodium falciparum strain Dd2. <i>Parasitology Research</i> , 1996, 83, 87-89.	1.6	7
85	Parasitism and chromosome dynamics in protozoan parasites: is there a connection?. <i>Molecular and Biochemical Parasitology</i> , 1995, 70, 1-8.	1.1	78