

Margarida Gonalo

List of Publications by Citations

Source: <https://exaly.com/author-pdf/881391/margarida-goncalo-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

260
papers

7,749
citations

43
h-index

81
g-index

316
ext. papers

9,356
ext. citations

2.8
avg, IF

5.91
L-index

#	Paper	IF	Citations
260	European Society of Contact Dermatitis guideline for diagnostic patch testing - recommendations on best practice. <i>Contact Dermatitis</i> , 2015 , 73, 195-221	2.7	725
259	The EAACI/GA(2) LEN/EDF/WAO Guideline for the definition, classification, diagnosis, and management of urticaria: the 2013 revision and update. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014 , 69, 868-87	9.3	715
258	The EAACI/GA(2) LEN/EDF/WAO guideline for the definition, classification, diagnosis and management of urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018 , 73, 1393-1414	9.2	681
257	Guidelines for performing skin tests with drugs in the investigation of cutaneous adverse drug reactions. <i>Contact Dermatitis</i> , 2001 , 45, 321-8	2.7	352
256	Prevalence of contact allergy in the general population in different European regions. <i>British Journal of Dermatology</i> , 2016 , 174, 319-29	4	187
255	Hand eczema classification: a cross-sectional, multicentre study of the aetiology and morphology of hand eczema. <i>British Journal of Dermatology</i> , 2009 , 160, 353-8	4	161
254	Hand eczema severity and quality of life: a cross-sectional, multicentre study of hand eczema patients. <i>Contact Dermatitis</i> , 2008 , 59, 43-7	2.7	151
253	Epicutaneous patch testing in drug hypersensitivity syndrome (DRESS). <i>Contact Dermatitis</i> , 2010 , 62, 47-53	2.7	141
252	A European multicentre photopatch test study. <i>British Journal of Dermatology</i> , 2012 , 166, 1002-9	4	138
251	Photopatch testing: a consensus methodology for Europe. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2004 , 18, 679-82	4.6	133
250	The European baseline series and recommended additions: 2019. <i>Contact Dermatitis</i> , 2019 , 80, 1-4	2.7	101
249	Photopatch testing: recommendations for a European photopatch test baseline series. <i>Contact Dermatitis</i> , 2013 , 68, 239-43	2.7	93
248	Allergic contact dermatitis caused by acrylates and methacrylates--a 7-year study. <i>Contact Dermatitis</i> , 2014 , 71, 102-7	2.7	88
247	HLA-B*58:01 is a risk factor for allopurinol-induced DRESS and Stevens-Johnson syndrome/toxic epidermal necrolysis in a Portuguese population. <i>British Journal of Dermatology</i> , 2013 , 169, 660-5	4	82
246	Patch testing in fixed drug eruptions--a 20-year review. <i>Contact Dermatitis</i> , 2011 , 65, 195-201	2.7	80
245	Histopathology of the exanthema in DRESS in correlation with markers of severe systemic involvement. <i>Clinical and Translational Allergy</i> , 2014 , 4, O8	5.2	78
244	Drugs inducing T-cell mediated cutaneous adverse reactions and contact sensitizers evoke similar responses in THP-1 cells. <i>Clinical and Translational Allergy</i> , 2014 , 4, P50	5.2	78

243	European academy of dermatology and venereology European prurigo project: expert consensus on the definition, classification and terminology of chronic prurigo. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, 1059-1065	4.6	73
242	Recommendation to include methylisothiazolinone in the European baseline patch test series--on behalf of the European Society of Contact Dermatitis and the European Environmental and Contact Dermatitis Research Group. <i>Contact Dermatitis</i> , 2013 , 69, 263-70	2.7	70
241	Contact allergy to common ingredients in hair dyes. <i>Contact Dermatitis</i> , 2013 , 69, 32-9	2.7	68
240	Minimum standards on prevention, diagnosis and treatment of occupational and work-related skin diseases in Europe - position paper of the COST Action StanDerm (TD 1206). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31 Suppl 4, 31-43	4.6	67
239	The epidemic of methylisothiazolinone: a European prospective study. <i>Contact Dermatitis</i> , 2017 , 76, 272-279	2.7	66
238	p-Phenylenediamine sensitization is more prevalent in central and southern European patch test centres than in Scandinavian: results from a multicentre study. <i>Contact Dermatitis</i> , 2009 , 60, 314-9	2.7	65
237	Pyoderma gangrenosum: challenges and solutions. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2015 , 8, 285-93	2.9	60
236	Allergic contact dermatitis in children. A multicenter study of the Portuguese Contact Dermatitis Group (GPEDC). <i>Contact Dermatitis</i> , 1992 , 26, 112-5	2.7	60
235	Methods report on the development of the 2013 revision and update of the EAACI/GA2 LEN/EDF/WAO guideline for the definition, classification, diagnosis, and management of urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014 , 69, e1-29	9.3	59
234	Sensitization to palladium and nickel in Europe and the relationship with oral disease and dental alloys. <i>Contact Dermatitis</i> , 2015 , 72, 286-96	2.7	55
233	Photopatch testing with an extended series of photoallergens: a 5-year study. <i>Contact Dermatitis</i> , 2009 , 60, 325-9	2.7	55
232	Classification of hand eczema. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 2417-22	4.6	54
231	Allergic contact dermatitis caused by nail acrylates in Europe. An EECDRG study. <i>Contact Dermatitis</i> , 2018 , 78, 254-260	2.7	53
230	Prevalence of Contact Allergy to p-Phenylenediamine in the European General Population. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 409-415	4.3	51
229	The international EAACI/GA2 LEN/EuroGuiDerm/APAAACI guideline for the definition, classification, diagnosis, and management of urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 ,	9.3	50
228	Prevalence of fragrance contact allergy in the general population of five European countries: a cross-sectional study. <i>British Journal of Dermatology</i> , 2015 , 173, 1411-9	4	49
227	Role of oxidative stress in ERK and p38 MAPK activation induced by the chemical sensitizer DNFB in a fetal skin dendritic cell line. <i>Immunology and Cell Biology</i> , 2005 , 83, 607-14	5	49
226	Contact sensitisation in hand eczema patients-relation to subdiagnosis, severity and quality of life: a multi-centre study. <i>Contact Dermatitis</i> , 2009 , 61, 291-6	2.7	48

225	Photosensitivity to piroxicam: absence of cross-reaction with tenoxicam. <i>Contact Dermatitis</i> , 1992 , 27, 287-90	2.7	48
224	Update on Atopic Dermatitis. <i>Acta Medica Portuguesa</i> , 2019 , 32, 606-613	1.4	47
223	Prevalence of skin disease in a population-based sample of adults from five European countries. <i>British Journal of Dermatology</i> , 2018 , 178, 1111-1118	4	46
222	Patch testing - a valuable tool for investigating non-immediate cutaneous adverse drug reactions to antibiotics. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 280-287	4.6	45
221	LPS induction of I kappa B-alpha degradation and iNOS expression in a skin dendritic cell line is prevented by the janus kinase 2 inhibitor, Tyrphostin b42. <i>Nitric Oxide - Biology and Chemistry</i> , 2001 , 5, 53-61	5	45
220	Allergic and systemic contact dermatitis from estradiol. <i>Contact Dermatitis</i> , 1999 , 40, 58-9	2.7	45
219	Occupational skin diseases: actual state analysis of patient management pathways in 28 European countries. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31 Suppl 4, 12-30	4.6	43
218	Pyoderma gangrenosum--a review of 24 cases observed over 10 years. <i>International Journal of Dermatology</i> , 2013 , 52, 938-45	1.7	43
217	Allergic contact dermatitis to decyl glucoside in Tinosorb M. <i>Contact Dermatitis</i> , 2010 , 62, 119-20	2.7	43
216	The global burden of chronic urticaria for the patient and society. <i>British Journal of Dermatology</i> , 2021 , 184, 226-236	4	43
215	Photosensitivity to lomefloxacin. A clinical and photobiological study. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2000 , 16, 116-20	2.4	41
214	European Task Force on Contact Dermatitis statement on coronavirus disease-19 (COVID-19) outbreak and the risk of adverse cutaneous reactions. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, e353-e354	4.6	40
213	Management and treatment of chronic urticaria (CU). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29 Suppl 3, 16-32	4.6	40
212	Allergic contact dermatitis caused by (meth)acrylates in nail cosmetic products in users and nail technicians - a 5-year study. <i>Contact Dermatitis</i> , 2017 , 77, 356-359	2.7	39
211	Follow-up of the monitored levels of preservative sensitivity in Europe: overview of the years 2001-2008. <i>Contact Dermatitis</i> , 2012 , 67, 312-4	2.7	39
210	Hypersensitivity to thimerosal: the sensitizing moiety. <i>Contact Dermatitis</i> , 1996 , 34, 201-3	2.7	39
209	Prevalence of contact allergy to metals in the European general population with a focus on nickel and piercings: The EDEN Fragrance Study. <i>Contact Dermatitis</i> , 2018 , 79, 1-9	2.7	35
208	Livedoid vasculopathy and hypercoagulability in a patient with primary Sjögren's syndrome. <i>International Journal of Dermatology</i> , 2007 , 46, 431-4	1.7	35

207	Contact and photocontact sensitivity to sunscreens. <i>Contact Dermatitis</i> , 1995 , 33, 278-80	2.7	35
206	Fixed drug eruption to cetirizine with positive lesional patch tests to the three piperazine derivatives. <i>International Journal of Dermatology</i> , 2007 , 46, 760-2	1.7	34
205	Contact sensitizer nickel sulfate activates the transcription factors NF-kB and AP-1 and increases the expression of nitric oxide synthase in a skin dendritic cell line. <i>Experimental Dermatology</i> , 2004 , 13, 18-26	4	33
204	Involvement of JAK2 and MAPK on type II nitric oxide synthase expression in skin-derived dendritic cells. <i>American Journal of Physiology - Cell Physiology</i> , 1999 , 277, C1050-7	5.4	33
203	Mechanism of action of doxepin in the treatment of chronic urticaria. <i>Fundamental and Clinical Pharmacology</i> , 1990 , 4, 147-58	3.1	33
202	Contact allergy to local anaesthetics-value of patch testing with a caine mix in the baseline series. <i>Contact Dermatitis</i> , 2013 , 68, 156-62	2.7	32
201	The European Status Quo in legal recognition and patient-care services of occupational skin cancer. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30 Suppl 3, 46-51	4.6	32
200	The epidemic of methylisothiazolinone contact allergy in Europe: follow-up on changing exposures. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 333-339	4.6	32
199	Photoallergic contact dermatitis from benzydamine presenting mainly as lip dermatitis. <i>Contact Dermatitis</i> , 2010 , 63, 85-8	2.7	31
198	Allergic contact dermatitis and systemic contact dermatitis from cinchocaine. <i>Contact Dermatitis</i> , 1995 , 33, 443	2.7	31
197	Coupled exposure to ingredients of cosmetic products: III. Ultraviolet filters. <i>Contact Dermatitis</i> , 2014 , 71, 162-9	2.7	30
196	Airborne irritant contact dermatitis and conjunctivitis after occupational exposure to chlorothalonil in textiles. <i>Contact Dermatitis</i> , 2007 , 57, 181-6	2.7	29
195	Granulocyte-macrophage colony-stimulating factor activates the transcription of nuclear factor kappa B and induces the expression of nitric oxide synthase in a skin dendritic cell line. <i>Immunology and Cell Biology</i> , 2001 , 79, 590-6	5	29
194	European EADV network on assessment of severity and burden of Pruritus (PruNet): first meeting on outcome tools. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 1144-7	4.6	28
193	DNFB activates MAPKs and upregulates CD40 in skin-derived dendritic cells. <i>Journal of Dermatological Science</i> , 2005 , 39, 113-23	4.3	28
192	Contact sensitivity to oak moss. <i>Contact Dermatitis</i> , 1988 , 19, 355-7	2.7	27
191	Methylisothiazolinone: second 'epidemic' of isothiazolinone sensitization. <i>Contact Dermatitis</i> , 2014 , 70, 242-3	2.7	26
190	Long-term management of chronic spontaneous urticaria with omalizumab. <i>Clinical and Experimental Dermatology</i> , 2017 , 42, 735-742	1.8	26

189	Long-term reproducibility of positive patch test reactions in patients with non-immediate cutaneous adverse drug reactions to antibiotics. <i>Contact Dermatitis</i> , 2017 , 76, 204-209	2.7	25
188	Sensitization to palladium in Europe. <i>Contact Dermatitis</i> , 2015 , 72, 11-9	2.7	25
187	Adverse cutaneous reactions to epidermal growth factor receptor inhibitors: a study of 14 patients. <i>Anais Brasileiros De Dermatologia</i> , 2011 , 86, 483-90	1.6	25
186	Value of patch tests in clindamycin-related drug eruptions. <i>Contact Dermatitis</i> , 2011 , 65, 202-7	2.7	25
185	Design and feasibility of an international study assessing the prevalence of contact allergy to fragrances in the general population: the European Dermato-Epidemiology Network Fragrance Study. <i>Dermatology</i> , 2010 , 221, 267-75	4.4	25
184	Differential modulation of CXCR4 and CD40 protein levels by skin sensitizers and irritants in the FSDC cell line. <i>Toxicology Letters</i> , 2008 , 177, 74-82	4.4	25
183	Skin diseases with high public health impact. Contact dermatitis. <i>European Journal of Dermatology</i> , 2007 , 17, 564-5	0.8	25
182	Dexamethasone prevents granulocyte-macrophage colony-stimulating factor-induced nuclear factor-kappaB activation, inducible nitric oxide synthase expression and nitric oxide production in a skin dendritic cell line. <i>Mediators of Inflammation</i> , 2003 , 12, 71-8	4.3	24
181	Patch testing with 2.0% (0.60 mg/cm ²) formaldehyde instead of 1.0% (0.30 mg/cm ²) detects significantly more contact allergy. <i>Contact Dermatitis</i> , 2013 , 68, 50-3	2.7	23
180	The UV filter tinosorb M, containing decyl glucoside, is a frequent cause of allergic contact dermatitis. <i>Dermatitis</i> , 2013 , 24, 41-3	2.6	23
179	Experimental studies on the mechanisms of tiaprofenic acid photosensitization. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 1993 , 18, 161-8	6.7	23
178	Chronic nodular prurigo: clinical profile and burden. A European cross-sectional study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 2373-2383	4.6	20
177	Fixed drug eruption caused by etoricoxib--2 cases confirmed by patch testing. <i>Contact Dermatitis</i> , 2011 , 64, 118-20	2.7	20
176	Signal transduction profile of chemical sensitizers in dendritic cells: an endpoint to be included in a cell-based in vitro alternative approach to hazard identification?. <i>Toxicology and Applied Pharmacology</i> , 2011 , 250, 87-95	4.6	20
175	Mercaptobenzothiazole or the mercapto-mix: which should be in the standard series?. <i>Contact Dermatitis</i> , 2006 , 55, 36-8	2.7	20
174	Expert opinion: defining response to omalizumab in patients with chronic spontaneous urticaria. <i>European Journal of Dermatology</i> , 2017 , 27, 455-463	0.8	19
173	Occupational allergic contact dermatitis caused by antibiotics in healthcare workers' relationship with non-immediate drug eruptions. <i>Contact Dermatitis</i> , 2018 , 78, 281-286	2.7	18
172	Allergic contact dermatitis from photobonded acrylic gel nails: a review of four cases. <i>Contact Dermatitis</i> , 2008 , 59, 250-1	2.7	18

171	Contact and photocontact dermatitis from <i>Ruta chalepensis</i> . <i>Contact Dermatitis</i> , 1989 , 21, 200-1	2.7	18
170	The global impact of the COVID-19 pandemic on the management and course of chronic urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 816-830	9.3	18
169	Prevalence of self-reported skin complaints and avoidance of common daily life consumer products in selected European Regions. <i>JAMA Dermatology</i> , 2014 , 150, 154-63	5.1	17
168	Patch testing with methylchloroisothiazolinone/methylisothiazolinone 200 ppm aq. detects significantly more contact allergy than 100 ppm. A multicentre study within the European Environmental and Contact Dermatitis Research Group. <i>Contact Dermatitis</i> , 2014 , 71, 31-4	2.7	17
167	Development of an in vitro dendritic cell-based test for skin sensitizer identification. <i>Chemical Research in Toxicology</i> , 2013 , 26, 368-78	4	17
166	Overlap between maculopapular exanthema and drug reaction with eosinophilia and systemic symptoms among cutaneous adverse drug reactions in a dermatology ward. <i>British Journal of Dermatology</i> , 2016 , 175, 1274-1283	4	17
165	Allergic contact dermatitis caused by dexpanthenol-Probably a frequent allergen. <i>Contact Dermatitis</i> , 2018 , 79, 276-280	2.7	16
164	Contact allergy to epoxy resins--a 10-year study. <i>Contact Dermatitis</i> , 2010 , 62, 55	2.7	16
163	Allergic contact dermatitis from erythromycin. <i>Contact Dermatitis</i> , 1995 , 33, 360	2.7	16
162	Histopathology of the Exanthema in DRESS Is Not Specific but May Indicate Severity of Systemic Involvement. <i>American Journal of Dermatopathology</i> , 2016 , 38, 423-33	0.9	15
161	Allergic contact dermatitis from <i>Dittrichia viscosa</i> (L.) Greuter. <i>Contact Dermatitis</i> , 1991 , 24, 40-4	2.7	15
160	Immediate and delayed sensitivity to chlorocresol. <i>Contact Dermatitis</i> , 1987 , 17, 46-7	2.7	15
159	Contact allergy to fragrance mix--a 10-year study. <i>Contact Dermatitis</i> , 2000 , 43, 181-2	2.7	15
158	Drug Photosensitivity 2015 , 233-251		14
157	Patch testing with a textile dye mix--a multicentre study. <i>Contact Dermatitis</i> , 2014 , 71, 215-23	2.7	14
156	Factors associated with combined hand and foot eczema. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 828-832	4.6	14
155	Topical Provocation in Fixed Drug Eruption from Nonsteroidal Anti-Inflammatory Drugs. <i>Exogenous Dermatology</i> , 2002 , 1, 81-86		14
154	Allergic contact dermatitis from dipentene in wax polish. <i>Contact Dermatitis</i> , 1995 , 33, 126-7	2.7	13

153	Contact allergy to gold sodium thiosulfate. A comparative study. <i>Contact Dermatitis</i> , 1997 , 37, 78-81	2.7	12
152	Pigmented photoallergic contact dermatitis from musk ambrette. <i>Contact Dermatitis</i> , 1991 , 24, 229-31	2.7	12
151	Fixed drug eruption by etoricoxib confirmed by patch test. <i>Anais Brasileiros De Dermatologia</i> , 2016 , 91, 652-654	1.6	12
150	Socioeconomic Status and the Prevalence of Skin and Atopic Diseases in Five European Countries. <i>Acta Dermato-Venereologica</i> , 2019 , 99, 309-314	2.2	12
149	Guidelines for the presentation of contact allergy case reports. <i>Contact Dermatitis</i> , 2017 , 76, 107-113	2.7	11
148	IgE levels are negatively correlated with clinical response to ciclosporin in chronic spontaneous urticaria. <i>British Journal of Dermatology</i> , 2019 , 180, 199-200	4	11
147	Development of a clinical score system for the diagnosis of photoallergic contact dermatitis using a consensus process: item selection and reliability. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 1376-81	4.6	11
146	Acute generalized exanthematous pustulosis associated with acyclovir, confirmed by patch testing. <i>Dermatitis</i> , 2012 , 23, 99-100	2.6	11
145	Allergic contact dermatitis to rubber-containing bandages in patients with leg ulcers. <i>Contact Dermatitis</i> , 2008 , 58, 371-2	2.7	11
144	Photosensitivity to lomefloxacin. A clinical and photobiological study. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2008 , 16, 116-120	2.4	11
143	Differential activation of nuclear factor kappa B subunits in a skin dendritic cell line in response to the strong sensitizer 2,4-dinitrofluorobenzene. <i>Archives of Dermatological Research</i> , 2002 , 294, 419-25	3.3	11
142	Contact dermatitis from a billiard cue. <i>Contact Dermatitis</i> , 1992 , 26, 263	2.7	11
141	Phototoxic and Photoallergic Reactions 2011 , 361-376		11
140	Clinical characterization and long-term follow-up of Schnitzler syndrome. <i>Clinical and Experimental Dermatology</i> , 2016 , 41, 461-7	1.8	11
139	Definition, aims, and implementation of GA LEN/HAEi Angioedema Centers of Reference and Excellence. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 2115-2123	9.3	10
138	Systemic allergic contact dermatitis associated with topical diltiazem and/or cinchocaine. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, e284-e285	4.6	10
137	The sensitizers nickel sulfate and 2,4-dinitrofluorobenzene increase CD40 and IL-12 receptor expression in a fetal skin dendritic cell line. <i>Bioscience Reports</i> , 2004 , 24, 191-202	4.1	10
136	Contact sensitizers downregulate the expression of the chemokine receptors CCR6 and CXCR4 in a skin dendritic cell line. <i>Archives of Dermatological Research</i> , 2005 , 297, 43-7	3.3	10

135	Allergic contact dermatitis from tioconazole. <i>Contact Dermatitis</i> , 1996 , 35, 250-2	2.7	10
134	Patch testing in the investigation of non-immediate cutaneous adverse drug reactions to metamizole. <i>Contact Dermatitis</i> , 2017 , 76, 238-239	2.7	9
133	Localized salt-dependent aquagenic urticaria: a subtype of aquagenic urticaria?. <i>Clinical and Experimental Dermatology</i> , 2013 , 38, 754-7	1.8	9
132	Release of IL-1beta via IL-1beta-converting enzyme in a skin dendritic cell line exposed to 2,4-dinitrofluorobenzene. <i>Mediators of Inflammation</i> , 2005 , 2005, 131-8	4.3	9
131	Patch Testing in Adverse Drug Reactions 2011 , 475-491		9
130	IFSI-guideline on chronic prurigo including prurigo nodularis. <i>Itch (Philadelphia, Pa)</i> , 2020 , 5, e42-e42	1.8	9
129	Position Statement: Linear prurigo is a subtype of chronic prurigo. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 263-266	4.6	9
128	Familial Sneddon's syndrome. <i>European Journal of Dermatology</i> , 2003 , 13, 283-7	0.8	9
127	The significance of batch and patch test method in establishing contact allergy to fragrance mix I-EDEN Fragrance Study Group. <i>Contact Dermatitis</i> , 2019 , 81, 104-109	2.7	8
126	Effect of skin sensitizers on inducible nitric oxide synthase expression and nitric oxide production in skin dendritic cells: role of different immunosuppressive drugs. <i>Immunopharmacology and Immunotoxicology</i> , 2007 , 29, 225-41	3.2	8
125	The sensitizer 2,4-dinitrofluorobenzene activates caspase-3 and induces cell death in a skin dendritic cell line. <i>International Journal of Toxicology</i> , 2003 , 22, 43-8	2.4	8
124	Allergic contact dermatitis from minoxidil. <i>Contact Dermatitis</i> , 1992 , 26, 57-8	2.7	8
123	Allergic contact dermatitis from <i>Nicotiana tabacum</i> . <i>Contact Dermatitis</i> , 1990 , 22, 188-9	2.7	8
122	Hypersensitivity to antibiotics in drug reaction with eosinophilia and systemic symptoms (DRESS) from other culprits. <i>Contact Dermatitis</i> , 2020 , 82, 290-296	2.7	8
121	Quality of life measurement in occupational skin diseases. Position paper of the European Academy of Dermatology and Venereology Task Forces on Quality of Life and Patient Oriented Outcomes and Occupational Skin Disease. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 1924-1931	4.6	8
120	Patch test results with the European baseline series and additions thereof in the ESSCA network, 2015-2018. <i>Contact Dermatitis</i> , 2021 , 84, 109-120	2.7	8
119	Guidelines for diagnosis, prevention and treatment of hand eczema.. <i>Contact Dermatitis</i> , 2021 ,	2.7	8
118	Suspected inflammatory rheumatic diseases in patients presenting with skin rashes. <i>Best Practice and Research in Clinical Rheumatology</i> , 2019 , 33, 101440	5.3	7

117	Systemic allergic dermatitis caused by sodium metabisulfite in rectal enemas. <i>Contact Dermatitis</i> , 2018 , 78, 429-430	2.7	7
116	Phototoxic reaction to brigatinib - a new photosensitizing drug. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, e491-e492	4.6	7
115	Exuberant connubial allergic contact dermatitis from diphenhydramine. <i>Cutaneous and Ocular Toxicology</i> , 2014 , 33, 82-4	1.8	7
114	Sensitivity to para-tertiary-butylphenol-formaldehyde resin in Portugal. <i>Contact Dermatitis</i> , 1994 , 30, 300-1	2.7	7
113	Position statement: The need for EU legislation to require disclosure and labelling of the composition of medical devices. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1444-1448	4.6	7
112	Patch test reactivity to iodopropynyl butylcarbamate in consecutive patients during a period of 7 years. <i>Contact Dermatitis</i> , 2019 , 81, 54-55	2.7	7
111	Short exposures and glove protection against (meth)acrylates in nail beauticians-Thoughts on a rising concern. <i>Contact Dermatitis</i> , 2019 , 81, 62-63	2.7	7
110	Occupational allergic contact dermatitis caused by Acticide MV, a brand name for the mixture methylchloroisothiazolinone/methylisothiazolinone. <i>Contact Dermatitis</i> , 2018 , 79, 46-47	2.7	6
109	Multicentre patch testing with methylisothiazolinone by the European Environmental and Contact Dermatitis Research Group. <i>Contact Dermatitis</i> , 2014 , 70, 317-20	2.7	6
108	Undisclosed methyl dibromo glutaronitrile causing allergic contact dermatitis in a NSAID cream. <i>Contact Dermatitis</i> , 2012 , 67, 173-4	2.7	6
107	Type 1 Ig-E mediated allergy to human insulin, insulin analogues and beta-lactam antibiotics. <i>Anais Brasileiros De Dermatologia</i> , 2012 , 87, 917-9	1.6	6
106	Occupational Contact Dermatitis to Arsenic Trioxide 1989 , 333-336		6
105	Revised Baseline Series of the International Contact Research Group. <i>Dermatitis</i> , 2020 , 31, e5-e7	2.6	6
104	Hand eczema from nail (meth)acrylates in an 11-year-old child. <i>Contact Dermatitis</i> , 2020 , 82, 315-316	2.7	5
103	Colophony as a marker for fragrance allergy in the general European population. <i>British Journal of Dermatology</i> , 2016 , 174, 695-6	4	5
102	Alergia de Contacto a Metais num Período de 20 Anos no Centro de Portugal: Implicações das Directivas Europeias. <i>Acta Medica Portuguesa</i> , 2014 , 27, 295	1.4	5
101	Repeated open application test with methylisothiazolinone in individuals sensitive to methylchloroisothiazolinone/methylisothiazolinone. <i>Contact Dermatitis</i> , 2014 , 70, 244-6	2.7	5
100	Mechanisms in cutaneous drug hypersensitivity reactions 2012 , 78-92		5

99	Pityriasis lichenoides et varioliformis acuta: case report and review of the literature. <i>Case Reports in Dermatology</i> , 2012 , 4, 61-5	1.1	5
98	Pustular psoriasis and drug-induced pustulosis. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2011 , 146, 155-8	0.8	5
97	Implementation of an in vitro methodology for phototoxicity evaluation in a human keratinocyte cell line. <i>Toxicology in Vitro</i> , 2019 , 61, 104618	3.6	4
96	Methylisothiazolinone in rinse-off products: additional fuel to the world epidemics of allergic contact dermatitis to isothiazolinones. <i>British Journal of Dermatology</i> , 2015 , 173, 11	4	4
95	Budesonide allergic contact dermatitis "by proxy"?. <i>Dermatitis</i> , 2013 , 24, 144-6	2.6	4
94	Contact dermatitis to Dendranthema morifolium (Ramat). <i>Contact Dermatitis</i> , 1996 , 35, 310-1	2.7	4
93	Allopurinol-induced DRESS syndrome presented as a cholecystitis-like acute abdomen and aggravated by antibiotics. <i>BMJ Case Reports</i> , 2018 , 2018,	0.9	4
92	Brooke-Spiegler Syndrome - an underrecognized cause of multiple familial scalp tumors: report of a new germline mutation. <i>Journal of Dermatological Case Reports</i> , 2015 , 9, 67-70		4
91	Photopatch Testing 2011 , 519-531		4
90	The rash that presents as a red swollen face. <i>Clinics in Dermatology</i> , 2020 , 38, 63-78	3	4
89	Skin exposure to scented products used in daily life and fragrance contact allergy in the European general population - The EDEN Fragrance Study. <i>Contact Dermatitis</i> , 2021 , 84, 385-394	2.7	4
88	Psychometric properties of the portuguese version of the chronic urticaria quality of life questionnaire (CU-QoL). <i>Health and Quality of Life Outcomes</i> , 2019 , 17, 190	3	4
87	Chronic Nodular Prurigo: A European Cross-sectional Study of Patient Perspectives on Therapeutic Goals and Satisfaction. <i>Acta Dermato-Venereologica</i> , 2021 , 101, adv00403	2.2	4
86	Another source of allergic contact dermatitis to isothiazolinones in children-urgent call for regulation. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, e319-e320	4.6	3
85	Usefulness of Cutaneous Provocation Tests to Study Drugs Responsible for Cutaneous Adverse Drug Reactions. <i>Current Treatment Options in Allergy</i> , 2019 , 6, 112-124	1	3
84	Cutaneous alternariosis--a case series of an increasing phaeohyphomycosis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 2053-4	4.6	3
83	Fixed drug eruption to rupatadine with positive patch tests on non-lesional skin. <i>Contact Dermatitis</i> , 2020 , 83, 239-241	2.7	3
82	Drug reaction with eosinophilia and systemic symptoms caused by spironolactone: Case report. <i>Contact Dermatitis</i> , 2018 , 79, 255-256	2.7	3

81	Treatment dilemmas in chronic urticaria. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29 Suppl 3, 33-7	4.6	3
80	Systemic drugs inducing non-immediate cutaneous adverse reactions and contact sensitizers evoke similar responses in THP-1 cells. <i>Journal of Applied Toxicology</i> , 2015 , 35, 398-406	4.1	3
79	Allergic contact dermatitis of the eyelids from rubber chemicals. <i>Contact Dermatitis</i> , 1991 , 24, 145-6	2.7	3
78	A importância dos novos autoanticorpos específicos da dermatomiosite. <i>Journal of the Portuguese Society of Dermatology and Venereology</i> , 2019 , 77, 15-24	0.8	3
77	Allergic and irritant occupational contact dermatitis from Alstroemeria. <i>Contact Dermatitis</i> , 2001 , 44, 196-7	2.7	3
76	Contact Allergy to Fragrance Mix II and Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde: A Retrospective Study by International Contact Dermatitis Research Group. <i>Dermatitis</i> , 2020 , 31, 268-271	2.6	3
75	The European baseline series: Criteria for allergen inclusion (with reference to formaldehyde releasers). <i>Contact Dermatitis</i> , 2021 , 85, 125	2.7	3
74	Validation of a questionnaire algorithm based on repeated open application testing with the constituents of fragrance mix I. <i>British Journal of Dermatology</i> , 2020 , 182, 955-964	4	3
73	Developing a cosmetic series: Results from the ESSCA network, 2009-2018. <i>Contact Dermatitis</i> , 2021 , 84, 82-94	2.7	3
72	Hypocomplementemic urticarial vasculitis and multiple Sclerosis: A rare association or an atypical presentation?. <i>Multiple Sclerosis and Related Disorders</i> , 2019 , 30, 244-246	4	2
71	Gastric leiomyoma and hyperplastic polyposis coli in a patient with multiple cutaneous and uterine leiomyomatosis. <i>Journal of Cutaneous Medicine and Surgery</i> , 2012 , 16, 208-11	1.6	2
70	Effect of lipopolysaccharide, skin sensitizers and irritants on thioredoxin-1 expression in dendritic cells: relevance of different signalling pathways. <i>Archives of Dermatological Research</i> , 2010 , 302, 271-82	3.3	2
69	FS09.5 Patch testing with allopurinol and oxypurinol in drug eruptions. <i>Contact Dermatitis</i> , 2008 , 50, 156-156	2.5	2
68	Popular-purpuric âgloves and socksâ syndrome. <i>Journal of the European Academy of Dermatology and Venereology</i> , 1996 , 6, 173-178	4.6	2
67	European patch test results with audit allergens as candidates for inclusion in the European Baseline Series, 2019/20 - Joint results of the ESSCA and the EBS working groups of the ESCD, and the GEIDAC.. <i>Contact Dermatitis</i> , 2022 ,	2.7	2
66	Phototoxic and Photoallergic Contact Reactions 2021 , 365-389		2
65	Photopatch Testing 2021 , 593-608		2
64	Patch Testing in Adverse Drug Reactions 2020 , 1-21		2

63	A survey of members of the European Surveillance System on Contact Allergy and the EU project "StanDerm" to identify allergens tested in cosmetic series across Europe. <i>Contact Dermatitis</i> , 2020 , 82, 195-200	2.7	2
62	A novel histopathological scoring system to distinguish urticarial vasculitis from chronic spontaneous urticaria. <i>Clinical and Translational Allergy</i> , 2021 , 11, e12031	5.2	2
61	Ethosuximide-induced Stevens-Johnson syndrome/toxic epidermal necrolysis overlap confirmed by patch testing in a child. <i>Contact Dermatitis</i> , 2021 , 85, 602-604	2.7	2
60	Patch test informed consent form: position statement by European Academy of Dermatology and Venereology Task Force on Contact Dermatitis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1957-1962	4.6	2
59	EAACI/GA2LEN/EDF/WAO-Leitlinie für die Definition, Klassifikation, Diagnose und das Management der Urtikaria – konsentiert, deutschsprachige Übersetzung. <i>Allergo Journal</i> , 2018 , 27, 41-69	0	2
58	Patch Testing in Adverse Drug Reactions 2006 , 401-412		2
57	Plaque-like papular xanthoma: a new variant of non-Langerhans cell disease. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 332-3	4.6	1
56	Cutaneous adverse drug reaction after continuous subcutaneous apomorphine infusion. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, e257-e259	4.6	1
55	Titanium allergy as a possible cause of extrusion of a bone conduction ear implant. <i>Contact Dermatitis</i> , 2020 , 83, 148-149	2.7	1
54	Adenosine diphosphate involvement in THP-1 maturation triggered by the contact allergen 1-fluoro-2,4-dinitrobenzene. <i>Toxicology Research</i> , 2016 , 5, 1512-1521	2.6	1
53	Immediate ex-vivo dermoscopy of a nail bed biopsy specimen—a useful procedure for melanonychia. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 363-5	4.6	1
52	Nail acrylate allergy: the beauty, the beast and beyond. <i>British Journal of Dermatology</i> , 2019 , 181, 663-664		1
51	Self-administration of icatibant in acute attacks of Type I hereditary angioedema: A case report and review of hereditary angioedema. <i>Dermatologic Therapy</i> , 2019 , 32, e13098	2.2	1
50	Overlap between maculopapular exanthema and DRESS among cutaneous adverse drug reactions in a dermatology ward (2008-2012). <i>Clinical and Translational Allergy</i> , 2014 , 4, 06	5.2	1
49	A large pigmented lesion mimicking malignant melanoma. <i>Clinical and Experimental Dermatology</i> , 2012 , 37, 817-8	1.8	1
48	Allergic and irritant occupational contact dermatitis from alstroemeria. <i>Contact Dermatitis</i> , 2008 , 44, 196-197	2.7	1
47	Limonene and linalool hydroperoxides review: pros and cons for routine patch testing.. <i>Contact Dermatitis</i> , 2022 ,	2.7	1
46	Phototoxic and Photoallergic Contact Reactions 2020 , 1-25		1

45	Topical Drugs 2020 , 1-37		1
44	Patch Testing in Adverse Drug Reactions 2021 , 571-591		1
43	Phototoxic and Photoallergic Reactions 2019 , 1-25		1
42	Contact Allergy to Topical Drugs 2020 , 1-37		1
41	Phototoxic Dermatitis 2012 , 147-160		1
40	Photoreactions and Testing 2016 , 81-94		1
39	Safe use of imipenem after delayed hypersensitivity to meropenem-Value of patch tests. <i>Contact Dermatitis</i> , 2020 , 82, 190-191	2.7	1
38	The clinical spectrum of dermatomyositis and the new autoantibodies - with regard to two clinical cases with distinct associations. <i>Australasian Journal of Dermatology</i> , 2020 , 61, e241-e243	1.3	1
37	Managing Chronic Urticaria and Recurrent Angioedema Differently with Advancing Age. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021 , 9, 2186-2194	5.4	1
36	Cutaneous Endometriosis: A Differential Diagnosis of Umbilical Nodule. <i>Acta Medica Portuguesa</i> , 2020 , 33, 282-284	1.4	1
35	Patch Testing With Methylchloroisothiazolinone/Methylisothiazolinone Using a New Diagnostic Mix-A Multicenter Study From the International Contact Dermatitis Research Group. <i>Dermatitis</i> , 2021 , 32, 220-224	2.6	1
34	Adrenaline autoinjector is underprescribed in typical cold urticaria patients.. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022 ,	9.3	1
33	Short courses of ciclosporin can induce long remissions in chronic spontaneous urticaria.. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022 ,	4.6	1
32	Dermatological Injuries 2019 , 447-458		0
31	Dupilumab for atopic dermatitis: a real-world portuguese multicenter retrospective study.. <i>Journal of Dermatological Treatment</i> , 2022 , 1-12	2.8	0
30	The EAACI/GA $\bar{\text{L}}$ LEN/EDF/WAO guideline for the definition, classification, diagnosis and management of urticaria. <i>Alergologia</i> , 2021 , 4, 155	0	0
29	Occupational Dry Skin 2000 , 90-98		0
28	Validation of questionnaire algorithm based on repeated open application testing with the constituents of fragrance mix II: the EDEN Fragrance Study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1692-1701	4.6	0

27	Google search trends for itch in Europe: a retrospective longitudinal study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1362-1370	4.6	o
26	Histopathology of chronic spontaneous urticaria with occasional bruising lesions is not significantly different from urticaria with typical wheals. <i>Journal of Cutaneous Pathology</i> , 2021 , 48, 1020-1026	1.7	o
25	The role of the dermatologist in the immune-mediated/allergic diseases - position statement of the EADV task force on contact dermatitis, EADV task force on occupational skin diseases, UEMS-EBDV subcommission allergology and European Dermatology Forum. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 1459-1464	4.6	
24	Deficiency in barrier function and slow barrier recovery in atopic dermatitis does not depend only on the FLG mutation status. <i>British Journal of Dermatology</i> , 2015 , 172, 1475-1476	4	
23	Protein contact dermatitis caused by fishing bait in a patient with contact urticaria caused by shrimp. <i>Contact Dermatitis</i> , 2014 , 71, 126-8	2.7	
22	Allergic contact dermatitis from <i>Dittrichia viscosa</i> . <i>Contact Dermatitis</i> , 1990 , 23, 259-259	2.7	
21	Contact Allergy to Topical Drugs 2021 , 1019-1055		
20	The European Baseline Series 2021 , 679-695		
19	Contact Dermatitis to Nail Cosmetics. <i>Current Dermatology Reports</i> ,1	1.5	
18	Chronic urticaria - From 'Cinderella' to a 'Rock star' in 30 years. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 2259-2260	4.6	
17	Poultry Processors 2000 , 1058-1059		
16	Phototoxic Dermatitis 2018 , 1-20		
15	Photopatch Testing 2019 , 1-16		
14	Phototoxic Dermatitis 2020 , 191-209		
13	The European Baseline Series 2020 , 1-17		
12	Poultry Processors 2012 , 1641-1642		
11	Tattoo Artists 2012 , 1709-1710		
10	A New Terminal Nonsense Mutation of the Cathepsin C Gene in a Patient With Atypical Papillon-Lefèvre Syndrome. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2020 , 30, 151-153	2.3	

- 9 Is there a place for chlorhexidine in the European baseline series?. *Contact Dermatitis*, **2021**, 85, 372-373 2.7
- 8 Two cases of delayed hypersensitivity to clavulanic acid proven by patch tests. *Contact Dermatitis*, **2021**, 85, 370-372 2.7
- 7 Patch Testing With a New Composition of the Mercapto Mix-A Multicenter Study from the International Contact Dermatitis Research Group. *Dermatitis*, **2021**, 32, 160-163 2.6
- 6 New attempts to improve in vitro diagnosis of contact allergy are still far from regular clinical practice. *Journal of the European Academy of Dermatology and Venereology*, **2018**, 32, 1627 4.6
- 5 Improvements in quality of life and work productivity make omalizumab cost-effective for the treatment of chronic spontaneous urticaria. *British Journal of Dermatology*, **2018**, 179, 562-563 4
- 4 Prevalence of contact allergies in the population compared to a tertiary referral patch test clinic in Jena/Germany. *Contact Dermatitis*, **2021**, 85, 563-571 2.7
- 3 Localized cold urticaria: an unusual form of cold urticaria. *Journal of the European Academy of Dermatology and Venereology*, **2021**, 4.6
- 2 Should Paraben Mix Be Removed from The European Baseline Series.. *Acta Dermatovenerologica Croatica*, **2021**, 29, 171-172 0.5
- 1 Photosensitizing Drugs **2022**, 313-319