

Wendy Cozen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8816085/wendy-cozen-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

140
papers

8,125
citations

43
h-index

89
g-index

150
ext. papers

9,329
ext. citations

6.7
avg, IF

4.67
L-index

#	Paper	IF	Citations
140	Genetic risk and a primary role for cell-mediated immune mechanisms in multiple sclerosis. <i>Nature</i> , 2011 , 476, 214-9	50.4	1948
139	Autoimmune disorders and risk of non-Hodgkin lymphoma subtypes: a pooled analysis within the InterLymph Consortium. <i>Blood</i> , 2008 , 111, 4029-38	2.2	429
138	Genetic variation in TNF and IL10 and risk of non-Hodgkin lymphoma: a report from the InterLymph Consortium. <i>Lancet Oncology</i> , 2006 , 7, 27-38	21.7	322
137	Proposed classification of lymphoid neoplasms for epidemiologic research from the Pathology Working Group of the International Lymphoma Epidemiology Consortium (InterLymph). <i>Blood</i> , 2007 , 110, 695-708	2.2	313
136	Hepatitis C and non-Hodgkin lymphoma among 4784 cases and 6269 controls from the International Lymphoma Epidemiology Consortium. <i>Clinical Gastroenterology and Hepatology</i> , 2008 , 6, 451-8	6.9	271
135	Concordance for Hodgkin disease in identical twins suggesting genetic susceptibility to the young-adult form of the disease. <i>New England Journal of Medicine</i> , 1995 , 332, 413-8	59.2	261
134	Etiologic heterogeneity among non-Hodgkin lymphoma subtypes: the InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014 , 2014, 130-44	4.8	199
133	Childhood sun exposure influences risk of multiple sclerosis in monozygotic twins. <i>Neurology</i> , 2007 , 69, 381-8	6.5	179
132	Genome-wide association study identifies multiple risk loci for chronic lymphocytic leukemia. <i>Nature Genetics</i> , 2013 , 45, 868-76	36.3	147
131	Genome-wide association study of follicular lymphoma identifies a risk locus at 6p21.32. <i>Nature Genetics</i> , 2010 , 42, 661-4	36.3	137
130	Etiologic heterogeneity among non-Hodgkin lymphoma subtypes. <i>Blood</i> , 2008 , 112, 5150-60	2.2	135
129	Comprehensive functional annotation of 77 prostate cancer risk loci. <i>PLoS Genetics</i> , 2014 , 10, e1004102	6	132
128	Variants at 6q21 implicate PRDM1 in the etiology of therapy-induced second malignancies after Hodgkin lymphoma. <i>Nature Medicine</i> , 2011 , 17, 941-3	50.5	128
127	Altered immunity as a risk factor for non-Hodgkin lymphoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 405-8	4	127
126	Genetic and environmental effects on body mass index from infancy to the onset of adulthood: an individual-based pooled analysis of 45 twin cohorts participating in the Collaborative project of Development of Anthropometrical measures in Twins (CODATwins) study. <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 271-8	7	125
125	Tumor necrosis factor (TNF) and lymphotoxin-alpha (LTA) polymorphisms and risk of non-Hodgkin lymphoma in the InterLymph Consortium. <i>American Journal of Epidemiology</i> , 2010 , 171, 267-76	3.8	121
124	Genome-wide association study identifies multiple susceptibility loci for diffuse large B cell lymphoma. <i>Nature Genetics</i> , 2014 , 46, 1233-8	36.3	108

123	Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. <i>Journal of the National Cancer Institute</i> , 2015 , 107, djv279	9.7	107
122	Persistent organochlorine chemicals in plasma and risk of non-Hodgkin lymphoma. <i>Cancer Research</i> , 2005 , 65, 11214-26	10.1	105
121	IL-6 levels and genotype are associated with risk of young adult Hodgkin lymphoma. <i>Blood</i> , 2004 , 103, 3216-21	2.2	102
120	Organochlorines in carpet dust and non-Hodgkin lymphoma. <i>Epidemiology</i> , 2005 , 16, 516-25	3.1	96
119	Descriptive epidemiology of thyroid cancer in Los Angeles County, 1972-1995. <i>Cancer Causes and Control</i> , 2000 , 11, 163-70	2.8	89
118	GWAS of follicular lymphoma reveals allelic heterogeneity at 6p21.32 and suggests shared genetic susceptibility with diffuse large B-cell lymphoma. <i>PLoS Genetics</i> , 2011 , 7, e1001378	6	84
117	Rising incidence of oral tongue cancer among white men and women in the United States, 1973-2012. <i>Oral Oncology</i> , 2017 , 67, 146-152	4.4	81
116	Immune-related conditions and immune-modulating medications as risk factors for non-Hodgkin lymphoma: a case-control study. <i>American Journal of Epidemiology</i> , 2005 , 162, 1153-61	3.8	81
115	Genetic and environmental influences on height from infancy to early adulthood: An individual-based pooled analysis of 45 twin cohorts. <i>Scientific Reports</i> , 2016 , 6, 28496	4.9	80
114	Atopic disease and risk of non-Hodgkin lymphoma: an InterLymph pooled analysis. <i>Cancer Research</i> , 2009 , 69, 6482-9	10.1	80
113	Differential twin concordance for multiple sclerosis by latitude of birthplace. <i>Annals of Neurology</i> , 2006 , 60, 56-64	9.4	76
112	Genome-wide association study identifies five susceptibility loci for follicular lymphoma outside the HLA region. <i>American Journal of Human Genetics</i> , 2014 , 95, 462-71	11	74
111	Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. <i>Nature Communications</i> , 2016 , 7, 10933	17.4	70
110	Outcome disparities in multiple myeloma: a SEER-based comparative analysis of ethnic subgroups. <i>British Journal of Haematology</i> , 2012 , 158, 91-8	4.5	69
109	Differences in genetic and environmental variation in adult BMI by sex, age, time period, and region: an individual-based pooled analysis of 40 twin cohorts. <i>American Journal of Clinical Nutrition</i> , 2017 , 106, 457-466	7	69
108	Risk of non-Hodgkin lymphoma and family history of lymphatic, hematologic, and other cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004 , 13, 1415-21	4	68
107	Decreased chronic lymphocytic leukemia incidence in Asians in Los Angeles County. <i>Leukemia Research</i> , 2000 , 24, 665-9	2.7	67
106	The relative importance of genetics and environment on mammographic density. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 102-12	4	61

105	Robustness of Next Generation Sequencing on Older Formalin-Fixed Paraffin-Embedded Tissue. <i>PLoS ONE</i> , 2015 , 10, e0127353	3.7	61
104	Human leukocyte antigen class I and II alleles in non-Hodgkin lymphoma etiology. <i>Blood</i> , 2010 , 115, 4820-3	2.3	59
103	Genome-wide association analysis implicates dysregulation of immunity genes in chronic lymphocytic leukaemia. <i>Nature Communications</i> , 2017 , 8, 14175	17.4	54
102	Interleukin-6-related genotypes, body mass index, and risk of multiple myeloma and plasmacytoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 2285-91	4	54
101	A genome-wide meta-analysis of nodular sclerosing Hodgkin lymphoma identifies risk loci at 6p21.32. <i>Blood</i> , 2012 , 119, 469-75	2.2	52
100	Th1 and Th2 cytokines and IgE levels in identical twins with varying levels of cigarette consumption. <i>Journal of Clinical Immunology</i> , 2004 , 24, 617-22	5.7	49
99	The CODATwins Project: The Cohort Description of Collaborative Project of Development of Anthropometrical Measures in Twins to Study Macro-Environmental Variation in Genetic and Environmental Effects on Anthropometric Traits. <i>Twin Research and Human Genetics</i> , 2015 , 18, 348-60	2.2	48
98	A genome-wide association study of marginal zone lymphoma shows association to the HLA region. <i>Nature Communications</i> , 2015 , 6, 5751	17.4	44
97	Gender differences in determinants of smoking initiation and persistence in California twins. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 1189-97	4	43
96	Associations of non-Hodgkin Lymphoma (NHL) risk with autoimmune conditions according to putative NHL loci. <i>American Journal of Epidemiology</i> , 2015 , 181, 406-21	3.8	42
95	Residential insecticide use and risk of non-Hodgkin lymphoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 251-7	4	42
94	A protective role for early oral exposures in the etiology of young adult Hodgkin lymphoma. <i>Blood</i> , 2009 , 114, 4014-20	2.2	41
93	Genetically predicted longer telomere length is associated with increased risk of B-cell lymphoma subtypes. <i>Human Molecular Genetics</i> , 2016 , 25, 1663-76	5.6	39
92	Hodgkin lymphoma. <i>Nature Reviews Disease Primers</i> , 2020 , 6, 61	51.1	39
91	CLPTM1L promotes growth and enhances aneuploidy in pancreatic cancer cells. <i>Cancer Research</i> , 2014 , 74, 2785-95	10.1	38
90	Human papillomavirus genotype prevalence in invasive penile cancers from a registry-based United States population. <i>Frontiers in Oncology</i> , 2014 , 4, 9	5.3	38
89	Interleukin-2, interleukin-12, and interferon-gamma levels and risk of young adult Hodgkin lymphoma. <i>Blood</i> , 2008 , 111, 3377-82	2.2	32
88	Sex and ethnic/racial-specific risk factors for gallbladder disease. <i>BMC Gastroenterology</i> , 2017 , 17, 153	3	31

87	The occurrence of chronic disease and other conditions in a large population-based cohort of native Californian twins. <i>Twin Research and Human Genetics</i> , 2002 , 5, 460-7		31
86	Human papillomavirus prevalence in invasive laryngeal cancer in the United States. <i>PLoS ONE</i> , 2014 , 9, e115931	3.7	30
85	A pooled analysis of three studies evaluating genetic variation in innate immunity genes and non-Hodgkin lymphoma risk. <i>British Journal of Haematology</i> , 2011 , 152, 721-6	4.5	27
84	Genetic and environmental influences on adult human height across birth cohorts from 1886 to 1994. <i>ELife</i> , 2016 , 5,	8.9	27
83	Risk patterns of multiple myeloma in Los Angeles County, 1972-1999 (United States). <i>Cancer Causes and Control</i> , 2006 , 17, 931-8	2.8	26
82	Medical history, lifestyle, family history, and occupational risk factors for sporadic Burkitt lymphoma/leukemia: the Interlymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014 , 2014, 106-14	4.8	24
81	Census and geographic differences between respondents and nonrespondents in a case-control study of non-Hodgkin lymphoma. <i>American Journal of Epidemiology</i> , 2008 , 167, 350-61	3.8	23
80	Multiple myeloma and family history of lymphohaematopoietic cancers: Results from the International Multiple Myeloma Consortium. <i>British Journal of Haematology</i> , 2016 , 175, 87-101	4.5	23
79	Young Adult and Usual Adult Body Mass Index and Multiple Myeloma Risk: A Pooled Analysis in the International Multiple Myeloma Consortium (IMMC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 876-885	4	21
78	Birth order and risk of non-hodgkin lymphoma--true association or bias?. <i>American Journal of Epidemiology</i> , 2010 , 172, 621-30	3.8	21
77	Zygosity Differences in Height and Body Mass Index of Twins From Infancy to Old Age: A Study of the CODATwins Project. <i>Twin Research and Human Genetics</i> , 2015 , 18, 557-70	2.2	20
76	p16(INK4A) expression in invasive laryngeal cancer. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2016 , 2, 52-55	4.6	19
75	Monoamine oxidase A is highly expressed in classical Hodgkin lymphoma. <i>Journal of Pathology</i> , 2017 , 243, 220-229	9.4	19
74	International network of twin registries (INTR): building a platform for international collaboration. <i>Twin Research and Human Genetics</i> , 2014 , 17, 574-7	2.2	19
73	Self-reported history of infections and the risk of non-Hodgkin lymphoma: an InterLymph pooled analysis. <i>International Journal of Cancer</i> , 2012 , 131, 2342-8	7.5	19
72	Gut microbiome associations with breast cancer risk factors and tumor characteristics: a pilot study. <i>Breast Cancer Research and Treatment</i> , 2020 , 182, 451-463	4.4	18
71	HLA Class I and II Diversity Contributes to the Etiologic Heterogeneity of Non-Hodgkin Lymphoma Subtypes. <i>Cancer Research</i> , 2018 , 78, 4086-4096	10.1	18
70	Blood transfusion, anesthesia, surgery and risk of non-Hodgkin lymphoma in a population-based case-control study. <i>International Journal of Cancer</i> , 2008 , 123, 888-94	7.5	17

69	Multiple myeloma and occupation: a pooled analysis by the International Multiple Myeloma Consortium. <i>Cancer Epidemiology</i> , 2013 , 37, 300-5	2.8	16
68	Development and Representativeness of a Large Population-Based Cohort of Native Californian Twins. <i>Twin Research and Human Genetics</i> , 2001 , 4, 242-250		16
67	Meta-analysis of genome-wide association studies reveals genetic overlap between Hodgkin lymphoma and multiple sclerosis. <i>International Journal of Epidemiology</i> , 2016 , 45, 728-40	7.8	16
66	Genetic overlap between autoimmune diseases and non-Hodgkin lymphoma subtypes. <i>Genetic Epidemiology</i> , 2019 , 43, 844-863	2.6	15
65	High lifetime incidence of adult acute lymphoblastic leukemia among Hispanics in California. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 611-5	4	15
64	Childhood infections and adult height in monozygotic twin pairs. <i>American Journal of Epidemiology</i> , 2013 , 178, 551-8	3.8	14
63	A Meta-analysis of Multiple Myeloma Risk Regions in African and European Ancestry Populations Identifies Putatively Functional Loci. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 1609-1618	4	13
62	Elevated numbers of PD-L1 expressing B cells are associated with the development of AIDS-NHL. <i>Scientific Reports</i> , 2019 , 9, 9371	4.9	12
61	AllergoOncology: Microbiota in allergy and cancer-A European Academy for Allergy and Clinical Immunology position paper. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019 , 74, 1037-1051	9.3	12
60	Parental Education and Genetics of BMI from Infancy to Old Age: A Pooled Analysis of 29 Twin Cohorts. <i>Obesity</i> , 2019 , 27, 855-865	8	11
59	A pooled analysis of cigarette smoking and risk of multiple myeloma from the international multiple myeloma consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 631-4	4	11
58	A susceptibility locus for classical Hodgkin lymphoma at 8q24 near MYC/PVT1 predicts patient outcome in two independent cohorts. <i>British Journal of Haematology</i> , 2018 , 180, 286-290	4.5	11
57	Use of an electrostatic dust cloth for self-administered home allergen collection. <i>Twin Research and Human Genetics</i> , 2008 , 11, 150-5	2.2	11
56	Lupus-related single nucleotide polymorphisms and risk of diffuse large B-cell lymphoma. <i>Lupus Science and Medicine</i> , 2017 , 4, e000187	4.6	10
55	Childhood determination of Hodgkin lymphoma among U.S. servicemen. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1707-15	4	9
54	The USC Adult Twin Cohorts: International Twin Study and California Twin Program. <i>Twin Research and Human Genetics</i> , 2013 , 16, 366-70	2.2	9
53	Pooled study of occupational exposure to aromatic hydrocarbon solvents and risk of multiple myeloma. <i>Occupational and Environmental Medicine</i> , 2018 , 75, 798-806	2.1	8
52	Prevalence and predictors of recent skin examination in a population-based twin cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1190-8	4	8

51	Epidemiological Evidence: IgE, Allergies, and Hematopoietic Malignancies 2010 , 79-136		8
50	Birth Anomalies in Monozygotic and Dizygotic Twins: Results From the California Twin Registry. <i>Journal of Epidemiology</i> , 2019 , 29, 18-25	3.4	8
49	Two high-risk susceptibility loci at 6p25.3 and 14q32.13 for Waldenström macroglobulinemia. <i>Nature Communications</i> , 2018 , 9, 4182	17.4	8
48	DNA methylation patterns of adult survivors of adolescent/young adult Hodgkin lymphoma compared to their unaffected monozygotic twin. <i>Leukemia and Lymphoma</i> , 2019 , 60, 1429-1437	1.9	7
47	Sun sensitivity, indoor tanning and B-cell non-Hodgkin lymphoma risk among Caucasian women in Los Angeles County. <i>British Journal of Haematology</i> , 2017 , 177, 153-156	4.5	7
46	Does the sex of one's co-twin affect height and BMI in adulthood? A study of dizygotic adult twins from 31 cohorts. <i>Biology of Sex Differences</i> , 2017 , 8, 14	9.3	7
45	Investigation of spatio-temporal cancer clusters using residential histories in a case-control study of non-Hodgkin lymphoma in the United States. <i>Environmental Health</i> , 2015 , 14, 48	6	7
44	Development and representativeness of a large population-based cohort of native Californian twins. <i>Twin Research and Human Genetics</i> , 2001 , 4, 242-50		7
43	Education in Twins and Their Parents Across Birth Cohorts Over 100 years: An Individual-Level Pooled Analysis of 42-Twin Cohorts. <i>Twin Research and Human Genetics</i> , 2017 , 20, 395-405	2.2	6
42	Genetic and environmental influences on human height from infancy through adulthood at different levels of parental education. <i>Scientific Reports</i> , 2020 , 10, 7974	4.9	6
41	HLA expression and HLA type associations in relation to EBV status in Hispanic Hodgkin lymphoma patients. <i>PLoS ONE</i> , 2017 , 12, e0174457	3.7	6
40	A meta-analysis of genome-wide association studies of multiple myeloma among men and women of African ancestry. <i>Blood Advances</i> , 2020 , 4, 181-190	7.8	5
39	Longitudinal SARS-CoV-2 mRNA vaccine-induced humoral immune responses in cancer patients. <i>Cancer Research</i> , 2021 ,	10.1	5
38	Evaluating the use of friend or family controls in epidemiologic case-control studies. <i>Cancer Epidemiology</i> , 2017 , 46, 9-13	2.8	4
37	Common immune-related exposures/conditions and risk of non-Hodgkin lymphoma: a case-control study of disease-discordant twin pairs. <i>American Journal of Epidemiology</i> , 2015 , 182, 417-25	3.8	4
36	Household endotoxin levels and the risk of non-Hodgkin lymphoma. <i>Cancer Causes and Control</i> , 2013 , 24, 357-64	2.8	4
35	Estimation of COVID-19 risk-stratified epidemiological parameters and policy implications for Los Angeles County through an integrated risk and stochastic epidemiological model 2020 ,		4
34	Twins as Willing Research Participants: Successes From Studies Nested Within the California Twin Program. <i>Twin Research and Human Genetics</i> , 2006 , 9, 927-932	2.2	3

33	Blood transfusion history and risk of non-Hodgkin lymphoma: an InterLymph pooled analysis. <i>Cancer Causes and Control</i> , 2019 , 30, 889-900	2.8	2
32	Variability in Cytogenetic Testing for Multiple Myeloma: A Comprehensive Analysis From Across the United States. <i>JCO Oncology Practice</i> , 2020 , 16, e1169-e1180	2.3	2
31	Infectious mononucleosis, immune genotypes, and non-Hodgkin lymphoma (NHL): an InterLymph Consortium study. <i>Cancer Causes and Control</i> , 2020 , 31, 451-462	2.8	2
30	A polytomous conditional likelihood approach for combining matched and unmatched case-control studies. <i>Statistics in Medicine</i> , 2010 , 29, 1004-13	2.3	2
29	Genetically Raised Circulating Bilirubin Levels and Risk of Ten Cancers: A Mendelian Randomization Study. <i>Cells</i> , 2021 , 10,	7.9	2
28	Host genetic variation in tumor necrosis factor and nuclear factor- κ B pathways and overall survival in mantle cell lymphoma: A discovery and replication study. <i>American Journal of Hematology</i> , 2019 , 94, E153-E155	7.1	1
27	Genetically Determined Height and Risk of Non-hodgkin Lymphoma. <i>Frontiers in Oncology</i> , 2019 , 9, 15395.3	5.3	1
26	Assessing Cancer Treatment Information Using Medicare and Hospital Discharge Data among Women with Non-Hodgkin Lymphoma in a Los Angeles County Case-Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 936-941	4	1
25	Epstein-Barr virus load is higher in long-term Hodgkin lymphoma survivors compared to their unaffected twins and unrelated controls. <i>British Journal of Haematology</i> , 2019 , 185, 377-380	4.5	1
24	Innate-Related Risk Factors for Non-Hodgkin Lymphoma in Twins. <i>Blood</i> , 2011 , 118, 1588-1588	2.2	1
23	Fecal Microbiota Diversity in Survivors of Adolescent/Young Adult Hodgkin Lymphoma. <i>Blood</i> , 2012 , 120, 1533-1533	2.2	1
22	An integrated risk and epidemiological model to estimate risk-stratified COVID-19 outcomes for Los Angeles County: March 1, 2020-March 1, 2021. <i>PLoS ONE</i> , 2021 , 16, e0253549	3.7	1
21	Pregnancy-related factors and risk of B-cell non-Hodgkin lymphoma among women in Los Angeles. <i>British Journal of Haematology</i> , 2019 , 186, 133-137	4.5	1
20	The Epidemiology of Hodgkin Lymphoma. <i>Molecular Pathology Library</i> , 2018 , 157-196		1
19	Follicular lymphoma polygenic risk score is associated with increased disease risk but improved overall survival among women in a population based case-control in Los Angeles County California. <i>Cancer Epidemiology</i> , 2020 , 65, 101688	2.8	0
18	Whole-Exome Sequencing in Multiplex Families to Identify Novel AYA Classical Hodgkin Lymphoma Predisposition Genes. <i>Blood</i> , 2021 , 138, 3499-3499	2.2	0
17	Symptomology following mRNA vaccination against SARS-CoV-2. <i>Preventive Medicine</i> , 2021 , 153, 106860.4.3	4.3	0
16	Monoamine Oxidase a (MAO A) Is Expressed Selectively in Reed-Sternberg Cells of Classical Hodgkin Lymphoma. <i>Blood</i> , 2015 , 126, 3864-3864	2.2	0

15	Ethnic Disparities in Chronic Lymphocytic Leukemia Survival: A SEER Database Review. <i>Blood</i> , 2012 , 120, 757-757	2.2	0
14	Mode of Delivery, Birth Characteristics, and Early-Onset Non-Hodgkin Lymphoma in a Population-Based Case-Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 2286-2293	4.1	0
13	Past Infection and Risk of Adolescent/Young Adult Hodgkin Lymphoma. <i>Blood</i> , 2020 , 136, 26-26	2.2	
12	Characteristics of and Risk Factors for Monoclonal Gammopathy of Undetermined Significance (MGUS) in the Multiethnic Cohort Study. <i>Blood</i> , 2020 , 136, 28-29	2.2	
11	Differential Gene Expression in Circulating T-Cells in Long-Term Adolescent/Young Adult Hodgkin Lymphoma (AYAHL) Survivors and Their Unaffected Twins. <i>Blood</i> , 2021 , 138, 1332-1332	2.2	
10	Blood Transfusion, Anesthesia, Surgery and Risk of Non-Hodgkin Lymphoma.. <i>Blood</i> , 2005 , 106, 4697-4697	2.2	
9	Childhood Crowding, Atopy and Risk of Non-Hodgkin Lymphoma.. <i>Blood</i> , 2006 , 108, 4648-4648	2.2	
8	Association between a Polygenic Risk Score for Multiple Myeloma Risk and Overall Survival. <i>Blood</i> , 2019 , 134, 4366-4366	2.2	
7	DNA Methylation Differences in Twins Discordant for Adolescent/Young Adult Hodgkin Lymphoma. <i>Blood</i> , 2015 , 126, 179-179	2.2	
6	EBV Copy Number Variation in Twins Discordant for Young Adult Hodgkin Lymphoma. <i>Blood</i> , 2011 , 118, 2631-2631	2.2	
5	Heritability of Hematologic Neoplasms in Twins: An Update. <i>Blood</i> , 2012 , 120, 3636-3636	2.2	
4	Disease-discordant twin studies of epigenetics and cancer 2021 , 213-223		
3	Genome-wide homozygosity and risk of four non-Hodgkin lymphoma subtypes. <i>Journal of Translational Genetics and Genomics</i> , 2021 , 5, 200-217	1.7	
2	Educational attainment of same-sex and opposite-sex dizygotic twins: An individual-level pooled study of 19 twin cohorts. <i>Hormones and Behavior</i> , 2021 , 136, 105054	3.7	
1	Redox revisited. <i>Haematologica</i> , 2006 , 91, 1156B	6.6	