

Yoshihiro Kudo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/881765/publications.pdf>

Version: 2024-02-01

28
papers

425
citations

687363

13
h-index

752698

20
g-index

29
all docs

29
docs citations

29
times ranked

303
citing authors

#	ARTICLE	IF	CITATIONS
1	Extraction of Cd(II) picrate with benzo-18-crown-6 ether into benzene under the presence of nitric acid in water phases. <i>Analytical Sciences</i> , 2022, , 1.	1.6	0
2	Extraction of cadmium chloride by 18-crown-6 ether into various diluents: A comparative study with bromide and picrate extraction systems. <i>Journal of Molecular Liquids</i> , 2018, 249, 904-911.	4.9	5
3	Pb(II) Extraction with Benzo-18-Crown-6 Ether into Benzene under the Co-Presence of Cd(II) Nitrate in Water. <i>Inorganics</i> , 2018, 6, 77.	2.7	4
4	Extraction of Gold(III) from Hydrochloric Acid into Various Ionic Liquids: Relationship between Extraction Efficiency and Aqueous Solubility of Ionic Liquids. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 564-571.	6.7	63
5	Extraction of lead picrate by 18-crown-6 ether into various diluents: Examples of sub-analysis of overall extraction equilibrium based on component equilibria. <i>Journal of Molecular Liquids</i> , 2014, 194, 121-129.	4.9	13
6	Highly lithium-ion selective ionophores: macrocyclic trinuclear complexes of methoxy-substituted arene ruthenium bridged by 2,3-pyridinediolate. <i>New Journal of Chemistry</i> , 2013, 37, 3634.	2.8	6
7	Extraction of cadmium bromide and picrate by 18-crown-6 ether into various less-polar diluents: Analysis of overall extraction equilibria based on their component equilibria with formation of their ion pairs in water. <i>Journal of Molecular Liquids</i> , 2013, 177, 257-266.	4.9	14
8	Distribution of Picric Acid into Various Diluents. <i>Journal of Chemistry</i> , 2013, 2013, 1-4.	1.9	10
9	Ion Pair Formation of Alkylimidazolium Ionic Liquids in Dichloromethane. <i>Journal of Chemical & Engineering Data</i> , 2008, 53, 1528-1532.	1.9	64
10	Solvent extraction of sodium perrhenate by 3m-crown-m ethers (m=5, 6) and their mono-benzo-derivatives into 1,2-dichloroethane: Elucidation of an overall extraction equilibrium based on component equilibria containing an ion-pair formation in water. <i>Talanta</i> , 2007, 71, 656-661.	5.5	13
11	Potentiometric Determination of Ion-Pair Formation Constants for Cadmium, Calcium Salts, and Cadmium-18-crown-6 Ether Derivative Complexes with a Sulfate Ion in Water. <i>Journal of Chemical & Engineering Data</i> , 2007, 52, 1747-1752.	1.9	9
12	Tetraalkylammonium Picrates in the Dichloromethane-Water System: Ion-Pair Formation and Liquid-Liquid Distribution of Free Ions and Ion Pairs. <i>Journal of Solution Chemistry</i> , 2007, 36, 531-547.	1.2	15
13	On the difference between ion-pair formation constants of crown ether-complex ions with picrate ion in water determined by solvent extraction and by potentiometry. <i>Journal of Molecular Liquids</i> , 2006, 123, 29-37.	4.9	24
14	Determination of ion-pair formation constants of univalent metal-crown ether complex ions with anions in water using ion-selective electrodes: application of modified determination methods to several salts. <i>Analytical and Bioanalytical Chemistry</i> , 2005, 381, 456-463.	3.7	13
15	Equilibrium Study on Ion-Pair Formation in Water and Distribution Between Water and m-Xylene of Tetraalkylammonium Picrates. <i>Journal of Solution Chemistry</i> , 2004, 33, 437-451.	1.2	14
16	Solvent extraction of silver picrate by 3m-crown-m ethers (m = 5, 6) and its mono-benzo-derivative from water into benzene or chloroform: elucidation of an extraction equilibrium using component equilibrium constants. <i>Talanta</i> , 2004, 62, 701-706.	5.5	20
17	Solvent extraction of permanganates (Na, K) by 18-crown-6 ether from water into 1,2-dichloroethane: elucidation of an extraction equilibrium based on component equilibria. <i>Talanta</i> , 2003, 59, 1213-1218.	5.5	18
18	Ion-transfer Polarographic Determination of Successive Formation Constants of Rubidium and Cesium Complexes with Benzo-15-crown-5 and -18-crown-6 Ethers in Nitrobenzene.. <i>Analytical Sciences</i> , 2002, 18, 1047-1049.	1.6	5

#	ARTICLE	IF	CITATIONS
19	Conductance Study of 1 : 1 19-Crown-6 Complexes with Various Mono- and Bivalent Metal Ions in Water. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 1999, 33, 217-231.	1.6	15
20	Potentiometric Determination of the Ion-Pair Formation Constant of a Univalent Cation-Neutral Ligand Complex with an Anion in Water Using an Ion-Selective Electrode.. <i>Analytical Sciences</i> , 1999, 15, 597-599.	1.6	10
21	Title is missing!. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 1998, 31, 89-98.	1.6	4
22	Solvent Extraction of Alkali Metal (Li - Cs) Picrates with 18-Crown-6 into Various Diluents. Elucidation of Fundamental Equilibria which Govern the Extraction-Ability and -Selectivity.. <i>Analytical Sciences</i> , 1998, 14, 215-223.	1.6	46
23	Complex Formation of Oxonium Ion with 18-Crown-6 and 24-Crown-8 Derivatives in a Nitrobenzene Solution Saturated with Water.. <i>Analytical Sciences</i> , 1995, 11, 119-122.	1.6	12
24	Ion-Transfer Polarographic Study on the Sodium-Ion Selectivity of Bis(12-crown-4) at a Water/Nitrobenzene Solution Interface. <i>Analytical Sciences</i> , 1994, 10, 129-131.	1.6	5
25	Structural Effect of Several Acyclic Neutral Carriers Containing 8-Quinolyloxy Units on the Stability Constants of Their Li ⁺ Complexes in Water-Saturated Nitrobenzene.. <i>Analytical Sciences</i> , 1994, 10, 375-378.	1.6	2
26	Ion-Transfer Polarographic Study on the lithium Ion Selectivity against Sodium Ion of Bis(8-quinolyloxy)propane Derivatives and Dibenzyl-14-crown-4 at Aqueous/Nitrobenzene Solution Interface.. <i>Analytical Sciences</i> , 1991, 7, 549-553.	1.6	5
27	Ion-transfer-polarographic study of distribution equilibrium of metal complex cations with several crown ethers between nitrobenzene and water.. <i>Bunseki Kagaku</i> , 1991, 40, 779-784.	0.2	12
28	Bathochromic shift in absorption spectra of ion-pair complexes of alkali picrates with 18-crown-6 derivatives extracted into low-polar organic solvents.. <i>Analytical Sciences</i> , 1990, 6, 211-214.	1.6	1