

Chan-Kwon Jung

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/881977/publications.pdf>

Version: 2024-02-01

262
papers

6,973
citations

71102

41
h-index

102487

66
g-index

274
all docs

274
docs citations

274
times ranked

8036
citing authors

#	ARTICLE	IF	CITATIONS
1	Overview of the 2022 WHO Classification of Thyroid Neoplasms. <i>Endocrine Pathology</i> , 2022, 33, 27-63.	9.0	388
2	The Increase in Thyroid Cancer Incidence During the Last Four Decades Is Accompanied by a High Frequency of <i>BRAF</i> Mutations and a Sharp Increase in <i>RAS</i> Mutations. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E276-E285.	3.6	311
3	Molecular correlates and rate of lymph node metastasis of non-invasive follicular thyroid neoplasm with papillary-like nuclear features and invasive follicular variant papillary thyroid carcinoma: the impact of rigid criteria to distinguish non-invasive follicular thyroid neoplasm with papillary-like nuclear features. <i>Modern Pathology</i> , 2017, 30, 810-825.	5.5	161
4	Artificial Intelligence in Pathology. <i>Journal of Pathology and Translational Medicine</i> , 2019, 53, 1-12.	1.1	144
5	Lupus mesenteric vasculitis can cause acute abdominal pain in patients with SLE. <i>Nature Reviews Rheumatology</i> , 2009, 5, 273-281.	8.0	123
6	Core Needle Biopsy of the Thyroid: 2016 Consensus Statement and Recommendations from Korean Society of Thyroid Radiology. <i>Korean Journal of Radiology</i> , 2017, 18, 217.	3.4	122
7	SOX4 overexpression regulates the p53-mediated apoptosis in hepatocellular carcinoma: clinical implication and functional analysis in vitro. <i>Carcinogenesis</i> , 2010, 31, 1298-1307.	2.8	103
8	Pathology Reporting of Thyroid Core Needle Biopsy: A Proposal of the Korean Endocrine Pathology Thyroid Core Needle Biopsy Study Group. <i>Journal of Pathology and Translational Medicine</i> , 2015, 49, 288-299.	1.1	100
9	Prognostic Factors Affecting the Clinical Outcome of Adenoid Cystic Carcinoma of the Head and Neck. <i>Japanese Journal of Clinical Oncology</i> , 2007, 37, 805-811.	1.3	93
10	Differences in surgical resection rate and risk of malignancy in thyroid cytopathology practice between Western and Asian countries: A systematic review and meta-analysis. <i>Cancer Cytopathology</i> , 2020, 128, 238-249.	2.4	93
11	Low Rate of Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features in Asian Practice. <i>Thyroid</i> , 2017, 27, 983-984.	4.5	89
12	Diagnostic accuracy of magnetic resonance imaging (MRI) in the assessment of tumor invasion depth in oral/oropharyngeal cancer. <i>Oral Oncology</i> , 2011, 47, 381-386.	1.5	88
13	Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features in Asian Practice: Perspectives for Surgical Pathology and Cytopathology. <i>Endocrine Pathology</i> , 2018, 29, 276-288.	9.0	86
14	Thyroid <i>FNA</i> cytology in Asian practice—Active surveillance for indeterminate thyroid nodules reduces overtreatment of thyroid carcinomas. <i>Cytopathology</i> , 2017, 28, 455-466.	0.7	79
15	Ultrasonographic Findings of Medullary Thyroid Carcinoma: a Comparison with Papillary Thyroid Carcinoma. <i>Korean Journal of Radiology</i> , 2009, 10, 101.	3.4	78
16	Preoperative differentiation between noninvasive follicular thyroid neoplasm with papillary-like nuclear features (NIFTP) and non-NIFTP. <i>Clinical Endocrinology</i> , 2017, 86, 444-450.	2.4	77
17	The new 4th edition World Health Organization classification for thyroid tumors, Asian perspectives. <i>Pathology International</i> , 2018, 68, 641-664.	1.3	77
18	Is the BRAFV600E mutation useful as a predictor of preoperative risk in papillary thyroid cancer?. <i>American Journal of Surgery</i> , 2012, 203, 436-441.	1.8	76

#	ARTICLE	IF	CITATIONS
19	Correlation of dynamic contrast-enhanced MRI perfusion parameters with angiogenesis and biologic aggressiveness of rectal cancer: Preliminary results. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 474-480.	3.4	76
20	Differentiation of malignant from benign soft tissue tumours: use of additive qualitative and quantitative diffusion-weighted MR imaging to standard MR imaging at 3.0 T. <i>European Radiology</i> , 2016, 26, 743-754.	4.5	75
21	Introduction to digital pathology and computer-aided pathology. <i>Journal of Pathology and Translational Medicine</i> , 2020, 54, 125-134.	1.1	75
22	Mutational burdens and evolutionary ages of thyroid follicular adenoma are comparable to those of follicular carcinoma. <i>Oncotarget</i> , 2016, 7, 69638-69648.	1.8	70
23	Radiofrequency Ablation to Treat Loco-Regional Recurrence of Well-Differentiated Thyroid Carcinoma. <i>Korean Journal of Radiology</i> , 2014, 15, 817.	3.4	68
24	Immune Gene Signature Delineates a Subclass of Papillary Thyroid Cancer with Unfavorable Clinical Outcomes. <i>Cancers</i> , 2018, 10, 494.	3.7	68
25	Molecular Genotyping of Follicular Variant of Papillary Thyroid Carcinoma Correlates with Diagnostic Category of Fine-Needle Aspiration Cytology: Values of <i>RAS</i> Mutation Testing. <i>Thyroid</i> , 2013, 23, 1416-1422.	4.5	66
26	Diagnostic use of nuclear β -catenin expression for the assessment of endometrial stromal tumors. <i>Modern Pathology</i> , 2008, 21, 756-763.	5.5	65
27	Split Sample Comparison of a Liquid-Based Method and Conventional Smears in Thyroid Fine Needle Aspiration. <i>Acta Cytologica</i> , 2008, 52, 313-319.	1.3	64
28	Impact of non-invasive follicular thyroid neoplasm with papillary-like nuclear features on the Bethesda system for reporting thyroid cytopathology: a multi-institutional study in five Asian countries. <i>Pathology</i> , 2018, 50, 411-417.	0.6	64
29	Expression of transforming acidic coiled-coil containing protein 3 is a novel independent prognostic marker in non-small cell lung cancer. <i>Pathology International</i> , 2006, 56, 503-509.	1.3	60
30	CK7, CK20, CDX2 and MUC2 Immunohistochemical Staining Used To Distinguish Metastatic Colorectal Carcinoma Involving Ovary from Primary Ovarian Mucinous Adenocarcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2010, 40, 208-213.	1.3	60
31	Silencing of 14-3-3 σ over-expression in hepatocellular carcinoma inhibits tumor growth and enhances chemosensitivity to cis-diammined dichloridoplatinum. <i>Cancer Letters</i> , 2011, 303, 99-107.	7.2	59
32	Mutational Patterns and Novel Mutations of the BRAF Gene in a Large Cohort of Korean Patients with Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2012, 22, 791-797.	4.5	55
33	Clinical utility of TERT promoter mutations and ALK rearrangement in thyroid cancer patients with a high prevalence of the BRAF V600E mutation. <i>Diagnostic Pathology</i> , 2016, 11, 21.	2.0	52
34	The Cytological, Clinical, and Pathological Features of the Cribriform-Morular Variant of Papillary Thyroid Carcinoma and Mutation Analysis of <i>CTNNB1</i> and <i>BRAF</i> Genes. <i>Thyroid</i> , 2009, 19, 905-913.	4.5	51
35	Unique patterns of tumor growth related with the risk of lymph node metastasis in papillary thyroid carcinoma. <i>Modern Pathology</i> , 2010, 23, 1201-1208.	5.5	51
36	Updates in the Pathologic Classification of Thyroid Neoplasms: A Review of the World Health Organization Classification. <i>Endocrinology and Metabolism</i> , 2020, 35, 696-715.	3.0	47

#	ARTICLE	IF	CITATIONS
37	Tropomyosin3 overexpression and a potential link to epithelial-mesenchymal transition in human hepatocellular carcinoma. <i>BMC Cancer</i> , 2010, 10, 122.	2.6	46
38	Clinical Outcomes in Patients with Non-Diagnostic Thyroid Fine Needle Aspiration Cytology: Usefulness of the Thyroid Core Needle Biopsy. <i>Annals of Surgical Oncology</i> , 2014, 21, 1870-1877.	1.5	46
39	Clinical utility of EZH1 mutations in the diagnosis of follicular-patterned thyroid tumors. <i>Human Pathology</i> , 2018, 81, 9-17.	2.0	46
40	Liquid-based cytology improves preoperative diagnostic accuracy of the tall cell variant of papillary thyroid carcinoma. <i>Diagnostic Cytopathology</i> , 2014, 42, 11-17.	1.0	45
41	Necrotizing Fasciitis versus Pyomyositis: Discrimination with Using MR Imaging. <i>Korean Journal of Radiology</i> , 2009, 10, 121.	3.4	44
42	Relationship between vascular endothelial growth factor and Notch1 expression and lymphatic metastasis in tongue cancer. <i>Otolaryngology - Head and Neck Surgery</i> , 2009, 140, 512-518.	1.9	44
43	A potential oncogenic role of the commonly observed E2F5 overexpression in hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2011, 17, 470.	3.3	44
44	Expression of the cannabinoid type I receptor and prognosis following surgery in colorectal cancer. <i>Oncology Letters</i> , 2013, 5, 870-876.	1.8	43
45	Long-term prognosis of an endoscopically treated rectal neuroendocrine tumor. <i>European Journal of Gastroenterology and Hepatology</i> , 2012, 24, 978-983.	1.6	42
46	Interobserver and intraobserver variation in the morphological evaluation of noninvasive follicular thyroid neoplasm with papillary-like nuclear features in Asian practice. <i>Pathology International</i> , 2019, 69, 202-210.	1.3	42
47	High-risk human papillomavirus and cervical lymph node metastasis in patients with oropharyngeal cancer. <i>Head and Neck</i> , 2012, 34, 10-14.	2.0	40
48	Classic Papillary Thyroid Carcinoma with Tall Cell Features and Tall Cell Variant Have Similar Clinicopathologic Features. <i>Korean Journal of Pathology</i> , 2014, 48, 201.	1.3	40
49	Is it reasonable to treat early gastric cancer with signet ring cell histology by endoscopic resection? Analysis of factors related to lymph-node metastasis. <i>European Journal of Gastroenterology and Hepatology</i> , 2009, 21, 1132-1135.	1.6	39
50	Increased Incidence of Colorectal Malignancies in Renal Transplant Recipients: A Case Control Study. <i>American Journal of Transplantation</i> , 2010, 10, 2043-2050.	4.7	39
51	The role of core needle biopsy in the preoperative diagnosis of follicular neoplasm of the thyroid. <i>Apmis</i> , 2014, 122, 993-1000.	2.0	39
52	Comparison of efficacy and complications between radiofrequency ablation and repeat surgery in the treatment of locally recurrent thyroid cancers: a single-center propensity score matching study. <i>International Journal of Hyperthermia</i> , 2019, 36, 358-366.	2.5	39
53	Cytologic, clinicopathologic, and molecular features of papillary thyroid carcinoma with prominent hobnail features: 10 case reports and systematic literature review. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 7988-97.	0.5	38
54	Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2010, 25, 270.	3.0	37

#	ARTICLE	IF	CITATIONS
55	Prognostic significance of CD44s expression in resected non-small cell lung cancer. <i>BMC Cancer</i> , 2011, 11, 340.	2.6	37
56	The Use of the Bethesda System for Reporting Thyroid Cytopathology in Pediatric Thyroid Nodules: A Meta-Analysis. <i>Thyroid</i> , 2021, 31, 1203-1211.	4.5	37
57	Prognostic Value of Metabolic Tumor Volume Measured by 18F-FDG PET/CT in Locally Advanced Head and Neck Squamous Cell Carcinomas Treated by Surgery. <i>Nuclear Medicine and Molecular Imaging</i> , 2011, 45, 43-51.	1.0	36
58	Stromal expression of miR-21 in T3-4a colorectal cancer is an independent predictor of early tumor relapse. <i>BMC Gastroenterology</i> , 2015, 15, 2.	2.0	36
59	Variations of BRAF mutant allele percentage in melanomas. <i>BMC Cancer</i> , 2015, 15, 497.	2.6	36
60	Difference in expression of EGFR, pAkt, and PTEN between oropharyngeal and oral cavity squamous cell carcinoma. <i>Oral Oncology</i> , 2012, 48, 985-990.	1.5	35
61	Diagnostic performances of the Afirma Gene Sequencing Classifier in comparison with the Gene Expression Classifier: A meta-analysis. <i>Cancer Cytopathology</i> , 2021, 129, 182-189.	2.4	35
62	Computed tomography and magnetic resonance imaging evaluation of lymph node metastasis in early colorectal cancer. <i>World Journal of Gastroenterology</i> , 2015, 21, 556.	3.3	35
63	Expression of the Antiapoptosis Gene Survivin Predicts Poor Prognosis of Stage III Gastric Adenocarcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2009, 39, 290-296.	1.3	34
64	The Warthin-Like Variant of Papillary Thyroid Carcinoma: A Comparison with Classic Type in the Patients with Coexisting Hashimoto's Thyroiditis. <i>International Journal of Endocrinology</i> , 2015, 2015, 1-8.	1.5	34
65	Soft tissue sarcoma: adding diffusion-weighted imaging improves MR imaging evaluation of tumor margin infiltration. <i>European Radiology</i> , 2019, 29, 2589-2597.	4.5	34
66	MRI features of ovarian fibromas: emphasis on their relationship to the ovary. <i>Clinical Radiology</i> , 2008, 63, 529-535.	1.1	33
67	Clinicopathological Features of Rare BRAF Mutations in Korean Thyroid Cancer Patients. <i>Journal of Korean Medical Science</i> , 2014, 29, 1054.	2.5	33
68	Recent Advances in Core Needle Biopsy for Thyroid Nodules. <i>Endocrinology and Metabolism</i> , 2017, 32, 407.	3.0	33
69	Primary signet ring cell carcinoma of the appendix: A rare case report and our 18-year experience. <i>World Journal of Gastroenterology</i> , 2008, 14, 5763.	3.3	33
70	RPL36 as a prognostic marker in hepatocellular carcinoma. <i>Pathology International</i> , 2011, 61, 638-644.	1.3	32
71	2019 Practice guidelines for thyroid core needle biopsy: a report of the Clinical Practice Guidelines Development Committee of the Korean Thyroid Association. <i>Journal of Pathology and Translational Medicine</i> , 2020, 54, 64-86.	1.1	32
72	Clinical impact of amphiregulin expression in patients with epidermal growth factor receptor (EGFR) wild-type nonsmall cell lung cancer treated with EGFR tyrosine kinase inhibitors. <i>Cancer</i> , 2011, 117, 143-151.	4.1	31

#	ARTICLE	IF	CITATIONS
73	Emerging Biomarkers in Thyroid Practice and Research. <i>Cancers</i> , 2022, 14, 204.	3.7	31
74	High expression of Snail mRNA in blood from hepatocellular carcinoma patients with extra-hepatic metastasis. <i>Clinical and Experimental Metastasis</i> , 2009, 26, 759-767.	3.3	30
75	The use of an immunohistochemical diagnostic panel to determine the primary site of cervical lymph node metastases of occult squamous cell carcinoma. <i>Human Pathology</i> , 2010, 41, 431-437.	2.0	30
76	CCND1 Splice Variant as A Novel Diagnostic and Predictive Biomarker for Thyroid Cancer. <i>Cancers</i> , 2018, 10, 437.	3.7	30
77	The Use of the Bethesda System for Reporting Thyroid Cytopathology in Korea: A Nationwide Multicenter Survey by the Korean Society of Endocrine Pathologists. <i>Journal of Pathology and Translational Medicine</i> , 2017, 51, 410-417.	1.1	30
78	Epstein-Barr virus infection, drug resistance and prognosis in Korean T-cell and NK-cell lymphomas. <i>Pathology International</i> , 2001, 51, 355-363.	1.3	29
79	Clinical Impact of Non-Invasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features on the Risk of Malignancy in the Bethesda System for Reporting Thyroid Cytopathology: A Meta-Analysis of 14,153 Resected Thyroid Nodules. <i>Endocrine Practice</i> , 2019, 25, 491-502.	2.1	29
80	PAX8 expression in anaplastic thyroid carcinoma is less than those reported in early studies: a multi-institutional study of 182 cases using the monoclonal antibody MRQ-50. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 476, 431-437.	2.8	29
81	Histopathologic Assessment of Capsular Invasion in Follicular Thyroid Neoplasms—an Observer Variation Study. <i>Endocrine Pathology</i> , 2020, 31, 132-140.	9.0	29
82	Performing Contralateral Central Lymph Node Dissection in Papillary Thyroid Carcinoma: A Decision Approach. <i>Thyroid</i> , 2011, 21, 873-877.	4.5	28
83	Diagnostic utility of expression of claudins in non-small cell lung cancer: Different expression profiles in squamous cell carcinomas and adenocarcinomas. <i>Pathology Research and Practice</i> , 2009, 205, 409-416.	2.3	27
84	Quantification of BRAF V600E alleles predicts papillary thyroid cancer progression. <i>Endocrine-Related Cancer</i> , 2014, 21, 891-902.	3.1	27
85	Risk Stratification Using a Novel Genetic Classifier Including PLEKHS1 Promoter Mutations for Differentiated Thyroid Cancer with Distant Metastasis. <i>Thyroid</i> , 2020, 30, 1589-1600.	4.5	27
86	Early gastric cancer associated with gastritis cystica polyposa in the unoperated stomach treated by endoscopic submucosal dissection. <i>Gastrointestinal Endoscopy</i> , 2009, 69, e47-e50.	1.0	26
87	High-mobility-group A2 overexpression provokes a poor prognosis of gastric cancer through the epithelial-mesenchymal transition. <i>International Journal of Oncology</i> , 2015, 46, 2431-2438.	3.3	26
88	The Use of Fine-Needle Aspiration (FNA) Cytology in Patients with Thyroid Nodules in Asia: A Brief Overview of Studies from the Working Group of Asian Thyroid FNA Cytology. <i>Journal of Pathology and Translational Medicine</i> , 2017, 51, 571-578.	1.1	25
89	Mixed Exocrine and Endocrine Carcinoma in the Stomach: A Case Report. <i>Journal of Gastric Cancer</i> , 2011, 11, 122.	2.5	24
90	Lowered cutoff of lymph node fine-needle aspiration thyroglobulin in thyroid cancer patients with serum anti-thyroglobulin antibody. <i>European Journal of Endocrinology</i> , 2015, 173, 489-497.	3.7	24

#	ARTICLE	IF	CITATIONS
91	TERT Promoter Mutation in an Aggressive Cribriform Morular Variant of Papillary Thyroid Carcinoma. <i>Endocrine Pathology</i> , 2017, 28, 49-53.	9.0	24
92	The implications of clinical risk factors, CAR index, and compositional changes of immune cells on hyperprogressive disease in non-small cell lung cancer patients receiving immunotherapy. <i>BMC Cancer</i> , 2021, 21, 19.	2.6	24
93	Notch1 receptor as a marker of lymph node metastases in papillary thyroid cancer. <i>Cancer Science</i> , 2012, 103, 305-309.	3.9	23
94	Prognostic significance of S100A4 mRNA and protein expression in colorectal cancer. <i>Journal of Surgical Oncology</i> , 2012, 105, 119-124.	1.7	23
95	Impact of NRAS Mutations on the Diagnosis of Follicular Neoplasm of the Thyroid. <i>International Journal of Endocrinology</i> , 2014, 2014, 1-7.	1.5	23
96	Highly prevalent BRAF V600E and low-frequency TERT promoter mutations underlie papillary thyroid carcinoma in Koreans. <i>Journal of Pathology and Translational Medicine</i> , 2020, 54, 310-317.	1.1	23
97	Application of Bethesda System for Reporting Thyroid Aspiration Cytology. <i>Korean Journal of Pathology</i> , 2010, 44, 521.	1.3	23
98	Merkel cell carcinoma of the inguinal lymph node with an unknown primary site. <i>Journal of Dermatology</i> , 2009, 36, 170-173.	1.2	22
99	Impact of Reclassification on Thyroid Nodules with Architectural Atypia: From Non-Invasive Encapsulated Follicular Variant Papillary Thyroid Carcinomas to Non-Invasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features. <i>PLoS ONE</i> , 2016, 11, e0167756.	2.5	22
100	VE1 Immunohistochemistry Improves the Limit of Genotyping for Detecting BRAFV600E Mutation in Papillary Thyroid Cancer. <i>Cancers</i> , 2020, 12, 596.	3.7	22
101	Transitional Cell Tumor of the Ovary. <i>Journal of Computer Assisted Tomography</i> , 2009, 33, 106-112.	0.9	21
102	An unusual presentation of aggressive epithelial-myoepithelial carcinoma of the nasal cavity with high-grade histology. <i>Journal of Laryngology and Otology</i> , 2011, 125, 1286-1289.	0.8	21
103	Expression of Girdin in Human Colorectal Cancer and Its Association with Tumor Progression. <i>Diseases of the Colon and Rectum</i> , 2013, 56, 51-57.	1.3	21
104	Intravoxel incoherent motion diffusion-weighted MR imaging for differentiation of benign and malignant musculoskeletal tumours at 3 T. <i>British Journal of Radiology</i> , 2018, 91, 20170636.	2.2	21
105	Differentiation of focal indeterminate marrow abnormalities with multiparametric MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 49-60.	3.4	21
106	Comprehensive DNA Methylation Profiling Identifies Novel Diagnostic Biomarkers for Thyroid Cancer. <i>Thyroid</i> , 2020, 30, 192-203.	4.5	21
107	Impact of the COVID-19 pandemic on cytology practice: An international survey in the Asia-Pacific region. <i>Cancer Cytopathology</i> , 2020, 128, 895-904.	2.4	21
108	Recommendations for pathologic practice using digital pathology: consensus report of the Korean Society of Pathologists. <i>Journal of Pathology and Translational Medicine</i> , 2020, 54, 437-452.	1.1	21

#	ARTICLE	IF	CITATIONS
109	MR Findings of the Osteofibrous Dysplasia. Korean Journal of Radiology, 2014, 15, 114.	3.4	20
110	Human papillomavirus stratified analysis of the prognostic role of miR-21 in oral cavity and oropharyngeal squamous cell carcinoma. Pathology International, 2014, 64, 499-507.	1.3	20
111	High Prevalence of DICER1 Mutations and Low Frequency of Gene Fusions in Pediatric Follicular-Patterned Tumors of the Thyroid. Endocrine Pathology, 2021, 32, 336-346.	9.0	20
112	Predictive microRNAs for lymph node metastasis in endoscopically resectable submucosal colorectal cancer. Oncotarget, 2016, 7, 32902-32915.	1.8	20
113	Centrosome abnormalities in non-small cell lung cancer: Correlations with DNA aneuploidy and expression of cell cycle regulatory proteins. Pathology Research and Practice, 2007, 203, 839-847.	2.3	19
114	Expression of HPV L1 capsid protein in cervical specimens with HPV infection. Diagnostic Cytopathology, 2008, 36, 864-867.	1.0	19
115	Prognostic Significance of Nuclear Survivin Expression in Resected Adenoid Cystic Carcinoma of the Head and Neck. Head & Neck Oncology, 2010, 2, 30.	2.3	19
116	CD73 Overexpression Promotes Progression and Recurrence of Papillary Thyroid Carcinoma. Cancers, 2020, 12, 3042.	3.7	19
117	Prediction of Poor Responders to Neoadjuvant Chemotherapy in Patients with Osteosarcoma: Additive Value of Diffusion-Weighted MRI including Volumetric Analysis to Standard MRI at 3T. PLoS ONE, 2020, 15, e0229983.	2.5	19
118	Current Trend of Artificial Intelligence Patents in Digital Pathology: A Systematic Evaluation of the Patent Landscape. Cancers, 2022, 14, 2400.	3.7	19
119	Histopathologic Findings Related to the Indeterminate or Inadequate Results of Fine-Needle Aspiration Biopsy and Correlation with Ultrasonographic Findings in Papillary Thyroid Carcinomas. Korean Journal of Radiology, 2010, 11, 141.	3.4	18
120	Molecular genetic characterization of p53 mutated oropharyngeal squamous cell carcinoma cells transformed with human papillomavirus E6 and E7 oncogenes. International Journal of Oncology, 2013, 43, 383-393.	3.3	18
121	Prognostic value of preoperative anti-thyroglobulin antibody in differentiated thyroid cancer. Clinical Endocrinology, 2017, 87, 292-299.	2.4	18
122	Prognostic implication of histological features associated with EHD2 expression in papillary thyroid carcinoma. PLoS ONE, 2017, 12, e0174737.	2.5	18
123	Clinicopathologic significance of the expression of Snail in hepatocellular carcinoma. The Korean Journal of Hepatology, 2011, 17, 12.	1.5	18
124	Aspergillus Spondylitis involving the Cervico-Thoraco-Lumbar Spine in an Immunocompromised Patient: a Case Report. Korean Journal of Radiology, 2007, 8, 448.	3.4	17
125	Metabolic Activity on [18F]-Fluorodeoxyglucose-Positron Emission Tomography/Computed Tomography and Glucose Transporter-1 Expression Might Predict Clinical Outcomes in Patients With Limited Disease Small-Cell Lung Cancer Who Receive Concurrent Chemoradiation. Clinical Lung Cancer, 2014, 15, e13-e21.	2.6	17
126	Impact of Molecular Testing on the Management of Indeterminate Thyroid Nodules Among Western and Asian Countries: a Systematic Review and Meta-analysis. Endocrine Pathology, 2021, 32, 269-279.	9.0	17

#	ARTICLE	IF	CITATIONS
127	Molecular Correlates and Nuclear Features of Encapsulated Follicular-Patterned Thyroid Neoplasms. <i>Endocrinology and Metabolism</i> , 2021, 36, 123-133.	3.0	17
128	Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2011, 54, 8.	0.2	17
129	A Multi-institutional Study of Prevalence and Clinicopathologic Features of Non-invasive Follicular Thyroid Neoplasm with Papillary-like Nuclear Features (NIFTP) in Korea. <i>Journal of Pathology and Translational Medicine</i> , 2019, 53, 378-385.	1.1	17
130	Recent Applications of Artificial Intelligence from Histopathologic Image-Based Prediction of Microsatellite Instability in Solid Cancers: A Systematic Review. <i>Cancers</i> , 2022, 14, 2590.	3.7	17
131	Correlation of hepatitis B core antigen and β -catenin expression on hepatocytes in chronic hepatitis B virus infection: Relevance to the severity of liver damage and viral replication. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007, 22, 1534-1542.	2.8	16
132	Clinical characteristics and prognostic factors for primary appendiceal carcinoma. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2010, 6, 19-27.	1.1	16
133	Use of the Ion AmpliSeq Cancer Hotspot Panel in clinical molecular pathology laboratories for analysis of solid tumours: With emphasis on validation with relevant single molecular pathology tests and the OncoPrint Focus Assay. <i>Pathology Research and Practice</i> , 2018, 214, 713-719.	2.3	16
134	The prevalence and surgical outcomes of H ¹⁴ rthle cell lesions in FNAs of the thyroid: A multi-institutional study in 6 Asian countries. <i>Cancer Cytopathology</i> , 2019, 127, 181-191.	2.4	16
135	Multiparametric quantitative analysis of tumor perfusion and diffusion with 3T MRI: differentiation between benign and malignant soft tissue tumors. <i>British Journal of Radiology</i> , 2020, 93, 20191035.	2.2	16
136	The Incidence of Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features: A Meta-Analysis Assessing Worldwide Impact of the Reclassification. <i>Thyroid</i> , 2021, 31, 1502-1513.	4.5	16
137	Relationships between metastasis-associated protein (MTA) 1 and lymphatic metastasis in tonsil cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , 2011, 268, 1329-1334.	1.6	15
138	Synergistic antitumor efficacy of sequentially combined paclitaxel with sorafenib in vitro and in vivo NSCLC models harboring KRAS or BRAF mutations. <i>Cancer Letters</i> , 2012, 322, 213-222.	7.2	15
139	Divergence of P53, PTEN, PI3K, Akt and mTOR expression in tonsillar cancer. <i>Head and Neck</i> , 2015, 37, 636-643.	2.0	15
140	Application of the Bethesda System for Reporting Thyroid Cytopathology in the Pediatric Population. <i>American Journal of Clinical Pathology</i> , 2021, 155, 680-689.	0.7	15
141	Lipomatous haemangiopericytoma (fat-forming solitary fibrous tumour) involving the perineum: CT and MRI findings and pathological correlation. <i>British Journal of Radiology</i> , 2009, 82, e23-e26.	2.2	14
142	Pathological validation of supracricoid partial laryngectomy in laryngeal cancer. <i>Clinical Otolaryngology</i> , 2009, 34, 132-139.	1.2	14
143	Impact of tumor infiltration pattern into the surrounding tissue on prognosis of the subserosal gastric cancer (pT2b). <i>European Journal of Surgical Oncology</i> , 2010, 36, 563-567.	1.0	14
144	Thyroid transcription factor-1 expression in colorectal adenocarcinomas. <i>Pathology Research and Practice</i> , 2011, 207, 686-690.	2.3	14

#	ARTICLE	IF	CITATIONS
145	Non- ¹⁸ F-FDG-Avid Primary Papillary Thyroid Carcinoma May Not Differ from FDG-Avid Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2013, 23, 1452-1460.	4.5	14
146	The stratification of patient risk depending on the size and ratio of metastatic lymph nodes in papillary thyroid carcinoma. <i>World Journal of Surgical Oncology</i> , 2017, 15, 74.	1.9	14
147	Î±-Synuclein in the colon and premotor markers of Parkinson disease in neurologically normal subjects. <i>Neurological Sciences</i> , 2017, 38, 171-179.	1.9	14
148	Macrofollicular Variant of Papillary Thyroid Carcinoma with Extensive Lymph Node Metastases. <i>Endocrine Pathology</i> , 2014, 25, 265-272.	9.0	13
149	Clinicopathological characteristics including <i>BRAF</i> V600E mutation status and PET/CT findings in papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2017, 87, 73-79.	2.4	13
150	Extensive lymphatic spread of papillary thyroid microcarcinoma is associated with an increase in expression of genes involved in epithelial-mesenchymal transition and cancer stem cell-like properties. <i>Cancer Medicine</i> , 2019, 8, 6528-6537.	2.8	13
151	Accelerated Bone Regeneration via Three-Dimensional Cell-Printed Constructs Containing Human Nasal Turbinate-Derived Stem Cells as a Clinically Applicable Therapy. <i>ACS Biomaterials Science and Engineering</i> , 2019, 5, 6171-6185.	5.2	13
152	Degenerating Thyroid Nodules: Ultrasound Diagnosis, Clinical Significance, and Management. <i>Korean Journal of Radiology</i> , 2019, 20, 947.	3.4	13
153	CYFRA 21-1 in Lymph Node Fine Needle Aspiration Washout Improves Diagnostic Accuracy for Metastatic Lymph Nodes of Differentiated Thyroid Cancer. <i>Cancers</i> , 2019, 11, 487.	3.7	13
154	Cytologic diagnosis of medullary thyroid carcinoma in the Asia-Pacific region. <i>Diagnostic Cytopathology</i> , 2021, 49, 60-69.	1.0	13
155	Current Cytology Practices in Korea: A Nationwide Survey by the Korean Society for Cytopathology. <i>Journal of Pathology and Translational Medicine</i> , 2017, 51, 579-587.	1.1	13
156	Clinical Significance of Vascular Endothelial Growth Factors (VEGF)-C and -D in Resected Non-Small Cell Lung Cancer. <i>Cancer Research and Treatment</i> , 2008, 40, 133.	3.0	13
157	Risk Factors of Lymph Node Metastasis in Papillary Thyroid Microcarcinoma. [Chapchi] <i>Journal Taehan Oekwa Hakhoe</i> , 2010, 78, 82.	1.1	12
158	Absence of Galectin-3 Immunostaining in Fine-Needle Aspiration Cytology Specimens from Papillary Thyroid Carcinoma Is Associated with Favorable Pathological Indices. <i>Thyroid</i> , 2012, 22, 1244-1250.	4.5	12
159	Treatment Outcome of Cisplatin-based Concurrent Chemoradiotherapy in the Patients with Locally Advanced Nasopharyngeal Cancer. <i>Cancer Research and Treatment</i> , 2008, 40, 62.	3.0	12
160	Suppression of hepatic tumor growth and metastasis by metronomic therapy in a rat model of hepatocellular carcinoma. <i>Experimental and Molecular Medicine</i> , 2011, 43, 305.	7.7	11
161	Clinicopathologic Characteristics and Surgical Outcomes of Elderly Patients with Thyroid Cancer. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 1045-1051.	1.3	11
162	Core-needle biopsy for the preoperative diagnosis of follicular neoplasm in thyroid nodule screening: A validation study. <i>Pathology Research and Practice</i> , 2016, 212, 44-50.	2.3	11

#	ARTICLE	IF	CITATIONS
163	Aberrant expression of CD20 in thyroid cancer and its clinicopathologic significance. <i>Human Pathology</i> , 2018, 71, 74-83.	2.0	11
164	MicroRNA Profile for Diagnostic and Prognostic Biomarkers in Thyroid Cancer. <i>Cancers</i> , 2021, 13, 632.	3.7	11
165	Diagnosis for Pheochromocytoma and Paraganglioma: A Joint Position Statement of the Korean Pheochromocytoma and Paraganglioma Task Force. <i>Endocrinology and Metabolism</i> , 2021, 36, 322-338.	3.0	11
166	Different Molecular Features of Epithelioid and Giant Cells in Foreign Body Reaction Identified by Single-Cell RNA Sequencing. <i>Journal of Investigative Dermatology</i> , 2022, 142, 3232-3242.e16.	0.7	11
167	Expression of Protease Activated Receptor-2 in Human Colorectal Cancer and Its Association With Tumor Progression. <i>Diseases of the Colon and Rectum</i> , 2010, 53, 1202-1208.	1.3	10
168	Risk Factors for Lymph Node Metastasis in Patients with Submucosal Invasive Colorectal Carcinoma. [Chapchi] <i>Journal Taehan Oekwa Hakhoe</i> , 2010, 78, 207.	1.1	10
169	Giant cell tumor of soft tissue: a case report with emphasis on MR imaging. <i>Skeletal Radiology</i> , 2015, 44, 1039-1043.	2.0	10
170	Giant Cell Tumor of the Rib: Two Cases of F-18 FDG PET/CT Findings. <i>Nuclear Medicine and Molecular Imaging</i> , 2017, 51, 182-185.	1.0	10
171	Thyrocyte-specific deletion of insulin and IGF-1 receptors induces papillary thyroid carcinoma-like lesions through EGFR pathway activation. <i>International Journal of Cancer</i> , 2018, 143, 2458-2469.	5.1	10
172	Atypical Histiocytoid Cells and Multinucleated Giant Cells in Fine-Needle Aspiration Cytology of the Thyroid Predict Lymph Node Metastasis of Papillary Thyroid Carcinoma. <i>Cancers</i> , 2019, 11, 816.	3.7	10
173	Expression of Notch 1 and 3 is related to inhibition of lymph node metastasis and progression in non-small cell lung carcinomas. <i>Basic and Applied Pathology</i> , 2008, 1, 93-97.	0.2	9
174	F-18 FDG PET/CT Findings of Dedifferentiated Acinic Cell Carcinoma. <i>Clinical Nuclear Medicine</i> , 2010, 35, 473-474.	1.3	9
175	Hemorrhage from a jejunal polypoid hemangioma: single incisional laparoscopic approach. [Chapchi] <i>Journal Taehan Oekwa Hakhoe</i> , 2011, 80, 362.	1.1	9
176	An affordable immunohistochemical approach to estimate the prevalence of BRAFV600E in large cohort studies—establishing the baseline rate of BRAF mutation in an institutional series of papillary thyroid carcinoma from Thailand. <i>Gland Surgery</i> , 2020, 9, 1867-1877.	1.1	9
177	Radiomics of diffusion-weighted MRI compared to conventional measurement of apparent diffusion-coefficient for differentiation between benign and malignant soft tissue tumors. <i>Scientific Reports</i> , 2021, 11, 15276.	3.3	9
178	Constitutive Cytomorphologic Features of Medullary Thyroid Carcinoma Using Different Staining Methods. <i>Diagnostics</i> , 2021, 11, 1396.	2.6	9
179	Prevalence and diagnostic challenges of thyroid lymphoma: a multi-institutional study in non-Western countries. <i>Endocrine Journal</i> , 2020, 67, 1085-1091.	1.6	9
180	Diagnostic Performance of Thyroid Core Needle Biopsy Using the Revised Reporting System: Comparison with Fine Needle Aspiration Cytology. <i>Endocrinology and Metabolism</i> , 2022, 37, 159-169.	3.0	9

#	ARTICLE	IF	CITATIONS
181	Deep convolutional neural network for classification of thyroid nodules on ultrasound: Comparison of the diagnostic performance with that of radiologists. <i>European Journal of Radiology</i> , 2022, 152, 110335.	2.6	9
182	Transient trisomy 8 abnormality in Philadelphia-negative cells during imatinib mesylate treatment of chronic myelogenous leukemia. <i>International Journal of Laboratory Hematology</i> , 2007, 30, 071115151007007-???	1.3	8
183	Synchronous laryngeal squamous cell carcinoma and Hodgkin lymphoma of the head and neck region. <i>Auris Nasus Larynx</i> , 2009, 36, 501-504.	1.2	8
184	Copy number alterations and expression profiles of candidate genes in a pulmonary inflammatory myofibroblastic tumor. <i>Lung Cancer</i> , 2010, 70, 152-157.	2.0	8
185	KIF5B-RET Fusion gene may coincide oncogenic mutations of EGFR or KRAS gene in lung adenocarcinomas. <i>Diagnostic Pathology</i> , 2015, 10, 143.	2.0	8
186	PROMISE CLIP Project: A Retrospective, Multicenter Study for Prostate Cancer that Integrates Clinical, Imaging and Pathology Data. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 2982.	2.5	8
187	Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. <i>Journal of the Korean Society of Radiology</i> , 2011, 64, 389.	0.2	8
188	Long-Term Survival in a Patient With Ruptured Hepatocellular Carcinoma. <i>Korean Journal of Internal Medicine</i> , 2009, 24, 63.	1.7	8
189	Oligodendroglioma Arising in a Sacrococcygeal Immature Teratoma. <i>Journal of Korean Medical Science</i> , 2002, 17, 426.	2.5	7
190	Kimura's disease involving a long bone. <i>Skeletal Radiology</i> , 2010, 39, 495-500.	2.0	7
191	Prognostic impact of membranous ATP-binding cassette Sub-family G member 2 expression in patients with colorectal carcinoma after surgical resection. <i>Cancer Biology and Therapy</i> , 2015, 16, 1438-1444.	3.4	7
192	Calcification Patterns in Papillary Thyroid Carcinoma are Associated with Changes in Thyroid Hormones and Coronary Artery Calcification. <i>Journal of Clinical Medicine</i> , 2018, 7, 183.	2.4	7
193	Prognostic Implications of CD10 and CD15 Expression in Papillary Thyroid Carcinoma. <i>Cancers</i> , 2020, 12, 1413.	3.7	7
194	Liquid-based cytology in the fine needle aspiration of parathyroid lesions: a comparison study with the conventional smear, ThinPrep, and SurePath. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 12160-8.	0.5	7
195	Versican expression in tumor epithelial cells is correlated with a good prognosis in gastric cancer. <i>Anticancer Research</i> , 2014, 34, 5613-9.	1.1	7
196	Anti-tumor efficacy of CKD-516 in combination with radiation in xenograft mouse model of lung squamous cell carcinoma. <i>BMC Cancer</i> , 2020, 20, 1057.	2.6	6
197	Clinicopathological Characteristics and Recurrence-Free Survival of Rare Variants of Papillary Thyroid Carcinomas in Korea: A Retrospective Study. <i>Endocrinology and Metabolism</i> , 2021, 36, 619-627.	3.0	6
198	How to identify indolent thyroid tumors unlikely to recur and cause cancer death immediately after surgery? "Risk stratification of papillary thyroid carcinoma in young patients". <i>Endocrine Journal</i> , 2021, 68, 871-880.	1.6	6

#	ARTICLE	IF	CITATIONS
199	Evaluation of Human MSCs Treatment Frequency on Airway Inflammation in a Mouse Model of Acute Asthma. <i>Journal of Korean Medical Science</i> , 2020, 35, e188.	2.5	6
200	Numb Chin Syndrome with Concomitant Painful Ophthalmoplegia Leading to a Diagnosis of Diffuse Large B Cell Lymphoma. <i>Cancer Research and Treatment</i> , 2011, 43, 134-138.	3.0	6
201	Primary Versus Secondary Anaplastic Thyroid Carcinoma: Perspectives from Multi-institutional and Population-Level Data. <i>Endocrine Pathology</i> , 2021, 32, 489-500.	9.0	6
202	Increased Incidence of Gastric Cancer in Renal Transplant Recipients. <i>Journal of Clinical Gastroenterology</i> , 2012, 46, e87-e91.	2.2	5
203	DHPLC is a highly sensitive and rapid screening method to detect BRAFV600E mutation in papillary thyroid carcinoma. <i>Experimental and Molecular Pathology</i> , 2013, 94, 203-209.	2.1	5
204	Nuclear Features of Papillary Thyroid Carcinoma (BRAF-Like Tumors), Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features (RAS-Like Tumors), and Follicular Adenoma/Follicular Thyroid Carcinoma (RAS-Like Tumors). , 2019, , 173-179.		5
205	Distinct Clinical Manifestations of Thyroid Cancer After Hematopoietic Stem Cell Transplantation. <i>Annals of Surgical Oncology</i> , 2019, 26, 3586-3592.	1.5	5
206	Differentiation of soft-tissue lymphoma from undifferentiated sarcoma: apparent diffusion coefficient histogram analysis. <i>Acta Radiologica</i> , 2021, 62, 1045-1051.	1.1	5
207	Late-onset distant metastases confer poor prognosis in patients with well-differentiated thyroid cancer. <i>Gland Surgery</i> , 2020, 9, 1857-1866.	1.1	5
208	Response to Cherella <i>et al.</i> re: "The Use of the Bethesda System for Reporting Thyroid Cytopathology in Pediatric Thyroid Nodules: A Meta-Analysis" <i>Thyroid</i> , 2021, 31, 1442-1444.	4.5	5
209	Benign versus Malignant Soft-Tissue Tumors: Differentiation with 3T Magnetic Resonance Image Textural Analysis Including Diffusion-Weighted Imaging. <i>Investigative Magnetic Resonance Imaging</i> , 2021, 25, 118.	0.4	5
210	Articular Cartilage: Histology and Physiology. , 2014, , 17-21.		5
211	Prognostic implication of ERCC1 protein expression in resected oropharynx and oral cavity cancer. <i>Pathology Research and Practice</i> , 2017, 213, 949-955.	2.3	4
212	Rare Manifestations of Anaplastic Thyroid Carcinoma: the Role of BRAF Mutation Analysis. <i>Journal of Korean Medical Science</i> , 2017, 32, 1721.	2.5	4
213	Tumor grade in soft-tissue sarcoma. <i>Medicine (United States)</i> , 2020, 99, e20880.	1.0	4
214	Serum CYFRA 21.1 Level Predicts Disease Course in Thyroid Cancer with Distant Metastasis. <i>Cancers</i> , 2021, 13, 811.	3.7	4
215	Thyroid Isthmusectomy with Prophylactic Central Compartment Neck Dissection is a Feasible Approach for Papillary Thyroid Cancer on the Isthmus. <i>Annals of Surgical Oncology</i> , 2021, 28, 6603-6612.	1.5	4
216	Nasal Turbinate Mesenchymal Stromal Cells Preserve Characteristics of Their Neural Crest Origin and Exert Distinct Paracrine Activity. <i>Journal of Clinical Medicine</i> , 2021, 10, 1792.	2.4	4

#	ARTICLE	IF	CITATIONS
217	New insights into classification and risk stratification of encapsulated thyroid tumors with a predominantly papillary architecture. <i>Journal of Pathology and Translational Medicine</i> , 2020, 54, 197-203.	1.1	4
218	The clinical characteristics of RET rearranged lung adenocarcinoma patients.. <i>Journal of Clinical Oncology</i> , 2015, 33, e18528-e18528.	1.6	3
219	Spindle Cell Lipoma Involving the Larynx and Lateral Neck Space. <i>Korean Journal of Pathology</i> , 2009, 43, 171.	1.3	3
220	Continuous quality improvement program and its results of Korean Society for Cytopathology. <i>Journal of Pathology and Translational Medicine</i> , 2020, 54, 246-252.	1.1	3
221	Monocyte adhesion to endothelial cells increases with hind-limb unloading in rats. <i>Aviation, Space, and Environmental Medicine</i> , 2005, 76, 720-5.	0.5	3
222	Crosstalk between the tumor microenvironment and immune response in thyroid cancer. <i>Gland Surgery</i> , 2019, 8, 294-297.	1.1	2
223	Clinicopathological parameters for predicting non-invasive follicular thyroid neoplasm with papillary features (NIFTP). <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2021, 12, 204201882110005.	3.2	2
224	Assessing the diagnostic performance of thyroid biopsy with recommendations for appropriate interpretation. <i>Ultrasonography</i> , 2021, 40, 228-236.	2.3	2
225	Diagnostic Dilemma of a Follicular Lesions/Neoplasm in Thyroid Fine Needle Aspiration Cytology. <i>Journal of Korean Thyroid Association</i> , 2012, 5, 104.	0.2	2
226	Prognostic Significance of Glycolytic Metabolic Change Related to HIF-1 α in Oral Squamous Cell Carcinomas. <i>Korean Journal of Pathology</i> , 2010, 44, 360.	1.3	2
227	Low-Grade Endometrial Stromal Sarcoma with Inferior Vena Cava Extension: First Report in Korea. <i>Vascular Specialist International</i> , 2014, 30, 98-101.	0.6	2
228	Sigmoid Colon Cancer with Metastasis to the Right Spermatic Cord. <i>Journal of the Korean Society of Coloproctology</i> , 2007, 23, 203.	0.2	2
229	Inflammatory Myofibroblastic Tumor of the Bladder: Report of Two Cases. <i>Journal of the Korean Society of Radiology</i> , 2010, 63, 261.	0.2	2
230	A Case of Intra-abdominal Heterotopic Paragonimiasis Combined with Rectal Cancer. <i>Journal of the Korean Society of Coloproctology</i> , 2010, 26, 157.	0.2	2
231	Comparison of Clinical Efficacy between an HPV DNA Chip and a Hybrid-Capture II Assay in a Patient with Abnormal Colposcopic Findings. <i>The Korean Journal of Cytopathology</i> , 2008, 19, 119.	0.1	1
232	$Xp11.2$ translocation renal cell carcinoma associated with non-neoplastic osteoclast-like giant cells. <i>Pathology International</i> , 2013, 63, 336-338.	1.3	1
233	Pseudomyxoma peritonei extending to the lower extremity: a case report. <i>World Journal of Surgical Oncology</i> , 2015, 13, 221.	1.9	1
234	Detection of RET (rearranged during transfection) variants and their downstream signal molecules in RET rearranged lung adenocarcinoma patients. <i>Surgical Oncology</i> , 2018, 27, 106-113.	1.6	1

#	ARTICLE	IF	CITATIONS
235	NIFTP in Asian Practice: A Pathologist's Perspective. , 2019, , 195-207.		1
236	Clinical and pathologic features for predicting malignancy in thyroid follicular neoplasms. Gland Surgery, 2021, 10, 50-58.	1.1	1
237	Clinical Outcome of Fine Needle Aspiration Cytology and Washout Thyroglobulin in Suspicious Lymph Nodes in Differentiated Thyroid Carcinoma: Discordant Results in Real-World Practice. International Journal of Thyroidology, 2021, 14, 18-27.	0.1	1
238	Preference and Demand for Digital Pathology and Computer-Aided Diagnosis among Korean Pathologists: A Survey Study Focused on Prostate Needle Biopsy. Applied Sciences (Switzerland), 2021, 11, 7380.	2.5	1
239	KIF5B-RET fusion gene and oncogenic mutations of EGFR or KRAS gene in lung adenocarcinomas.. Journal of Clinical Oncology, 2014, 32, 7537-7537.	1.6	1
240	A Patient with Concurrent Medullary and Papillary Carcinoma of the Thyroid. Journal of Korean Endocrine Society, 2007, 22, 235.	0.1	1
241	Predictive Factors of Malignancy in Thyroid Nodules Diagnosed as Follicular Neoplasm or Hürthle Cell Neoplasm on FNA. The Korean Journal of Endocrine Surgery, 2012, 12, 231.	0.1	1
242	Papillary thyroid carcinoma variants with tall columnar cells. Journal of Pathology and Translational Medicine, 2020, 54, 123-123.	1.1	1
243	CD56 Expression in Papillary Thyroid Carcinoma Is Highly Dependent on the Histologic Subtype: A Potential Diagnostic Pitfall. Applied Immunohistochemistry and Molecular Morphology, 2022, 30, 389-396.	1.2	1
244	The Diagnostic Accuracy of Fine Needle Aspiration Cytology and the Diagnostic Usefulness of Galectin-3 Immunostaining for the Follicular Variant of Papillary Thyroid Carcinoma. The Korean Journal of Cytopathology, 2008, 19, 160.	0.1	0
245	Mutational patterns and novel mutations of BRAF gene in a large cohort of Korean patients with papillary thyroid carcinoma. Thyroid, 2012, , 120119214104006.	4.5	0
246	A Case of Adjuvant Treatment with Sorafenib after Radiotherapy for Brain Metastasis from Poorly Differentiated Thyroid Carcinoma. International Journal of Thyroidology, 2015, 8, 198.	0.1	0
247	The History of Korean Thyroid Pathology. International Journal of Thyroidology, 2018, 11, 15.	0.1	0
248	Extrusion of Biocompatible Osteoconductive Polymer (BOP) Causing Cervical Myelopathy. World Neurosurgery, 2019, 127, 249-252.	1.3	0
249	Core Needle Biopsy for the Diagnosis of Thyroid Nodules: Pathologic Aspects. , 2019, , 491-504.		0
250	Understanding Neoplasm of Uncertain or Unknown Behavior of the Thyroid in Korean Clinical Practice. International Journal of Thyroidology, 2019, 12, 1.	0.1	0
251	Potential Oncogenic Role of the Papillary Renal Cell Carcinoma Gene in Non-Small Cell Lung Cancers. Yonsei Medical Journal, 2019, 60, 326.	2.2	0
252	Metastasis of Merkel Cell Carcinoma to the Thyroid Gland: a Case Report. Journal of Endocrine Surgery, 2021, 21, 41.	0.1	0

#	ARTICLE	IF	CITATIONS
253	Tumor Margin Infiltration in Soft Tissue Sarcomas: Prediction Using 3T MRI Texture Analysis. Journal of the Korean Society of Radiology, 0, 82, .	0.2	0
254	A case of mucinous borderline tumour showing persistently elevated tumor markers progressed into invasive mucinous cystadenocarcinoma. Korean Journal of Gynecologic Oncology, 2007, 18, 245.	0.1	0
255	Usefulness of Preoperative Ultrasound-guided Localization of Cervical Lymph Nodes with Skin Marking in Papillary Thyroid Cancer Patients. The Korean Journal of Endocrine Surgery, 2008, 8, 23.	0.1	0
256	Follicular Variant of Papillary Thyroid Carcinoma; Clinicopathologic Features. The Korean Journal of Endocrine Surgery, 2009, 9, 65.	0.1	0
257	Galectin-3 Expression and BRAF Mutation in Cases of Cytologically Suspicious Papillary Thyroid Carcinoma. Korean Journal of Pathology, 2010, 44, 191.	1.3	0
258	Clinicopathologic Significances of EGFR Expression at Invasive Front of Colorectal Cancer. Korean Journal of Pathology, 2010, 44, 16.	1.3	0
259	The upregulation of FOXA2 transcription factor in RET rearranged lung adenocarcinoma.. Journal of Clinical Oncology, 2016, 34, e20014-e20014.	1.6	0
260	Clinical experience of immune checkpoint inhibitor for a metastatic jejunal cancer patient with a high tumor mutational burden and low expression of programmed death-ligand 1. Korean Journal of Clinical Oncology, 2020, 16, 57-62.	0.1	0
261	Abstract 3876: Multiplex immunohistochemistry accurately defines the immune compositional change of tumor microenvironment to predict hyperprogressive disease. , 2020, , .		0
262	Comparison of the clinicopathological features and oncologic outcomes of the classic papillary thyroid carcinoma with tall cell features and tall cell variant. Gland Surgery, 2022, 11, 56-66.	1.1	0