Mauri Aalto

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8820183/publications.pdf

Version: 2024-02-01

		304743	302126
50	1,579	22	39
papers	citations	h-index	g-index
50	F.O.	F.O.	2005
50	50	50	2005
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	AUDIT and its abbreviated versions in detecting heavy and binge drinking in a general population survey. Drug and Alcohol Dependence, 2009, 103, 25-29.	3.2	133
2	Effectiveness of strategies to implement brief alcohol intervention in primary healthcare. Scandinavian Journal of Primary Health Care, 2006, 24, 5-15.	1.5	118
3	The alcohol use disorders identification test (AUDIT) and its derivatives in screening for heavy drinking among the elderly. International Journal of Geriatric Psychiatry, 2011, 26, 881-885.	2.7	106
4	Obstacles to carrying out brief intervention for heavy drinkers in primary health care: a focus group study. Drug and Alcohol Review, 2003, 22, 169-173.	2.1	96
5	Primary health care nurses' and physicians' attitudes, knowledge and beliefs regarding brief intervention for heavy drinkers. Addiction, 2001, 96, 305-311.	3.3	84
6	Carbohydrate-Deficient Transferrin and Conventional Alcohol Markers as Indicators for Brief Intervention among Heavy Drinkers in Primary Health Care. Alcoholism: Clinical and Experimental Research, 1998, 22, 892-896.	2.4	72
7	Primary health care professionals' activity in intervening in patients' alcohol drinking during a 3-year brief intervention implementation project. Drug and Alcohol Dependence, 2003, 69, 9-14.	3.2	68
8	Primary health care professionals' activity in intervening in patients' alcohol drinking: a patient perspective. Drug and Alcohol Dependence, 2002, 66, 39-43.	3.2	65
9	Binge drinking and its detection among middleâ€aged men using AUDIT, AUDIT and AUDITâ€3. Drug and Alcohol Review, 2007, 26, 295-299.	2.1	64
10	Brief Intervention for Female Heavy Drinkers in Routine General Practice: A 3-Year Randomized, Controlled Study. Alcoholism: Clinical and Experimental Research, 2000, 24, 1680-1686.	2.4	61
11	Health-related quality of life in alcohol dependence: A systematic literature review with a specific focus on the role of depression and other psychopathology. Nordic Journal of Psychiatry, 2014, 68, 369-384.	1.3	59
12	Effectiveness of Structured Questionnaires for Screening Heavy Drinking in Middle-Aged Women. Alcoholism: Clinical and Experimental Research, 2006, 30, 1884-1888.	2.4	57
13	AUDIT , AUDITâ€3 and AUDITâ€QF in screening risky drinking among Finnish occupational healthâ€care patients. Drug and Alcohol Review, 2010, 29, 563-567.	2.1	52
14	Hazardous Drinking: Prevalence and Associations in the Finnish General Population. Alcoholism: Clinical and Experimental Research, 2008, 32, 1615-1622.	2.4	42
15	Drinking habits and prevalence of heavy drinking among primary health care outpatients and general population. Addiction, 1999, 94, 1371-1379.	3.3	36
16	Alcohol consumption and all-cause mortality among elderly in Finland. Drug and Alcohol Dependence, 2010, 106, 212-218.	3.2	35
17	Effect of Age and Gender on the Relationship between Alcohol Consumption and Serum GGT: Time to Recalibrate Goals for Normal Ranges. Alcohol and Alcoholism, 2012, 47, 558-562.	1.6	31
18	Screening for Atâ€Risk Drinking in a Population Reporting Symptoms of Depression: A Validation of the <scp>AUDIT</scp> , <scp> AUDIT</scp> , and <scp>AUDIT</scp> â€3. Alcoholism: Clinical and Experimental Research, 2015, 39, 1186-1192.	2.4	31

#	Article	IF	CITATIONS
19	µ-Opioid Receptor Gene (OPRM1) Polymorphism A118G: Lack of Association in Finnish Populations with Alcohol Dependence or Alcohol Consumption. Alcohol and Alcoholism, 2013, 48, 519-525.	1.6	28
20	Impacts of common factors of life style on serum liver enzymes. World Journal of Gastroenterology, 2014, 20, 11743.	3.3	28
21	USEFULNESS, LENGTH AND CONTENT OF ALCOHOL-RELATED DISCUSSIONS IN PRIMARY HEALTH CARE: THE EXIT POLL SURVEY. Alcohol and Alcoholism, 2004, 39, 532-535.	1.6	25
22	Dose- and Gender-dependent Interactions between Coffee Consumption and Serum GGT Activity in Alcohol Consumers. Alcohol and Alcoholism, 2013, 48, 303-307.	1.6	24
23	Do primary care physicians' own AUDIT scores predict their use of brief alcohol intervention? A cross-sectional survey. Drug and Alcohol Dependence, 2006, 83, 169-173.	3.2	23
24	Buprenorphine Misuse in Finland. Substance Use and Misuse, 2007, 42, 1027-1028.	1.4	22
25	USE OF LABORATORY MARKERS AND THE AUDIT QUESTIONNAIRE BY PRIMARY CARE PHYSICIANS TO DETECT ALCOHOL ABUSE BY PATIENTS. Alcohol and Alcoholism, 2005, 40, 520-523.	1.6	20
26	A brief intervention for risky drinking-analysis of videotaped consultations in primary health care. Drug and Alcohol Review, 2004, 23, 167-170.	2.1	18
27	Where should the safe limits of alcohol consumption stand in light of liver enzyme abnormalities in alcohol consumers?. PLoS ONE, 2017, 12, e0188574.	2.5	18
28	Institutionalization of Brief Alcohol Intervention in Primary Health Careâ€"The <scp>F</scp> innish Case. Alcoholism: Clinical and Experimental Research, 2012, 36, 1456-1461.	2.4	16
29	Impacts of unfavourable lifestyle factors on biomarkers of liver function, inflammation and lipid status. PLoS ONE, 2019, 14, e0218463.	2.5	16
30	Implementation of brief alcohol intervention in primary health care: do nurses' and general practitioners' attitudes, skills and knowledge change?. Drug and Alcohol Review, 2005, 24, 555-558.	2.1	15
31	Combined effects of lifestyle risk factors on fatty liver index. BMC Gastroenterology, 2020, 20, 109.	2.0	13
32	Depression and heavy drinking occasions: A cross-sectional general population study. Addictive Behaviors, 2011, 36, 375-380.	3.0	12
33	Effectiveness of buprenorphine maintenance treatment as compared to a syringe exchange program among buprenorphine misusing opioid-dependent patients. Nordic Journal of Psychiatry, 2011, 65, 238-243.	1.3	12
34	Laboratory test based assessment of WHO alcohol risk drinking levels. Scandinavian Journal of Clinical and Laboratory Investigation, 2019, 79, 58-64.	1.2	11
35	Primary health care physicians' definitions on when to advise a patient about weekly and binge drinking. Addictive Behaviors, 2007, 32, 1321-1330.	3.0	10
36	Liver enzymes in alcohol consumers with or without binge drinking. Alcohol, 2019, 78, 13-19.	1.7	10

#	Article	IF	CITATIONS
37	The role of general practitioners' working style and brief alcohol intervention activity. Addiction, 2003, 98, 1447-1451.	3.3	8
38	The association of alcohol use and quality of life in depressed and non-depressed individuals: a cross-sectional general population study. Quality of Life Research, 2018, 27, 1217-1226.	3.1	8
39	ALCOHOL DRINKING AMONG EMERGENCY PATIENTSALCOMETER USE AND DOCUMENTATION. Alcohol and Alcoholism, 2004, 39, 262-265.	1.6	7
40	Individual and Joint Impacts of Ethanol Use, BMI, Age and Gender on Serum Gamma-Glutamyltransferase Levels in Healthy Volunteers. International Journal of Molecular Sciences, 2013, 14, 11929-11941.	4.1	7
41	Goal-related outcome after acute alcohol-pancreatitis — A two-year follow-up study. Addictive Behaviors, 2013, 38, 2805-2809.	3.0	5
42	Predictors of Persistence of Risky Drinking in Adults: An 11-Year Follow-Up Study. European Addiction Research, 2017, 23, 231-237.	2.4	5
43	Audit Questionnaire as Part of Community Action Against Heavy Drinking. Alcohol and Alcoholism, 2008, 43, 442-445.	1.6	3
44	Drinking habits and prevalence of heavy drinking among occupational healthcare patients. Scandinavian Journal of Primary Health Care, 2009, 27, 53-57.	1.5	2
45	Mean-Weekly Alcohol Questions Are not Recommended for Clinical Work. Alcohol and Alcoholism, 2013, 48, 308-311.	1.6	2
46	Withdrawal from Long-Term Use of Unusually High-Dose Oxazepam. Case Reports in Psychiatry, 2021, 2021, 1-4.	0.5	1
47	The FAST in screening for at-risk drinking among middle-aged women. Journal of Substance Use, 2019, 24, 571-574.	0.7	0
48	Alcohol-related activities in primary health care. Journal of Substance Use, 2021, 26, 79-84.	0.7	0
49	Intervenciones breves en alcohol como rutina diaria. Proyecto de investigación acción de directrices para atención primaria. Revista De Psicologia De La Salud, 2004, 16, 289.	0.5	0
50	Concurrent use of alcohol and sedatives in Finnish general population. Journal of Substance Use, 0, , 1-4.	0.7	0