

Mauri Aalto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8820183/publications.pdf>

Version: 2024-02-01

50
papers

1,579
citations

304368

22
h-index

301761

39
g-index

50
all docs

50
docs citations

50
times ranked

2005
citing authors

#	ARTICLE	IF	CITATIONS
1	Alcohol-related activities in primary health care. <i>Journal of Substance Use</i> , 2021, 26, 79-84.	0.3	0
2	Withdrawal from Long-Term Use of Unusually High-Dose Oxazepam. <i>Case Reports in Psychiatry</i> , 2021, 2021, 1-4.	0.2	1
3	Combined effects of lifestyle risk factors on fatty liver index. <i>BMC Gastroenterology</i> , 2020, 20, 109.	0.8	13
4	The FAST in screening for at-risk drinking among middle-aged women. <i>Journal of Substance Use</i> , 2019, 24, 571-574.	0.3	0
5	Impacts of unfavourable lifestyle factors on biomarkers of liver function, inflammation and lipid status. <i>PLoS ONE</i> , 2019, 14, e0218463.	1.1	16
6	Liver enzymes in alcohol consumers with or without binge drinking. <i>Alcohol</i> , 2019, 78, 13-19.	0.8	10
7	Laboratory test based assessment of WHO alcohol risk drinking levels. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2019, 79, 58-64.	0.6	11
8	The association of alcohol use and quality of life in depressed and non-depressed individuals: a cross-sectional general population study. <i>Quality of Life Research</i> , 2018, 27, 1217-1226.	1.5	8
9	Predictors of Persistence of Risky Drinking in Adults: An 11-Year Follow-Up Study. <i>European Addiction Research</i> , 2017, 23, 231-237.	1.3	5
10	Where should the safe limits of alcohol consumption stand in light of liver enzyme abnormalities in alcohol consumers?. <i>PLoS ONE</i> , 2017, 12, e0188574.	1.1	18
11	Screening for At-Risk Drinking in a Population Reporting Symptoms of Depression: A Validation of the <sc>AUDIT</sc>, <sc>AUDIT</sc>-C, and <sc>AUDIT</sc>-B. <i>Alcoholism: Clinical and Experimental Research</i> , 2015, 39, 1186-1192.	1.4	31
12	Health-related quality of life in alcohol dependence: A systematic literature review with a specific focus on the role of depression and other psychopathology. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 369-384.	0.7	59
13	Impacts of common factors of life style on serum liver enzymes. <i>World Journal of Gastroenterology</i> , 2014, 20, 11743.	1.4	28
14	Goal-related outcome after acute alcohol-pancreatitis " A two-year follow-up study. <i>Addictive Behaviors</i> , 2013, 38, 2805-2809.	1.7	5
15	Dose- and Gender-dependent Interactions between Coffee Consumption and Serum GGT Activity in Alcohol Consumers. <i>Alcohol and Alcoholism</i> , 2013, 48, 303-307.	0.9	24
16	Individual and Joint Impacts of Ethanol Use, BMI, Age and Gender on Serum Gamma-Glutamyltransferase Levels in Healthy Volunteers. <i>International Journal of Molecular Sciences</i> , 2013, 14, 11929-11941.	1.8	7
17	Mean-Weekly Alcohol Questions Are not Recommended for Clinical Work. <i>Alcohol and Alcoholism</i> , 2013, 48, 308-311.	0.9	2
18	µ-Opioid Receptor Gene (OPRM1) Polymorphism A118G: Lack of Association in Finnish Populations with Alcohol Dependence or Alcohol Consumption. <i>Alcohol and Alcoholism</i> , 2013, 48, 519-525.	0.9	28

#	ARTICLE	IF	CITATIONS
19	Effect of Age and Gender on the Relationship between Alcohol Consumption and Serum GGT: Time to Recalibrate Goals for Normal Ranges. <i>Alcohol and Alcoholism</i> , 2012, 47, 558-562.	0.9	31
20	Institutionalization of Brief Alcohol Intervention in Primary Health Care—The Finnish Case. <i>Alcoholism: Clinical and Experimental Research</i> , 2012, 36, 1456-1461.	1.4	16
21	Depression and heavy drinking occasions: A cross-sectional general population study. <i>Addictive Behaviors</i> , 2011, 36, 375-380.	1.7	12
22	The alcohol use disorders identification test (AUDIT) and its derivatives in screening for heavy drinking among the elderly. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 881-885.	1.3	106
23	Effectiveness of buprenorphine maintenance treatment as compared to a syringe exchange program among buprenorphine misusing opioid-dependent patients. <i>Nordic Journal of Psychiatry</i> , 2011, 65, 238-243.	0.7	12
24	AUDIT-C, AUDIT-3 and AUDIT-QF in screening risky drinking among Finnish occupational health care patients. <i>Drug and Alcohol Review</i> , 2010, 29, 563-567.	1.1	52
25	Alcohol consumption and all-cause mortality among elderly in Finland. <i>Drug and Alcohol Dependence</i> , 2010, 106, 212-218.	1.6	35
26	Drinking habits and prevalence of heavy drinking among occupational healthcare patients. <i>Scandinavian Journal of Primary Health Care</i> , 2009, 27, 53-57.	0.6	2
27	AUDIT and its abbreviated versions in detecting heavy and binge drinking in a general population survey. <i>Drug and Alcohol Dependence</i> , 2009, 103, 25-29.	1.6	133
28	Hazardous Drinking: Prevalence and Associations in the Finnish General Population. <i>Alcoholism: Clinical and Experimental Research</i> , 2008, 32, 1615-1622.	1.4	42
29	Audit Questionnaire as Part of Community Action Against Heavy Drinking. <i>Alcohol and Alcoholism</i> , 2008, 43, 442-445.	0.9	3
30	Primary health care physicians' definitions on when to advise a patient about weekly and binge drinking. <i>Addictive Behaviors</i> , 2007, 32, 1321-1330.	1.7	10
31	Buprenorphine Misuse in Finland. <i>Substance Use and Misuse</i> , 2007, 42, 1027-1028.	0.7	22
32	Binge drinking and its detection among middle-aged men using AUDIT, AUDIT-C and AUDIT-3. <i>Drug and Alcohol Review</i> , 2007, 26, 295-299.	1.1	64
33	Effectiveness of strategies to implement brief alcohol intervention in primary healthcare. <i>Scandinavian Journal of Primary Health Care</i> , 2006, 24, 5-15.	0.6	118
34	Do primary care physicians' own AUDIT scores predict their use of brief alcohol intervention? A cross-sectional survey. <i>Drug and Alcohol Dependence</i> , 2006, 83, 169-173.	1.6	23
35	Effectiveness of Structured Questionnaires for Screening Heavy Drinking in Middle-Aged Women. <i>Alcoholism: Clinical and Experimental Research</i> , 2006, 30, 1884-1888.	1.4	57
36	Implementation of brief alcohol intervention in primary health care: do nurses' and general practitioners' attitudes, skills and knowledge change?. <i>Drug and Alcohol Review</i> , 2005, 24, 555-558.	1.1	15

#	ARTICLE	IF	CITATIONS
37	USE OF LABORATORY MARKERS AND THE AUDIT QUESTIONNAIRE BY PRIMARY CARE PHYSICIANS TO DETECT ALCOHOL ABUSE BY PATIENTS. Alcohol and Alcoholism, 2005, 40, 520-523.	0.9	20
38	USEFULNESS, LENGTH AND CONTENT OF ALCOHOL-RELATED DISCUSSIONS IN PRIMARY HEALTH CARE: THE EXIT POLL SURVEY. Alcohol and Alcoholism, 2004, 39, 532-535.	0.9	25
39	A brief intervention for risky drinking-analysis of videotaped consultations in primary health care. Drug and Alcohol Review, 2004, 23, 167-170.	1.1	18
40	ALCOHOL DRINKING AMONG EMERGENCY PATIENTS--ALCOMETER USE AND DOCUMENTATION. Alcohol and Alcoholism, 2004, 39, 262-265.	0.9	7
41	Intervenciones breves en alcohol como rutina diaria. Proyecto de investigaci3n acci3n de directrices para atenci3n primaria. Revista De Psicologia De La Salud, 2004, 16, 289.	0.2	0
42	Obstacles to carrying out brief intervention for heavy drinkers in primary health care: a focus group study. Drug and Alcohol Review, 2003, 22, 169-173.	1.1	96
43	The role of general practitioners' working style and brief alcohol intervention activity. Addiction, 2003, 98, 1447-1451.	1.7	8
44	Primary health care professionals' activity in intervening in patients' alcohol drinking during a 3-year brief intervention implementation project. Drug and Alcohol Dependence, 2003, 69, 9-14.	1.6	68
45	Primary health care professionals' activity in intervening in patients' alcohol drinking: a patient perspective. Drug and Alcohol Dependence, 2002, 66, 39-43.	1.6	65
46	Primary health care nurses' and physicians' attitudes, knowledge and beliefs regarding brief intervention for heavy drinkers. Addiction, 2001, 96, 305-311.	1.7	84
47	Brief Intervention for Female Heavy Drinkers in Routine General Practice: A 3-Year Randomized, Controlled Study. Alcoholism: Clinical and Experimental Research, 2000, 24, 1680-1686.	1.4	61
48	Drinking habits and prevalence of heavy drinking among primary health care outpatients and general population. Addiction, 1999, 94, 1371-1379.	1.7	36
49	Carbohydrate-Deficient Transferrin and Conventional Alcohol Markers as Indicators for Brief Intervention among Heavy Drinkers in Primary Health Care. Alcoholism: Clinical and Experimental Research, 1998, 22, 892-896.	1.4	72
50	Concurrent use of alcohol and sedatives in Finnish general population. Journal of Substance Use, 0, , 1-4.	0.3	0