

Ahsan Husain

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8821113/publications.pdf>

Version: 2024-02-01

90
papers

7,492
citations

50170

46
h-index

51492

86
g-index

94
all docs

94
docs citations

94
times ranked

6297
citing authors

#	ARTICLE	IF	CITATIONS
1	Gh: a GTP-binding protein with transglutaminase activity and receptor signaling function. <i>Science</i> , 1994, 264, 1593-1596.	6.0	572
2	Angiotensin II-forming pathways in normal and failing human hearts.. <i>Circulation Research</i> , 1990, 66, 883-890.	2.0	552
3	Heart failure, chronic diuretic use, and increase in mortality and hospitalization: an observational study using propensity score methods. <i>European Heart Journal</i> , 2006, 27, 1431-1439.	1.0	398
4	Nomenclature for angiotensin receptors. A report of the Nomenclature Committee of the Council for High Blood Pressure Research.. <i>Hypertension</i> , 1991, 17, 720-721.	1.3	388
5	Cellular localization and regional distribution of an angiotensin II-forming chymase in the heart.. <i>Journal of Clinical Investigation</i> , 1993, 91, 1269-1281.	3.9	362
6	Targeted Inactivation of Gh/Tissue Transglutaminase II. <i>Journal of Biological Chemistry</i> , 2001, 276, 20673-20678.	1.6	263
7	A Proliferative Burst during Preadolescence Establishes the Final Cardiomyocyte Number. <i>Cell</i> , 2014, 157, 795-807.	13.5	233
8	Biochemical Properties of the Ovarian Granulosa Cell Type 2-Angiotensin II Receptor*. <i>Endocrinology</i> , 1991, 128, 1947-1959.	1.4	215
9	The relevance of tissue angiotensin-converting enzyme: manifestations in mechanistic and endpoint data. <i>American Journal of Cardiology</i> , 2001, 88, 1-20.	0.7	202
10	Angiotensin II-Forming Activity in a Reconstructed Ancestral Chymase. <i>Science</i> , 1996, 271, 502-505.	6.0	191
11	Proposed Update of Angiotensin Receptor Nomenclature. <i>Hypertension</i> , 1995, 25, 924-927.	1.3	189
12	Comparative regenerative mechanisms across different mammalian tissues. <i>Npj Regenerative Medicine</i> , 2018, 3, 6.	2.5	157
13	Angiotensin II Receptors in Normal and Failing Human Hearts*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1989, 69, 54-66.	1.8	153
14	The Active State of the AT1Angiotensin Receptor Is Generated by Angiotensin II Inductionâ€€. <i>Biochemistry</i> , 1996, 35, 16435-16442.	1.2	149
15	The Docking of Arg2 of Angiotensin II with Asp281 of AT1 Receptor Is Essential for Full Agonism. <i>Journal of Biological Chemistry</i> , 1995, 270, 12846-12850.	1.6	144
16	Tetrazole and Carboxylate Groups of Angiotensin Receptor Antagonists Bind to the Same Subsite by Different Mechanisms. <i>Journal of Biological Chemistry</i> , 1995, 270, 2284-2289.	1.6	142
17	Rapid Reversal of Left Ventricular Hypertrophy and Intracardiac Volume Overload in Patients With Resistant Hypertension and Hyperaldosteronism. <i>Hypertension</i> , 2010, 55, 1137-1142.	1.3	137
18	Mechanism of allosteric regulation of transglutaminase 2 by GTP. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 19683-19688.	3.3	136

#	ARTICLE	IF	CITATIONS
19	Mast cell chymase limits the cardiac efficacy of Angiotensin-converting enzyme inhibitor therapy in rodents. <i>Journal of Clinical Investigation</i> , 2010, 120, 1229-1239.	3.9	128
20	Left Ventricular Eccentric Remodeling and Matrix Loss Are Mediated by Bradykinin and Precede Cardiomyocyte Elongation in Rats With Volume Overload. <i>Journal of the American College of Cardiology</i> , 2007, 49, 811-821.	1.2	120
21	Pathophysiologic and therapeutic importance of tissue ACE: a consensus report. <i>Cardiovascular Drugs and Therapy</i> , 2002, 16, 149-160.	1.3	118
22	Role of Aromaticity of Agonist Switches of Angiotensin II in the Activation of the AT1 Receptor. <i>Journal of Biological Chemistry</i> , 1999, 274, 7103-7110.	1.6	92
23	Evidence for Selective Expression of Angiotensin II Receptors on Atretic Follicles in the Rat Ovary: An Autoradiographic Study*. <i>Endocrinology</i> , 1988, 122, 2727-2734.	1.4	87
24	Mechanism of Constitutive Activation of the AT1 Receptor: Influence of the Size of the Agonist Switch Binding Residue Asn111. <i>Biochemistry</i> , 1998, 37, 15791-15798.	1.2	86
25	Microarray Identifies Extensive Downregulation of Noncollagen Extracellular Matrix and Profibrotic Growth Factor Genes in Chronic Isolated Mitral Regurgitation in the Dog. <i>Circulation</i> , 2009, 119, 2086-2095.	1.6	84
26	Involvement of chymase-mediated angiotensin II generation in blood pressure regulation. <i>Journal of Clinical Investigation</i> , 2004, 114, 112-120.	3.9	83
27	c-kit Is Required for Cardiomyocyte Terminal Differentiation. <i>Circulation Research</i> , 2008, 102, 677-685.	2.0	82
28	Inflammation, Oxidation and Venous Neointimal Hyperplasia Precede Vascular Injury from AVF Creation in CKD Patients. <i>Journal of Vascular Access</i> , 2012, 13, 168-174.	0.5	81
29	DJ-1 protects the heart against ischemia-reperfusion injury by regulating mitochondrial fission. <i>Journal of Molecular and Cellular Cardiology</i> , 2016, 97, 56-66.	0.9	79
30	Dissecting the role of chymase in angiotensin II formation and heart and blood vessel diseases. <i>Current Opinion in Cardiology</i> , 2002, 17, 374-379.	0.8	76
31	CD163 interacts with TWEAK to regulate tissue regeneration after ischaemic injury. <i>Nature Communications</i> , 2015, 6, 7792.	5.8	75
32	Distinct Multisite Synergistic Interactions Determine Substrate Specificities of Human Chymase and Rat Chymase-1 for Angiotensin II Formation and Degradation. <i>Journal of Biological Chemistry</i> , 1997, 272, 2963-2968.	1.6	72
33	A Despecialization Step Underlying Evolution of a Family of Serine Proteases. <i>Molecular Cell</i> , 2003, 12, 343-354.	4.5	71
34	Thyroid hormone action in postnatal heart development. <i>Stem Cell Research</i> , 2014, 13, 582-591.	0.3	68
35	Distribution of Angiotensin-Converting Enzyme and Angiotensin II-Receptor Binding Sites in the Rat Ovary1. <i>Biology of Reproduction</i> , 1988, 38, 695-702.	1.2	66
36	The chymase-angiotensin system in humans. <i>Journal of Hypertension</i> , 1993, 11, 1155-1160.	0.3	65

#	ARTICLE	IF	CITATIONS
37	Dynamic molecular and histopathological changes in the extracellular matrix and inflammation in the transition to heart failure in isolated volume overload. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011, 300, H2251-H2260.	1.5	64
38	Measurement of immunoreactive angiotensin peptides in rat tissues: Some pitfalls in angiotensin II analysis. <i>Analytical Biochemistry</i> , 1988, 174, 80-87.	1.1	56
39	Human Prochymase Activation. <i>Journal of Biological Chemistry</i> , 1995, 270, 2218-2223.	1.6	56
40	Tumor necrosis factor- α produced in cardiomyocytes mediates a predominant myocardial inflammatory response to stretch in early volume overload. <i>Journal of Molecular and Cellular Cardiology</i> , 2010, 49, 70-78.	0.9	52
41	GTP Cyclohydrolase I Phosphorylation and Interaction With GTP Cyclohydrolase Feedback Regulatory Protein Provide Novel Regulation of Endothelial Tetrahydrobiopterin and Nitric Oxide. <i>Circulation Research</i> , 2010, 106, 328-336.	2.0	51
42	Sodium Sulfide Attenuates Ischemic-Induced Heart Failure by Enhancing Proteasomal Function in an Nrf2-Dependent Manner. <i>Circulation: Heart Failure</i> , 2016, 9, e002368.	1.6	51
43	Arg1098 Is Critical for the Chloride Dependence of Human Angiotensin I-converting Enzyme C-domain Catalytic Activity. <i>Journal of Biological Chemistry</i> , 2001, 276, 33518-33525.	1.6	50
44	Involvement of chymase-mediated angiotensin II generation in blood pressure regulation. <i>Journal of Clinical Investigation</i> , 2004, 114, 112-120.	3.9	50
45	Evolutionary specialization of a tryptophan indole group for transition-state stabilization by eukaryotic transglutaminases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 12636-12641.	3.3	49
46	Angiotensin II: An Intraovarian Regulatory Peptide. <i>American Journal of the Medical Sciences</i> , 1988, 295, 406-408.	0.4	47
47	Rat Ovarian Renin: Characterization and Changes during the Estrous Cycle*. <i>Endocrinology</i> , 1988, 123, 2331-2340.	1.4	44
48	Chymase Inhibition Prevents Fibronectin and Myofibrillar Loss and Improves Cardiomyocyte Function and LV Torsion Angle in Dogs With Isolated Mitral Regurgitation. <i>Circulation</i> , 2010, 122, 1488-1495.	1.6	44
49	Characterization of Angiotensin I-Converting Enzyme (ACE)-Containing Follicles in the Rat Ovary during the Estrous Cycle and Effects of ACE Inhibitor on Ovulation*. <i>Endocrinology</i> , 1990, 126, 2927-2935.	1.4	43
50	Impact of Lymphangiogenesis on Cardiac Remodeling After Ischemia and Reperfusion Injury. <i>Journal of the American Heart Association</i> , 2018, 7, e009565.	1.6	43
51	Cellular organization of the brain renin-angiotensin system. <i>Life Sciences</i> , 1987, 41, 1867-1879.	2.0	42
52	α -Tryptase Is Expressed in Multiple Human Tissues, and a Recombinant Form Has Proteolytic Activity. <i>Journal of Immunology</i> , 2002, 169, 5145-5152.	0.4	40
53	Identificaion of angiotensin II receptors in the rat ovary. <i>European Journal of Pharmacology</i> , 1986, 130, 351-352.	1.7	37
54	IGF-1 degradation by mouse mast cell protease 4 promotes cell death and adverse cardiac remodeling days after a myocardial infarction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 6949-6954.	3.3	36

#	ARTICLE	IF	CITATIONS
55	Changes in zinc ligation promote remodeling of the active site in the zinc hydrolase superfamily. <i>Journal of Molecular Biology</i> , 2001, 314, 1191-1207.	2.0	35
56	Î²1-Adrenoceptor blockade mitigates excessive norepinephrine release into cardiac interstitium in mitral regurgitation in dog. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006, 291, H147-H151.	1.5	34
57	Impact of Mast Cell Chymase on Renal Disease Progression. <i>Current Hypertension Reviews</i> , 2012, 8, 15-23.	0.5	33
58	Angiotensin I-converting Enzyme Transition State Stabilization by His1089. <i>Journal of Biological Chemistry</i> , 2001, 276, 4998-5004.	1.6	32
59	Rat brain angiotensin II receptors: Effects of intracerebroventricular angiotensin II infusion. <i>Brain Research</i> , 1984, 303, 133-139.	1.1	28
60	Role of DJâ€1 in Modulating Glycative Stress in Heart Failure. <i>Journal of the American Heart Association</i> , 2020, 9, e014691.	1.6	26
61	Brain renin: localization in rat brain synaptosomal fractions. <i>Brain Research</i> , 1981, 222, 182-186.	1.1	24
62	Increased Plasma Chymase Concentration and Mast Cell Chymase Expression in Venous Neointimal Lesions of Patients with CKD and ESRD. <i>Seminars in Dialysis</i> , 2011, 24, 688-693.	0.7	22
63	Restricted Dietary Sodium Intake Alters Peripheral but Not Central Angiotensin II Receptors. <i>Neuroendocrinology</i> , 1984, 38, 387-392.	1.2	21
64	Insights into the Characteristics of Mammalian Cardiomyocyte Terminal Differentiation Shown Through the Study of Mice with a Dysfunctional c-Kit. <i>Pediatric Cardiology</i> , 2009, 30, 651-658.	0.6	20
65	Molecular Basis of Exopeptidase Activity in the C-terminal Domain of Human Angiotensin I-converting Enzyme. <i>Journal of Biological Chemistry</i> , 2005, 280, 6669-6675.	1.6	19
66	Redox activation of JNK2Î±2 mediates thyroid hormone-stimulated proliferation of neonatal murine cardiomyocytes. <i>Scientific Reports</i> , 2019, 9, 17731.	1.6	17
67	Preparation and one-step purification of mono-125I-angiotensin II for radioligand binding assays. <i>Journal of Pharmacological Methods</i> , 1984, 11, 137-150.	0.7	16
68	Do Studies With ACE N- and C-Domainâ€Selective Inhibitors Provide Evidence for a Non-ACE, Non-Chymase Angiotensin IIâ€Forming Pathway?. <i>Circulation Research</i> , 2003, 93, 91-93.	2.0	14
69	Cardiomyocytes Replicate and their Numbers Increase in Young Hearts. <i>Cell</i> , 2015, 163, 783-784.	13.5	14
70	Report of the Joint Nomenclature and Standardization Committee of the International Society of Hypertension, American Heart Association and the World Health Organization. <i>Journal of Hypertension</i> , 1987, 5, 507.	0.3	13
71	The molecular basis for the selection of captopril cis and trans conformations by angiotensin I converting enzyme. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 5084-5087.	1.0	13
72	Cardiac hypertrophy limits infarct expansion after myocardial infarction in mice. <i>Scientific Reports</i> , 2018, 8, 6114.	1.6	13

#	ARTICLE	IF	CITATIONS
73	DUSP5 expression in left ventricular cardiomyocytes of young hearts regulates thyroid hormone (T3)-induced proliferative ERK1/2 signaling. <i>Scientific Reports</i> , 2020, 10, 21918.	1.6	13
74	Rat Ovarian Angiotensin II Receptors, Renin, and Angiotensin I-Converting Enzyme during Pregnancy and the Postpartum Period. <i>Biology of Reproduction</i> , 1992, 47, 925-930.	1.2	12
75	Selective Reporter Expression in Mast Cells Using a Chymase Promoter. <i>Journal of Biological Chemistry</i> , 1997, 272, 2969-2976.	1.6	12
76	Pressure overload by suprarenal aortic constriction in mice leads to left ventricular hypertrophy without c-Kit expression in cardiomyocytes. <i>Scientific Reports</i> , 2020, 10, 15318.	1.6	12
77	Basal and potassium-evoked release of angiotensin II from the rat hypothalamus. <i>Brain Research</i> , 1986, 397, 193-196.	1.1	11
78	Alternate mRNA Splicing in Multiple Human Tryptase Genes Is Predicted to Regulate Tetramer Formation. <i>Journal of Biological Chemistry</i> , 2008, 283, 34178-34187.	1.6	11
79	Biochemical and Immunological Properties of Dog Brain Isorenin*. <i>Endocrinology</i> , 1984, 114, 2210-2215.	1.4	10
80	Thyroid hormone plus dual-specificity phosphatase-5 siRNA increases the number of cardiac muscle cells and improves left ventricular contractile function in chronic doxorubicin-injured hearts. <i>Theranostics</i> , 2021, 11, 4790-4808.	4.6	8
81	Characterization of Receptors for Angiotensin-Induced Drinking and Blood Pressure Responses in Conscious Rats using Angiotensin Analogs Extended at the N-Terminal. <i>Neuroendocrinology</i> , 1986, 42, 289-295.	1.2	5
82	VALIDD should not invalidate angiotensin-receptor blockers. <i>Lancet</i> , The, 2007, 369, 2053-2054.	6.3	5
83	Standardised method for cardiomyocyte isolation and purification from individual murine neonatal, infant, and adult hearts. <i>Journal of Molecular and Cellular Cardiology</i> , 2022, 170, 47-59.	0.9	5
84	Mechanism-Based Cardiac Regeneration Strategies in Mammals. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 747842.	1.8	4
85	A simple microassay for the estimation of renin concentration in plasma. <i>Journal of Pharmacological Methods</i> , 1980, 4, 115-125.	0.7	3
86	Upregulation of cardiac interstitial chymase after canine myocardial ischemia and reperfusion. <i>FASEB Journal</i> , 2008, 22, 730.28.	0.2	2
87	Remuscularization with triiodothyronine and β -blocker therapy reverses post-ischemic left ventricular dysfunction and adverse remodeling. <i>Scientific Reports</i> , 2022, 12, .	1.6	2
88	Mast Cells Modulate Cardiac Interstitial Angiotensin II levels by Regulating Interstitial ACE But Not Chymase Activity in Conscious Mice. <i>FASEB Journal</i> , 2007, 21, A870.	0.2	0
89	Genome-wide expression profiling of a rat acute volume overload model identifies a major inflammatory response associated with extracellular matrix homeostasis disorder. <i>FASEB Journal</i> , 2008, 22, 923.4.	0.2	0
90	Extensive Downregulation of Matrix Scaffolding Genes and TGF β in Isolated Mitral Regurgitation in the Dog. <i>FASEB Journal</i> , 2008, 22, 1155.8.	0.2	0