## Reza Mirzaeifar

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8821474/publications.pdf

Version: 2024-02-01

304368 301761 1,778 77 22 39 h-index citations g-index papers 79 79 79 1703 docs citations times ranked citing authors all docs

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Effect of manufacturing parameters on mechanical properties of 316L stainless steel parts fabricated by selective laser melting: A computational framework. Materials and Design, 2016, 112, 328-338.                  | 3.3 | 153       |
| 2  | Spatter formation in selective laser melting process using multi-laser technology. Materials and Design, 2017, 131, 460-469.   | 3.3 | 134       |
| 3  | A combined analytical, numerical, and experimental study of shape-memory-alloy helical springs.<br>International Journal of Solids and Structures, 2011, 48, 611-624.  | 1.3 | 97        |
| 4  | Expansion of circular tubes by rigid tubes as impact energy absorbers: experimental and theoretical investigation. International Journal of Crashworthiness, 2007, 12, 493-501.  | 1.1 | 79        |
| 5  | Defect-Tolerant Bioinspired Hierarchical Composites: Simulation and Experiment. ACS Biomaterials Science and Engineering, 2015, 1, 295-304.  | 2.6 | 75        |
| 6  | A study on the effect of energy input on spatter particles creation during selective laser melting process. Additive Manufacturing, 2018, 20, 33-43.   | 1.7 | 68        |
| 7  | On superelastic bending of shape memory alloy beams. International Journal of Solids and Structures, 2013, 50, 1664-1680.  | 1.3 | 60        |
| 8  | Exact solutions for pure torsion of shape memory alloy circular bars. Mechanics of Materials, 2010, 42, 797-806.   | 1.7 | 56        |
| 9  | Bioinspired design of flexible armor based on chiton scales. Nature Communications, 2019, 10, 5413.  | 5.8 | 56        |
| 10 | Structural transformations in NiTi shape memory alloy nanowires. Journal of Applied Physics, 2014, 115, .  | 1.1 | 54        |
| 11 | Mesoscale mechanics of twisting carbon nanotube yarns. Nanoscale, 2015, 7, 5435-5445.  | 2.8 | 51        |
| 12 | Analysis of the rate-dependent coupled thermo-mechanical response of shape memory alloy bars and wires in tension. Continuum Mechanics and Thermodynamics, 2011, 23, 363-385.  | 1.4 | 44        |
| 13 | Micromechanics modeling of metallic alloys 3D printed by selective laser melting. Materials and Design, 2018, 137, 204-213.  | 3.3 | 44        |
| 14 | Static and Dynamic Analysis of Thick Functionally Graded Plates with Piezoelectric Layers Using Layerwise Finite Element Model. Mechanics of Advanced Materials and Structures, 2009, 16, 561-575.                     | 1.5 | 36        |
| 15 | Focused ultrasound actuation of shape memory polymers; acoustic-thermoelastic modeling and testing. RSC Advances, 2017, 7, 45452-45469.  | 1.7 | 36        |
| 16 | A micromechanical analysis of the coupled thermomechanical superelastic response of textured and untextured polycrystalline NiTi shape memory alloys. Acta Materialia, 2013, 61, 4542-4558.                            | 3.8 | 33        |
| 17 | Independent tuning of stiffness and toughness of additively manufactured titanium-polymer composites: Simulation, fabrication, and experimental studies. Journal of Materials Processing Technology, 2016, 238, 22-29. | 3.1 | 33        |
| 18 | Modeling of rolling contact fatigue in rails at the microstructural level. Wear, 2018, 406-407, 205-217.   | 1.5 | 30        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Three-dimensional study of rolling contact fatigue using crystal plasticity and cohesive zone method. International Journal of Fatigue, 2019, 128, 105208.   | 2.8 | 28        |
| 20 | New insights into the collapsing of cylindrical thin-walled tubes under axial impact load. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2007, 221, 869-885.  | 1.1 | 27        |
| 21 | A semi-analytic analysis of shape memory alloy thick-walled cylinders under internal pressure. Archive of Applied Mechanics, 2011, 81, 1093-1116.  | 1.2 | 26        |
| 22 | Coupled thermo-mechanical analysis of shape memory alloy circular bars in pure torsion. International Journal of Non-Linear Mechanics, 2012, 47, 118-128.  | 1.4 | 23        |
| 23 | Damage modeling of metallic alloys made by additive manufacturing. Materials Science & Damage modeling of metallic alloys made by additive manufacturing. Materials Science & Damage Materials: Properties, Microstructure and Processing, 2019, 743, 656-664.                         | 2.6 | 23        |
| 24 | Effect of interface configuration on the mechanical properties and dislocation mechanisms in metal graphene composites. Computational Materials Science, 2020, 178, 109621.  | 1.4 | 23        |
| 25 | Tilt grain boundaries energy and structure in NiTi alloys. Computational Materials Science, 2017, 131, 108-119.  | 1.4 | 22        |
| 26 | Shape memory alloy engine for high efficiency low-temperature gradient thermal to electrical conversion. Applied Energy, 2019, 251, 113277.  | 5.1 | 22        |
| 27 | Experiment and non-local crystal plasticity finite element study of nanoindentation on Al-8Ce-10Mg alloy. International Journal of Solids and Structures, 2021, 233, 111233.   | 1.3 | 21        |
| 28 | A new method for finding the first―and secondâ€order eigenderivatives of asymmetric nonâ€conservative systems with application to an FGM plate actively controlled by piezoelectric sensor/actuators. International Journal for Numerical Methods in Engineering, 2008, 75, 1492-1510. | 1.5 | 20        |
| 29 | Active control of natural frequencies of FGM plates by piezoelectric sensor/actuator pairs. Smart Materials and Structures, 2008, 17, 045003.  | 1.8 | 19        |
| 30 | Dissipation of cavitation-induced shock waves energy through phase transformation in NiTi alloys. International Journal of Mechanical Sciences, 2018, 137, 304-314.  | 3.6 | 19        |
| 31 | Generalized stacking fault energy and dislocation properties in NiTi shape memory alloys. Journal of Alloys and Compounds, 2017, 709, 72-81.   | 2.8 | 18        |
| 32 | An investigation of intelligent tires using multiscale modeling of cord-rubber composites. Mechanics Based Design of Structures and Machines, 2018, 46, 168-183.   | 3.4 | 18        |
| 33 | Tracking the origins of size dependency in the mechanical properties of polymeric nanofibers at the atomistic scale. Polymer, 2019, 175, 118-128.  | 1.8 | 17        |
| 34 | Graphene-Nickel interaction in layered metal-matrix composites. Surface Science, 2019, 688, 1-6.   | 0.8 | 17        |
| 35 | An investigation towards intelligent tyres using finite element analysis. International Journal of Pavement Engineering, 2020, 21, 311-321.  | 2.2 | 17        |
| 36 | Ductile Shape-Memory Polymer Composite with Enhanced Shape Recovery Ability. ACS Applied Materials & Lamp; Interfaces, 2020, 12, 58295-58300.  | 4.0 | 17        |

3

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 37 | Nonlinear finite element formulation for analyzing shape memory alloy cylindrical panels. Smart Materials and Structures, 2009, 18, 035002.   | 1.8 | 16        |
| 38 | Deformation mechanisms of the subgranular cellular structures in selective laser melted 316L stainless steel. Mechanics of Materials, 2020, 148, 103478.  | 1.7 | 16        |
| 39 | Modification of dynamic characteristics of FGM plates with integrated piezoelectric layers using first- and second-order approximations. International Journal for Numerical Methods in Engineering, 2007, 70, 1409-1429. | 1.5 | 15        |
| 40 | Selective laser melting of aluminum nano-powder particles, a molecular dynamics study. Additive Manufacturing, 2020, 35, 101272.  | 1.7 | 15        |
| 41 | Nanocrystalline nickel-graphene nanoplatelets composite: Superior mechanical properties and mechanics of properties enhancement at the atomistic level. Physical Review Materials, 2017, 1, .                             | 0.9 | 15        |
| 42 | Damage diagnosis in intelligent tires using time-domain and frequency-domain analysis. Mechanics Based Design of Structures and Machines, 2019, 47, 54-66.  | 3.4 | 14        |
| 43 | Tensile strength of carbyne chains in varied chemical environments and structural lengths.<br>Nanotechnology, 2014, 25, 371001.   | 1.3 | 13        |
| 44 | Tire health monitoring using the intelligent tire concept. Structural Health Monitoring, 2019, 18, 390-400.   | 4.3 | 13        |
| 45 | Copper-graphene composites; developing the MEAM potential and investigating their mechanical properties. Computational Materials Science, 2021, 188, 110204.  | 1.4 | 12        |
| 46 | An approximate method for simultaneous modification of natural frequencies and buckling loads of thin rectangular isotropic plates. Engineering Structures, 2009, 31, 208-215.  | 2.6 | 11        |
| 47 | Energy dissipation of shock-generated stress waves through phase transformation and plastic deformation in NiTi alloys. Mechanics of Materials, 2019, 137, 103090.  | 1.7 | 11        |
| 48 | A constriction channel analysis of astrocytoma stiffness and disease progression. Biomicrofluidics, 2021, 15, 024103.   | 1.2 | 11        |
| 49 | Optimization of the Dynamic Characteristics of Composite Plates Using an Inverse Approach. Journal of Composite Materials, 2007, 41, 3091-3108.   | 1.2 | 10        |
| 50 | Coupled modification of natural frequencies and buckling loads of composite cylindrical panels. International Journal of Mechanical Sciences, 2009, 51, 708-717.  | 3.6 | 8         |
| 51 | A review of fatigue and fracture mechanics with a focus on rubber-based materials. Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications, 2019, 233, 1005-1019.   | 0.7 | 8         |
| 52 | Interplay of Chain Orientation and Bond Length in Size Dependency of Mechanical Properties in Polystyrene Nanofibers. ACS Applied Polymer Materials, 2020, 2, 1664-1671.  | 2.0 | 8         |
| 53 | Achieving multimodal locomotion by a crosslinked poly(ethylene-co-vinyl acetate)-based two-way shape memory polymer. Smart Materials and Structures, 2022, 31, 015034.  | 1.8 | 8         |
| 54 | Multiscale mechanics of the lateral pressure effect on enhancing the load transfer between polymer coated CNTs. Nanoscale, 2017, 9, 5565-5576.  | 2.8 | 7         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Deformation mechanisms and defect tolerance in the microstructure of 3D-printed alloys. Journal of Materials Research, 2020, 35, 1984-1997.   | 1.2 | 7         |
| 56 | Ultrasound actuated shape-memory polymer based drug delivery containers. , 2018, , .  |     | 7         |
| 57 | Stress Wave and Phase Transformation Propagation at the Atomistic Scale in NiTi Shape Memory Alloys Subjected to Shock Loadings. Shape Memory and Superelasticity, 2018, 4, 435-449.  | 1.1 | 6         |
| 58 | Interaction of high-intensity focused ultrasound with polymers at the atomistic scale. Nanotechnology, 2021, 32, 045707.  | 1.3 | 6         |
| 59 | Finite Element Modeling of Selective Laser Melting 316L Stainless Steel Parts for Evaluating the Mechanical Properties. , 2016, , .   |     | 5         |
| 60 | Ultrasound Actuation of Shape-Memory Polymer Filaments: Acoustic-Thermoelastic Modeling and Testing., 2017,,.   |     | 4         |
| 61 | Developing an experimental-computational framework to investigate the deformation mechanisms and mechanical properties of Al-8Ce-10Mg alloys at micro and macroscales. Materials Today Communications, 2021, 28, 102674.  | 0.9 | 4         |
| 62 | Modeling, characterization and parametric identification of low velocity impact behavior of time-dependent hyper-viscoelastic sandwich panels. Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications, 2019, 233, 622-636. | 0.7 | 3         |
| 63 | Numerical Investigation of Scale Factor in Composites Applying Extended Finite Element Method. , 2016, , .  |     | 2         |
| 64 | Computational Study of Fatigue in Sub-grain Microstructure of Additively Manufactured Alloys. Journal of Materials Engineering and Performance, 2020, 29, 4631-4640.  | 1.2 | 2         |
| 65 | A New Method for Analyzing Thick Walled Shape Memory Alloy Cylinders Subjected to Internal Pressure. , 2009, , .  |     | 1         |
| 66 | Modifying the Shear Buckling Loads of Metal Shear Walls for Improving Their Energy Absorption Capacity. Advances in Structural Engineering, 2011, 14, 1247-1257.  | 1.2 | 1         |
| 67 | A closed-form solution for superelastic shape memory alloy beams subjected to bending. Proceedings of SPIE, 2012, , .   | 0.8 | 1         |
| 68 | Computational investigation of deformation mechanisms at the atomistic scale of metallic glass-graphene composites (MGGCs). Journal of Applied Physics, 2021, 130, .  | 1.1 | 1         |
| 69 | Modeling of NiTiHf using finite difference method. , 2018, , .  |     | 1         |
| 70 | An Iterative Method for Large Modification of Vibration and Buckling Characteristics of Plates Simultaneously., 2011,,.   |     | 0         |
| 71 | A Simplified Constitutive Model for Simulating the Rate-Dependent Superelastic Shape Memory Alloys in Fast Loadings. , $2011, \ldots$   |     | 0         |
| 72 | Is the Stress Distribution Uniform in the Cross Section of SMA Bars Subjected to Uniaxial Loading? Is it Related to Rate Dependency?. , $2011$ , , .  |     | 0         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Exact Solution for Pure Torsion of SMA Curved Bars With Application to Analyzing SMA Helical Springs. , $2011,\ldots$  |     | 0         |
| 74 | Bending Analysis of Textured Polycrystalline Shape Memory Alloy Beams. , 2012, , .   |     | 0         |
| 75 | A Multi-Scale Model for Bending Stiffness of CNT Strands in CNT Fibers. , 2017, , .  |     | O         |
| 76 | The optimal geometry of sub-grain microstructural features in 3D printed alloys for improving the strength and toughness. Engineering Research Express, 2020, 2, 015051. | 0.8 | 0         |
| 77 | Studying the Effect of Tangential Forces on Rolling Contact Fatigue in Rails Considering Microstructure. , 2019, , .   |     | O         |