

# Stefano Realdon

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/882161/stefano-realdon-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

56  
papers

1,063  
citations

19  
h-index

31  
g-index

62  
ext. papers

1,279  
ext. citations

4.7  
avg, IF

3.76  
L-index

#	Paper	IF	Citations
56	Lifestyle, WCRF/AICR Recommendations, and Esophageal Adenocarcinoma Risk: A Systematic Review of the Literature. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	1
55	Insulin/IGF-1 Signaling Is Downregulated in Barrett's Esophagus Patients Undergoing a Moderate Calorie and Protein Restriction Program: A Randomized 2-Year Trial. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	1
54	Association of CLDN18 Protein Expression with Clinicopathological Features and Prognosis in Advanced Gastric and Gastroesophageal Junction Adenocarcinomas. <i>Journal of Personalized Medicine</i> , <b>2021</b> , 11,	3.6	4
53	Association between Dietary Fibre Intake and Colorectal Adenoma: A Systematic Review and Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	7
52	Deep learning for detection and segmentation of artefact and disease instances in gastrointestinal endoscopy. <i>Medical Image Analysis</i> , <b>2021</b> , 70, 102002	15.4	24
51	Biopsy Sampling in Upper Gastrointestinal Endoscopy: A Survey from 10 Tertiary Referral Centres Across Europe. <i>Digestive Diseases</i> , <b>2021</b> , 39, 179-189	3.2	1
50	Molecular Landscapes of Gastric Pre-Neoplastic and Pre-Invasive Lesions. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	1
49	Epstein-Barr virus associated gastric dysplasia: a new rare entity?. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2021</b> , 1	5.1	0
48	Circulating microRNA expression profiling revealed miR-92a-3p as a novel biomarker of Barrett's carcinogenesis. <i>Pathology Research and Practice</i> , <b>2020</b> , 216, 152907	3.4	9
47	Reorganization of the endoscopic activity of Cancer Institutes during phase II of the Covid-19 emergency. <i>Digestive and Liver Disease</i> , <b>2020</b> , 52, 1346-1350	3.3	
46	An objective comparison of detection and segmentation algorithms for artefacts in clinical endoscopy. <i>Scientific Reports</i> , <b>2020</b> , 10, 2748	4.9	16
45	Detection of LINE-1 hypomethylation in cfDNA of Esophageal Adenocarcinoma Patients. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	3
44	PD-L1 expression in gastroesophageal dysplastic lesions. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2020</b> , 477, 151-156	5.1	10
43	Allelic Imbalance Analysis in Liquid Biopsy to Monitor Locally Advanced Esophageal Cancer Patients During Treatment. <i>Frontiers in Oncology</i> , <b>2020</b> , 10, 1320	5.3	1
42	CD80 expression promotes immune surveillance in Barrett's metaplasia. <i>Oncotarget</i> , <b>2019</b> , 10, 16366-16376	6.6	2
41	Claudin-18 expression in oesophagogastric adenocarcinomas: a tissue microarray study of 523 molecularly profiled cases. <i>British Journal of Cancer</i> , <b>2019</b> , 121, 257-263	8.7	20
40	Insulin/IGF1 signalling mediates the effects of $\beta$ adrenergic agonist on muscle proteostasis and growth. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , <b>2019</b> , 10, 455-475	10.3	19

39	Molecular characterization of "sessile serrated" adenoma to carcinoma transition in six early colorectal cancers. <i>Pathology Research and Practice</i> , <b>2019</b> , 215, 957-962	3.4	8
38	Rectal Cancer: 20% Risk Reduction Thanks to Dietary Fibre Intake. Systematic Review and Meta-Analysis. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	23
37	Is dietary fibre truly protective against colon cancer? A systematic review and meta-analysis. <i>International Journal of Food Sciences and Nutrition</i> , <b>2018</b> , 69, 904-915	3.7	34
36	Hyperinsulinemia Promotes Esophageal Cancer Development in a Surgically-Induced Duodeno-Esophageal Reflux Murine Model. <i>International Journal of Molecular Sciences</i> , <b>2018</b> , 19,	6.3	10
35	Green Tea Consumption and Risk of Breast Cancer and Recurrence-A Systematic Review and Meta-Analysis of Observational Studies. <i>Nutrients</i> , <b>2018</b> , 10,	6.7	32
34	Clear cell dysplasia in a sessile serrated adenoma. <i>Pathology Research and Practice</i> , <b>2018</b> , 214, 2121-2122	3.4	1
33	Insulin promotes HER2 signaling activation during Barrett's Esophagus carcinogenesis. <i>Digestive and Liver Disease</i> , <b>2017</b> , 49, 630-638	3.3	7
32	Tumor budding as a risk factor for nodal metastasis in pT1 colorectal cancers: a meta-analysis. <i>Human Pathology</i> , <b>2017</b> , 65, 62-70	3.7	48
31	Early miR-223 Upregulation in Gastroesophageal Carcinogenesis. <i>American Journal of Clinical Pathology</i> , <b>2017</b> , 147, 301-308	1.9	20
30	Detection of genetic alterations in cfDNA as a possible strategy to monitor the neoplastic progression of Barrett's esophagus. <i>Translational Research</i> , <b>2017</b> , 190, 16-24.e1	11	14
29	Squamous cell carcinoma antigen (SCCA) is up-regulated during Barrett's carcinogenesis and predicts esophageal adenocarcinoma resistance to neoadjuvant chemotherapy. <i>Oncotarget</i> , <b>2017</b> , 8, 24372-24379	3.3	6
28	Adherence to WCRF/AICR lifestyle recommendations for cancer prevention and the risk of Barrett's esophagus onset and evolution to esophageal adenocarcinoma: results from a pilot study in a high-risk population. <i>European Journal of Nutrition</i> , <b>2016</b> , 55, 1563-71	5.2	11
27	Feasibility, efficacy and safety of stent insertion as a palliative treatment for malignant strictures in the cervical segment of the esophagus and the hypopharynx. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2016</b> , 30, 159-67	5.2	9
26	Liquid biopsy as a novel tool to monitor the carcinogenesis of Barrett's esophagus. <i>Translational Research</i> , <b>2016</b> , 176, 127-31	11	7
25	From Barrett metaplasia to esophageal adenocarcinoma: the molecular background. <i>Histology and Histopathology</i> , <b>2016</b> , 31, 25-32	1.4	10
24	In vivo molecular imaging of HER2 expression in a rat model of Barrett's esophagus adenocarcinoma. <i>Ecological Management and Restoration</i> , <b>2015</b> , 28, 394-403	3	19
23	Flexible endoscopic treatment for Zenker's diverticulum with the SB Knife. Preliminary results from a single-center experience. <i>Digestive Endoscopy</i> , <b>2015</b> , 27, 728-33	3.7	32
22	Detection of fluorescent organic nanoparticles by confocal laser endomicroscopy in a rat model of Barrett's esophageal adenocarcinoma. <i>International Journal of Nanomedicine</i> , <b>2015</b> , 10, 6811-23	7.3	10

21	Detection of a fluorescent-labeled avidin-nucleic acid nanoassembly by confocal laser endomicroscopy in the microvasculature of chronically inflamed intestinal mucosa. <i>International Journal of Nanomedicine</i> , <b>2015</b> , 10, 399-408	7.3	8
20	Role of proton pump inhibitor on esophageal carcinogenesis and pancreatic acinar cell metaplasia development: an experimental in vivo study. <i>PLoS ONE</i> , <b>2014</b> , 9, e112862	3.7	15
19	Transcribed ultraconserved noncoding RNAs (T-UCR) are involved in Barrett's esophagus carcinogenesis. <i>Oncotarget</i> , <b>2014</b> , 5, 7162-71	3.3	31
18	The HER2-miR125a5p/miR125b loop in gastric and esophageal carcinogenesis. <i>Human Pathology</i> , <b>2013</b> , 44, 1804-10	3.7	43
17	MicroRNA Expression Profiling in the Histological Subtypes of Barrett's Metaplasia. <i>Clinical and Translational Gastroenterology</i> , <b>2013</b> , 4, e34	4.2	28
16	Autoimmune gastritis: histology phenotype and OLGA staging. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2012</b> , 35, 1460-6	6.1	73
15	Programmed cell death 4 nuclear loss and miR-21 or activated Akt overexpression in esophageal squamous cell carcinogenesis. <i>Ecological Management and Restoration</i> , <b>2012</b> , 25, 263-8	3	18
14	Anterior gradient 2 profiling in Barrett columnar epithelia and adenocarcinoma. <i>Human Pathology</i> , <b>2012</b> , 43, 1839-44	3.7	6
13	Barrett's esophagus and adenocarcinoma risk: the experience of the North-Eastern Italian Registry (EBRA). <i>Annals of Surgery</i> , <b>2012</b> , 256, 788-94; discussion 794-5	7.8	38
12	High-frequency miniprobes and 3-dimensional EUS for preoperative evaluation of the etiology of congenital esophageal stenosis in children (with video). <i>Gastrointestinal Endoscopy</i> , <b>2011</b> , 74, 204-7	5.2	18
11	Quality of life in patients with esophageal stenting for the palliation of malignant dysphagia. <i>World Journal of Gastroenterology</i> , <b>2011</b> , 17, 144-50	5.6	38
10	Role of Confocal Laser Endomicroscopy in Detection of Residual Barrett's Esophagus after Radiofrequency Ablation. <i>Case Reports in Gastrointestinal Medicine</i> , <b>2011</b> , 2011, 593923	0.6	2
9	Reciprocal interference between insulin and interferon-alpha signaling in hepatic cells: a vicious circle of clinical significance?. <i>Hepatology</i> , <b>2011</b> , 54, 484-94	11.2	18
8	Hyperinsulinaemia reduces the 24-h virological response to PEG-interferon therapy in patients with chronic hepatitis C and insulin resistance. <i>Journal of Viral Hepatitis</i> , <b>2010</b> , 17, 475-80	3.4	24
7	Microsomal triglyceride transfer protein polymorphism (-493G/T) is associated with hepatic steatosis in patients with chronic hepatitis C. <i>Liver International</i> , <b>2009</b> , 29, 557-65	7.9	21
6	Liver microsomal triglyceride transfer protein is involved in hepatitis C liver steatosis. <i>Gastroenterology</i> , <b>2006</b> , 130, 1661-9	13.3	172
5	Hepatitis C minimal residual viremia (MRV) detected by TMA at the end of Peg-IFN plus ribavirin therapy predicts post-treatment relapse. <i>Journal of Hepatology</i> , <b>2006</b> , 44, 83-7	13.4	43
4	Proapoptotic effect of hepatitis C virus CORE protein in transiently transfected cells is enhanced by nuclear localization and is dependent on PKR activation. <i>Journal of Hepatology</i> , <b>2004</b> , 40, 77-85	13.4	23

- |   |   |      |    |
|---|---|------|----|
| 3 | Up and down regulation of apoptosis in hepatitis C virus-related liver damage. <i>Journal of Hepatology</i> , <b>2004</b> , 41, 883-5; author reply 885-6   | 13.4 | 1  |
| 2 | Pkr Gene Expression and Response to Pegylated Interferon plus Ribavirin Therapy in Chronic Hepatitis C. <i>Antiviral Therapy</i> , <b>2004</b> , 9, 763-770   | 1.6  | 8  |
| 1 | High levels of soluble tumor necrosis factor superfamily receptors in patients with hepatitis C virus infection and lymphoproliferative disorders. <i>Journal of Hepatology</i> , <b>2001</b> , 34, 723-9 | 13.4 | 15 |