

Sanjeev Gambhir

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8821974/sanjeev-gambhir-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

40 papers	2,103 citations	25 h-index	40 g-index
40 ext. papers	2,401 ext. citations	9.7 avg, IF	4.7 L-index

#	Paper	IF	Citations
40	Bioprinting of Chondrocyte Stem Cell Co-Cultures for Auricular Cartilage Regeneration.. <i>ACS Omega</i> , 2022 , 7, 5908-5920	3.9	2
39	Molecular interactions and forces of adhesion between single human neural stem cells and gelatin methacrylate hydrogels of varying stiffness. <i>Acta Biomaterialia</i> , 2020 , 106, 156-169	10.8	17
38	Self-healing graphene oxide-based composite for electromagnetic interference shielding. <i>Carbon</i> , 2019 , 155, 499-505	10.4	31
37	Energy efficient electrochemical reduction of CO ₂ to CO using a three-dimensional porphyrin/graphene hydrogel. <i>Energy and Environmental Science</i> , 2019 , 12, 747-755	35.4	76
36	Steric Modification of a Cobalt Phthalocyanine/Graphene Catalyst To Give Enhanced and Stable Electrochemical CO ₂ Reduction to CO. <i>ACS Energy Letters</i> , 2019 , 4, 666-672	20.1	104
35	Evaluation of sterilisation methods for bio-ink components: gelatin, gelatin methacryloyl, hyaluronic acid and hyaluronic acid methacryloyl. <i>Biofabrication</i> , 2019 , 11, 035003	10.5	24
34	Bio-Inspired Stretchable and Contractible Tough Fiber by the Hybridization of GO/MWNT/Polyurethane. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 31162-31168	9.5	10
33	Biodegradable Conducting Polymer Coating to Mitigate Early Stage Degradation of Magnesium in Simulated Biological Fluid: An Electrochemical Mechanistic Study. <i>ChemElectroChem</i> , 2019 , 6, 4893-4901	4.3	0
32	Self-Healing Electrode with High Electrical Conductivity and Mechanical Strength for Artificial Electronic Skin. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 46026-46033	9.5	19
31	Tailoring the mechanical properties of gelatin methacryloyl hydrogels through manipulation of the photocrosslinking conditions. <i>Soft Matter</i> , 2018 , 14, 2142-2151	3.6	76
30	Weavable asymmetric carbon nanotube yarn supercapacitor for electronic textiles.. <i>RSC Advances</i> , 2018 , 8, 13112-13120	3.7	32
29	A contactless approach for monitoring the mechanical properties of swollen hydrogels. <i>Soft Matter</i> , 2018 , 14, 7228-7236	3.6	5
28	A "Tandem" Strategy to Fabricate Flexible Graphene/Polypyrrole Nanofiber Film Using the Surfactant-Exfoliated Graphene for Supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 22031-22041	9.5	27
27	Electro-mechano responsive properties of gelatin methacrylate (GelMA) hydrogel on conducting polymer electrodes quantified using atomic force microscopy. <i>Soft Matter</i> , 2017 , 13, 4761-4772	3.6	11
26	3D printable conducting hydrogels containing chemically converted graphene. <i>Nanoscale</i> , 2017 , 9, 2038-2050	7.9	39
25	Fabrication of a graphene coated nonwoven textile for industrial applications. <i>RSC Advances</i> , 2016 , 6, 73203-73209	3.7	33
24	Development of the Biopen: a handheld device for surgical printing of adipose stem cells at a chondral wound site. <i>Biofabrication</i> , 2016 , 8, 015019	10.5	136

23	Chemically converted graphene: scalable chemistries to enable processing and fabrication. <i>NPG Asia Materials</i> , 2015 , 7, e186-e186	10.3	57
22	Reduced graphene oxide and polypyrrole/reduced graphene oxide composite coated stretchable fabric electrodes for supercapacitor application. <i>Electrochimica Acta</i> , 2015 , 172, 12-19	6.7	85
21	A facile approach for fabrication of mechanically strong graphene/polypyrrole films with large areal capacitance for supercapacitor applications. <i>RSC Advances</i> , 2015 , 5, 102643-102651	3.7	35
20	Advancement in liquid exfoliation of graphite through simultaneously oxidizing and ultrasonication. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 20382-20392	13	19
19	Highly Conductive Carbon Nanotube-Graphene Hybrid Yarn. <i>Advanced Functional Materials</i> , 2014 , 24, 5859-5865	15.6	95
18	Anhydrous organic dispersions of highly reduced chemically converted graphene. <i>Carbon</i> , 2014 , 76, 368-374	37.4	23
17	Covalently linked biocompatible graphene/polycaprolactone composites for tissue engineering. <i>Carbon</i> , 2013 , 52, 296-304	10.4	193
16	Carbon nanohorns as integrative materials for efficient dye-sensitized solar cells. <i>Advanced Materials</i> , 2013 , 25, 6513-8	24	39
15	Optical switching of protein interactions on photosensitive-electroactive polymers measured by atomic force microscopy. <i>Journal of Materials Chemistry B</i> , 2013 , 1, 2162-2168	7.3	9
14	Aqueous dispersions of reduced graphene oxide and multi wall carbon nanotubes for enhanced glucose oxidase bioelectrode performance. <i>Carbon</i> , 2013 , 61, 467-475	10.4	33
13	Novel carbon materials for thermal energy harvesting. <i>Journal of Thermal Analysis and Calorimetry</i> , 2012 , 109, 1229-1235	4.1	40
12	Liquid Crystallinity and Dimensions of Surfactant-Stabilized Sheets of Reduced Graphene Oxide. <i>Journal of Physical Chemistry Letters</i> , 2012 , 3, 2425-30	6.4	58
11	Synergistic toughening of composite fibres by self-alignment of reduced graphene oxide and carbon nanotubes. <i>Nature Communications</i> , 2012 , 3, 650	17.4	322
10	Electrically Induced Disassembly of Electroactive Multilayer Films Fabricated from Water Soluble Polythiophenes. <i>Advanced Functional Materials</i> , 2012 , 22, 5020-5027	15.6	17
9	Electrochemically Synthesized Polypyrrole/Graphene Composite Film for Lithium Batteries. <i>Advanced Energy Materials</i> , 2012 , 2, 266-272	21.8	137
8	Physicochemical study of spiropyran-terthiophene derivatives: photochemistry and thermodynamics. <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 9112-20	3.6	11
7	A multiswitchable poly(terthiophene) bearing a spiropyran functionality: understanding photo- and electrochemical control. <i>Journal of the American Chemical Society</i> , 2011 , 133, 5453-62	16.4	86
6	Microsecond dye regeneration kinetics in efficient solid state dye-sensitized solar cells using a photoelectrochemically deposited PEDOT hole conductor. <i>Journal of the American Chemical Society</i> , 2010 , 132, 9543-5	16.4	29

5	Indanedione-Substituted Poly(terthiophene)s: Processable Conducting Polymers with Intramolecular Charge Transfer Interactions. <i>Macromolecules</i> , 2010 , 43, 3817-3827	5.5	26
4	Flexible and compressible Goretex-PEDOT membrane electrodes for solid-state dye-sensitized solar cells. <i>Langmuir</i> , 2010 , 26, 1452-5	4	22
3	Capillary zone electrophoresis of graphene oxide and chemically converted graphene. <i>Journal of Chromatography A</i> , 2010 , 1217, 7593-7	4.5	44
2	A spectroscopic and DFT study of thiophene-substituted metalloporphyrins as dye-sensitized solar cell dyes. <i>Physical Chemistry Chemical Physics</i> , 2009 , 11, 5598-607	3.6	67
1	Towards functionalised terthiophene-based polymers. <i>Synthetic Metals</i> , 2005 , 154, 117-120	3.6	14