

Alberto Cuocolo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8823677/publications.pdf>

Version: 2024-02-01

410
papers

9,268
citations

57631

44
h-index

69108

77
g-index

435
all docs

435
docs citations

435
times ranked

6679
citing authors

#	ARTICLE	IF	CITATIONS
1	Autonomic disorders and myocardial ¹²³ I-metaiodobenzylguanidine scintigraphy in Huntington's disease. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 642-648.	1.4	6
2	¹⁸ F-FDG PET/CMR in cardiac sarcoidosis: A wild card in the deck?. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 765-767.	1.4	3
3	Prone-only SPECT myocardial perfusion imaging: An alternative standard in clinical practice?. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 1352-1355.	1.4	4
4	Multimodality imaging approach to Fabry cardiomyopathy: Any role for nuclear cardiology?. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 1439-1445.	1.4	3
5	A machine learning-based approach to directly compare the diagnostic accuracy of myocardial perfusion imaging by conventional and cadmium-zinc telluride SPECT. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 46-55.	1.4	17
6	Diagnostic value of clinical risk scores for predicting normal stress myocardial perfusion imaging in subjects without coronary artery calcium. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 323-333.	1.4	7
7	Prognostic value of myocardial perfusion imaging in patients with chronic kidney disease: A systematic review and meta-analysis. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 141-154.	1.4	12
8	Dynamic CZT-SPECT in coronary artery disease: Where are we now?. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 1698-1701.	1.4	1
9	Prognostic value of heart rate reserve in patients with suspected coronary artery disease undergoing stress myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 2521-2530.	1.4	5
10	Advanced imaging tools for evaluating cardiac morphological and functional impairment in hypertensive disease. <i>Journal of Hypertension</i> , 2022, 40, 4-14.	0.3	11
11	Effect of changes in perfusion defect size during serial stress myocardial perfusion imaging on cardiovascular outcomes in patients treated with primary percutaneous coronary intervention after myocardial infarction. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 2624-2632.	1.4	7
12	External validation of the CRAX2MACE model in an Italian cohort of patients with suspected coronary artery disease undergoing stress myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 2967-2973.	1.4	9
13	Imaging medullary thyroid cancer patients with detectable serum markers: state of the art and future perspectives. <i>Endocrine</i> , 2022, 75, 330-337.	1.1	10
14	Impact of COVID-19 infection on short-term outcome in patients referred to stress myocardial perfusion imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 1544-1552.	3.3	5
15	Risk of primary breast cancer in patients with differentiated thyroid cancer undergoing radioactive iodine therapy: a systematic review and meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 1630-1639.	3.3	7
16	Ventilation/perfusion SPECT: One more promising resource to fight the medical Hydra. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 2984-2987.	1.4	1
17	Cardiac CT and MRI radiomics: systematic review of the literature and radiomics quality score assessment. <i>European Radiology</i> , 2022, 32, 2629-2638.	2.3	30
18	Incremental value of ¹⁸ F-FDG cardiac PET imaging over dobutamine stress echocardiography in predicting myocardial ischemia in patients with suspected coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 3028-3038.	1.4	6

#	ARTICLE	IF	CITATIONS
19	Impact of COVID-19 pandemic on 2-[18F]FDG PET/CT imaging work-flow in a single medical institution: comparison among the three Italian waves. <i>Heliyon</i> , 2022, 8, e08819.	1.4	6
20	ISOLATED VALVE AMYLOIDOSIS IN AORTIC STENOSIS: A NEW CLINICAL SCENARIO?. <i>Journal of the American College of Cardiology</i> , 2022, 79, 3476.	1.2	1
21	Simultaneous assessment of myocardial perfusion and adrenergic innervation in patients with heart failure by low-dose dual-isotope CZT SPECT imaging. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 3341-3351.	1.4	6
22	Tumor-induced Osteomalacia: A Systematic Review and Individual Patient's Data Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e3428-e3436.	1.8	14
23	Cardiovascular magnetic resonance native T1 mapping in Anderson-Fabry disease: a systematic review and meta-analysis. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2022, 24, .	1.6	9
24	Quantification of Coronary Artery Atherosclerotic Burden and Muscle Mass: Exploratory Comparison of Two Freely Available Software Programs. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 5468.	1.3	3
25	Tumor induced osteomalacia: a systematic review and individual patient's data analysis. <i>Bone Reports</i> , 2022, 16, 101298.	0.2	0
26	Intramedullary Spinal Cord Metastases from Differentiated Thyroid Cancer, a Case Report. <i>Life</i> , 2022, 12, 863.	1.1	1
27	Prognostic Value of Hybrid PET/MR Imaging in Patients with Differentiated Thyroid Cancer. <i>Cancers</i> , 2022, 14, 2958.	1.7	4
28	Myocardial perfusion reserve by using CZT: It's a long way to the top if you wanna standardize. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 885-887.	1.4	1
29	Computed tomography calls out nuclear imaging in its field: It doesn't matter how you are searching but what you are looking for. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 1715-1717.	1.4	0
30	18F-sodium fluoride: An old tracer with a new promising clinical application. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 1474-1476.	1.4	0
31	Head-to-head comparison of diagnostic accuracy of stress-only myocardial perfusion imaging with conventional and cadmium-zinc telluride single-photon emission computed tomography in women with suspected coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 888-897.	1.4	36
32	New insights for early assessment of cardiac involvement in Anderson-Fabry disease. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 2500-2502.	1.4	1
33	Prognostic value of coronary flow reserve in patients with suspected or known coronary artery disease referred to PET myocardial perfusion imaging: A meta-analysis. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 904-918.	1.4	33
34	Pretest models for predicting abnormal stress single-photon emission computed tomography myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 1891-1902.	1.4	19
35	Renal function and cardiac adrenergic impairment in patients affected by heart failure. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 2112-2122.	1.4	9
36	Cardiac PET imaging: Lost in quantification. It's time to find the way. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 1249-1251.	1.4	1

#	ARTICLE	IF	CITATIONS
37	Quantification of myocardial perfusion reserve by CZT-SPECT: A head to head comparison with ⁸² Rubidium PET imaging. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 2827-2839.	1.4	44
38	Relationship between heart rate response and cardiac innervation in patients with suspected or known coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 2676-2683.	1.4	4
39	¹⁸ F-sodium fluoride and vascular calcification: Some like it hot. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 2255-2257.	1.4	1
40	Risk of structural persistent disease in pediatric patients with low or intermediate risk differentiated thyroid cancer. <i>Endocrine</i> , 2021, 71, 378-384.	1.1	12
41	Diagnostic performance of myocardial perfusion imaging with conventional and CZT single-photon emission computed tomography in detecting coronary artery disease: A meta-analysis. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 698-715.	1.4	40
42	Focal reduction in left ventricular ¹²³ I-metaiodobenzylguanidine uptake and impairment in systolic function in patients with Anderson-Fabry disease. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 641-649.	1.4	6
43	Effects of the COVID-19 pandemic on myocardial perfusion imaging for ischemic heart disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 421-427.	3.3	20
44	Does left ventricular function predict cardiac outcome in Anderson-Fabry disease?. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 1225-1236.	0.7	13
45	Management of differentiated thyroid cancer through nuclear medicine facilities during Covid-19 emergency: the telemedicine challenge. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 831-836.	3.3	14
46	Cardiac magnetic resonance imaging during the COVID-19 pandemic: A southern Italian single-center experience. <i>European Journal of Radiology Open</i> , 2021, 8, 100319.	0.7	4
47	An international expert opinion statement on the utility of PET/MR for imaging of skeletal metastases. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 1522-1537.	3.3	6
48	Relation between myocardial blood flow and cardiac events in diabetic patients with suspected coronary artery disease and normal myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 1222-1233.	1.4	20
49	Prevalence of interstitial pneumonia suggestive of COVID-19 at ¹⁸ F-FDG PET/CT in oncological asymptomatic patients in a high prevalence country during pandemic period: a national multi-centric retrospective study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 2871-2882.	3.3	11
50	Risk of appendiceal neoplasm after interval appendectomy for complicated appendicitis: A systematic review and meta-analysis. <i>Journal of the Royal College of Surgeons of Edinburgh</i> , 2021, 19, e549-e558.	0.8	16
51	Prognostic value of coronary vascular dysfunction assessed by rubidium-82 PET/CT imaging in patients with resistant hypertension without overt coronary artery disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 3162-3171.	3.3	14
52	Assessment of therapy response to Regorafenib by ¹⁸ F-DOPA-PET/CT in patients with recurrent high-grade gliomas: a case series. <i>Clinical and Translational Imaging</i> , 2021, 9, 265-274.	1.1	2
53	Bipolar Disorder and Parkinson's Disease: A ¹²³ I-foflupane Dopamine Transporter SPECT Study. <i>Frontiers in Neurology</i> , 2021, 12, 652375.	1.1	5
54	Impact of the number of comorbidities on cardiac sympathetic derangement in patients with reduced ejection fraction heart failure. <i>European Journal of Internal Medicine</i> , 2021, 86, 86-90.	1.0	4

#	ARTICLE	IF	CITATIONS
55	PET and SPECT Specialty Grand Challenge. When Knowledge Travels at the Speed of Light, Photons Take to the Field. <i>Frontiers in Nuclear Medicine</i> , 2021, 1, .	0.7	4
56	Nuclear cardiac imaging between implementation and globalization: The key role of integration. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 793-795.	1.4	0
57	Ablation rate after radioactive iodine therapy in patients with differentiated thyroid cancer at intermediate or high risk of recurrence: a systematic review and a meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 4437-4444.	3.3	8
58	MRI based radiomics in nasopharyngeal cancer: Systematic review and perspectives using radiomic quality score (RQS) assessment. <i>European Journal of Radiology</i> , 2021, 140, 109744.	1.2	30
59	State of the art of 18F-FDG PET/CT application in inflammation and infection: a guide for image acquisition and interpretation. <i>Clinical and Translational Imaging</i> , 2021, 9, 299-339.	1.1	70
60	Ileal inflammatory pseudotumor in adolescent male patient with prior Burkitt lymphoma: A challenging diagnosis. <i>Radiology Case Reports</i> , 2021, 16, 2047-2052.	0.2	3
61	Long-Term Prognostic Value of the Response to Therapy Assessed by Laboratory and Imaging Findings in Patients with Differentiated Thyroid Cancer. <i>Cancers</i> , 2021, 13, 4338.	1.7	9
62	Whole-Body Radioiodine Effective Half-Life in Patients with Differentiated Thyroid Cancer. <i>Diagnostics</i> , 2021, 11, 1740.	1.3	6
63	Combined bone scintigraphy and fluorocholine PET/computed tomography predicts response to radium-223 therapy in patients with prostate cancer. <i>Future Science OA</i> , 2021, 7, FSO719.	0.9	6
64	Role of serial cardiac 18F-FDG PET-MRI in Andersonâ€™Fabry disease: a pilot study. <i>Insights Into Imaging</i> , 2021, 12, 124.	1.6	7
65	The diagnostic role of total-body 18F-FDG PET/CT in patients with multiple tumors: a report of the association of thyroid cancer with lung or renal tumors. <i>Quantitative Imaging in Medicine and Surgery</i> , 2021, 11, 4211-4215.	1.1	7
66	Advances in Functional Imaging of Differentiated Thyroid Cancer. <i>Cancers</i> , 2021, 13, 4748.	1.7	11
67	PET/CT in the management of differentiated thyroid cancer. <i>Diagnostic and Interventional Imaging</i> , 2021, 102, 515-523.	1.8	31
68	Pretest models for predicting abnormal stress single-photon emission computed tomography myocardial perfusion imaging. , 2021, 28, 1891.		1
69	Comparing the Prognostic Value of Stress Myocardial Perfusion Imaging by Conventional and Cadmium-Zinc Telluride Single-Photon Emission Computed Tomography through a Machine Learning Approach. <i>Computational and Mathematical Methods in Medicine</i> , 2021, 2021, 1-8.	0.7	3
70	Cardiac hybrid imaging: novel tracers for novel targets. <i>Journal of Geriatric Cardiology</i> , 2021, 18, 748-758.	0.2	1
71	A Comparison among Different Machine Learning Pretest Approaches to Predict Stress-Induced Ischemia at PET/CT Myocardial Perfusion Imaging. <i>Computational and Mathematical Methods in Medicine</i> , 2021, 2021, 1-9.	0.7	9
72	Modelling the length of hospital stay in medicine and surgical departments. , 2021, , .		1

#	ARTICLE	IF	CITATIONS
73	Warranty period of normal stress myocardial perfusion imaging in hypertensive patients: A parametric survival analysis. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 534-541.	1.4	9
74	Inter-reader variability of SPECT MPI readings in low- and middle-income countries: Results from the IAEA-MPI Audit Project (I-MAP). <i>Journal of Nuclear Cardiology</i> , 2020, 27, 465-478.	1.4	6
75	Temporal trends of abnormal myocardial perfusion imaging in a cohort of Italian subjects: Relation with cardiovascular risk factors. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 2167-2177.	1.4	13
76	Long-term prognostic value of low-dose normal stress-only myocardial perfusion imaging by wide beam reconstruction: A competing risk analysis. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 547-557.	1.4	8
77	The machine learning approach: Artificial intelligence is coming to support critical clinical thinking. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 156-158.	1.4	9
78	Cardiac amyloidosis: A new challenge of multimodality imaging. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 106-108.	1.4	1
79	Myocardial perfusion imaging for diabetes: Key points from the evidence and clinical questions to be answered. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 1569-1577.	1.4	7
80	Left Ventricular Mass in Hypertrophic Cardiomyopathy Assessed by 2D-Echocardiography: Validation with Magnetic Resonance Imaging. <i>Journal of Cardiovascular Translational Research</i> , 2020, 13, 238-244.	1.1	12
81	Impact of body mass index on cardiac adrenergic derangement in heart failure patients: a ¹²³ I-mIBG imaging study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 1713-1721.	3.3	9
82	Low-dose dynamic myocardial perfusion imaging by CZT-SPECT in the identification of obstructive coronary artery disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 1705-1712.	3.3	41
83	Identification and typing of cardiac amyloidosis by noninvasive imaging: Two cases for two patterns. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 915-920.	1.4	5
84	Combined evaluation of regional coronary artery calcium and myocardial perfusion by ⁸² Rb PET/CT in predicting lesion-related outcome. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 1698-1704.	3.3	24
85	M139. DIFFERENTIAL PATTERNS OF BRAIN METABOLISM IN STABILIZED, ACTIVELY SYMPTOMATIC TREATMENT RESISTANT VS. TREATMENT RESPONDER SCHIZOPHRENIA PATIENTS: A STUDY BY ¹⁸ F-FDG-POSITRON EMISSION TOMOGRAPHY AND STRUCTURAL 3T MRI. <i>Schizophrenia Bulletin</i> , 2020, 46, S188-S188.	2.3	0
86	Concurrent BRAF V600E mutated papillary thyroid carcinoma and Erdheim-Chester disease. <i>Endocrine</i> , 2020, 70, 655-656.	1.1	0
87	Comparison of simultaneous ¹⁸ F-2-[¹⁸ F] FDG PET/MR and PET/CT in the follow-up of patients with differentiated thyroid cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 3066-3073.	3.3	27
88	The cardiac conundrum: a systematic review and bibliometric analysis of authorship in cardiac magnetic resonance imaging studies. <i>Insights Into Imaging</i> , 2020, 11, 42.	1.6	15
89	FDG-PET/CT imaging during the Covid-19 emergency: a southern Italian perspective. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 2691-2697.	3.3	25
90	Application of data mining in a cohort of Italian subjects undergoing myocardial perfusion imaging at an academic medical center. <i>Computer Methods and Programs in Biomedicine</i> , 2020, 189, 105343.	2.6	37

#	ARTICLE	IF	CITATIONS
91	Aberrant right coronary artery in a grown up congenital cardiac patient, successfully treated 46 years earlier with a double Starr-Edwards silastic ball valve replacement: a case report. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 37.	0.7	1
92	A critical appraisal of the quality of 18F-FDG PET/CT guidelines in oncology using the AGREE II tool: A EuroAIM initiative. <i>European Journal of Radiology</i> , 2020, 126, 108930.	1.2	2
93	Left ventricular radial strain impairment precedes hypertrophy in Anderson's Fabry disease. <i>International Journal of Cardiovascular Imaging</i> , 2020, 36, 1465-1476.	0.7	5
94	Prevalence of GLA gene mutations and polymorphisms in patients with multiple sclerosis: A cross-sectional study. <i>Journal of the Neurological Sciences</i> , 2020, 412, 116782.	0.3	2
95	Incremental Value of Sestamibi SPECT/CT Over Dual-Phase Planar Scintigraphy in Patients With Primary Hyperparathyroidism and Inconclusive Ultrasound. <i>Frontiers in Medicine</i> , 2019, 6, 164.	1.2	18
96	Relationship between epicardial adipose tissue and coronary vascular function in patients with suspected coronary artery disease and normal myocardial perfusion imaging. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 1379-1387.	0.5	26
97	Cardiac sympathetic dysfunction in pulmonary arterial hypertension: lesson from left-sided heart failure. <i>Pulmonary Circulation</i> , 2019, 9, 1-10.	0.8	13
98	Hybrid positron emission tomography-magnetic resonance imaging for assessing different stages of cardiac impairment in patients with Anderson's Fabry disease: AFFINITY study group. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 1004-1011.	0.5	28
99	Outcome of Patients With Differentiated Thyroid Cancer Treated With 131-Iodine on the Basis of a Detectable Serum Thyroglobulin Level After Initial Treatment. <i>Frontiers in Endocrinology</i> , 2019, 10, 146.	1.5	16
100	Coronary vascular function in patients with resistant hypertension and normal myocardial perfusion: a propensity score analysis. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 949-958.	0.5	19
101	Acute myocarditis secondary to mushrooms ingestion as assessed by cardiac MRI. <i>Journal of Cardiovascular Medicine</i> , 2019, 20, 616-618.	0.6	1
102	CHARACTERIZATION OF A SMALL FOV PORTABLE GC: MediPROBE. <i>Radiation Protection Dosimetry</i> , 2019, 183, 290-296.	0.4	2
103	Cardiac amyloidosis. <i>Clinical and Translational Imaging</i> , 2019, 7, 21-32.	1.1	6
104	Assessment of acute myocarditis by cardiac magnetic resonance imaging: Comparison of qualitative and quantitative analysis methods. <i>Journal of Nuclear Cardiology</i> , 2019, 26, 857-865.	1.4	12
105	Added prognostic value of left ventricular shape by gated SPECT imaging in patients with suspected coronary artery disease and normal myocardial perfusion. <i>Journal of Nuclear Cardiology</i> , 2019, 26, 1148-1156.	1.4	12
106	The long way to defeating Chagas cardiomyopathy. <i>Journal of Nuclear Cardiology</i> , 2019, 26, 1580-1583.	1.4	2
107	Real-time gated-SPECT myocardial perfusion imaging with CZT detectors: A promising tool for monitoring left ventricular function. <i>Journal of Nuclear Cardiology</i> , 2019, 26, 1743-1745.	1.4	5
108	Coronary vascular age: An alternate means for predicting stress-induced myocardial ischemia in patients with suspected coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2019, 26, 1348-1355.	1.4	14

#	ARTICLE	IF	CITATIONS
109	My warranty has expired: I need to be retested. <i>Journal of Nuclear Cardiology</i> , 2019, 26, 998-1006.	1.4	2
110	Behind Traditional Semi-quantitative Scores of Myocardial Perfusion Imaging: An Eye on Niche Parameters. <i>European Cardiology Review</i> , 2019, 14, 13-17.	0.7	3
111	A New Relational Database Including Clinical Data and Myocardial Perfusion Imaging Findings in Coronary Artery Disease. <i>Current Medical Imaging</i> , 2019, 15, 661-671.	0.4	12
112	Efficacy of Postoperative Upper Gastrointestinal Series (UGI) and Computed Tomography (CT) Scan in Bariatric Surgery: a Meta-analysis on 7516 Patients. <i>Obesity Surgery</i> , 2018, 28, 2396-2405.	1.1	15
113	Early Cardiac Involvement Affects Left Ventricular Longitudinal Function in Females Carrying Î±-Galactosidase A Mutation. <i>Circulation: Cardiovascular Imaging</i> , 2018, 11, e007019.	1.3	31
114	Combined evaluation of regional coronary artery calcium and myocardial perfusion by 82Rb PET/CT in the identification of obstructive coronary artery disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 521-529.	3.3	58
115	Long-term prognostic value of coronary artery calcium scanning, coronary computed tomographic angiography and stress myocardial perfusion imaging in patients with suspected coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2018, 25, 833-841.	1.4	34
116	Negative predictive value of stress myocardial perfusion imaging and coronary computed tomography angiography: A meta-analysis. <i>Journal of Nuclear Cardiology</i> , 2018, 25, 1588-1597.	1.4	20
117	Assessment of asynchrony by gated myocardial perfusion imaging improves patient management: Pro. <i>Journal of Nuclear Cardiology</i> , 2018, 25, 532-535.	1.4	2
118	Real-life management and outcome of thyroid carcinoma-related bone metastases: results from a nationwide multicenter experience. <i>Endocrine</i> , 2018, 59, 90-101.	1.1	35
119	Myocardial perfusion imaging: Lessons learned and work to be doneâ€”update. <i>Journal of Nuclear Cardiology</i> , 2018, 25, 39-52.	1.4	19
120	Comparison of left ventricular shape by gated SPECT imaging in diabetic and nondiabetic patients with normal myocardial perfusion: A propensity score analysis. <i>Journal of Nuclear Cardiology</i> , 2018, 25, 394-403.	1.4	21
121	Response by Spinelli et al to Letter Regarding, â€œEarly Cardiac Involvement Affects Left Ventricular Longitudinal Function in Females Carrying Î±-Galactosidase A Mutation: Role of Hybrid Positron Emission Tomography and Magnetic Resonance Imaging and Speckle-Tracking Echocardiographyâ€. <i>Circulation: Cardiovascular Imaging</i> , 2018, 11, e008133.	1.3	0
122	Advances in SPECT Methodology. <i>International Review of Neurobiology</i> , 2018, 141, 77-96.	0.9	2
123	Italian Tailored Assessment of Lung Indeterminate Accidental Nodule by Proposing a Segmental Pet/Computed Tomography (S-Pet/Ct): Rationale And Study Design of a Retrospective, Multicenter Trial. <i>Current Radiopharmaceuticals</i> , 2018, 11, 46-49.	0.3	3
124	Performance of FDG-PET/CT in solitary pulmonary nodule based on pre-test likelihood of malignancy: results from the ITALIAN retrospective multicenter trial. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1898-1907.	3.3	17
125	Risk-related 18F-FDG PET/CT and new diagnostic strategies in patients with solitary pulmonary nodule: the ITALIAN multicenter trial. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1908-1914.	3.3	12
126	Measurement of [123I]FP-CIT binding to the dopamine transporter (DAT) in healthy mouse striatum using dedicated small animal SPECT imaging: feasibility, optimization and validation. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 62, 112-117.	0.4	0

#	ARTICLE	IF	CITATIONS
127	Myocardial 123I-metaiodobenzylguanidine scintigraphy in patients with homozygous and heterozygous parkin mutations. <i>Journal of Nuclear Cardiology</i> , 2017, 24, 103-107.	1.4	10
128	Quantitative relationship between coronary artery calcium and myocardial blood flow by hybrid rubidium-82 PET/CT imaging in patients with suspected coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2017, 24, 494-501.	1.4	40
129	Comparison of ESC and ACC/AHA guidelines for myocardial revascularization: are the differences clinically relevant? The European perspective. <i>Journal of Nuclear Cardiology</i> , 2017, 24, 1057-1061.	1.4	5
130	Alternative imaging strategy of solitary pulmonary nodule by FDG PET/CT. <i>European Journal of Radiology</i> , 2017, 90, 188-191.	1.2	6
131	Assessment of cardiovascular impairment in obese patients: Limitations and troubleshooting of available imaging tools. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2017, 36, 247-253.	0.0	2
132	Coronary atherosclerotic burden vs. coronary vascular function in diabetic and nondiabetic patients with normal myocardial perfusion: a propensity score analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 1129-1135.	3.3	36
133	Prognostic role of FDG PET/CT in patients with differentiated thyroid cancer treated with 131-iodine empiric therapy. <i>Medicine (United States)</i> , 2017, 96, e8344.	0.4	12
134	Prognostic value of atherosclerotic burden and coronary vascular function in patients with suspected coronary artery disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 2290-2298.	3.3	39
135	Cardiac sympathetic neuronal damage precedes myocardial fibrosis in patients with Anderson-Fabry disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 2266-2273.	3.3	31
136	Clinical Value of Perfusion Abnormalities of Brain on Technetium-99m HMPAO Single-Photon Emission Computed Tomography in Children With Sydenham Chorea. <i>Journal of Child Neurology</i> , 2017, 32, 316-321.	0.7	8
137	Coronary vascular age comes of age. <i>Journal of Nuclear Cardiology</i> , 2017, 24, 1835-1836.	1.4	4
138	Extra-osseous ^{99m} Tc methylene diphosphonate uptake detected enlargement of the knee joint in patient with polyarthritis. <i>SAGE Open Medical Case Reports</i> , 2017, 5, 2050313X1774182.	0.2	0
139	Sleep-disordered breathing, impaired cardiac adrenergic innervation and prognosis in heart failure. <i>Heart</i> , 2016, 102, 1813-1819.	1.2	12
140	Assessment of the relationships between left ventricular filling pressures and longitudinal dysfunction with myocardial fibrosis in uncomplicated hypertensive patients. <i>International Journal of Cardiology</i> , 2016, 202, 84-86.	0.8	24
141	Non-motor symptoms and cardiac innervation in SYNJ1-related parkinsonism. <i>Parkinsonism and Related Disorders</i> , 2016, 23, 102-105.	1.1	6
142	Long-term prognostic value of stress myocardial perfusion imaging and coronary computed tomography angiography: A meta-analysis. <i>Journal of Nuclear Cardiology</i> , 2016, 23, 185-197.	1.4	20
143	Noninvasive Cardiac Imaging in Obesity: Challenges and Opportunities. <i>Current Cardiovascular Imaging Reports</i> , 2016, 9, 1.	0.4	2
144	A unique association of arrhythmogenic right ventricular dysplasia and acute myocarditis, as assessed by cardiac MRI: a case report. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 230.	0.7	16

#	ARTICLE	IF	CITATIONS
145	Serial cardiac SPECT studies: Technical issues and clinical implications. <i>Journal of Nuclear Cardiology</i> , 2016, 23, 1454-1456.	1.4	0
146	Long-Term Survival Benefit of Coronary Revascularization in Patients Undergoing Stress Myocardial Perfusion Imaging. <i>Circulation Journal</i> , 2016, 80, 485-493.	0.7	22
147	Challenges and opportunities of noninvasive cardiac imaging in obesity. <i>Journal of Nuclear Cardiology</i> , 2016, 23, 1233-1234.	1.4	2
148	Prediction Models for Cardiac Risk Classification with Nuclear Cardiology Techniques. <i>Current Cardiovascular Imaging Reports</i> , 2016, 9, 1.	0.4	0
149	Impact of aging on cardiac sympathetic innervation measured by 123I-mIBG imaging in patients with systolic heart failure. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 2392-2400.	3.3	33
150	Relationship between left ventricular diastolic function and myocardial sympathetic denervation measured by 123I-meta-iodobenzylguanidine imaging in Anderson-Fabry disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 729-739.	3.3	13
151	PET/MR Versus PET/CT Imaging: Impact on the Clinical Management of Small-Bowel Crohn's Disease. <i>Journal of Crohn's and Colitis</i> , 2016, 10, 277-285.	0.6	74
152	Increased Epicardial Adipose Tissue Volume Correlates With Cardiac Sympathetic Denervation in Patients With Heart Failure. <i>Circulation Research</i> , 2016, 118, 1244-1253.	2.0	74
153	Tako-tsubo syndrome and myocarditis: Two sides of the same coin or same side for two different coins?. <i>International Journal of Cardiology</i> , 2016, 203, 40-42.	0.8	3
154	Evaluation of Quantitative PET/MR Enterography Biomarkers for Discrimination of Inflammatory Strictures from Fibrotic Strictures in Crohn Disease. <i>Radiology</i> , 2016, 278, 792-800.	3.6	113
155	Immortality time and serial myocardial perfusion imaging: Only those who do not die may repeat the exam. <i>Journal of Nuclear Cardiology</i> , 2016, 23, 113-116.	1.4	5
156	Stress protocol and accuracy of myocardial perfusion imaging: Is it better to start from the end?. <i>Journal of Nuclear Cardiology</i> , 2016, 23, 1123-1127.	1.4	2
157	PET/MR in Children. , 2016, , 19-28.		2
158	Novel metrics for risk stratification with nuclear cardiology. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 60, 308-17.	0.4	0
159	Cardiac innervation electrifies!. <i>Clinical and Translational Imaging</i> , 2015, 3, 345-346.	1.1	0
160	Prevalence and Severity of Myocardial Perfusion Imaging Abnormalities in Inmate Subjects. <i>PLoS ONE</i> , 2015, 10, e0133360.	1.1	1
161	Alterations of left ventricular deformation and cardiac sympathetic derangement in patients with systolic heart failure: a 3D speckle tracking echocardiography and cardiac 123I-MIBG study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 1601-1611.	3.3	7
162	Quantification of myocardial perfusion in clinical trials. <i>Journal of Nuclear Cardiology</i> , 2015, 22, 262-265.	1.4	0

#	ARTICLE	IF	CITATIONS
163	Quantitative Assessment of Myocardial Blood Flow with SPECT. <i>Progress in Cardiovascular Diseases</i> , 2015, 57, 607-614.	1.6	28
164	Added prognostic value of ischaemic threshold in radionuclide myocardial perfusion imaging: a common-sense integration of exercise tolerance and ischaemia severity. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 750-760.	3.3	5
165	Beyond ultrasound: advances in multimodality cardiac imaging. <i>Internal and Emergency Medicine</i> , 2015, 10, 9-20.	1.0	10
166	Prognostication in the era of a new stressor for myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2015, 22, 1222-1224.	1.4	3
167	Insulin resistance is associated with impaired cardiac sympathetic innervation in patients with heart failure. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 1148-1153.	0.5	36
168	Appearance of hepatocellular carcinoma on gadoxetic acid-enhanced hepato-biliary phase MR imaging: a systematic review. <i>Radiologia Medica</i> , 2015, 120, 1002-1011.	4.7	10
169	First experience of simultaneous PET/MRI for the early detection of cardiac involvement in patients with Anderson-Fabry disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 1025-1031.	3.3	71
170	Utility of left lateral supine position for myocardial perfusion single-photon emission computed tomography compared with other methods of correcting inferior wall attenuation. <i>Nuclear Medicine Communications</i> , 2015, 36, 268-278.	0.5	1
171	¹²³ I-Metaiodobenzylguanidine cardiac innervation imaging: methods and interpretation. <i>Clinical and Translational Imaging</i> , 2015, 3, 357-363.	1.1	2
172	EANM procedural guidelines for radionuclide myocardial perfusion imaging with SPECT and SPECT/CT: 2015 revision. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 1929-1940.	3.3	260
173	Screening asymptomatic patients with type 2 diabetes is recommended: Pro. <i>Journal of Nuclear Cardiology</i> , 2015, 22, 1225-1228.	1.4	9
174	Nuclear Assessment of Right Ventricle. <i>Echocardiography</i> , 2015, 32, S69-74.	0.3	12
175	Impact of obesity and acquisition protocol on (¹²³ I)-metaiodobenzylguanidine indexes of cardiac sympathetic innervation. <i>Quantitative Imaging in Medicine and Surgery</i> , 2015, 5, 822-8.	1.1	15
176	Cardiovascular risk stratification in diabetic patients: Is all in METS?. <i>Journal of Nuclear Cardiology</i> , 2014, 21, 1144-1147.	1.4	1
177	Letter by Petretta and Cuocolo Regarding Article, "Four-Variable Risk Model in Men and Women With Heart Failure". <i>Circulation: Heart Failure</i> , 2014, 7, 380-380.	1.6	0
178	The appropriate and justified use of medical radiation in cardiovascular imaging: a position document of the ESC Associations of Cardiovascular Imaging, Percutaneous Cardiovascular Interventions and Electrophysiology. <i>European Heart Journal</i> , 2014, 35, 665-672.	1.0	301
179	Cardiac Radionuclide Imaging After Coronary Artery Revascularization. <i>Current Cardiovascular Imaging Reports</i> , 2014, 7, 1.	0.4	0
180	Warranty period of normal stress myocardial perfusion imaging in diabetic patients: A propensity score analysis. <i>Journal of Nuclear Cardiology</i> , 2014, 21, 50-56.	1.4	36

#	ARTICLE	IF	CITATIONS
181	Genetic deletion in uncoupling protein 3 augments 18F-fluorodeoxyglucose cardiac uptake in the ischemic heart. BMC Cardiovascular Disorders, 2014, 14, 98.	0.7	4
182	Cardiac neuronal imaging with 123I-meta-iodobenzylguanidine in heart failure: implications of endpoint selection and quantitative analysis on clinical decisions. European Journal of Nuclear Medicine and Molecular Imaging, 2014, 41, 1663-1665.	3.3	8
183	Non-invasive vulnerable plaque imaging: how do we know that treatment works?. European Heart Journal Cardiovascular Imaging, 2014, 15, 1194-1202.	0.5	12
184	The "gray zone" for the heart to mediastinum MIBG uptake ratio. Journal of Nuclear Cardiology, 2014, 21, 921-924.	1.4	4
185	Prognostic value of normal stress myocardial perfusion imaging in diabetic patients: A meta-analysis. Journal of Nuclear Cardiology, 2014, 21, 893-902.	1.4	34
186	Reclassification of cardiovascular risk by myocardial perfusion imaging in diabetic patients with abnormal resting electrocardiogram. Nutrition, Metabolism and Cardiovascular Diseases, 2014, 24, 588-593.	1.1	6
187	Rationale, design and methods of CTCA-PRORECAD (Computed Tomography Coronary Angiography) Tj ETQq1 1 0.784314 rgBT /Overton Medica, 2013, 118, 591-607.	4.7	6
188	Advances in Molecular Imaging: Cardiac Regeneration. Current Cardiovascular Imaging Reports, 2013, 6, 354-357.	0.4	0
189	Detection of silent myocardial ischemia: Is it clinically relevant?. Journal of Nuclear Cardiology, 2013, 20, 707-710.	1.4	6
190	Reply: Logistic regression, odds ratio, and factor variables. Journal of Nuclear Cardiology, 2013, 20, 652-653.	1.4	0
191	Prognosis in the era of comparative effectiveness research. Journal of Nuclear Cardiology, 2013, 20, 313.	1.4	1
192	Observer reproducibility of results from a low-dose 123I-metaiodobenzylguanidine cardiac imaging protocol in patients with heart failure. European Journal of Nuclear Medicine and Molecular Imaging, 2013, 40, 1549-1557.	3.3	38
193	Myocardial perfusion imaging after coronary revascularization: a clinical appraisal. European Journal of Nuclear Medicine and Molecular Imaging, 2013, 40, 1275-1282.	3.3	13
194	Cardiovascular risk stratification in diabetic patients. Clinical and Translational Imaging, 2013, 1, 325-339.	1.1	4
195	Post-stress left ventricular ejection fraction drop in patients with diabetes: a gated myocardial perfusion imaging study. BMC Cardiovascular Disorders, 2013, 13, 99.	0.7	8
196	Reduced cardiac 123I-metaiodobenzylguanidine uptake in patients with spinocerebellar ataxia type 2: a comparative study with Parkinson's disease. European Journal of Nuclear Medicine and Molecular Imaging, 2013, 40, 1914-1921.	3.3	16
197	EFFECTS OF SLEEP APNEA ON CARDIAC SYMPATHETIC ACTIVITY IN PATIENTS WITH SEVERE SYSTOLIC HEART FAILURE: A 123 MIBG SCINTIGRAPHIC STUDY. Journal of the American College of Cardiology, 2013, 61, E730.	1.2	0
198	Incremental prognostic value of stress myocardial perfusion imaging in asymptomatic diabetic patients. Atherosclerosis, 2013, 227, 307-312.	0.4	34

#	ARTICLE	IF	CITATIONS
199	The Prognostic Value of Normal Stress Cardiac Magnetic Resonance in Patients With Known or Suspected Coronary Artery Disease. <i>Circulation: Cardiovascular Imaging</i> , 2013, 6, 574-582.	1.3	61
200	Transient ischemic dilation in SPECT myocardial perfusion imaging for prediction of severe coronary artery disease in diabetic patients. <i>Journal of Nuclear Cardiology</i> , 2013, 20, 45-52.	1.4	33
201	Exercise training early after acute myocardial infarction reduces stress-induced hypoperfusion and improves left ventricular function. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013, 40, 315-324.	3.3	56
202	Transient Ischemic Dilation in Patients With Diabetes Mellitus. <i>Circulation: Cardiovascular Imaging</i> , 2013, 6, 908-915.	1.3	18
203	Genetic Deletion of Uncoupling Protein 3 Exaggerates Apoptotic Cell Death in the Ischemic Heart Leading to Heart Failure. <i>Journal of the American Heart Association</i> , 2013, 2, e000086.	1.6	50
204	Impact of Diabetes on Cardiac Sympathetic Innervation in Patients With Heart Failure. <i>Diabetes Care</i> , 2013, 36, 2395-2401.	4.3	79
205	High-resolution positron emission tomography/computed tomography imaging of the mouse heart. <i>Experimental Physiology</i> , 2013, 98, 645-651.	0.9	5
206	MIBG molecular imaging for evaluating response to chemotherapy in patients with malignant pheochromocytoma: preliminary results. <i>Cancer Imaging</i> , 2013, 13, 155-161.	1.2	5
207	PET/CT Imaging in Mouse Models of Myocardial Ischemia. <i>Journal of Biomedicine and Biotechnology</i> , 2012, 2012, 1-12.	3.0	28
208	Coronary computed tomography: current role and future perspectives for cardiovascular risk stratification. <i>European Heart Journal Cardiovascular Imaging</i> , 2012, 13, 453-458.	0.5	9
209	Prognostic value of coronary artery calcium score and coronary CT angiography in patients with intermediate risk of coronary artery disease. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1547-1556.	0.7	43
210	In search of a marker of vulnerable carotid plaque: Is the key in the heart?. <i>Atherosclerosis</i> , 2012, 223, 95-97.	0.4	5
211	Effects of exercise training started within 2 weeks after acute myocardial infarction on myocardial perfusion and left ventricular function: a gated SPECT imaging study. <i>European Journal of Preventive Cardiology</i> , 2012, 19, 1410-1419.	0.8	45
212	Imaging characterization of benign and malignant pheochromocytoma or paraganglioma: comparison between MIBG uptake and MR signal intensity ratio. <i>Annals of Nuclear Medicine</i> , 2012, 26, 670-675.	1.2	13
213	Assessing Myocardial Viability in Patients with Ischemic Left Ventricular Dysfunction. <i>Current Cardiovascular Imaging Reports</i> , 2012, 5, 390-392.	0.4	0
214	Prediction models for risk classification in cardiovascular disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 39, 1959-1969.	3.3	18
215	Myocardial perfusion imaging in very elderly patients with suspected coronary artery disease: Never too late!. <i>Journal of Nuclear Cardiology</i> , 2012, 19, 224-226.	1.4	1
216	Reproducibility and accuracy of non-invasive measurement of infarct size in mice with high-resolution PET/CT. <i>Journal of Nuclear Cardiology</i> , 2012, 19, 492-499.	1.4	15

#	ARTICLE	IF	CITATIONS
217	Pitfalls in statistical methods. <i>Journal of Nuclear Cardiology</i> , 2012, 19, 818.	1.4	4
218	Quantification of Myocardial Perfusion: SPECT. <i>Current Cardiovascular Imaging Reports</i> , 2012, 5, 144-150.	0.4	5
219	Effects of type 2 diabetes mellitus on coronary microvascular function and myocardial perfusion in patients without obstructive coronary artery disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 39, 1199-1206.	3.3	52
220	Myocardial perfusion imaging and risk classification for coronary heart disease in diabetic patients. The IDIS study: a prospective, multicentre trial. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 39, 387-395.	3.3	38
221	Nuclear Medicine - SPECT/PET. , 2012, , 349-355.		0
222	Imaging techniques for assessment of coronary flow reserve. <i>Monaldi Archives for Chest Disease</i> , 2011, 76, 192-7.	0.3	3
223	Research update for articles published in EJCI in 2009. <i>European Journal of Clinical Investigation</i> , 2011, 41, 1149-1163.	1.7	0
224	Addition of atropine to submaximal exercise stress testing in patients evaluated for suspected ischaemia with SPECT imaging: a randomized, placebo-controlled trial. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 245-251.	3.3	8
225	Molecular imaging of atherosclerosis in translational medicine. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 969-975.	3.3	17
226	Relationship between infarct size and severity measured by gated SPECT and long-term left ventricular remodelling after acute myocardial infarction. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 1124-1131.	3.3	27
227	Myocardial perfusion scintigraphy and echocardiography for detecting coronary artery disease in hypertensive patients: a meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 2040-2049.	3.3	18
228	Attenuation correction for myocardial perfusion SPECT imaging: still a controversial issue. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 1887-1889.	3.3	25
229	Incremental prognostic value of coronary flow reserve assessed with single-photon emission computed tomography. <i>Journal of Nuclear Cardiology</i> , 2011, 18, 612-619.	1.4	38
230	Current and Future Status of Blood Flow Tracers. <i>Current Cardiovascular Imaging Reports</i> , 2011, 4, 227-236.	0.4	4
231	Prognostic Value of CT Coronary Angiography in Diabetes. <i>Current Cardiovascular Imaging Reports</i> , 2011, 4, 332-334.	0.4	0
232	C-reactive protein levels are associated with paraoxonase polymorphism L55M in patients undergoing cardiac SPECT imaging. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011, 71, 179-184.	0.6	4
233	Assessment of cardiac sympathetic activity by MIBG imaging in patients with heart failure: a clinical appraisal. <i>Heart</i> , 2011, 97, 1828-1833.	1.2	26
234	Multimodality imaging in Europe: a survey by the European Association of Nuclear Medicine (EANM) and the European Society of Radiology (ESR). <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 163-167.	3.3	28

#	ARTICLE	IF	CITATIONS
235	Assessment of poststress left ventricular ejection fraction by gated SPECT: comparison with equilibrium radionuclide angiocardiology. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 349-356.	3.3	9
236	Syllabus for postgraduate specialisation in Nuclear Medicine. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 430-433.	3.3	3
237	Measurement of coronary flow reserve by noninvasive cardiac imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 1198-1202.	3.3	3
238	Direct imaging of viable myocardium by gated SPECT in patients with ischaemic left ventricular dysfunction. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 1730-1735.	3.3	5
239	Noninvasive quantification of coronary endothelial function by SPECT imaging in children with a history of Kawasaki disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 2249-2255.	3.3	15
240	Prognostic role of myocardial single photon emission computed tomography in the elderly. <i>Journal of Nuclear Cardiology</i> , 2010, 17, 310-315.	1.4	23
241	Prognostic Value of Myocardial Perfusion Imaging in the Elderly. <i>Current Cardiovascular Imaging Reports</i> , 2010, 3, 51-53.	0.4	0
242	Research update for articles published in EJCI in 2008. <i>European Journal of Clinical Investigation</i> , 2010, 40, 770-789.	1.7	1
243	Cardiac magnetic resonance imaging illustrating Anderson's Fabry disease progression. <i>British Journal of Radiology</i> , 2010, 83, e249-e251.	1.0	11
244	Effects of enzyme-replacement therapy in patients with Anderson-Fabry disease: a prospective long-term cardiac magnetic resonance imaging study. <i>Heart</i> , 2009, 95, 1103-1107.	1.2	71
245	Radio-guided surgery for ventricular remodeling in patients with ischemic dilated cardiomyopathy: A new tool to discriminate in vivo viable myocardium and scar. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2009, 138, 241-243.	0.4	1
246	Incremental prognostic value of cardiac single-photon emission computed tomography after nitrate administration in patients with ischemic left ventricular dysfunction. <i>Journal of Nuclear Cardiology</i> , 2009, 16, 38-44.	1.4	10
247	Syllabus for postgraduate specialisation in Nuclear Medicine. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 551-554.	3.3	1
248	Assessment of the arterial input function for estimation of coronary flow reserve by single photon emission computed tomography: comparison of two different approaches. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 2034-2041.	3.3	15
249	Advances in quantitative assessment of myocardial blood flow and coronary reserve. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 1687-1692.	3.3	0
250	Recent advances in the assessment of myocardial viability. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 1892-1895.	3.3	2
251	Cardiac performance during exercise in hypertensive patients without ventricular hypertrophy. <i>European Journal of Clinical Investigation</i> , 2009, 39, 664-670.	1.7	4
252	Cardiovascular risk stratification of diabetic patients. <i>Minerva Endocrinologica</i> , 2009, 34, 205-21.	1.7	4

#	ARTICLE	IF	CITATIONS
253	Syllabus for postgraduate specialisation in Nuclear Medicine. European Journal of Nuclear Medicine and Molecular Imaging, 2008, 35, 453-456.	3.3	0
254	The rapid growth of multimodality imaging in Europe Multimodality (MM) imaging: Enhancement through interlacing. European Journal of Nuclear Medicine and Molecular Imaging, 2008, 35, 1221-1229.	3.3	0
255	European Science Foundation calls for more and better medical imaging research. European Journal of Nuclear Medicine and Molecular Imaging, 2008, 35, 1749-1757.	3.3	2
256	Impact of inducible ischemia by stress SPECT in cardiac risk assessment in diabetic patients: Rationale and design of a prospective, multicenter trial. Journal of Nuclear Cardiology, 2008, 15, 100-104.	1.4	20
257	Assessment of coronary flow reserve using single photon emission computed tomography with technetium 99m ^{99m} -labeled tracers. Journal of Nuclear Cardiology, 2008, 15, 456-465.	1.4	32
258	Cardiac performance during exercise in patients with Fabry's disease. European Journal of Clinical Investigation, 2008, 38, 910-917.	1.7	10
259	Stress cardiac single-photon emission computed tomographic imaging late after coronary artery bypass surgery for risk stratification and estimation of time to cardiac events. Journal of Thoracic and Cardiovascular Surgery, 2008, 136, 46-51.	0.4	22
260	Noninvasive assessment of coronary anatomy and myocardial perfusion: going toward an integrated imaging approach. Journal of Cardiovascular Medicine, 2008, 9, 977-986.	0.6	16
261	Early psoriatic arthritis: the clinical spectrum. Journal of Rheumatology, 2008, 35, 137-41.	1.0	74
262	MRI Characterization of Myocardial Tissue in Patients with Fabry's Disease. American Journal of Roentgenology, 2007, 188, 850-853.	1.0	36
263	Single-Photon Emission Computed Tomography After Nitrate Administration Predicts Cardiac Events in Patients With Previous Myocardial Infarction and Left Ventricular Dysfunction. Journal of Cardiac Failure, 2007, 13, 765-768.	0.7	3
264	Abnormal blood-pressure response to exercise and oxygen consumption in patients with hypertrophic cardiomyopathy. Journal of Nuclear Cardiology, 2007, 14, 869-875.	1.4	15
265	Estimation of coronary flow reserve by sestamibi imaging in type 2 diabetic patients with normal coronary arteries. Journal of Nuclear Cardiology, 2007, 14, 194-199.	1.4	24
266	Usefulness of Stress Cardiac Single-Photon Emission Computed Tomographic Imaging Late After Percutaneous Coronary Intervention for Assessing Cardiac Events and Time to Such Events. American Journal of Cardiology, 2007, 100, 436-441.	0.7	31
267	Comparison Between Dobutamine Echocardiography and Single-Photon Emission Computed Tomography for Interpretive Reproducibility. American Journal of Cardiology, 2007, 100, 1239-1244.	0.7	12
268	White paper of the European Society of Radiology (ESR) and the European Association of Nuclear Medicine (EANM) on multimodality imaging. European Radiology, 2007, 17, 1926-1930.	2.3	18
269	The "White paper of the European Society of Radiology (ESR) and the European Association of Nuclear Medicine (EANM) on multimodality imaging" a message from the ESR and EANM Presidents. European Radiology, 2007, 17, 1924-1925.	2.3	1
270	Comparison of the prognostic value of SPECT after nitrate administration and metabolic imaging by PET in patients with ischaemic left ventricular dysfunction. European Journal of Nuclear Medicine and Molecular Imaging, 2007, 34, 558-562.	3.3	12

#	ARTICLE	IF	CITATIONS
271	Assessment of coronary flow reserve by sestamibi imaging in patients with typical chest pain and normal coronary arteries. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 1156-1161.	3.3	18
272	Syllabus for postgraduate specialisation in Nuclear Medicine. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 433-436.	3.3	4
273	White paper of the European Association of Nuclear Medicine (EANM) and the European Society of Radiology (ESR) on multimodality imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 1147-1151.	3.3	62
274	The "White paper of the European Association of Nuclear Medicine (EANM) and the European Society of Radiology (ESR) on multimodality imaging" a message from the EANM and ESR Presidents. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 1145-1146.	3.3	9
275	Prophylaxis of Thromboembolism in Bariatric Surgery with Parnaparin. <i>Obesity Surgery</i> , 2007, 17, 1558-1562.	1.1	18
276	Does protracted antiviral therapy impact on HCV-related liver cirrhosis progression?. <i>World Journal of Gastroenterology</i> , 2007, 13, 4903.	1.4	3
277	Best Practice in Nuclear Medicine 2. , 2007, , .		0
278	The role of scintigraphic defecography in the assessment of bowel function after restorative proctocolectomy for ulcerative colitis. <i>International Journal of Colorectal Disease</i> , 2006, 21, 448-452.	1.0	14
279	The regulatory background of nuclear cardiology in Europe: a survey by the European Council of Nuclear Cardiology. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2006, 33, 1508-1512.	3.3	9
280	Relations of left ventricular mass and systolic function to endothelial function and coronary flow reserve in healthy, new discovered hypertensive subjects. <i>Journal of Human Hypertension</i> , 2005, 19, 941-950.	1.0	19
281	Comparison of Prognostic Value of Negative Dobutamine Stress Echocardiography Versus Single-Photon Emission Computed Tomography After Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2005, 96, 13-16.	0.7	10
282	Relation of Brachial Artery Flow-Mediated Vasodilation to Significant Coronary Artery Disease in Patients With Peripheral Arterial Disease. <i>American Journal of Cardiology</i> , 2005, 96, 1337-1341.	0.7	53
283	Survival benefit after revascularization is independent of left ventricular ejection fraction improvement in patients with previous myocardial infarction and viable myocardium. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2005, 32, 430-437.	3.3	22
284	EANM/ESC procedural guidelines for myocardial perfusion imaging in nuclear cardiology. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2005, 32, 855-897.	3.3	467
285	Haemodynamic effects of dual-chamber pacing versus ventricular pacing during a walk test in patients with depressed or normal left ventricular function. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2005, 32, 1075-1080.	3.3	3
286	FDG imaging should be considered the preferred technique for accurate assessment of myocardial viability. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2005, 32, 829-831.	3.3	6
287	FDG imaging should be considered the preferred technique for accurate assessment of myocardial viability. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2005, 32, 832-835.	3.3	4
288	Does a Gender-Related Effect of Growth Hormone (GH) Replacement Exist on Cardiovascular Risk Factors, Cardiac Morphology, and Performance and Atherosclerosis? Results of a Two-Year Open, Prospective Study in Young Adult Men and Women with Severe GH Deficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 5146-5155.	1.8	45

#	ARTICLE	IF	CITATIONS
289	A novel pedestrian classification algorithm for a high definition dual camera 360 degrees surveillance system. , 2005, , .		9
290	Radionuclide Imaging in Patients with Ischemic Heart Failure. Current Medical Imaging, 2005, 1, 17-23.	0.4	0
291	The many ways to myocardial perfusion imaging. Quarterly Journal of Nuclear Medicine and Molecular Imaging, 2005, 49, 4-18.	0.4	50
292	Prognostic value of myocardial ischemia in patients with uncomplicated acute myocardial infarction: direct comparison of stress echocardiography and myocardial perfusion imaging. Journal of Nuclear Medicine, 2005, 46, 417-23.	2.8	10
293	Influence of risk factors on coronary flow reserve in patients with 1-vessel coronary artery disease. Journal of Nuclear Medicine, 2005, 46, 1438-43.	2.8	10
294	Relationship between brachial artery flow-mediated dilation and coronary flow reserve in patients with peripheral artery disease. Journal of Nuclear Medicine, 2005, 46, 1997-2002.	2.8	39
295	The Severity of Growth Hormone Deficiency Correlates with the Severity of Cardiac Impairment in 100 Adult Patients with Hypopituitarism: An Observational, Case-Control Study. Journal of Clinical Endocrinology and Metabolism, 2004, 89, 5998-6004.	1.8	101
296	The growing importance of continuing medical education in nuclear medicine: the role of the European School of Nuclear Medicine. European Journal of Nuclear Medicine and Molecular Imaging, 2004, 31, B23.	3.3	16
297	Relation between wall thickening on gated perfusion SPECT and functional recovery after coronary revascularization in patients with previous myocardial infarction. European Journal of Nuclear Medicine and Molecular Imaging, 2004, 31, 1599-1605.	3.3	13
298	Early and late effects of coronary artery bypass grafting on cardiac haemodynamics during daily physical activities in patients with coronary artery disease. European Journal of Nuclear Medicine and Molecular Imaging, 2004, 31, 852-856.	3.3	4
299	Estimation of coronary flow reserve by Tc-99m sestamibi imaging in patients with coronary artery disease: Comparison with the results of intracoronary Doppler technique. Journal of Nuclear Cardiology, 2004, 11, 682-688.	1.4	48
300	Hemodynamic effects of isometric exercise in hypertrophic cardiomyopathy: Comparison with normal subjects. Journal of Nuclear Cardiology, 2003, 10, 154-160.	1.4	9
301	Prognostic value of exercise cardiac tomography performed late after percutaneous coronary intervention in symptomatic and symptom-free patients. American Journal of Cardiology, 2003, 91, 259-263.	0.7	37
302	Tc-99m tetrofosmin tomography after nitrate administration in patients with ischemic left ventricular dysfunction: relation to metabolic imaging by PET. Journal of Nuclear Cardiology, 2003, 10, 599-606.	1.4	20
303	FGD-PET in the follow-up of recurrent colorectal cancer. Colorectal Disease, 2003, 5, 496-500.	0.7	37
304	Reversal of acromegalic cardiomyopathy in young but not in middle-aged patients after 12 months of treatment with the depot long-acting somatostatin analogue octreotide. Clinical Endocrinology, 2003, 58, 169-176.	1.2	99
305	What is the mechanism of abnormal blood pressure response on exercise in hypertrophic cardiomyopathy?: Reply. Journal of the American College of Cardiology, 2003, 41, 2102-2104.	1.2	3
306	Walk test at increased levels of heart rate in patients with dual-chamber pacemaker and with normal or depressed left ventricular function. European Heart Journal, 2003, 24, 2123-2132.	1.0	9

#	ARTICLE	IF	CITATIONS
307	Left Ventricular Diastolic Function and Cardiac Performance during Exercise in Patients with Acromegaly. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 4105-4109.	1.8	12
308	Prognostic value of combined assessment of regional left ventricular function and myocardial perfusion by dobutamine and rest gated SPECT in patients with uncomplicated acute myocardial infarction. <i>Journal of Nuclear Medicine</i> , 2003, 44, 1023-9.	2.8	19
309	Nuclear medicine and positron emission tomography imaging in cardiology. <i>Nuclear Medicine Review</i> , 2003, 6, 59-63.	0.3	0
310	The Cardiovascular Risk of Adult GH Deficiency (GHD) Improved after GH Replacement and Worsened in Untreated GHD: A 12-Month Prospective Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 1088-1093.	1.8	99
311	Cardiovascular Consequences of Early-Onset Growth Hormone Excess. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 3097-3104.	1.8	82
312	Combined effect of the force-frequency and length-tension mechanisms on left ventricular function in patients with dilated cardiomyopathy. <i>European Journal of Heart Failure</i> , 2002, 4, 727-735.	2.9	7
313	Hemodynamic determinants of exercise-induced abnormal blood pressure response in hypertrophic cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2002, 40, 278-284.	1.2	80
314	Comparison of hemodynamic adaptation to orthostatic stress in patients with hypertrophic cardiomyopathy with or without syncope and in vasovagal syncope. <i>American Journal of Cardiology</i> , 2002, 89, 1405-1410.	0.7	17
315	Tetrofosmin imaging in the detection of myocardial viability in patients with previous myocardial infarction: Comparison with sestamibi and Tl-201 scintigraphy. <i>Journal of Nuclear Cardiology</i> , 2002, 9, 33-40.	1.4	31
316	Quantification of SPECT myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2002, 9, 338-342.	1.4	2
317	Nuclear cardiology in the new millennium. <i>Revista Española De Medicina Nuclear</i> , 2001, 20, 305-308.	0.3	1
318	Editorial. <i>Nuclear Medicine Communications</i> , 2001, 22, 607-611.	0.5	0
319	Editorial. <i>Nuclear Medicine Communications</i> , 2001, 22, 731-735.	0.5	1
320	Diagnostic accuracy of low-dose dobutamine echocardiography in predicting post-revascularisation recovery of function in patients with chronic coronary artery disease: relationship to thallium-201 uptake. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2001, 28, 1616-1623.	2.2	11
321	Radionuclide monitoring of left ventricular function after sublingual nifedipine administration at rest and during moderate physical activity. <i>Journal of Nuclear Cardiology</i> , 2001, 8, 669-676.	1.4	5
322	Radionuclide monitoring of left ventricular function. <i>Journal of Nuclear Cardiology</i> , 2001, 8, 606-615.	1.4	4
323	Improved Cardiovascular Risk Factors and Cardiac Performance after 12 Months of Growth Hormone (GH) Replacement in Young Adult Patients with GH Deficiency ¹ . <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 1874-1881.	1.8	115
324	Is the Acromegalic Cardiomyopathy Reversible? Effect of 5-Year Normalization of Growth Hormone and Insulin-Like Growth Factor I Levels on Cardiac Performance*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 1551-1557.	1.8	102

#	ARTICLE	IF	CITATIONS
325	Is the Acromegalic Cardiomyopathy Reversible? Effect of 5-Year Normalization of Growth Hormone and Insulin-Like Growth Factor I Levels on Cardiac Performance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 1551-1557.	1.8	81
326	Improved Cardiovascular Risk Factors and Cardiac Performance after 12 Months of Growth Hormone (GH) Replacement in Young Adult Patients with GH Deficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 1874-1881.	1.8	85
327	Effect of trimetazidine on ⁹⁹ Tc-tetrofosmin uptake in patients with coronary artery disease. <i>Nuclear Medicine Communications</i> , 2000, 21, 49-54.	0.5	8
328	Does the age of onset of growth hormone deficiency affect cardiac performance? A radionuclide angiography study. <i>Clinical Endocrinology</i> , 2000, 52, 447-455.	1.2	39
329	Technetium 99m furifosmin regional myocardial uptake in patients with previous myocardial infarction: Relation to thallium-201 activity and left ventricular function. <i>Journal of Nuclear Cardiology</i> , 2000, 7, 235-241.	1.4	2
330	Quantitative thallium-201 and technetium 99m sestamibi tomography at rest in detection of myocardial viability in patients with chronic ischemic left ventricular dysfunction. <i>Journal of Nuclear Cardiology</i> , 2000, 7, 8-15.	1.4	32
331	Sestamibi SPECT in the detection of myocardial viability in patients with chronic ischemic left ventricular dysfunction: Comparison between visual and quantitative analysis. <i>Journal of Nuclear Cardiology</i> , 2000, 7, 406-413.	1.4	14
332	An overview of radiotracers in nuclear cardiology. <i>Journal of Nuclear Cardiology</i> , 2000, 7, 701-707.	1.4	26
333	Cardiac Effect of Thyrotoxicosis in Acromegaly. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 1426-1432.	1.8	15
334	Cardiovascular Effects of Depot Long-Acting Somatostatin Analog Sandostatin LAR in Acromegaly. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 3132-3140.	1.8	75
335	Impact of Patient's Age and Disease Duration on Cardiac Performance in Acromegaly: A Radionuclide Angiography Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 1518-1523.	1.8	71
336	Effects of 1-Year Treatment with Octreotide on Cardiac Performance in Patients with Acromegaly. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 17-23.	1.8	115
337	Impaired Cardiac Performance in Elderly Patients with Growth Hormone Deficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 3950-3955.	1.8	75
338	Exercise-rest Tc-99m tetrofosmin SPECT in patients with chronic ischemic left ventricular dysfunction: Direct comparison with Tl-201 reinjection. <i>Journal of Nuclear Cardiology</i> , 1999, 6, 270-277.	1.4	7
339	Assessment of left ventricular function by ECG-gated myocardial perfusion scintigraphy with image inversion technique: Comparison with equilibrium radionuclide angiography. <i>Journal of Nuclear Cardiology</i> , 1999, 6, 605-611.	1.4	4
340	Effects of valsartan on left ventricular diastolic function in patients with mild or moderate essential hypertension. <i>Journal of Hypertension</i> , 1999, 17, 1759-1766.	0.3	29
341	Impact of Patient's Age and Disease Duration on Cardiac Performance in Acromegaly: A Radionuclide Angiography Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 1518-1523.	1.8	64
342	Combined assessment of left ventricular function and rest-redistribution regional myocardial thallium-201 activity for prognostic evaluation of patients with chronic coronary artery disease and left ventricular dysfunction. <i>Journal of Nuclear Cardiology</i> , 1998, 5, 378-386.	1.4	25

#	ARTICLE	IF	CITATIONS
343	Effects of myocardial revascularization on regional thallium-201 uptake and systolic function in regions with reverse redistribution on tomographic thallium-201 imaging at rest in patients with chronic coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 1998, 5, 153-160.	1.4	11
344	Combined evaluation of rest-redistribution thallium-201 tomography and low-dose dobutamine echocardiography enhances the identification of viable myocardium in patients with chronic coronary artery disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1998, 25, 744-750.	3.3	23
345	Direct comparison of technetium 99m?sestamibi and technetium 99m?tetrofosmin cardiac single photon emission computed tomography in patients with coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 1998, 5, 265-274.	1.4	49
346	Left ventricular function in young adults with childhood and adulthood onset growth hormone deficiency. <i>Clinical Endocrinology</i> , 1998, 48, 137-144.	1.2	106
347	Long-term effects of felodipine in patients with mild heart failure treated chronically with enalapril: a randomized, placebo-controlled study. <i>Current Therapeutic Research</i> , 1998, 59, 288-306.	0.5	0
348	Sympathetic deactivation by growth hormone treatment in patients with dilated cardiomyopathy. <i>European Heart Journal</i> , 1998, 19, 623-627.	1.0	27
349	Cardiological Aspects of Growth Hormone and Insulin-like Growth Factor-I. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 1997, 10, 553-60.	0.4	26
350	Effects of short-term enalapril treatment on hemodynamic response to exercise in patients with congestive heart failure: a pilot study. <i>Current Therapeutic Research</i> , 1997, 58, 944-954.	0.5	0
351	Successful coronary revascularization improves prognosis in patients with previous myocardial infarction and evidence of viable myocardium at thallium-201 imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1997, 25, 60-68.	3.3	54
352	Prognostic value of coronary angiography in patients with chronic ischemic left ventricular dysfunction and evidence of viable myocardium on thallium reinjection imaging. <i>Journal of Nuclear Cardiology</i> , 1997, 4, 387-395.	1.4	7
353	Cardiovascular aspects in acromegaly: Effects of treatment. <i>Metabolism: Clinical and Experimental</i> , 1996, 45, 57-60.	1.5	41
354	Technetium-99m tetrofosmin imaging in thyroid diseases: comparison with Tc-99m-pertechnetate, thallium-201 and Tc-99m-methoxyisobutylisonitrile scans. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1996, 23, 1568-1574.	2.2	31
355	Quantitative exercise technetium-99m tetrofosmin myocardial tomography for the identification and localization of coronary artery disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1996, 23, 648-655.	2.2	13
356	Nuclear medicine and cardiology: the position of the Union of European Medical Specialists/Section of Nuclear Medicine. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1996, 23, 494-497.	2.2	1
357	Improved left ventricular function after growth hormone replacement in patients with hypopituitarism: Assessment with radionuclide angiography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1996, 23, 390-394.	2.2	72
358	Cardiac involvement in active uncomplicated acromegaly. <i>International Journal of Angiology</i> , 1996, 5, 55-58.	0.2	1
359	Influence of digitalis on left ventricular functional response to exercise in congestive heart failure. <i>American Journal of Cardiology</i> , 1996, 77, 480-485.	0.7	10
360	Adenosine coronary vasodilation quantitative technetium 99m methoxy isobutyl isonitrile myocardial tomography in the identification and localization of coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 1996, 3, 9-17.	1.4	19

#	ARTICLE	IF	CITATIONS
361	Technetium 99m-labeled tetrofosmin myocardial tomography in patients with coronary artery disease: Comparison between adenosine and dynamic exercise stress testing. <i>Journal of Nuclear Cardiology</i> , 1996, 3, 194-203.	1.4	29
362	Impaired cardiac reserve and exercise capacity in patients receiving long-term thyrotropin suppressive therapy with levothyroxine. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996, 81, 4224-4228.	1.8	83
363	Long-term growth hormone deficiency as a cause of cardiomyopathy and its reversibility with specific replacement therapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996, 81, 887-890.	1.8	20
364	Detection of Pericardial Effusion During Tc-99m MIBI Parathyroid Imaging in a Patient With Chronic Renal Failure. <i>Clinical Nuclear Medicine</i> , 1996, 21, 496-497.	0.7	2
365	The Diagnosis of Nonfunctioning Pheochromocytoma The Role of I-123 MIBG Imaging. <i>Clinical Nuclear Medicine</i> , 1995, 20, 22-24.	0.7	15
366	Assessment of systolic wall thickening using technetium-99m methoxyisobutylisonitrile in patients with coronary artery disease: relation to thallium-201 scintigraphy with re-injection. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1995, 22, 1017-1022.	2.2	15
367	Optimal determination of right ventricular filling dynamics in systemic hypertension. <i>American Heart Journal</i> , 1995, 130, 1074-1082.	1.2	13
368	Radionuclide Monitoring of Cardiac Adaptations to Volume Loading in Patients With Dilated Cardiomyopathy and Mild Heart Failure. <i>Circulation</i> , 1995, 92, 2511-2518.	1.6	18
369	Effect of Adenosine on Cerebral Blood Flow as Evaluated by Single-Photon Emission Computed Tomography in Normal Subjects and in Patients With Occlusive Carotid Disease. <i>Stroke</i> , 1995, 26, 1572-1576.	1.0	33
370	Usefulness of Monitoring Left Ventricular Function by an Ambulatory Radionuclide Detector (VEST) in Patients with Parkinson's Disease and Postural Hypotension. <i>Advances in Behavioral Biology</i> , 1995, , 51-54.	0.2	0
371	Prognostic value of myocardial hypoperfusion indexes in patients with suspected or known coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 1994, 1, 325-337.	1.4	5
372	Left ventricular dysfunction in coronary artery disease: Comparison between rest-redistribution thallium 201 and resting technetium 99m methoxyisobutyl isonitrile cardiac imaging. <i>Journal of Nuclear Cardiology</i> , 1994, 1, 65-71.	1.4	31
373	Ambulatory monitoring of left ventricular function in patients with Parkinson's disease and postural hypotension. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1994, 21, 1312-1317.	2.2	5
374	Correlation of improved left ventricular ejection fraction recovering from supine exercise with resting function in anterior wall healed myocardial infarction. <i>American Journal of Cardiology</i> , 1994, 73, 515-516.	0.7	1
375	Noninvasive evaluation of cardiac hemodynamics during exercise in patients with chronic heart failure: Effects of short-term Coenzyme Q10 treatment. <i>Molecular Aspects of Medicine</i> , 1994, 15, s155-s163.	2.7	39
376	Reverse Redistribution in Tl-201 Stress-Redistribution Myocardial Scintigraphy. <i>Clinical Nuclear Medicine</i> , 1994, 19, 956-961.	0.7	4
377	Technetium-99m Methoxy Isobutyl Isonitrile Simultaneous Evaluation of Ventricular Function and Myocardial Perfusion in Patients With Congenital Heart Disease. <i>Clinical Nuclear Medicine</i> , 1994, 19, 28-32.	0.7	7
378	Impaired cardiac performance is a distinct feature of uncomplicated acromegaly. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1994, 79, 441-446.	1.8	58

#	ARTICLE	IF	CITATIONS
379	Resting technetium-99m methoxyisobutylisonitrile cardiac imaging in chronic coronary artery disease: comparison with rest-redistribution thallium-201 scintigraphy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1993, 20, 1186-92.	2.2	28
380	Rest-injected thallium-201 redistribution and resting technetium-99m methoxyisobutylisonitrile uptake in coronary artery disease: relation to the severity of coronary artery stenosis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1993, 20, 502-10.	2.2	19
381	Site of myocardial ischemia as a determinant of postexercise blood pressure and heart rate response in coronary artery disease. <i>American Journal of Cardiology</i> , 1993, 72, 1376-1382.	0.7	4
382	Incremental prognostic value of thallium imaging and coronary angiography in patients with a symptom-limited ECG stress test. <i>Coronary Artery Disease</i> , 1993, 4, 637-644.	0.3	2
383	Diagnosis of Coronary Artery Disease with Tc 99m-Methoxy Isobutyl Isonitrile and Transesophageal Pacing. <i>Angiology</i> , 1992, 43, 818-825.	0.8	0
384	A Comparison of Tl-201 and Tc-99m MIBI in a Patient with an Apical Aneurysm. <i>Clinical Nuclear Medicine</i> , 1992, 17, 325-327.	0.7	2
385	Accuracy and repeatability of left ventricular systolic and diastolic function measurements using an ambulatory radionuclide monitor. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1992, 19, 800-6.	2.2	28
386	Comparison between exercise and trans-oesophageal atrial pacing in patients with coronary artery disease: technetium-99m methoxy isobutyl isonitrile simultaneous evaluation of ventricular function and myocardial perfusion. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1992, 19, 119-24.	2.2	10
387	Effects of atrial natriuretic peptide on glomerular filtration rate in essential hypertension: a radionuclide study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1991, 18, 32-7.	2.2	6
388	Identification of viable myocardium in patients with chronic coronary artery disease and left ventricular dysfunction. Comparison of thallium scintigraphy with reinjection and PET imaging with 18F-fluorodeoxyglucose.. <i>Circulation</i> , 1991, 83, 26-37.	1.6	568
389	Left ventricular hypertrophy and impaired diastolic filling in essential hypertension. Diastolic mechanisms for systolic dysfunction during exercise.. <i>Circulation</i> , 1990, 81, 978-986.	1.6	212
390	Left Ventricular Filling in Systemic Hypertension: A Noninvasive Study by Radionuclide Angiography and Echocardiography. <i>American Journal of Noninvasive Cardiology</i> , 1989, 3, 215-221.	0.1	1
391	Radionuclide renography predicts functional changes in patients with renal artery involvement by Takayasu's arteritis. <i>Urologic Radiology</i> , 1989, 11, 69-76.	0.2	2
392	Reflex control of coronary vascular tone by cardiopulmonary receptors in humans. <i>Journal of the American College of Cardiology</i> , 1988, 11, 944-952.	1.2	8
393	Efficacy of Once-Daily Urapidil Treatment in Mild or Moderate Essential Hypertension Assessed by Ambulatory 24-Hour Blood Pressure Monitoring. <i>Drugs</i> , 1988, 35, 173-181.	4.9	3
394	Stable Improvement in Large Artery Compliance after Long-term Antihypertensive Treatment with Enalapril. <i>American Journal of Hypertension</i> , 1988, 1, 181-183.	1.0	15
395	Hemodynamic responses to atrial natriuretic factor in nephrectomized rabbits: attenuation of the circulatory consequences of acute volume expansion.. <i>Circulation Research</i> , 1988, 63, 322-329.	2.0	16
396	Vagal mediation of the effects of atrial natriuretic factor on blood pressure and arterial baroreflexes in the rabbit.. <i>Circulation Research</i> , 1987, 60, 747-755.	2.0	68

#	ARTICLE	IF	CITATIONS
397	Beta blockers and left ventricular hypertrophy in hypertension. American Heart Journal, 1987, 114, 975-983.	1.2	19
398	Effects of intravenous verapamil administration on left ventricular diastolic function in systemic hypertension. American Journal of Cardiology, 1987, 59, 624-629.	0.7	44
399	Impaired responsiveness of the ventricular sensory receptor in hypertensive patients with left ventricular hypertrophy.. Circulation, 1986, 74, 980-990.	1.6	20
400	Indenolol: A New Antihypertensive Agent: Efficacy, Toxicity, and Hemodynamic Effects in a Crossover Double-blind Study With Metoprolol. Journal of Clinical Pharmacology, 1985, 25, 328-336.	1.0	4
401	Participation of endogenous catecholamines in the regulation of left ventricular mass in progeny of hypertensive parents.. Circulation, 1985, 72, 38-46.	1.6	58
402	Late phase of nitroglycerin-induced coronary vasodilatation blunted by inhibition of prostaglandin synthesis.. Circulation, 1985, 71, 840-848.	1.6	27
403	Efficacy of a new Antihypertensive Agent (Indenolol) Assessed by Ambulatory Blood Pressure Monitoring. Clinical and Experimental Hypertension, 1985, 7, 395-399.	0.3	0
404	Carotid sinus reflex control of coronary blood flow in human subjects. Journal of the American College of Cardiology, 1985, 5, 1312-1318.	1.2	6
405	Role of prostaglandins in the renal handling of a salt load in essential hypertension. American Journal of Cardiology, 1985, 55, 116-121.	0.7	26
406	Relationships between Left Ventricular Mass and Clinical, Biohumoral and Hemodynamic Parameters in Human Hypertension. Cardiology, 1984, 71, 1-12.	0.6	6
407	Effect of acebutolol on left ventricular hemodynamics and anatomy in systemic hypertension. American Journal of Cardiology, 1984, 53, 791-796.	0.7	42
408	Diltiazem in the Treatment of Mild or Moderate Essential Hypertension. Comparison with Metoprolol in a Crossover Double-blind Trial. Journal of Clinical Pharmacology, 1984, 24, 218-227.	1.0	42
409	Predictability of antihypertensive efficacy of selective β_1 blockers. Clinical Pharmacology and Therapeutics, 1983, 34, 758-763.	2.3	3
410	Haemodynamic and clinical effects of long-term treatment of essential hypertension with captopril. European Heart Journal, 1983, 4, 496-501.	1.0	2