

Carmen Sanmartn

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8823688/carmen-sanmartin-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109
papers

2,412
citations

30
h-index

45
g-index

118
ext. papers

2,846
ext. citations

4.7
avg, IF

4.91
L-index

#	Paper	IF	Citations
109	New Experimental Conditions for Diels-Alder and Friedel-Crafts Alkylation Reactions with Thiophene: A New Selenocyanate with Potent Activity against Cancer.. <i>Molecules</i> , 2022 , 27,	4.8	1
108	Pharmaceutical and Safety Profile Evaluation of Novel Selenocompounds with Noteworthy Anticancer Activity.. <i>Pharmaceutics</i> , 2022 , 14,	6.4	3
107	Synthesis of novel organic selenium compounds and speciation of their metabolites in biofortified kale sprouts. <i>Microchemical Journal</i> , 2021 , 172, 106962	4.8	4
106	NSAIDs: Old Acquaintance in the Pipeline for Cancer Treatment and Prevention-Structural Modulation, Mechanisms of Action, and Bright Future. <i>Journal of Medicinal Chemistry</i> , 2021 , 64, 16380-16421	8.3	2
105	Oral Efficacy of a Diselenide Compound Loaded in Nanostructured Lipid Carriers in a Murine Model of Visceral Leishmaniasis. <i>ACS Infectious Diseases</i> , 2021 , 7, 3197-3209	5.5	0
104	3,5-Dimethyl-4-isoxazolyl selenocyanate as promising agent for the treatment of Leishmania infantum-infected mice. <i>Acta Tropica</i> , 2021 , 215, 105801	3.2	4
103	Selenium Derivatives as Promising Therapy for Chagas Disease: and Studies. <i>ACS Infectious Diseases</i> , 2021 , 7, 1727-1738	5.5	5
102	Library of Selenocyanate and Diselenide Derivatives as In Vivo Antichagasic Compounds Targeting Mitochondrion. <i>Pharmaceutics</i> , 2021 , 14,	5.2	4
101	Changes in the nanoparticle uptake and distribution caused by an intramacrophagic parasitic infection. <i>Nanoscale</i> , 2021 , 13, 17486-17503	7.7	0
100	New Phosphoramidates Containing Selenium as Leishmanicidal Agents. <i>Antimicrobial Agents and Chemotherapy</i> , 2021 , 65, e0059021	5.9	2
99	Tellurides Bearing Sulfonamides as Novel Inhibitors of Leishmanial Carbonic Anhydrase with Potent Antileishmanial Activity. <i>Journal of Medicinal Chemistry</i> , 2020 , 63, 4306-4314	8.3	17
98	Pre-clinical evidences of the antileishmanial effects of diselenides and selenocyanates. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2020 , 30, 127371	2.9	4
97	Development and Therapeutic Potential of Selenazo Compounds. <i>Journal of Medicinal Chemistry</i> , 2020 , 63, 1473-1489	8.3	37
96	Novel ,SDisubstituted Acylselenoureas as Potential Antioxidant and Cytotoxic Agents. <i>Antioxidants</i> , 2020 , 9,	7.1	7
95	Vilsmeier reagent, NaHSe and diclofenac acid chloride: one-pot synthesis of a novel selenoindolinone with potent anticancer activity.. <i>RSC Advances</i> , 2020 , 10, 38404-38408	3.7	
94	Phenothiazines and Selenocompounds: A Potential Novel Combination Therapy of Multidrug Resistant Cancer. <i>Anticancer Research</i> , 2020 , 40, 4921-4928	2.3	4
93	New Amides Containing Selenium as Potent Leishmanicidal Agents Targeting Trypanothione Reductase. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 65,	5.9	5

92	New Formulation of a Methylseleno-Aspirin Analog with Anticancer Activity towards Colon Cancer. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2
91	Cells, Materials, and Fabrication Processes for Cardiac Tissue Engineering. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020 , 8, 955	5.8	11
90	Berberine-Loaded Liposomes for the Treatment of -Infected BALB/c Mice. <i>Pharmaceutics</i> , 2020 , 12,	6.4	10
89	Potential biomedical reuse of vegetative residuals from mycorrhized grapevines subjected to warming. <i>Archives of Agronomy and Soil Science</i> , 2019 , 65, 1341-1353	2	0
88	Identification of a Novel Quinoxaline-Isoseleourea Targeting the STAT3 Pathway as a Potential Melanoma Therapeutic. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	7
87	Organoselenium Compounds as Novel Adjuvants of Chemotherapy Drugs-A Promising Approach to Fight Cancer Drug Resistance. <i>Molecules</i> , 2019 , 24,	4.8	44
86	Discovery of new organoselenium compounds as antileishmanial agents. <i>Bioorganic Chemistry</i> , 2019 , 86, 339-345	5.1	23
85	Organoseleno cytostatic derivatives: Autophagic cell death with AMPK and JNK activation. <i>European Journal of Medicinal Chemistry</i> , 2019 , 175, 234-246	6.8	5
84	Selenocompounds as Novel Antibacterial Agents and Bacterial Efflux Pump Inhibitors. <i>Molecules</i> , 2019 , 24,	4.8	18
83	Synthesis and Leishmanicidal Activity of Novel Urea, Thiourea, and Selenourea Derivatives of Diselenides. <i>Antimicrobial Agents and Chemotherapy</i> , 2019 , 63,	5.9	16
82	Selenoesters and Selenoanhydrides as Novel Agents Against Resistant Breast Cancer. <i>Anticancer Research</i> , 2019 , 39, 3777-3783	2.3	12
81	Antiviral, Antimicrobial and Antibiofilm Activity of Selenoesters and Selenoanhydrides. <i>Molecules</i> , 2019 , 24,	4.8	18
80	Evaluation of Skin Permeation and Retention of Topical Dapsone in Murine Cutaneous Leishmaniasis Lesions. <i>Pharmaceutics</i> , 2019 , 11,	6.4	5
79	Combined Acylselenourea-Diselenide Structures: New Potent and Selective Antitumoral Agents as Autophagy Activators. <i>ACS Medicinal Chemistry Letters</i> , 2018 , 9, 306-311	4.3	12
78	A diphenyldiselenide derivative induces autophagy via JNK in HTB-54 lung cancer cells. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 289-301	5.6	13
77	Novel selenadiazole derivatives as selective antitumor and radical scavenging agents. <i>European Journal of Medicinal Chemistry</i> , 2018 , 157, 14-27	6.8	17
76	Combination of paromomycin plus human anti-TNF- α antibodies to control the local inflammatory response in BALB/ mice with cutaneous leishmaniasis lesions. <i>Journal of Dermatological Science</i> , 2018 , 92, 78-88	4.3	10
75	Methylselenol release as a cytotoxic tool: a study of the mechanism of the activity achieved by two series of methylselenocarbamate derivatives. <i>Metallomics</i> , 2018 , 10, 1128-1140	4.5	2

74	Activity enhancement of selective antitumoral selenodiazoles formulated with poloxamine micelles. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018 , 170, 463-469	6	4
73	Selenium Entities: Promising Scaffolds for the Treatment of Cancer and Leishmania. <i>Current Organic Synthesis</i> , 2018 , 14,	1.9	2
72	Novel Methylselenoesters Induce Programed Cell Death via Entosis in Pancreatic Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	10
71	Selenoesters and selenoanhydrides as novel multidrug resistance reversing agents: A confirmation study in a colon cancer MDR cell line. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017 , 27, 797-802	2.9	45
70	Topological and quantum molecular descriptors as effective tools for analyzing cytotoxic activity achieved by a series of (diselanediylidibenzene-4,1-diylidene)biscarbamate derivatives. <i>Journal of Molecular Graphics and Modelling</i> , 2017 , 73, 62-73	2.8	3
69	Library of Seleno-Compounds as Novel Agents against Leishmania Species. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	19
68	Methods of selecting combination therapy for colorectal cancer patients: a patent evaluation of US20160025730A1. <i>Expert Opinion on Therapeutic Patents</i> , 2017 , 27, 527-538	6.8	3
67	Skin vaccination using microneedles coated with a plasmid DNA cocktail encoding nucleosomal histones of Leishmania spp. <i>International Journal of Pharmaceutics</i> , 2017 , 533, 236-244	6.5	21
66	In vitro antileishmanial activity and iron superoxide dismutase inhibition of arylamine Mannich base derivatives. <i>Parasitology</i> , 2017 , 144, 1783-1790	2.7	8
65	Thermal stability and decomposition of urea, thiourea and selenourea analogous diselenide derivatives. <i>Journal of Thermal Analysis and Calorimetry</i> , 2017 , 127, 1663-1674	4.1	1
64	Novel Methylselenoesters as Antiproliferative Agents. <i>Molecules</i> , 2017 , 22,	4.8	11
63	Antitumoural Sulphur and Selenium Heteroaryl Compounds: Thermal Characterization and Stability Evaluation. <i>Molecules</i> , 2017 , 22,	4.8	2
62	Mycorrhizal inoculation and/or selenium application affect post-harvest performance of snapdragon flowers. <i>Plant Growth Regulation</i> , 2016 , 78, 389-400	3.2	9
61	Thermal analysis of novel selenocarbamates. <i>Journal of Thermal Analysis and Calorimetry</i> , 2016 , 123, 1951-1962	4.1	1
60	Novel seleno- and thio-urea derivatives with potent in vitro activities against several cancer cell lines. <i>European Journal of Medicinal Chemistry</i> , 2016 , 113, 134-44	6.8	30
59	Identification of selenocompounds with promising properties to reverse cancer multidrug resistance. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016 , 26, 2821-2824	2.9	43
58	Novel Heteroaryl Selenocyanates and Diselenides as Potent Antileishmanial Agents. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 3802-12	5.9	38
57	Chalcogen containing heterocyclic scaffolds: New hybrids with antitumoral activity. <i>European Journal of Medicinal Chemistry</i> , 2016 , 123, 407-418	6.8	26

56	Strong induction of iodothyronine deiodinases by chemotherapeutic selenocompounds. <i>Metallomics</i> , 2015 , 7, 347-54	4.5	4
55	Molecular descriptors calculation as a tool in the analysis of the antileishmanial activity achieved by two series of diselenide derivatives. An insight into its potential action mechanism. <i>Journal of Molecular Graphics and Modelling</i> , 2015 , 60, 63-78	2.8	6
54	Leishmanicidal activities of novel methylseleno-imidocarbamates. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 5705-13	5.9	21
53	In vitro radical scavenging and cytotoxic activities of novel hybrid selenocarbamates. <i>Bioorganic and Medicinal Chemistry</i> , 2015 , 23, 1716-27	3.4	26
52	Selenium fertilization and mycorrhizal technology may interfere in enhancing bioactive compounds in edible tissues of lettuces. <i>Scientia Horticulturae</i> , 2015 , 195, 163-172	4.1	12
51	Assessment of β -lapachone loaded in lecithin-chitosan nanoparticles for the topical treatment of cutaneous leishmaniasis in L. major infected BALB/c mice. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2015 , 11, 2003-12	6	39
50	Genspezifische Regulation von Selenoproteinen durch Methyl-Imidoselenocarbamate mit Antitumoraktivität. <i>Perspectives in Science</i> , 2015 , 3, 48-49	0.8	
49	Thermosensitive hydrogels of poly(methyl vinyl ether-co-maleic anhydride) - Pluronic(®) F127 copolymers for controlled protein release. <i>International Journal of Pharmaceutics</i> , 2014 , 459, 1-9	6.5	65
48	Nanoparticles as multifunctional devices for the topical treatment of cutaneous leishmaniasis. <i>Expert Opinion on Drug Delivery</i> , 2014 , 11, 579-97	8	32
47	Topical treatment of L. major infected BALB/c mice with a novel diselenide chitosan hydrogel formulation. <i>European Journal of Pharmaceutical Sciences</i> , 2014 , 62, 309-16	5.1	23
46	Synthesis and antiproliferative activity of novel methylselenocarbamates. <i>European Journal of Medicinal Chemistry</i> , 2014 , 83, 674-84	6.8	16
45	A dihydro-selenoquinazoline inhibits S6 ribosomal protein signalling, induces apoptosis and inhibits autophagy in MCF-7 cells. <i>European Journal of Pharmaceutical Sciences</i> , 2014 , 63, 87-95	5.1	13
44	Efficient targeted gene delivery by a novel PAMAM/DNA dendriplex coated with hyaluronic acid. <i>Nanomedicine</i> , 2014 , 9, 2787-801	5.6	23
43	Synthesis and antiproliferative activity of novel selenoester derivatives. <i>European Journal of Medicinal Chemistry</i> , 2014 , 73, 153-66	6.8	63
42	Novel hybrid selenosulfonamides as potent antileishmanial agents. <i>European Journal of Medicinal Chemistry</i> , 2014 , 74, 116-23	6.8	39
41	Mycorrhizal inoculation affected growth, mineral composition, proteins and sugars in lettuces biofortified with organic or inorganic selenocompounds. <i>Scientia Horticulturae</i> , 2014 , 180, 40-51	4.1	20
40	Novel quinazoline and pyrido[2,3-d]pyrimidine derivatives and their hydro-selenite salts as antitumoral agents. <i>Arkivoc</i> , 2014 , 2014, 187-206	0.9	3
39	Structural variations on antitumour agents derived from bisacylimidoselenocarbamate. A proposal for structure-activity relationships based on the analysis of conformational behaviour. <i>European Journal of Medicinal Chemistry</i> , 2013 , 66, 489-98	6.8	4

38	Thermal stability of selenium, sulfur and nitrogen analogous phthalazine derivatives. <i>Journal of Thermal Analysis and Calorimetry</i> , 2013 , 111, 605-610	4.1	7
37	Bisacylimidoselenocarbamates cause G2/M arrest associated with the modulation of CDK1 and Chk2 in human breast cancer MCF-7 cells. <i>Current Medicinal Chemistry</i> , 2013 , 20, 1609-19	4.3	17
36	Sulfur and selenium derivatives of quinazoline and pyrido[2,3-d]pyrimidine: synthesis and study of their potential cytotoxic activity in vitro. <i>European Journal of Medicinal Chemistry</i> , 2012 , 47, 283-98	6.8	60
35	Structure- and cell-specific effects of imidoselenocarbamates on selenoprotein expression and activity in liver cells in culture. <i>Metallomics</i> , 2012 , 4, 1297-307	4.5	8
34	Novel structural insights for imidoselenocarbamates with antitumoral activity related to their ability to generate methylselenol. <i>Bioorganic and Medicinal Chemistry</i> , 2012 , 20, 5110-6	3.4	10
33	Innovative lead compounds and formulation strategies as newer kinetoplastid therapies. <i>Current Medicinal Chemistry</i> , 2012 , 19, 4259-88	4.3	37
32	The quinoline imidoselenocarbamate EI201 blocks the AKT/mTOR pathway and targets cancer stem cells leading to a strong antitumor activity. <i>Current Medicinal Chemistry</i> , 2012 , 19, 3031-43	4.3	38
31	Selenium compounds, apoptosis and other types of cell death: an overview for cancer therapy. <i>International Journal of Molecular Sciences</i> , 2012 , 13, 9649-72	6.3	169
30	Novel library of selenocompounds as kinase modulators. <i>Molecules</i> , 2011 , 16, 6349-64	4.8	16
29	Kinase regulation by sulfur and selenium containing compounds. <i>Current Cancer Drug Targets</i> , 2011 , 11, 496-523	2.8	23
28	New insights into the structural requirements for pro-apoptotic agents based on 2,4-diaminoquinazoline, 2,4-diaminopyrido[2,3-d]pyrimidine and 2,4-diaminopyrimidine derivatives. <i>European Journal of Medicinal Chemistry</i> , 2011 , 46, 3887-99	6.8	43
27	Selenium and clinical trials: new therapeutic evidence for multiple diseases. <i>Current Medicinal Chemistry</i> , 2011 , 18, 4635-50	4.3	64
26	Study of polymorphism of organosulfur and organoselenium compounds. <i>Journal of Thermal Analysis and Calorimetry</i> , 2011 , 105, 1007-1013	4.1	15
25	Synthesis, characterization, crystal structure and cytotoxicity of 2,4-bis(selenomethyl)quinazoline. <i>Structural Chemistry</i> , 2011 , 22, 1233-1240	1.8	3
24	Antileishmanial activity of imidothiocarbamates and imidoselenocarbamates. <i>Parasitology Research</i> , 2011 , 108, 233-9	2.4	40
23	Synthesis and antiproliferative activity of novel symmetrical alkylthio- and alkylseleno-imidocarbamates. <i>European Journal of Medicinal Chemistry</i> , 2011 , 46, 265-74	6.8	49
22	Selenocyanates and diselenides: a new class of potent antileishmanial agents. <i>European Journal of Medicinal Chemistry</i> , 2011 , 46, 3315-23	6.8	88
21	Antioxidant-prooxidant properties of a new organoselenium compound library. <i>Molecules</i> , 2010 , 15, 7292-312	6.8	69

20	Synthesis and in vitro anticancer activities of some selenadiazole derivatives. <i>Archiv Der Pharmazie</i> , 2010 , 343, 680-91	4.3	49
19	Thermal stability and decomposition of sulphur and selenium compounds. <i>Journal of Thermal Analysis and Calorimetry</i> , 2009 , 98, 559-566	4.1	18
18	Synthesis and pharmacological screening of several aroyl and heteroaryol selenylacetic acid derivatives as cytotoxic and antiproliferative agents. <i>Molecules</i> , 2009 , 14, 3313-38	4.8	37
17	Structural characteristics of phosphoramidate derivatives as urease inhibitors. Requirements for activity. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 8451-60	5.7	33
16	Design, synthesis, and biological evaluation of phosphoramidate derivatives as urease inhibitors. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 3721-31	5.7	87
15	Selenium compounds and apoptotic modulation: a new perspective in cancer therapy. <i>Mini-Reviews in Medicinal Chemistry</i> , 2008 , 8, 1020-31	3.2	64
14	Synthesis and biological evaluation of 2,4,6-functionalized derivatives of pyrido[2,3-d]pyrimidines as cytotoxic agents and apoptosis inducers. <i>Archiv Der Pharmazie</i> , 2008 , 341, 28-41	4.3	10
13	Interaction of nucleoside-derivatives with the human Na ⁺ /nucleoside cotransporters CNT1 and CNT3. <i>FASEB Journal</i> , 2008 , 22, 133-133	0.9	1
12	Biological profile of new apoptotic agents based on 2,4-pyrido[2,3-d]pyrimidine derivatives. <i>Bioorganic and Medicinal Chemistry</i> , 2007 , 15, 1659-69	3.4	132
11	Novel potent organoselenium compounds as cytotoxic agents in prostate cancer cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007 , 17, 6853-9	2.9	43
10	Synthesis and biological evaluation of heteroaryldiamides and heteroaryldiamines as cytotoxic agents, apoptosis inducers and caspase-3 activators. <i>Archiv Der Pharmazie</i> , 2006 , 339, 182-92	4.3	6
9	New symmetrical quinazoline derivatives selectively induce apoptosis in human cancer cells. <i>Cancer Biology and Therapy</i> , 2006 , 5, 850-9	4.6	21
8	Molecular symmetry: a structural property frequently present in new cytotoxic and proapoptotic drugs. <i>Mini-Reviews in Medicinal Chemistry</i> , 2006 , 6, 639-50	3.2	14
7	Structural characteristics of novel symmetrical diaryl derivatives with nitrogenated functions. Requirements for cytotoxic activity. <i>Bioorganic and Medicinal Chemistry</i> , 2006 , 14, 1942-8	3.4	10
6	Synthesis and biological evaluation of new symmetrical derivatives as cytotoxic agents and apoptosis inducers. <i>Bioorganic and Medicinal Chemistry</i> , 2005 , 13, 2031-44	3.4	37
5	A new polyamine derivative, a structural analog of spermine, with in vivo activity as an inhibitor of ethanol appetite. <i>Bioorganic and Medicinal Chemistry</i> , 2005 , 13, 4375-82	3.4	3
4	Symmetrical Derivatives with Nitrogenated Functions as Cytotoxic Agents and Apoptosis Inducers. <i>Letters in Drug Design and Discovery</i> , 2005 , 2, 341-354	0.8	7
3	Synthesis of 6-amino-2-aryl-1,2-dihydro-3H-pyrido[2,3-d]pyrimidin-4-one derivatives. <i>Journal of Heterocyclic Chemistry</i> , 1992 , 29, 1545-1549	1.9	8

- 2 2-Arylamino-4-oxo-3,4-dihydropyrido[2,3-d]pyrimidines: synthesis and diuretic activity. *European Journal of Medicinal Chemistry*, **1989**, 24, 209-216 6.8 66
- 1 Thermal characterization and stability evaluation of leishmanicidal selenocyanate and diselenide derivatives. *Journal of Thermal Analysis and Calorimetry*, 1 4.1