

# Eduardo Nagore

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8824708/eduardo-nagore-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

289  
papers

7,520  
citations

37  
h-index

77  
g-index

344  
ext. papers

8,891  
ext. citations

3.9  
avg, IF

5.41  
L-index

#	Paper	IF	Citations
289	TERT promoter mutations in familial and sporadic melanoma. <i>Science</i> , <b>2013</b> , 339, 959-61	33.3	1261
288	Sequence variants at the TERT-CLPTM1L locus associate with many cancer types. <i>Nature Genetics</i> , <b>2009</b> , 41, 221-7	36.3	509
287	New common variants affecting susceptibility to basal cell carcinoma. <i>Nature Genetics</i> , <b>2009</b> , 41, 909-14	36.3	275
286	ASIP and TYR pigmentation variants associate with cutaneous melanoma and basal cell carcinoma. <i>Nature Genetics</i> , <b>2008</b> , 40, 886-91	36.3	265
285	Rare missense variants in POT1 predispose to familial cutaneous malignant melanoma. <i>Nature Genetics</i> , <b>2014</b> , 46, 482-6	36.3	220
284	Antineoplastic therapy-induced palmar plantar erythrodysesthesia (Hand-foot syndrome). Incidence, recognition and management. <i>American Journal of Clinical Dermatology</i> , <b>2000</b> , 1, 225-34	7.1	207
283	A germline variant in the TP53 polyadenylation signal confers cancer susceptibility. <i>Nature Genetics</i> , <b>2011</b> , 43, 1098-103	36.3	203
282	Diagnosis and treatment of basal cell carcinoma: European consensus-based interdisciplinary guidelines. <i>European Journal of Cancer</i> , <b>2019</b> , 118, 10-34	7.5	152
281	Telomerase reverse transcriptase promoter mutations in primary cutaneous melanoma. <i>Nature Communications</i> , <b>2014</b> , 5, 3401	17.4	132
280	Update of the European guidelines for basal cell carcinoma management. <i>European Journal of Dermatology</i> , <b>2014</b> , 24, 312-29	0.8	128
279	Prognostic factors in localized invasive cutaneous melanoma: high value of mitotic rate, vascular invasion and microscopic satellitosis. <i>Melanoma Research</i> , <b>2005</b> , 15, 169-77	3.3	102
278	A variant in FTO shows association with melanoma risk not due to BMI. <i>Nature Genetics</i> , <b>2013</b> , 45, 428-32, 432e1	36.3	95
277	Common variants on 1p36 and 1q42 are associated with cutaneous basal cell carcinoma but not with melanoma or pigmentation traits. <i>Nature Genetics</i> , <b>2008</b> , 40, 1313-8	36.3	93
276	Positive margins in basal cell carcinoma: relationship to clinical features and recurrence risk. A retrospective study of 248 patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2003</b> , 17, 167-70	4.6	88
275	TERT promoter mutations in melanoma survival. <i>International Journal of Cancer</i> , <b>2016</b> , 139, 75-84	7.5	79
274	Topical rapamycin combined with pulsed dye laser in the treatment of capillary vascular malformations in Sturge-Weber syndrome: phase II, randomized, double-blind, intraindividual placebo-controlled clinical trial. <i>Journal of the American Academy of Dermatology</i> , <b>2015</b> , 72, 151-8.e1	4.5	73
273	Association between sleep disordered breathing and aggressiveness markers of malignant cutaneous melanoma. <i>European Respiratory Journal</i> , <b>2014</b> , 43, 1661-8	13.6	72

272	MC1R variants increased the risk of sporadic cutaneous melanoma in darker-pigmented Caucasians: a pooled-analysis from the M-SKIP project. <i>International Journal of Cancer</i> , <b>2015</b> , 136, 618-31	7.5	67
271	Comparative study between cold air analgesia and supraorbital and supratrochlear nerve block for the management of pain during photodynamic therapy for actinic keratoses of the frontotemporal zone. <i>British Journal of Dermatology</i> , <b>2009</b> , 161, 353-6	4	58
270	A randomized pilot comparative study of topical methyl aminolevulinate photodynamic therapy versus imiquimod 5% versus sequential application of both therapies in immunocompetent patients with actinic keratosis: clinical and histologic outcomes. <i>Journal of the American Academy of Dermatology</i> , <b>2012</b> , 66, e131-7	4.5	56
269	Melanocortin receptor 1 variants and melanoma risk: a study of 2 European populations. <i>International Journal of Cancer</i> , <b>2009</b> , 125, 1868-75	7.5	56
268	Euromelanoma: a dermatology-led European campaign against nonmelanoma skin cancer and cutaneous melanoma. Past, present and future. <i>British Journal of Dermatology</i> , <b>2012</b> , 167 Suppl 2, 99-104	4	55
267	Detection of Epstein-Barr virus and human herpesvirus 7 and 8 genomes in primary cutaneous T- and B-cell lymphomas. <i>British Journal of Dermatology</i> , <b>2000</b> , 143, 320-3	4	52
266	Inherited variants in the MC1R gene and survival from cutaneous melanoma: a BioGenoMEL study. <i>Pigment Cell and Melanoma Research</i> , <b>2012</b> , 25, 384-94	4.5	50
265	New basal cell carcinoma susceptibility loci. <i>Nature Communications</i> , <b>2015</b> , 6, 6825	17.4	49
264	Cutaneous infection with Mycobacterium fortuitum after localized microinjections (mesotherapy) treated successfully with a triple drug regimen. <i>Acta Dermato-Venereologica</i> , <b>2001</b> , 81, 291-3	2.2	47
263	Acral lentiginous melanoma presents distinct clinical profile with high cancer susceptibility. <i>Cancer Causes and Control</i> , <b>2009</b> , 20, 115-9	2.8	45
262	Eritema acral inducido por quimioterapia: estudio clínico e histopatológico de 44 casos. <i>Actas Dermo-sifiliográficas</i> , <b>2008</b> , 99, 281-290	0.5	45
261	Correlation between preoperative magnetic resonance imaging and surgical margins with modified Mohs for dermatofibrosarcoma protuberans. <i>Dermatologic Surgery</i> , <b>2011</b> , 37, 1638-45	1.7	43
260	Videomicroscopy of venular malformations (port-wine stain type): prediction of response to pulsed dye laser. <i>Pediatric Dermatology</i> , <b>2004</b> , 21, 589-96	1.9	43
259	Frequent DPH3 promoter mutations in skin cancers. <i>Oncotarget</i> , <b>2015</b> , 6, 35922-30	3.3	42
258	Lipoatrophia semicircularis--a traumatic panniculitis: report of seven cases and review of the literature. <i>Journal of the American Academy of Dermatology</i> , <b>1998</b> , 39, 879-81	4.5	41
257	Chemotherapy-related bilateral dermatitis associated with eccrine squamous syringometaplasia: reappraisal of epidemiological, clinical, and pathological features. <i>Journal of the American Academy of Dermatology</i> , <b>2011</b> , 64, 1092-103	4.5	40
256	Sleep-Disordered Breathing Is Independently Associated With Increased Aggressiveness of Cutaneous Melanoma: A Multicenter Observational Study in 443 Patients. <i>Chest</i> , <b>2018</b> , 154, 1348-1358	5.3	40
255	Genome-wide association meta-analyses combining multiple risk phenotypes provide insights into the genetic architecture of cutaneous melanoma susceptibility. <i>Nature Genetics</i> , <b>2020</b> , 52, 494-504	36.3	39

254	Germline sequence variants in TGM3 and RGS22 confer risk of basal cell carcinoma. <i>Human Molecular Genetics</i> , <b>2014</b> , 23, 3045-53	5.6	39
253	Fluorescence in situ hybridization for the differential diagnosis between Spitz naevus and spitzoid melanoma. <i>Histopathology</i> , <b>2012</b> , 61, 899-909	7.3	37
252	Cytokine expression and dendritic cell density in melanoma sentinel nodes. <i>Melanoma Research</i> , <b>2005</b> , 15, 99-106	3.3	37
251	Median raphe cysts of the penis: a report of five cases. <i>Pediatric Dermatology</i> , <b>1998</b> , 15, 191-3	1.9	36
250	NRAS and BRAF mutations in cutaneous melanoma and the association with MC1R genotype: findings from Spanish and Austrian populations. <i>Journal of Investigative Dermatology</i> , <b>2013</b> , 133, 1027-33	4.3	35
249	Defining fast-growing melanomas: reappraisal of epidemiological, clinical, and histological features. <i>Melanoma Research</i> , <b>2011</b> , 21, 131-8	3.3	35
248	Regresió en el melanoma: problemas en su definició e implicació pronóstica. <i>Actas Dermo-sifiliográficas</i> , <b>2009</b> , 100, 759-766	0.5	35
247	Excellent response of basal cell carcinomas and pigmentary changes in xeroderma pigmentosum to imiquimod 5% cream. <i>British Journal of Dermatology</i> , <b>2003</b> , 149, 858-61	4	34
246	Livedoid skin necrosis (Nicolau syndrome) due to triple vaccine (DTP) injection. <i>British Journal of Dermatology</i> , <b>1997</b> , 137, 1030-1	4	32
245	TERT promoter mutations associate with fast-growing melanoma. <i>Pigment Cell and Melanoma Research</i> , <b>2016</b> , 29, 236-8	4.5	32
244	Characteristics of spitzoid melanoma and clues for differential diagnosis with spitz nevus. <i>American Journal of Dermatopathology</i> , <b>2012</b> , 34, 478-86	0.9	31
243	Mohs micrographic surgery in dermatofibrosarcoma protuberans allows tumour clearance with smaller margins and greater preservation of healthy tissue compared with conventional surgery: a study of 74 primary cases. <i>British Journal of Dermatology</i> , <b>2015</b> , 172, 1303-7	4	29
242	Prognostic value of BRAF mutations in localized cutaneous melanoma. <i>Journal of the American Academy of Dermatology</i> , <b>2014</b> , 70, 858-62.e1-2	4.5	29
241	Perfil clínic y epidemiológico de los pacientes con melanoma cutáneo según el grado de exposición solar de la localización del melanoma. <i>Actas Dermo-sifiliográficas</i> , <b>2009</b> , 100, 205-211	0.5	29
240	Genetic alterations in seborrheic keratoses. <i>Oncotarget</i> , <b>2017</b> , 8, 36639-36649	3.3	28
239	TERT promoter mutation subtypes and survival in stage I and II melanoma patients. <i>International Journal of Cancer</i> , <b>2019</b> , 144, 1027-1036	7.5	27
238	Paraneoplastic dermatomyositis: a study of 12 cases. <i>Actas Dermo-sifiliográficas</i> , <b>2014</b> , 105, 675-82	0.5	27
237	Melanoma characteristics at diagnosis from the Spanish National Cutaneous Melanoma Registry: 15 years of experience. <i>Actas Dermo-sifiliográficas</i> , <b>2013</b> , 104, 789-99	0.5	27

236	High nevus counts confer a favorable prognosis in melanoma patients. <i>International Journal of Cancer</i> , <b>2015</b> , 137, 1691-8	7.5	27
235	Smoking, sun exposure, number of nevi and previous neoplasias are risk factors for melanoma in older patients (60 years and over). <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2010</b> , 24, 50-7	4.6	27
234	Survival analysis and sentinel lymph node status in thin cutaneous melanoma: A multicenter observational study. <i>Cancer Medicine</i> , <b>2019</b> , 8, 4235-4244	4.8	26
233	Sun protection among Spanish beachgoers: knowledge, attitude and behaviour. <i>Journal of Cancer Education</i> , <b>2015</b> , 30, 4-11	1.8	26
232	Single-nucleotide polymorphisms in DNA-repair genes and cutaneous melanoma. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , <b>2010</b> , 702, 8-16	3	26
231	In vivo assessment of acute UVB responses in normal and Xeroderma Pigmentosum (XP-C) skin-humanized mouse models. <i>American Journal of Pathology</i> , <b>2010</b> , 177, 865-72	5.8	26
230	A randomized comparative study of tolerance and satisfaction in the treatment of actinic keratosis of the face and scalp between 5% imiquimod cream and photodynamic therapy with methyl aminolaevulinate. <i>British Journal of Dermatology</i> , <b>2011</b> , 164, 429-33	4	25
229	Conventional surgery compared with slow Mohs micrographic surgery in the treatment of lentigo maligna: a retrospective study of 62 cases. <i>Actas Dermo-sifilograficas</i> , <b>2012</b> , 103, 614-23	0.5	24
228	Telomere length, telomerase reverse transcriptase promoter mutations, and melanoma risk. <i>Genes Chromosomes and Cancer</i> , <b>2018</b> , 57, 564-572	5	24
227	Estimated effect of COVID-19 lockdown on melanoma thickness and prognosis: a rate of growth model. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, e351-e353	4.6	23
226	Variants at the 9p21 locus and melanoma risk. <i>BMC Cancer</i> , <b>2013</b> , 13, 325	4.8	23
225	Clinical, dermoscopy and histological correlation study of melanotic pigmentations in excision scars of melanocytic tumours. <i>British Journal of Dermatology</i> , <b>2006</b> , 154, 478-84	4	23
224	Detection of Epstein-Barr virus DNA in a patient with Kimura's disease. <i>International Journal of Dermatology</i> , <b>2000</b> , 39, 618-20	1.7	23
223	Improving sun-safe knowledge, attitude and behaviour in parents of primary school children: a pilot study. <i>Journal of Cancer Education</i> , <b>2013</b> , 28, 151-7	1.8	22
222	Inherited variation in the PARP1 gene and survival from melanoma. <i>International Journal of Cancer</i> , <b>2014</b> , 135, 1625-33	7.5	22
221	Photosensitivity associated with treatment with triflusal. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2000</b> , 14, 219-21	4.6	22
220	Effect of time to sentinel-node biopsy on the prognosis of cutaneous melanoma. <i>European Journal of Cancer</i> , <b>2015</b> , 51, 1780-93	7.5	21
219	Genes involved in the WNT and vesicular trafficking pathways are associated with melanoma predisposition. <i>International Journal of Cancer</i> , <b>2015</b> , 136, 2109-19	7.5	21

218	Combining common genetic variants and non-genetic risk factors to predict risk of cutaneous melanoma. <i>Human Molecular Genetics</i> , <b>2018</b> , 27, 4145-4156	5.6	21
217	An inherited variant in the gene coding for vitamin D-binding protein and survival from cutaneous melanoma: a BioGenoMEL study. <i>Pigment Cell and Melanoma Research</i> , <b>2014</b> , 27, 234-43	4.5	21
216	Correlation of histologic regression in primary melanoma with sentinel node status. <i>JAMA Dermatology</i> , <b>2014</b> , 150, 828-35	5.1	21
215	Single nucleotide polymorphisms in DNA repair genes XRCC1 and APEX1 in progression and survival of primary cutaneous melanoma patients. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , <b>2009</b> , 661, 78-84	3.3	21
214	Distribution of MC1R variants among melanoma subtypes: p.R163Q is associated with lentigo maligna melanoma in a Mediterranean population. <i>British Journal of Dermatology</i> , <b>2013</b> , 169, 804-11	4	20
213	Prediction of sentinel lymph node positivity by growth rate of cutaneous melanoma. <i>Archives of Dermatology</i> , <b>2012</b> , 148, 577-84		20
212	Pustular allergic contact dermatitis from minoxidil. <i>Contact Dermatitis</i> , <b>1998</b> , 38, 283-4	2.7	20
211	HLA class II polymorphisms in Spanish melanoma patients: homozygosity for HLA-DQA1 locus can be a potential melanoma risk factor. <i>British Journal of Dermatology</i> , <b>2006</b> , 154, 261-6	4	20
210	An amalgam tattoo on the oral mucosa related to a dental prosthesis. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2005</b> , 19, 90-2	4.6	20
209	Vesiculous prurigo pigmentosa in a 13-year-old girl: good response to isotretinoin. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2005</b> , 19, 474-6	4.6	20
208	Variants at chromosome 20 (ASIP locus) and melanoma risk. <i>International Journal of Cancer</i> , <b>2013</b> , 132, 42-54	7.5	19
207	A prospective multicenter cohort study of cutaneous melanoma: clinical staging and potential associations with HIF-1 $\beta$ and VEGF expressions. <i>Melanoma Research</i> , <b>2017</b> , 27, 558-564	3.3	19
206	Chrysalis and negative pigment network in Spitz nevi. <i>American Journal of Dermatopathology</i> , <b>2012</b> , 34, 188-91	0.9	19
205	Congenital lower lip pits (Van der Woude syndrome): presentation of 10 cases. <i>Pediatric Dermatology</i> , <b>1998</b> , 15, 443-5	1.9	19
204	Sentinel lymph node biopsy versus observation in thick melanoma: A multicenter propensity score matching study. <i>International Journal of Cancer</i> , <b>2018</b> , 142, 641-648	7.5	18
203	Characterization of individuals at high risk of developing melanoma in Latin America: bases for genetic counseling in melanoma. <i>Genetics in Medicine</i> , <b>2016</b> , 18, 727-36	8.1	18
202	Mapping of deletion breakpoints at the CDKN2A locus in melanoma: detection of MTAP-ANRIL fusion transcripts. <i>Oncotarget</i> , <b>2016</b> , 7, 16490-504	3.3	18
201	Distinct Clinicopathological and Prognostic Features of Thin Nodular Primary Melanomas: An International Study from 17 Centers. <i>Journal of the National Cancer Institute</i> , <b>2019</b> , 111, 1314-1322	9.7	17

200	Is mitotic rate still useful in the management of patients with thin melanoma?. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31, 2025-2029	4.6	17
199	A customized pigmentation SNP array identifies a novel SNP associated with melanoma predisposition in the SLC45A2 gene. <i>PLoS ONE</i> , <b>2011</b> , 6, e19271	3.7	17
198	Atrophic dermatofibrosarcoma protuberans with the fusion gene COL1A1-PDGFB. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2008</b> , 22, 371-4	4.6	17
197	Pseudovascular squamous cell carcinoma of the skin. <i>Clinical and Experimental Dermatology</i> , <b>2000</b> , 25, 206-8	1.8	17
196	Subcutaneous dermatofibrosarcoma protuberans, a rare subtype with predilection for the head: A retrospective series of 18 cases. <i>Journal of the American Academy of Dermatology</i> , <b>2017</b> , 77, 503-511.e1	4.5	16
195	Biomarkers of carcinogenesis and tumour growth in patients with cutaneous melanoma and obstructive sleep apnoea. <i>European Respiratory Journal</i> , <b>2018</b> , 51,	13.6	16
194	Influence of genetic variants in type I interferon genes on melanoma survival and therapy. <i>PLoS ONE</i> , <b>2012</b> , 7, e50692	3.7	16
193	rs12512631 on the group specific complement (vitamin D-binding protein GC) implicated in melanoma susceptibility. <i>PLoS ONE</i> , <b>2013</b> , 8, e59607	3.7	16
192	Detection of human papilloma virus in normal skin and in superficial and nodular basal cell carcinomas in immunocompetent subjects. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2011</b> , 25, 832-8	4.6	16
191	Congenital fibrosarcoma simulating congenital hemangioma. <i>Pediatric Dermatology</i> , <b>2008</b> , 25, 141-4	1.9	16
190	Comparison between familial and sporadic cutaneous melanoma in Valencia, Spain. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2008</b> , 22, 931-6	4.6	16
189	Soluble PD-L1 is a potential biomarker of cutaneous melanoma aggressiveness and metastasis in obstructive sleep apnoea patients. <i>European Respiratory Journal</i> , <b>2019</b> , 53,	13.6	16
188	Chronology of metastasis in cutaneous melanoma: growth rate model. <i>Journal of Investigative Dermatology</i> , <b>2012</b> , 132, 1215-21	4.3	15
187	Thickness of healthy and affected skin of children with port wine stains: potential repercussions on response to pulsed dye laser treatment. <i>Dermatologic Surgery</i> , <b>2004</b> , 30, 1457-61	1.7	15
186	Prevalence and determinants of sunbed use in thirty European countries: data from the Euromelanoma skin cancer prevention campaign. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2019</b> , 33 Suppl 2, 13-27	4.6	14
185	BRAF, NRAS and MC1R status in a prospective series of primary cutaneous melanoma. <i>British Journal of Dermatology</i> , <b>2015</b> , 172, 1128-31	4	14
184	Radius hypoplasia, radial palsy, and aplasia cutis due to amniotic band syndrome. <i>Pediatric Dermatology</i> , <b>1999</b> , 16, 217-9	1.9	14
183	Risk Factors for Lymphatic and Hematogenous Dissemination in Patients With Stages I to II Cutaneous Melanoma. <i>JAMA Dermatology</i> , <b>2019</b> , 155, 679-687	5.1	13

182	Predictors of sentinel lymph node status in cutaneous melanoma: a classification and regression tree analysis. <i>Actas Dermo-sifiliográficas</i> , <b>2015</b> , 106, 208-18	0.5	13
181	Dysplastic vs. Common Naevus-associated vs. De novo Melanomas: An Observational Retrospective Study of 1,021 Patients. <i>Acta Dermato-Venereologica</i> , <b>2018</b> , 98, 556-562	2.2	13
180	Hypopigmented Reed nevus. <i>Journal of Cutaneous Pathology</i> , <b>2008</b> , 35 Suppl 1, 87-9	1.7	13
179	Primary cutaneous melanoma in hidden sites is associated with thicker tumours - a study of 829 patients. <i>European Journal of Cancer</i> , <b>2001</b> , 37, 79-82	7.5	13
178	Sun protection behaviour and skin cancer literacy among outdoor runners. <i>European Journal of Dermatology</i> , <b>2018</b> , 28, 803-808	0.8	13
177	Coding and noncoding somatic mutations in candidate genes in basal cell carcinoma. <i>Scientific Reports</i> , <b>2020</b> , 10, 8005	4.9	13
176	Pregnancy and melanoma: a European-wide survey to assess current management and a critical literature overview. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31, 65-69	4.6	12
175	Accuracy of self-reported nevus and pigmentation phenotype compared with clinical assessment in a population-based study of young Australian adults. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2015</b> , 24, 736-43	4	12
174	Association of Melanocortin-1 Receptor Variants with Pigmentary Traits in Humans: A Pooled Analysis from the M-Skip Project. <i>Journal of Investigative Dermatology</i> , <b>2016</b> , 136, 1914-1917	4.3	12
173	BAP1-deficient and VE1-negative atypical Spitz tumor. <i>Journal of Cutaneous Pathology</i> , <b>2015</b> , 42, 564-7	1.7	12
172	Propuesta de protocolo para el informe histológico del tumor primario de los pacientes con un melanoma cutáneo del Grupo de Trabajo para el Melanoma Cutáneo de la Comunidad Valenciana. <i>Actas Dermo-sifiliográficas</i> , <b>2007</b> , 98, 459-465	0.5	12
171	Rhinophyma-like granuloma faciale. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2006</b> , 20, 881-2	4.6	12
170	Basal cell carcinoma of the nasolabial fold: an apparently benign tumour that often needs complex surgery. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2006</b> , 20, 926-30	4.6	12
169	Promoter Mutations are Associated with Visceral Spreading in Melanoma of the Trunk. <i>Cancers</i> , <b>2019</b> , 11,	6.6	11
168	Clinical assessment of skin phototypes: watch your words!. <i>European Journal of Dermatology</i> , <b>2017</b> , 27, 615-619	0.8	11
167	Telomere length and survival in primary cutaneous melanoma patients. <i>Scientific Reports</i> , <b>2018</b> , 8, 10947	4.9	11
166	Metastatic lesions with and without interleukin-18-dependent genes in advanced-stage melanoma patients. <i>American Journal of Pathology</i> , <b>2013</b> , 183, 69-82	5.8	11
165	Age-related characteristics of cutaneous melanoma in a Spanish Mediterranean population. <i>International Journal of Dermatology</i> , <b>2015</b> , 54, 778-84	1.7	11



164	Multicenter case-control study of risk factors for cutaneous melanoma in Valencia, Spain. <i>Actas Dermo-sifiliográficas</i> , <b>2012</b> , 103, 790-7	0.5	11
163	A pilot study of clinical efficacy of imiquimod and cryotherapy for the treatment of basal cell carcinoma with incomplete response to imiquimod. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2012</b> , 26, 879-81	4.6	11
162	Growth rate as an independent prognostic factor in localized invasive cutaneous melanoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2011</b> , 25, 618-20; author reply 620	4.6	11
161	Dermoscopic features of a collision tumour composed of a pigmented basal cell carcinoma and a melanoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2010</b> , 24, 982-4	4.6	11
160	Non-steroidal anti-inflammatory drugs and melanoma. <i>Current Pharmaceutical Design</i> , <b>2012</b> , 18, 3966-78	3.3	11
159	A germline mutation of p14/ARF in a melanoma kindred. <i>Melanoma Research</i> , <b>2009</b> , 19, 335-7	3.3	11
158	Influence of loss of function MC1R variants in genetic susceptibility of familial melanoma in Spain. <i>Melanoma Research</i> , <b>2010</b> , 20, 342-8	3.3	11
157	Tungiasis presenting with whitish nodules on the feet. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2003</b> , 17, 247-8	4.6	11
156	Desmoplastic melanoma may mimic a cutaneous peripheral nerve sheath tumor: Report of 3 challenging cases. <i>Journal of Cutaneous Pathology</i> , <b>2017</b> , 44, 632-638	1.7	10
155	The association between dermoscopic features and BRAF mutational status in cutaneous melanoma: Significance of the blue-white veil. <i>Journal of the American Academy of Dermatology</i> , <b>2018</b> , 78, 920-926.e4	4.5	10
154	Risk factors for keratinocyte skin cancer in patients diagnosed with melanoma, a large retrospective study. <i>European Journal of Cancer</i> , <b>2016</b> , 53, 115-24	7.5	10
153	Germline Variation at CDKN2A and Associations with Nevus Phenotypes among Members of Melanoma Families. <i>Journal of Investigative Dermatology</i> , <b>2017</b> , 137, 2606-2612	4.3	10
152	Melanocortin-1 receptor, skin cancer and phenotypic characteristics (M-SKIP) project: study design and methods for pooling results of genetic epidemiological studies. <i>BMC Medical Research Methodology</i> , <b>2012</b> , 12, 116	4.7	10
151	Prevalence of BRAF and NRAS mutations in fast-growing melanomas. <i>Pigment Cell and Melanoma Research</i> , <b>2013</b> , 26, 429-31	4.5	10
150	Pigmented epithelioid Spitz naevus: report of two cases. <i>Histopathology</i> , <b>2006</b> , 49, 549-51	7.3	10
149	Age does not appear to be a major indicator of CDKN2A or CDK4 mutations in melanoma patients in Spain. <i>Melanoma Research</i> , <b>2005</b> , 15, 555-8	3.3	10
148	TERT promoter mutations are not always associated with poor prognosis in atypical spitzoid tumors. <i>Pigment Cell and Melanoma Research</i> , <b>2017</b> , 30, 265-268	4.5	9
147	Phenotypic and Histopathological Tumor Characteristics According to CDKN2A Mutation Status among Affected Members of Melanoma Families. <i>Journal of Investigative Dermatology</i> , <b>2016</b> , 136, 1066-1069	4.3	9

146	Intermittent Hypoxia Is Associated With High Hypoxia Inducible Factor-1 $\alpha$ but Not High Vascular Endothelial Growth Factor Cell Expression in Tumors of Cutaneous Melanoma Patients. <i>Frontiers in Neurology</i> , <b>2018</b> , 9, 272	4.1	9
145	Estimating CDKN2A mutation carrier probability among global familial melanoma cases using GenoMELPREDICT. <i>Journal of the American Academy of Dermatology</i> , <b>2019</b> , 81, 386-394	4.5	9
144	Clinical presentation of acral lentiginous melanoma: a descriptive study. <i>Actas Dermo-sifilograficas</i> , <b>2013</b> , 104, 220-6	0.5	9
143	Involvement of ANXA5 and ILKAP in susceptibility to malignant melanoma. <i>PLoS ONE</i> , <b>2014</b> , 9, e95522	3.7	9
142	"Self and parent-assessed skin cancer risk factors in school-age children". <i>Preventive Medicine</i> , <b>2008</b> , 47, 133-5	4.3	9
141	Chronic X-ray dermatitis treated by topical 5-aminolaevulinic acid-photodynamic therapy. <i>British Journal of Dermatology</i> , <b>2002</b> , 147, 394-6	4	9
140	Local cryosurgery and imiquimod: A successful combination for the treatment of locoregional cutaneous metastasis of melanoma: A case series. <i>Journal of Dermatology</i> , <b>2016</b> , 43, 553-6	1.6	9
139	Clinical, environmental and histological distribution of BRAF, NRAS and TERT promoter mutations among patients with cutaneous melanoma: a retrospective study of 563 patients. <i>British Journal of Dermatology</i> , <b>2021</b> , 184, 504-513	4	9
138	Prevalence of pathogenic/likely pathogenic variants in the 24 cancer genes of the ACMG Secondary Findings v2.0 list in a large cancer cohort and ethnicity-matched controls. <i>Genome Medicine</i> , <b>2018</b> , 10, 99	14.4	9
137	MC1R variants in childhood and adolescent melanoma: a retrospective pooled analysis of a multicentre cohort. <i>The Lancet Child and Adolescent Health</i> , <b>2019</b> , 3, 332-342	14.5	8
136	Mitotic rate and subcutaneous involvement are prognostic factors for survival after recurrence in patients with only locoregional skin metastasis as the first site of recurrence from cutaneous melanoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2013</b> , 27, 436-41	4.6	8
135	Germline mutations in CDKN2A are infrequent in female patients with melanoma and breast cancer. <i>Melanoma Research</i> , <b>2009</b> , 19, 211-4	3.3	8
134	Analysis of the CDKN2A and CDK4 genes and HLA-DR and HLA-DQ alleles in two Spanish familial melanoma kindreds. <i>Acta Dermato-Venereologica</i> , <b>2000</b> , 80, 440-2	2.2	8
133	Ashy dermatosis in an HIV antibody-positive patient. <i>Acta Dermato-Venereologica</i> , <b>2000</b> , 80, 78-9	2.2	8
132	Atypical involvement of the palms and soles in a varicella infection. <i>Acta Dermato-Venereologica</i> , <b>1999</b> , 79, 322	2.2	8
131	TERT promoter mutations and melanoma survival: A comprehensive literature review and meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , <b>2021</b> , 160, 103288	7	8
130	TERT promoter mutations associate with MC1R variants in melanoma patients. <i>Pigment Cell and Melanoma Research</i> , <b>2017</b> , 30, 273-275	4.5	7
129	Awareness, Attitude, and Adherence to Preventive Measures in Patients at High Risk of Melanoma. A Cross-Sectional Study on 185 Patients. <i>Journal of Cancer Education</i> , <b>2015</b> , 30, 552-66	1.8	7

128	Risk factors for the development of a second melanoma in patients with cutaneous melanoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 2295-2302	4.6	7
127	Risk factors for the development of locoregional cutaneous metastases as the sole form of recurrence in patients with melanoma. <i>Actas Dermo-sifiliográficas</i> , <b>2013</b> , 104, 53-60	0.5	7
126	Bilateral cauliflower ear as the presenting sign of B-cell chronic lymphocytic leukemia. <i>Journal of Cutaneous Pathology</i> , <b>2014</b> , 41, 73-7	1.7	7
125	Indicators for the total number of melanocytic naevi: an adjunct for screening campaigns. Observational study on 292 patients. <i>British Journal of Dermatology</i> , <b>2014</b> , 170, 144-9	4	7
124	Thickness of Healthy and Affected Skin of Children with Port Wine Stains. <i>Dermatologic Surgery</i> , <b>2004</b> , 30, 1457-1461	1.7	7
123	Clinicopathological analysis of 1571 cutaneous malignant melanomas in Valencia, Spain: factors related to tumour thickness. <i>Acta Dermato-Venereologica</i> , <b>2006</b> , 86, 50-6	2.2	7
122	Factors associated with sentinel lymph node status and prognostic role of completion lymph node dissection for thick melanoma. <i>European Journal of Surgical Oncology</i> , <b>2020</b> , 46, 263-271	3.6	7
121	Lymph Node Dissection in Patients With Melanoma and Sentinel Lymph Node Metastasis: An Updated, Evidence-Based Decision Algorithm. <i>Actas Dermo-sifiliográficas</i> , <b>2018</b> , 109, 390-398	0.5	6
120	A 12-Day Course of Imiquimod 5% for the Treatment of Actinic Keratosis: Effectiveness and Local Reactions. <i>Actas Dermo-sifiliográficas</i> , <b>2018</b> , 109, 248-253	0.5	6
119	A randomized intraindividual comparative study of methyl-5-aminolaevulinate vs. 5-aminolaevulinic acid nanoemulsion (BF-200 ALA) in photodynamic therapy for actinic keratosis of the face and scalp. <i>British Journal of Dermatology</i> , <b>2018</b> , 179, 1410-1411	4	6
118	Suitability of melanoma FFPE samples for NGS libraries: time and quality thresholds for downstream molecular tests. <i>BioTechniques</i> , <b>2018</b> , 65, 79-85	2.5	6
117	Positive margins in excised dermatofibrosarcoma protuberans: a study of 58 cases treated with slow-Mohs surgery. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2014</b> , 28, 1012-5	4.6	6
116	Molecular genetic analysis of HLA-DR and -DQ alleles in Spanish patients with melanoma. <i>Acta Dermato-Venereologica</i> , <b>2002</b> , 82, 90-3	2.2	6
115	ETS1, nucleolar and non-nucleolar TERT expression in nevus to melanoma progression. <i>Oncotarget</i> , <b>2017</b> , 8, 104408-104417	3.3	6
114	Position statement of the EADV Melanoma Task Force on recommendations for the management of cutaneous melanoma patients during COVID-19. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, e427-e428	4.6	6
113	Decreased vitamin D serum levels at melanoma diagnosis are associated with tumor ulceration and high tumor mitotic rate. <i>Melanoma Research</i> , <b>2019</b> , 29, 664-667	3.3	6
112	Experience With Vismodegib in the Treatment of Advanced Basal Cell Carcinoma at a Cancer Center. <i>Actas Dermo-sifiliográficas</i> , <b>2018</b> , 109, 813-820	0.5	6
111	Sunbed use among Portuguese beach goers: a crave group while waiting sunbeds to be abolished. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31, e294-e295	4.6	5

110	Histologic Features Associated With an Invasive Component in Lentigo Maligna Lesions. <i>JAMA Dermatology</i> , <b>2019</b> , 155, 782-788	5.1	5
109	Association of sunbed use with skin cancer risk factors in Europe: an investigation within the Euromelanoma skin cancer prevention campaign. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2019</b> , 33 Suppl 2, 76-88	4.6	5
108	The intriguing effect of delay time to sentinel lymph node biopsy on survival: a propensity score matching study on a cohort of melanoma patients. <i>European Journal of Dermatology</i> , <b>2017</b> , 27, 487-495	0.8	5
107	Clinical, pathological and dermoscopic characteristics of cutaneous lesions in LEOPARD syndrome. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2018</b> , 32, e100-e101	4.6	5
106	Antimalarial Drugs for the Treatment of Oral Erosive Lichen Planus. <i>Dermatology</i> , <b>2016</b> , 232, 86-90	4.4	5
105	MelaNostrum: a consensus questionnaire of standardized epidemiologic and clinical variables for melanoma risk assessment by the melanostrum consortium. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2018</b> , 32, 2134-2141	4.6	5
104	Contribution of Common Genetic Variants to Familial Aggregation of Disease and Implications for Sequencing Studies. <i>PLoS Genetics</i> , <b>2019</b> , 15, e1008490	6	5
103	Defining the dermoscopic characteristics of fast-growing cutaneous melanomas. <i>Melanoma Research</i> , <b>2015</b> , 25, 269-72	3.3	5
102	Adverse reaction to silicone simulating orofacial granulomatosis. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2015</b> , 29, 998-1001	4.6	5
101	Regression does not significantly underestimate melanoma thickness. <i>Melanoma Research</i> , <b>2012</b> , 22, 96-8	3.3	5
100	Ppulas linfangiomatosas benignas secundarias al tratamiento de cncer de mama. <i>Actas Dermo-sifiliograficas</i> , <b>2004</b> , 95, 501-503	0.5	5
99	Melanocytic agminated naevus on the sole. <i>British Journal of Dermatology</i> , <b>2002</b> , 146, 154	4	5
98	Frequency and characteristics of familial melanoma in Spain: the FAM-GEM-1 Study. <i>PLoS ONE</i> , <b>2015</b> , 10, e0124239	3.7	5
97	Cutaneous melanoma primary site is linked to nevus density. <i>Oncotarget</i> , <b>2017</b> , 8, 98876-98886	3.3	5
96	Ultraviolet light-induced collagen degradation inhibits melanoma invasion. <i>Nature Communications</i> , <b>2021</b> , 12, 2742	17.4	5
95	Value of sentinel lymph node biopsy and adjuvant interferon treatment in thick (>4 mm) cutaneous melanoma: an observational study. <i>European Journal of Dermatology</i> , <b>2016</b> , 26, 34-48	0.8	5
94	Multiple facial plaque variant of trichoblastoma. <i>Journal of Cutaneous Pathology</i> , <b>2019</b> , 46, 285-289	1.7	4
93	Association of HERV-K and LINE-1 hypomethylation with reduced disease-free survival in melanoma patients. <i>Epigenomics</i> , <b>2020</b> , 12, 1689-1706	4.4	4

92	CDKN2A germline alterations in melanoma patients with personal or familial history of pancreatic cancer. <i>Melanoma Research</i> , <b>2018</b> , 28, 246-249	3.3	4
91	Melanoma Arising in a Melanocytic Nevus. <i>Actas Dermo-sifiliográficas</i> , <b>2018</b> , 109, 123-132	0.5	4
90	No association between smoking and sentinel lymph node metastasis and survival in cutaneous melanoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2019</b> , 33, 2283-2290	4.6	4
89	Behaviour towards sun exposure, skin self-examination and skin cancer knowledge of educators, health professionals and the general population - cross-sectional study. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31, e132-e135	4.6	4
88	Sequencing of the novel HLA-B*49:24 and HLA-DRB1*03:64 alleles. <i>Tissue Antigens</i> , <b>2013</b> , 81, 177-8		4
87	Histologic Changes During Treatment With Vismodegib in Locally Advanced Basal Cell Carcinoma: A Series of 19 Cases. <i>American Journal of Dermatopathology</i> , <b>2019</b> , 41, 711-717	0.9	4
86	Differences in cutaneous melanoma survival between the 7th and 8th edition of the American Joint Committee on Cancer (AJCC). A multicentric population-based study. <i>European Journal of Cancer</i> , <b>2021</b> , 145, 29-37	7.5	4
85	The proportion of nevus-associated invasive melanoma differs with Breslow thickness: A cross-sectional study of 1087 cutaneous melanomas. <i>Journal of the American Academy of Dermatology</i> , <b>2019</b> , 81, 852-854	4.5	3
84	Estimated Effect of COVID-19 Lockdown on Skin Tumor Size and Survival: An Exponential Growth Model. <i>Actas Dermo-sifiliográficas</i> , <b>2020</b> , 111, 629-638	0.5	3
83	Intralesional Methotrexate for the Treatment of Advanced Keratinocytic Tumors: A Multi-Center Retrospective Study. <i>Dermatology and Therapy</i> , <b>2020</b> , 10, 769-777	4	3
82	Comment on Diagnosis and treatment of basal cell carcinoma: European consensus-based interdisciplinary guidelines. <i>European Journal of Cancer</i> , <b>2020</b> , 131, 100-103	7.5	3
81	Clinical characteristics of patients with cutaneous melanoma according to variants in the melanocortin 1 receptor gene. <i>Actas Dermo-sifiliográficas</i> , <b>2014</b> , 105, 159-71	0.5	3
80	The use of a biosynthetic skin substitute in slow Mohs micrographic surgery. <i>Dermatologic Surgery</i> , <b>2012</b> , 38, 683-9	1.7	3
79	Riesgo aumentado del desarrollo de un segundo melanoma cutáneo primario sobre un nevo en pacientes diagnosticados previamente de melanoma cutáneo primario sobre nevo. <i>Actas Dermo-sifiliográficas</i> , <b>2010</b> , 101, 710-716	0.5	3
78	Problems in Defining Melanoma Regression and Prognostic Implication. <i>Actas Dermo-sifiliográficas</i> , <b>2009</b> , 100, 759-766	0.5	3
77	Enfermedad de Behçet con lesiones cutáneas de panarteritis nodosa. <i>Actas Dermo-sifiliográficas</i> , <b>2007</b> , 98, 217-218	0.5	3
76	Erupción fotodistribuida como forma de presentación de reticulohistiocitosis multicéntrica. <i>Actas Dermo-sifiliográficas</i> , <b>2004</b> , 95, 38-40	0.5	3
75	Obesity attenuates the effect of sleep apnea on active TGF- $\beta$ levels and tumor aggressiveness in patients with melanoma. <i>Scientific Reports</i> , <b>2020</b> , 10, 15528	4.9	3

74	Proangiogenic factor midkine is increased in melanoma patients with sleep apnea and induces tumor cell proliferation. <i>FASEB Journal</i> , <b>2020</b> , 34, 16179-16190	0.9	3
73	25-Hydroxyvitamin D in Patients With Melanoma and Factors Associated With Inadequate Levels. <i>Actas Dermo-sifiliográficas</i> , <b>2016</b> , 107, 758-764	0.5	3
72	Survival advantage of women in localized melanoma mainly relies on clinical-pathological differences by sex. A retrospective study of 1,607 patients in Valencia, Spain. <i>European Journal of Dermatology</i> , <b>2015</b> , 25, 247-54	0.8	2
71	Prognostic Role of Non-Identification of Sentinel Lymph Node in Cutaneous Melanoma Patients: An Observational Retrospective Study. <i>Cancers</i> , <b>2020</b> , 12,	6.6	2
70	Mutation Signatures in Melanocytic Nevi Reveal Characteristics of Defective DNA Repair. <i>Journal of Investigative Dermatology</i> , <b>2020</b> , 140, 2093-2096.e2	4.3	2
69	Staged Excision With Micrographic Monitoring of Margins in Lentigo Maligna. <i>Actas Dermo-sifiliográficas</i> , <b>2020</b> , 111, 522-523	0.5	2
68	Erythematous-violaceous macule on the chest in a patient with dysplastic nevus syndrome. <i>Journal of the American Academy of Dermatology</i> , <b>2016</b> , 75, e55-6	4.5	2
67	Histologic Features Associated with Deep Invasion in Dermatofibrosarcoma Protuberans. <i>Actas Dermo-sifiliográficas</i> , <b>2016</b> , 107, 414-20	0.5	2
66	Use of Lymph Node Ultrasound Prior to Sentinel Lymph Node Biopsy in 384 Patients with Melanoma: A Cost-Effectiveness Analysis. <i>Actas Dermo-sifiliográficas</i> , <b>2017</b> , 108, 931-938	0.5	2
65	Conventional Surgery Compared With Slow Mohs Micrographic Surgery in the Treatment of Lentigo Maligna: A Retrospective Study of 62 Cases. <i>Actas Dermo-sifiliográficas</i> , <b>2012</b> , 103, 614-623	0.5	2
64	Giant Dermatofibroma: Case Report and Review of the Literature. <i>Actas Dermo-sifiliográficas</i> , <b>2007</b> , 98, 121-124	0.5	2
63	Diagnóstico y tratamiento enzimático sustitutivo de la enfermedad de Fabry. <i>Actas Dermo-sifiliográficas</i> , <b>2004</b> , 95, 436-439	0.5	2
62	MC1R variants and cutaneous melanoma risk according to histological type, body site, and Breslow thickness: a pooled analysis from the M-SKIP project. <i>Melanoma Research</i> , <b>2020</b> , 30, 500-510	3.3	2
61	Relationship between type 2 diabetes mellitus and markers of cutaneous melanoma aggressiveness: an observational multicentric study in 443 patients with melanoma. <i>British Journal of Dermatology</i> , <b>2021</b> , 185, 756-763	4	2
60	Dusky erythema secondary to anti-MEK therapy. <i>Melanoma Research</i> , <b>2019</b> , 29, 449-451	3.3	2
59	Clinical Practice Guideline on Melanoma From the Spanish Academy of Dermatology and Venereology (AEDV). <i>Actas Dermo-sifiliográficas</i> , <b>2021</b> , 112, 142-152	0.5	2
58	Predictors of Sentinel Lymph Node Status in Cutaneous Melanoma: A Classification and Regression Tree Analysis. <i>Actas Dermo-sifiliográficas</i> , <b>2015</b> , 106, 208-218	0.5	1
57	Age as a prognostic factor in thick and ultrathick melanomas without lymph node metastasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, e513-e517	4.6	1

56	Risk Factors for the Development of Locoregional Cutaneous Metastases as the Sole Form of Recurrence in Patients With Melanoma. <i>Actas Dermo-sifiliográficas</i> , <b>2013</b> , 104, 53-60	0.5	1
55	High immunohistochemical nestin expression is associated with greater depth of infiltration in dermatofibrosarcoma protuberans: a study of 71 cases. <i>Journal of Cutaneous Pathology</i> , <b>2013</b> , 40, 871-8	1.7	1
54	Effect of time to sentinel lymph node biopsy on cutaneous melanoma survival: a matter of discussion. <i>American Journal of Surgery</i> , <b>2017</b> , 213, 204-205	2.7	1
53	Biosynthetic Porcine Collagen Dressings as an Adjunct or Definitive Tool for the Closure of Scalp Defects Without Periosteum. <i>Actas Dermo-sifiliográficas</i> , <b>2012</b> , 103, 887-896	0.5	1
52	Multicenter Case-Control Study of Risk Factors for Cutaneous Melanoma in Valencia, Spain. <i>Actas Dermo-sifiliográficas</i> , <b>2012</b> , 103, 790-797	0.5	1
51	Temporal artery involvement as the presenting sign of thromboangiitis obliterans. <i>Journal of Clinical Rheumatology</i> , <b>2013</b> , 19, 158-9	1.1	1
50	Characterization of nonacral melanoma patients without typical risk factors. <i>Melanoma Research</i> , <b>2012</b> , 22, 316-9	3.3	1
49	Chemotherapy-Induced Acral Erythema: A Clinical and Histopathologic Study of 44 Cases. <i>Actas Dermo-sifiliográficas</i> , <b>2008</b> , 99, 281-290	0.5	1
48	Locoregional Lymph Node Recurrence of Trunk Melanoma in Non-sentinel Lymph Node Basins: An Observational Retrospective Study. <i>Acta Dermato-Venereologica</i> , <b>2020</b> , 100, adv00284	2.2	1
47	Mutational Characterization of Cutaneous Melanoma Supports Divergent Pathways Model for Melanoma Development. <i>Cancers</i> , <b>2021</b> , 13,	6.6	1
46	Response to: Comment on Diagnosis and treatment of basal cell carcinoma: European consensus-based interdisciplinary guidelines. <i>European Journal of Cancer</i> , <b>2020</b> , 140, 154-157	7.5	1
45	Longitudinal study of prognostic factors for localized cutaneous melanoma in patients who have been disease-free for five years. <i>European Journal of Dermatology</i> , <b>2021</b> , 31, 192-198	0.8	1
44	Surgical procedures in melanoma: recommended deep and lateral margins, indications for sentinel lymph node biopsy, and complete lymph node dissection. <i>Italian Journal of Dermatology and Venereology</i> , <b>2021</b> , 156,	1.2	1
43	Histologic Features Associated with Deep Invasion in Dermatofibrosarcoma Protuberans. <i>Actas Dermo-sifiliográficas</i> , <b>2016</b> , 107, 414-420	0.5	1
42	May melanophages hinder the subclinical spread of lentigo maligna and lentigo maligna melanoma? Results from a pilot study. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, e365-e367	4.6	1
41	Germline ATM variants predispose to melanoma: a joint analysis across the GenoMEL and MelaNostrum consortia. <i>Genetics in Medicine</i> , <b>2021</b> , 23, 2087-2095	8.1	1
40	Heterogeneity in the linear shiny white structures in melanomas seen with polarized light according to histopathological association: Cross-sectional observational study in 118 cutaneous melanomas. <i>Journal of Dermatology</i> , <b>2020</b> , 47, 1058-1062	1.6	0
39	Why is the Cutaneous Melanoma Mortality Rate not Falling?. <i>Actas Dermo-sifiliográficas</i> , <b>2020</b> , 111, 450-452	5	0

38	Sunitinib-induced pseudoporphyria. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2015</b> , 29, 1848-50	4.6	o
37	Informing patients about their mutation tests: CDKN2A c.256G>A in melanoma as an example. <i>Hereditary Cancer in Clinical Practice</i> , <b>2020</b> , 18, 15	2.3	o
36	Novel MAPK/AKT-impairing germline NRAS variant identified in a melanoma-prone family. <i>Familial Cancer</i> , <b>2021</b> , 1	3	o
35	Adherence to Primary Prevention and Skin Self-Examination Practices by Spanish Melanoma Patients. <i>Dermatology</i> , <b>2021</b> , 237, 1016-1022	4.4	o
34	A long-standing keratotic papular eruption. <i>Archives of Dermatology</i> , <b>2000</b> , 136, 417-8, 420-1		o
33	Differences by Anatomical Site of Non-Acral Lentiginous Melanomas of the Lower Limb.. <i>Dermatology</i> , <b>2022</b> , 1-9	4.4	o
32	Skin Cancer and the Dermatologist: Reflections on the Position Taken by the Spanish Society of Medical Oncology (SEOM). <i>Actas Dermo-sifiliográficas</i> , <b>2017</b> , 108, 704-707	0.5	
31	Use of Lymph Node Ultrasound Prior to Sentinel Lymph Node Biopsy in 384 Patients with Melanoma: A Cost-Effectiveness Analysis. <i>Actas Dermo-sifiliográficas</i> , <b>2017</b> , 108, 931-938	0.5	
30	Lymphatic and Hematogenous Dissemination in Patients With Primary Cutaneous Melanoma-Reply. <i>JAMA Dermatology</i> , <b>2019</b> , 155, 1323	5.1	
29	Reply to: "Topical rapamycin combined with pulsed dye laser (PDL) in the treatment of capillary vascular malformations-Anatomical differences in response to PDL are relevant to interpretation of study results". <i>Journal of the American Academy of Dermatology</i> , <b>2015</b> , 73, e73-4	4.5	
28	Melanoma Arising in a Melanocytic Nevus. <i>Actas Dermo-sifiliográficas</i> , <b>2018</b> , 109, 123-132	0.5	
27	Chronology of regional lymph node metastases in cutaneous melanoma: a model based on mitotic rate. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2018</b> , 32, e289-e291	4.6	
26	A 12-Day Course of Imiquimod 5% for the Treatment of Actinic Keratosis: Effectiveness and Local Reactions. <i>Actas Dermo-sifiliográficas</i> , <b>2018</b> , 109, 248-253	0.5	
25	25-Hydroxyvitamin D in Patients With Melanoma and Factors Associated With Inadequate Levels. <i>Actas Dermo-sifiliográficas</i> , <b>2016</b> , 107, 758-764	0.5	
24	Characteristics of Familial Melanoma in Valencia, Spain, Based on the Presence of CDKN2A Mutations and MC1R Variants. <i>Acta Dermato-Venereologica</i> , <b>2018</b> , 98, 512-516	2.2	
23	Clinical Characteristics of Patients With Cutaneous Melanoma According to Variants in the Melanocortin 1 Receptor Gene. <i>Actas Dermo-sifiliográficas</i> , <b>2014</b> , 105, 159-171	0.5	
22	Skin Cancer and the Dermatologist: Reflections on the Position Taken by the Spanish Society of Medical Oncology (SEOM). <i>Actas Dermo-sifiliográficas</i> , <b>2017</b> , 108, 704-707	0.5	
21	AuthorsReply to: High naevus counts confer a favourable prognosis in patients with melanoma. <i>International Journal of Cancer</i> , <b>2015</b> , 137, 3008-9	7.5	



20	KIT Mutations in a Series of Melanomas and Their Impact on Treatment With Imatinib. <i>Actas Dermo-sifiliográficas</i> , <b>2012</b> , 103, 838-840	0.5
19	Photodynamic Therapy vs Imiquimod. <i>Actas Dermo-sifiliográficas</i> , <b>2012</b> , 103, 488-501	0.5
18	Role of lymphatics in cutaneous metastasis of breast cancer. <i>Expert Review of Dermatology</i> , <b>2012</b> , 7, 221-222	
17	Mohs Micrographic Surgery for Re-Excision of Basal Cell Carcinomas on the Head With Positive Margins. <i>Actas Dermo-sifiliográficas</i> , <b>2011</b> , 102, 797-804	0.5
16	Increased Risk of Developing a Second Primary Cutaneous Nevus-Associated Melanoma in Patients Previously Diagnosed with the Disease. <i>Actas Dermo-sifiliográficas</i> , <b>2010</b> , 101, 710-716	0.5
15	Acquired Progressive Lymphangioma (Benign Lymphangioendothelioma). <i>Actas Dermo-sifiliográficas</i> , <b>2010</b> , 101, 792-797	0.5
14	Clinical and Epidemiologic Profile of Melanoma Patients According To Sun Exposure Of The Tumor Site. <i>Actas Dermo-sifiliográficas</i> , <b>2009</b> , 100, 205-211	0.5
13	Protocol Proposal for the Histological Report of the Primary Tumor in Patients with Cutaneous Melanoma From the Task Force for Cutaneous Melanoma of the Valencian Community. <i>Actas Dermo-sifiliográficas</i> , <b>2007</b> , 98, 459-465	0.5
12	Pilot study on the frequency of adverse effects on toenails in patients with breast cancer.. <i>International Journal of Dermatology</i> , <b>2022</b> ,	1.7
11	[Translated article] Cuentos Lunares: Poems and Flash Fiction That Save Lives - A Euromelanoma Project During the COVID-19 Pandemic.. <i>Actas Dermo-sifiliográficas</i> , <b>2022</b> , 113, T1-T3	0.5
10	Sleep Duration and Cutaneous Melanoma Aggressiveness. A Prospective Observational Study in 443 Patients. <i>Archivos De Bronconeumologia</i> , <b>2020</b> , 57, 776-776	0.7
9	Sleep Duration and Cutaneous Melanoma Aggressiveness. A Prospective Observational Study in 443 Patients. <i>Archivos De Bronconeumologia</i> , <b>2021</b> , 57, 776-778	0.7
8	Melapred: first susceptibility test to sporadic melanoma in daily dermatological practice.. <i>Journal of Clinical Oncology</i> , <b>2016</b> , 34, e21056-e21056	2.2
7	Why is the Cutaneous Melanoma Mortality Rate not Falling?. <i>Actas Dermo-sifiliográficas</i> , <b>2020</b> , 111, 450-452	5
6	Staged Excision With Micrographic Monitoring of Margins in Lentigo Maligna. <i>Actas Dermo-sifiliográficas</i> , <b>2020</b> , 111, 522-523	0.5
5	Cuentos Lunares: Poems and Flash Fiction That Save Lives - A Euromelanoma Project During the COVID-19 Pandemic. <i>Actas Dermo-sifiliográficas</i> , <b>2021</b> , 113, 1-1	0.5
4	TERT promoter mutation subtypes in 20 in-situ melanomas. <i>Melanoma Research</i> , <b>2019</b> , 29, 347-348	3.3
3	Author's reply to: Prognosis of sentinel lymph node biopsy in patients with thick melanoma by a propensity score matching prospective study. <i>International Journal of Cancer</i> , <b>2018</b> , 142, 1504	7.5

2	Lymph Node Dissection in Patients With Melanoma and Sentinel Lymph Node Metastasis: An Updated, Evidence-Based Decision Algorithm. <i>Actas Dermo-sifilograficas</i> , <b>2018</b> , 109, 390-398	0.5
1	Self-Assessment Questionnaire on Patient-Physician Concordance on Nevus Self-Count and Models Development to Predict High-Risk Phenotype >50 Nevi.. <i>Dermatology</i> , <b>2022</b> , 1-10	4.4