

H P Vasantha Rupasinghe

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8825269/h-p-vasantha-rupasinghe-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

181
papers

6,901
citations

44
h-index

75
g-index

201
ext. papers

8,252
ext. citations

4.7
avg, IF

6.63
L-index

#	Paper	IF	Citations
181	A Review: Depolymerization of Lignin to Generate High-Value Bio-Products: Opportunities, Challenges, and Prospects. <i>Frontiers in Energy Research</i> , 2022 , 9,	3.8	6
180	Optimization of the Extraction of Proanthocyanidins from Grape Seeds Using Ultrasonication-Assisted Aqueous Ethanol and Evaluation of Anti-Steatosis Activity In Vitro.. <i>Molecules</i> , 2022 , 27,	4.8	1
179	Ketone Analog of Caffeic Acid Phenethyl Ester Exhibits Antioxidant Activity via Activation of ERK-Dependent Nrf2 Pathway. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 3062	2.6	1
178	Antioxidant and cytotoxicity to liver cancer HepG2 cells in vitro of Korarima (Aframomum corrorima (Braun) P.C.M. Jansen) seed extracts. <i>International Journal of Food Properties</i> , 2022 , 25, 1-10	3	1
177	Phenolic compounds and in vitro antioxidant activity of Moringa stenopetala grown in South Ethiopia. <i>International Journal of Food Properties</i> , 2021 , 24, 1681-1692	3	1
176	Mechanisms by Which Probiotic Bacteria Attenuate the Risk of Hepatocellular Carcinoma. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	5
175	Plant Growth and Nutritional Quality Attributes of Basella alba Applied with Variable Rates of Nitrogen Fertilizer at Different Planting Dates under Canadian Maritime Climatic Conditions. <i>International Journal of Agronomy</i> , 2021 , 2021, 1-11	1.9	
174	Role of Dietary Antioxidants in p53-Mediated Cancer Chemoprevention and Tumor Suppression. <i>Oxidative Medicine and Cellular Longevity</i> , 2021 , 2021, 9924328	6.7	13
173	Experimental exploration of processes for deriving multiple products from spent coffee grounds. <i>Food and Bioproducts Processing</i> , 2021 , 128, 21-29	4.9	4
172	Carvacrol exhibits rapid bactericidal activity against Streptococcus pyogenes through cell membrane damage. <i>Scientific Reports</i> , 2021 , 11, 1487	4.9	15
171	Biochemistry of Winemaking 2021 , 331-380		
170	Current methodologies to refine bioavailability, delivery, and therapeutic efficacy of plant flavonoids in cancer treatment. <i>Journal of Nutritional Biochemistry</i> , 2021 , 94, 108623	6.3	10
169	Cannabidiol-based natural health products for companion animals: Recent advances in the management of anxiety, pain, and inflammation. <i>Research in Veterinary Science</i> , 2021 , 140, 38-46	2.5	1
168	Effect of 1-Methylcyclopropene (1-MCP) and Storage Atmosphere on the Volatile Aroma Composition of Cloudy and Clear Apple Juices. <i>Beverages</i> , 2020 , 6, 59	3.4	0
167	Anthocyanin-rich haskap (Lonicera caerulea L.) berry extracts reduce nitrosamine-induced DNA damage in human normal lung epithelial cells in vitro. <i>Food and Chemical Toxicology</i> , 2020 , 141, 111404	4.7	17
166	Optimization of Catechin and Proanthocyanidin Recovery from Grape Seeds Using Microwave-Assisted Extraction. <i>Biomolecules</i> , 2020 , 10,	5.9	7
165	Health Benefits of Haskap Berries (Lonicera caerulea L.) 2020 , 279-325		

164	Polyphenols composition and anti-diabetic properties in vitro of haskap (<i>Lonicera caerulea</i> L.) berries in relation to cultivar and harvesting date. <i>Journal of Food Composition and Analysis</i> , 2020 , 88, 103402	4.1	19
163	Regulation of Nrf2/ARE Pathway by Dietary Flavonoids: A Friend or Foe for Cancer Management?. <i>Antioxidants</i> , 2020 , 9,	7.1	38
162	Cyanidin-3--Glucoside-Rich Haskap Berry Administration Suppresses Carcinogen-Induced Lung Tumorigenesis in A/JCr Mice. <i>Molecules</i> , 2020 , 25,	4.8	10
161	Chemopreventive Effect of Dietary Anthocyanins against Gastrointestinal Cancers: A Review of Recent Advances and Perspectives. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	12
160	Industrial Hemp (subsp.) as an Emerging Source for Value-Added Functional Food Ingredients and Nutraceuticals. <i>Molecules</i> , 2020 , 25,	4.8	48
159	Dietary Flavonoids in p53-Mediated Immune Dysfunctions Linking to Cancer Prevention. <i>Biomedicines</i> , 2020 , 8,	4.8	8
158	Metabolism and pharmacokinetics of a novel polyphenol fatty acid ester phloridzin docosahexaenoate in Balb/c female mice. <i>Scientific Reports</i> , 2020 , 10, 21391	4.9	1
157	Allyl isothiocyanate regulates lysine acetylation and methylation marks in an experimental model of malignant melanoma. <i>European Journal of Nutrition</i> , 2020 , 59, 557-569	5.2	11
156	Herbal Tea for the Management of Pharyngitis: Inhibition of Growth and Biofilm Formation by Herbal Infusions. <i>Biomedicines</i> , 2019 , 7,	4.8	4
155	Phloridzin docosahexaenoate, a novel fatty acid ester of a plant polyphenol, inhibits mammary carcinoma cell metastasis. <i>Cancer Letters</i> , 2019 , 465, 68-81	9.9	11
154	Apple Peel Flavonoid Fraction 4 Suppresses Breast Cancer Cell Growth by Cytostatic and Cytotoxic Mechanisms. <i>Molecules</i> , 2019 , 24,	4.8	8
153	Dietary phytochemicals with anti-oxidant and pro-oxidant activities: A double-edged sword in relation to adjuvant chemotherapy and radiotherapy?. <i>Cancer Letters</i> , 2019 , 452, 168-177	9.9	40
152	Bactericidal and Anti-Biofilm Activity of Ethanol Extracts Derived from Selected Medicinal Plants against. <i>Molecules</i> , 2019 , 24,	4.8	15
151	Response surface optimization for recovery of polyphenols and carotenoids from leaves of using an ethanol-based solvent system. <i>Food Science and Nutrition</i> , 2019 , 7, 528-536	3.2	16
150	Evaluation of Antioxidant, Antidiabetic and Antiobesity Potential of Selected Traditional Medicinal Plants. <i>Frontiers in Nutrition</i> , 2019 , 6, 53	6.2	37
149	Microbial metabolites of proanthocyanidins reduce chemical carcinogen-induced DNA damage in human lung epithelial and fetal hepatic cells in vitro. <i>Food and Chemical Toxicology</i> , 2019 , 125, 479-493	4.7	12
148	DNA-dependent protein kinase: Epigenetic alterations and the role in genomic stability of cancer. <i>Mutation Research - Reviews in Mutation Research</i> , 2019 , 780, 92-105	7	9
147	Biotransformation of Cranberry Proanthocyanidins to Probiotic Metabolites by Enhances Their Anticancer Activity in HepG2 Cells. <i>Oxidative Medicine and Cellular Longevity</i> , 2019 , 2019, 4750795	6.7	28

146	Chapter 5:Health Benefits of Anthocyanins. <i>Food Chemistry, Function and Analysis</i> , 2019 , 121-158	0.6	3
145	Impact of Citral and Phloretin, Alone and in Combination, on Major Virulence Traits of. <i>Molecules</i> , 2019 , 24,	4.8	8
144	Polyphenol-based prebiotics and synbiotics: potential for cancer chemoprevention. <i>Current Opinion in Food Science</i> , 2018 , 20, 51-57	9.8	35
143	DNA damaging and apoptotic potentials of Bisphenol A and Bisphenol S in human bronchial epithelial cells. <i>Environmental Toxicology and Pharmacology</i> , 2018 , 60, 52-57	5.8	21
142	Essential oils from <i>Origanum vulgare</i> and <i>Salvia officinalis</i> exhibit antibacterial and anti-biofilm activities against <i>Streptococcus pyogenes</i> . <i>Microbial Pathogenesis</i> , 2018 , 117, 118-127	3.8	41
141	The potential health benefits of haskap (<i>Lonicera caerulea</i> L.): Role of cyanidin-3- O -glucoside. <i>Journal of Functional Foods</i> , 2018 , 44, 24-39	5.1	54
140	Change of phenolics, carotenoids, and antioxidant capacity following simulated gastrointestinal digestion and dialysis of selected edible green leaves. <i>Food Chemistry</i> , 2018 , 245, 371-379	8.5	46
139	Impact of Thermal Degradation of Cyanidin-3-O-Glucoside of Haskap Berry on Cytotoxicity of Hepatocellular Carcinoma HepG2 and Breast Cancer MDA-MB-231 Cells. <i>Antioxidants</i> , 2018 , 7,	7.1	16
138	Myricetin-induced apoptosis of triple-negative breast cancer cells is mediated by the iron-dependent generation of reactive oxygen species from hydrogen peroxide. <i>Food and Chemical Toxicology</i> , 2018 , 118, 154-167	4.7	39
137	Kinase-targeted cancer therapies: progress, challenges and future directions. <i>Molecular Cancer</i> , 2018 , 17, 48	42.1	452
136	Analysis of rutin, β -carotene, and lutein content and evaluation of antioxidant activities of six edible leaves on free radicals and reactive oxygen species. <i>Journal of Food Biochemistry</i> , 2018 , 42, e12579-33	2.3	11
135	Application of Medicinal Plants as a Source for Therapeutic Agents Against <i>Streptococcus pyogenes</i> Infections. <i>Current Drug Metabolism</i> , 2018 , 19, 695-703	3.5	5
134	In Vitro Anti-Inflammatory Properties of Selected Green Leafy Vegetables. <i>Biomedicines</i> , 2018 , 6,	4.8	47
133	Novel Docosahexaenoic Acid Ester of Phloridzin Inhibits Proliferation and Triggers Apoptosis in an In Vitro Model of Skin Cancer. <i>Antioxidants</i> , 2018 , 7,	7.1	6
132	Storage Temperature Impacts on Anthocyanins Degradation, Color Changes and Haze Development in Juice of "Merlot" and "Ruby" Grapes (). <i>Frontiers in Nutrition</i> , 2018 , 5, 100	6.2	14
131	Effect of Different Cooking Methods on Polyphenols, Carotenoids and Antioxidant Activities of Selected Edible Leaves. <i>Antioxidants</i> , 2018 , 7,	7.1	44
130	Influence of Boiling, Steaming and Frying of Selected Leafy Vegetables on the In Vitro Anti-inflammation Associated Biological Activities. <i>Plants</i> , 2018 , 7,	4.5	21
129	Flavonoid-Rich Extract of (A Wild Kiwifruit) Inhibits Angiotensin-Converting Enzyme In Vitro. <i>Foods</i> , 2018 , 7,	4.9	17

128	Growing medium amendments effect on growth, secondary metabolites and anti-streptococcal activity of two species of <i>Plectranthus</i> . <i>Journal of Applied Research on Medicinal and Aromatic Plants</i> , 2017 , 5, 53-59	2.6	9
127	Isolation of flavonoids from apple peel using novel graphene oxide cotton fiber. <i>Natural Product Research</i> , 2017 , 31, 2559-2563	2.3	2
126	Antiproliferative effects of extracts from <i>Salvia officinalis</i> L. and <i>Salvia miltiorrhiza</i> Bunge on hepatocellular carcinoma cells. <i>Biomedicine and Pharmacotherapy</i> , 2017 , 85, 57-67	7.5	32
125	Apple Flavonoids Suppress Carcinogen-Induced DNA Damage in Normal Human Bronchial Epithelial Cells. <i>Oxidative Medicine and Cellular Longevity</i> , 2017 , 2017, 1767198	6.7	26
124	Plant flavonoids in cancer chemoprevention: role in genome stability. <i>Journal of Nutritional Biochemistry</i> , 2017 , 45, 1-14	6.3	208
123	Prevention of Type 2 Diabetes by Polyphenols of Fruits 2017 , 447-466		2
122	Chemistry of Fruit Wines 2017 , 105-176		5
121	Anti-Bacterial Activity of Phenolic Compounds against <i>Streptococcus pyogenes</i> . <i>Medicines (Basel, Switzerland)</i> , 2017 , 4,	4.1	16
120	Phloridzin docosahexaenoate, a novel flavonoid derivative, suppresses growth and induces apoptosis in T-cell acute lymphoblastic leukemia cells. <i>American Journal of Cancer Research</i> , 2017 , 7, 2452-2464 ³	4.4	4
119	Phytochemical-rich medicinal plant extracts suppress bacterial antigens-induced inflammation in human tonsil epithelial cells. <i>PeerJ</i> , 2017 , 5, e3469	3.1	7
118	Phytochemicals in regulating fatty acid oxidation: Potential underlying mechanisms and their involvement in obesity and weight loss. <i>Pharmacology & Therapeutics</i> , 2016 , 165, 153-63	13.9	95
117	Sonochemical enzyme-catalyzed regioselective acylation of flavonoid glycosides. <i>Bioorganic Chemistry</i> , 2016 , 65, 17-25	5.1	12
116	Partridgeberry polyphenols protect rat primary cortical neurons from oxygen-glucose deprivation-reperfusion-induced injury via suppression of inflammatory adipokines and regulation of HIF-1 α and PPAR γ <i>Nutritional Neuroscience</i> , 2016 , 19, 260-8	3.6	4
115	Mechanism of Action of Flavonoids in Prevention of Inflammation- Associated Skin Cancer. <i>Current Medicinal Chemistry</i> , 2016 , 23, 3697-3716	4.3	16
114	Polyphenol characterization, anti-oxidant, anti-proliferation and anti-tyrosinase activity of cranberry pomace. <i>Functional Foods in Health and Disease</i> , 2016 , 6, 754	2.5	4
113	Phloridzin Docosahexaenoate (PZ-DHA) : A Novel Naturally Derived Drug Active in T-Cell Acute Lymphoblastic Leukemia (T-ALL). <i>Blood</i> , 2016 , 128, 5197-5197	2.2	
112	Molecular Mechanisms of Inhibition of <i>Streptococcus</i> Species by Phytochemicals. <i>Molecules</i> , 2016 , 21,	4.8	32
111	Long Chain Fatty Acid Esters of Quercetin-3-O-glucoside Attenuate H ₂ O ₂ -Induced Acute Cytotoxicity in Human Lung Fibroblasts and Primary Hepatocytes. <i>Molecules</i> , 2016 , 21, 452	4.8	8

110	Plant Polyphenols as Chemopreventive Agents for Lung Cancer. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	56
109	Novel long chain fatty acid derivatives of quercetin-3-O-glucoside reduce cytotoxicity induced by cigarette smoke toxicants in human fetal lung fibroblasts. <i>European Journal of Pharmacology</i> , 2016 , 781, 128-38	5.3	11
108	Docosahexaenoic acid-acylated phloridzin, a novel polyphenol fatty acid ester derivative, is cytotoxic to breast cancer cells. <i>Carcinogenesis</i> , 2016 , 37, 1004-1013	4.6	15
107	Novel quercetin-3-O-glucoside eicosapentaenoic acid ester ameliorates inflammation and hyperlipidemia. <i>Inflammopharmacology</i> , 2015 , 23, 173-85	5.1	18
106	A Review: Phytochemicals Targeting JAK/STAT Signaling and IDO Expression in Cancer. <i>Phytotherapy Research</i> , 2015 , 29, 805-17	6.7	56
105	Cancer prevention and therapy through the modulation of the tumor microenvironment. <i>Seminars in Cancer Biology</i> , 2015 , 35 Suppl, S199-S223	12.7	201
104	A multi-targeted approach to suppress tumor-promoting inflammation. <i>Seminars in Cancer Biology</i> , 2015 , 35 Suppl, S151-S184	12.7	76
103	Novel carbocyclic curcumin analog CUR3d modulates genes involved in multiple apoptosis pathways in human hepatocellular carcinoma cells. <i>Chemico-Biological Interactions</i> , 2015 , 242, 107-22	5	24
102	Curcumin-inspired cytotoxic 3,5-bis(arylmethylene)-1-(N-(ortho-substituted aryl)maleamoyl)-4-piperidones: A novel group of topoisomerase II alpha inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2015 , 23, 6404-17	3.4	8
101	Designing a broad-spectrum integrative approach for cancer prevention and treatment. <i>Seminars in Cancer Biology</i> , 2015 , 35 Suppl, S276-S304	12.7	179
100	Optimization of β -cyclodextrin-based flavonol extraction from apple pomace using response surface methodology. <i>Journal of Food Science and Technology</i> , 2015 , 52, 2202-10	3.3	24
99	Antioxidant and cytoprotective properties of partridgeberry polyphenols. <i>Food Chemistry</i> , 2015 , 168, 595-605	8.5	31
98	Anti-Inflammatory Activity of Haskap Cultivars is Polyphenols-Dependent. <i>Biomolecules</i> , 2015 , 5, 1079-98.9	9.9	46
97	Partridgeberry polyphenols protect primary cortical and hippocampal neurons against β amyloid toxicity. <i>Food Research International</i> , 2015 , 74, 237-249	7	10
96	Investigation of fatty acid conjugates of 3,5-bisarylmethylene-4-piperidone derivatives as antitumor agents and human topoisomerase-II α inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2015 , 23, 411-21	3.4	7
95	Antiproliferative activity of long chain acylated esters of quercetin-3-O-glucoside in hepatocellular carcinoma HepG2 cells. <i>Experimental Biology and Medicine</i> , 2015 , 240, 1452-64	3.7	30
94	Docosahexaenoic acid ester of phloridzin inhibit lipopolysaccharide-induced inflammation in THP-1 differentiated macrophages. <i>International Immunopharmacology</i> , 2015 , 25, 199-206	5.8	23
93	Regulation of Hypoxia-inducible Factor-1 α and Vascular Endothelial Growth Factor Signaling by Plant Flavonoids. <i>Mini-Reviews in Medicinal Chemistry</i> , 2015 , 15, 479-89	3.2	20

92	Antihypertensive Effects of Apple Peel Extract on Spontaneously Hypertensive Rats. <i>Pharmacologia</i> , 2015 , 6, 371-376		2
91	Antihypertensive effect of caffeic acid and its analogs through dual renin-angiotensin-aldosterone system inhibition. <i>European Journal of Pharmacology</i> , 2014 , 730, 125-32	5.3	56
90	Reverse osmosis as a potential technique to improve antioxidant properties of fruit juices used for functional beverages. <i>Food Chemistry</i> , 2014 , 148, 335-41	8.5	30
89	A dual-view computer-vision system for volume and image texture analysis in multiple apple slices drying. <i>Journal of Food Engineering</i> , 2014 , 127, 49-57	6	31
88	Inhibition of human low-density lipoprotein oxidation in vitro by ginger extracts. <i>Journal of Medicinal Food</i> , 2014 , 17, 424-31	2.8	12
87	All trans 1-(3-arylacryloyl)-3,5-bis(pyridin-4-ylmethylene)piperidin-4-ones as curcumin-inspired antineoplastics. <i>European Journal of Medicinal Chemistry</i> , 2014 , 87, 461-70	6.8	16
86	The flavonoid-enriched fraction AF4 suppresses neuroinflammation and promotes restorative gene expression in a mouse model of experimental autoimmune encephalomyelitis. <i>Journal of Neuroimmunology</i> , 2014 , 268, 71-83	3.5	14
85	Chemopreventive Properties of Fruit Phenolic Compounds and Their Possible Mode of Actions. <i>Studies in Natural Products Chemistry</i> , 2014 , 42, 229-266	1.5	11
84	Fatty acid esters of phloridzin induce apoptosis of human liver cancer cells through altered gene expression. <i>PLoS ONE</i> , 2014 , 9, e107149	3.7	32
83	Apoptotic and inhibitory effects on cell proliferation of hepatocellular carcinoma HepG2 cells by methanol leaf extract of <i>Costus speciosus</i> . <i>BioMed Research International</i> , 2014 , 2014, 637098	3	29
82	Flavonoid-enriched apple fraction AF4 induces cell cycle arrest, DNA topoisomerase II inhibition, and apoptosis in human liver cancer HepG2 cells. <i>Nutrition and Cancer</i> , 2014 , 66, 1237-46	2.8	49
81	Long chain fatty acid acylated derivatives of quercetin-3-o-glucoside as antioxidants to prevent lipid oxidation. <i>Biomolecules</i> , 2014 , 4, 980-93	5.9	20
80	Apple flavonols and n-3 polyunsaturated fatty acid-rich fish oil lowers blood C-reactive protein in rats with hypercholesterolemia and acute inflammation. <i>Nutrition Research</i> , 2014 , 34, 535-43	4	17
79	Quercetin-3-O-glucoside induces human DNA topoisomerase II inhibition, cell cycle arrest and apoptosis in hepatocellular carcinoma cells. <i>Anticancer Research</i> , 2014 , 34, 1691-9	2.3	38
78	Biocatalytic synthesis, structural elucidation, antioxidant capacity and tyrosinase inhibition activity of long chain fatty acid acylated derivatives of phloridzin and isoquercitrin. <i>Bioorganic and Medicinal Chemistry</i> , 2013 , 21, 684-92	3.4	45
77	Effect of thermal and non-thermal pasteurisation on the microbial inactivation and phenolic degradation in fruit juice: a mini-review. <i>Journal of the Science of Food and Agriculture</i> , 2013 , 93, 981-6	4.3	67
76	Antioxidant capacity, total phenolics and nutritional content in selected ethiopian staple food ingredients. <i>International Journal of Food Sciences and Nutrition</i> , 2013 , 64, 915-20	3.7	42
75	Apple peel bioactive rich extracts effectively inhibit in vitro human LDL cholesterol oxidation. <i>Food Chemistry</i> , 2013 , 138, 463-70	8.5	39

74	Formulation and characterization of a bioactive-enriched fruit beverage designed for cardio-protection. <i>Food Research International</i> , 2013 , 52, 535-541	7	22
73	Hypocholesterolemic and hypotensive effects of a fruit-based functional beverage in spontaneously hypertensive rats fed with cholesterol-rich diet. <i>Journal of Functional Foods</i> , 2013 , 5, 1392-1401 ²⁰	5.1	401
72	An efficient microwave-assisted enzyme-catalyzed regioselective synthesis of long chain acylated derivatives of flavonoid glycosides. <i>Tetrahedron Letters</i> , 2013 , 54, 1933-1937	2	24
71	Bio-conversion of apple pomace into ethanol and acetic acid: Enzymatic hydrolysis and fermentation. <i>Bioresource Technology</i> , 2013 , 130, 613-20	11	68
70	CHARACTERIZATION OF RIBES NIGRUM IN RELATION TO FRUIT MATURITY AND GENOTYPE. <i>Acta Horticulturae</i> , 2013 , 199-205	0.3	
69	Characterisation of malolactic conversion by <i>Oenococcus oeni</i> to reduce the acidity of apple juice. <i>International Journal of Food Science and Technology</i> , 2013 , 48, 1018-1027	3.8	3
68	Antioxidant ability of fractionated apple peel phenolics to inhibit fish oil oxidation. <i>Food Chemistry</i> , 2013 , 140, 189-96	8.5	67
67	Curcumin and its carbocyclic analogs: structure-activity in relation to antioxidant and selected biological properties. <i>Molecules</i> , 2013 , 18, 5389-404	4.8	57
66	Improvement of cloud stability, yield and β -carotene content of carrot juice by process modification. <i>Food Science and Technology International</i> , 2013 , 19, 399-406	2.6	9
65	Flavonoid bioavailability and attempts for bioavailability enhancement. <i>Nutrients</i> , 2013 , 5, 3367-87	6.7	399
64	Anticancer Properties of Phytochemicals Present in Medicinal Plants of North America 2013 ,		6
63	Characterization of Changes in Polyphenols, Antioxidant Capacity and Physico-Chemical Parameters during Lowbush Blueberry Fruit Ripening. <i>Antioxidants</i> , 2013 , 2, 216-29	7.1	32
62	Polyphenols: multipotent therapeutic agents in neurodegenerative diseases. <i>Oxidative Medicine and Cellular Longevity</i> , 2013 , 2013, 891748	6.7	254
61	Effect of feeding fresh forage and marine algae on the fatty acid composition and oxidation of milk and butter. <i>Journal of Dairy Science</i> , 2012 , 95, 2797-809	4	37
60	Apple peel flavonoid- and triterpene-enriched extracts differentially affect cholesterol homeostasis in hamsters. <i>Journal of Functional Foods</i> , 2012 , 4, 963-971	5.1	22
59	Antihypertensive properties of flavonoid-rich apple peel extract. <i>Food Chemistry</i> , 2012 , 135, 2320-5	8.5	102
58	Optimization of dilute acid-based pretreatment and application of laccase on apple pomace. <i>Bioresource Technology</i> , 2012 , 124, 433-9	11	25
57	Target-based selection of flavonoids for neurodegenerative disorders. <i>Trends in Pharmacological Sciences</i> , 2012 , 33, 602-10	13.2	75

56	Neuroprotective and anti-inflammatory effects of the flavonoid-enriched fraction AF4 in a mouse model of hypoxic-ischemic brain injury. <i>PLoS ONE</i> , 2012 , 7, e51324	3.7	27
55	Emerging Preservation Methods for Fruit Juices and Beverages 2012 ,		9
54	Antibacterial Activities of Essential Oils Extracted from Leaves of <i>Murraya koenigii</i> by Solvent-Free Microwave Extraction and Hydro-Distillation. <i>Natural Product Communications</i> , 2012 , 7, 1934578X1200700	0.9	7
53	Extraction of phenolic compounds from grapes and their pomace using β -cyclodextrin. <i>Food Chemistry</i> , 2012 , 134, 625-31	8.5	81
52	Short Communication: Haskap (<i>Lonicera caerulea</i>): A new berry crop with high antioxidant capacity. <i>Canadian Journal of Plant Science</i> , 2012 , 92, 1311-1317	1	48
51	Effect of acidification on quality and shelf-life of carrot juice. <i>Canadian Journal of Plant Science</i> , 2012 , 92, 1113-1120	1	7
50	Anti-atherosclerotic effects of fruit bioactive compounds: A review of current scientific evidence. <i>Canadian Journal of Plant Science</i> , 2012 , 92, 407-419	1	44
49	Nutritional, Physicochemical and Microbial Quality of Ultrasound-Treated Apple-Carrot Juice Blends. <i>Food and Nutrition Sciences (Print)</i> , 2012 , 03, 212-218	0.4	24
48	Antibacterial activities of essential oils extracted from leaves of <i>Murraya koenigii</i> by solvent-free microwave extraction and hydro-distillation. <i>Natural Product Communications</i> , 2012 , 7, 121-4	0.9	7
47	Ultra-sonication-assisted solvent extraction of quercetin glycosides from 'Idared' apple peels. <i>Molecules</i> , 2011 , 16, 9783-91	4.8	28
46	IMPACT OF DRYING PROCESSES ON BIOACTIVE PHENOLICS, VITAMIN C AND ANTIOXIDANT CAPACITY OF RED-FLESHED APPLE SLICES. <i>Journal of Food Processing and Preservation</i> , 2011 , 35, 453-457 ¹	2.1	53
45	Comparison of nonfried apple snacks with commercially available fried snacks. <i>Food Science and Technology International</i> , 2011 , 17, 249-55	2.6	4
44	Plant flavonoids as angiotensin converting enzyme inhibitors in regulation of hypertension. <i>Functional Foods in Health and Disease</i> , 2011 , 1, 172	2.5	97
43	SENSORY AND NUTRITIONAL QUALITY OF THE APPLE SNACKS PREPARED BY VACUUM IMPREGNATION PROCESS. <i>Journal of Food Quality</i> , 2010 , 33, 758-767	2.7	5
42	Inhibition of oxidation of aqueous emulsions of omega-3 fatty acids and fish oil by phloretin and phloridzin. <i>Molecules</i> , 2010 , 15, 251-7	4.8	44
41	Juice quality and polyphenol concentration of fresh fruits and pomace of selected Nova Scotia-grown grape cultivars. <i>Canadian Journal of Plant Science</i> , 2010 , 90, 193-205	1	24
40	Red-fleshed apple as a source for functional beverages. <i>Canadian Journal of Plant Science</i> , 2010 , 90, 95-100		42
39	Antioxidant protection of eicosapentaenoic acid and fish oil oxidation by polyphenolic-enriched apple skin extract. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 1233-9	5.7	51

38	Absorption and tissue distribution of dietary quercetin and quercetin glycosides of apple skin in broiler chickens. <i>Journal of the Science of Food and Agriculture</i> , 2010 , 90, 1172-8	4.3	34
37	BAKING AND SENSORY CHARACTERISTICS OF MUFFINS INCORPORATED WITH APPLE SKIN POWDER. <i>Journal of Food Quality</i> , 2009 , 32, 685-694	2.7	37
36	Phenolic profiles and antioxidant properties of apple skin extracts. <i>Journal of Food Science</i> , 2009 , 74, C693-700	3.4	78
35	Sinensetin, rutin, 3?-hydroxy-5, 6, 7, 4?-tetramethoxyflavone and rosmarinic acid contents and antioxidative effect of the skin of apple fruit. <i>Food Chemistry</i> , 2009 , 113, 185-190	8.5	22
34	Inhibition of oxidation of omega-3 polyunsaturated fatty acids and fish oil by quercetin glycosides. <i>Food Chemistry</i> , 2009 , 117, 290-295	8.5	101
33	PHYTOCHEMICAL PROFILE OF SELECTED PROCESSING APPLE GENOTYPES. <i>Acta Horticulturae</i> , 2009 , 545-550	0.3	
32	ADVANCES IN FRUIT BREEDING IN EASTERN CANADA - ROLE OF PHYTOCHEMICALS IN DESIGNING SPECIALTY FRUITS. <i>Acta Horticulturae</i> , 2009 , 205-208	0.3	3
31	Quercetin 3-glucoside protects neuroblastoma (SH-SY5Y) cells in vitro against oxidative damage by inducing sterol regulatory element-binding protein-2-mediated cholesterol biosynthesis. <i>Journal of Biological Chemistry</i> , 2008 , 283, 2231-45	5.4	49
30	Polyphenol concentrations in apple processing by-products determined using electrospray ionization mass spectrometry. <i>Canadian Journal of Plant Science</i> , 2008 , 88, 759-762	1	21
29	The effects of organic amendments on mineral element uptake and fruit quality of raspberries. <i>Plant and Soil</i> , 2008 , 308, 213-226	4.2	44
28	The effects of organic and conventional nutrient amendments on strawberry cultivation: Fruit yield and quality. <i>Journal of the Science of Food and Agriculture</i> , 2008 , 88, 2669-2675	4.3	43
27	Polyphenol composition and total antioxidant capacity of selected apple genotypes for processing. <i>Journal of Food Composition and Analysis</i> , 2008 , 21, 396-401	4.1	184
26	ANTIMICROBIAL EFFECT OF CINNAMON BARK EXTRACT ON ESCHERICHIA COLI O157:H7, LISTERIA INNOCUA AND FRESH-CUT APPLE SLICES. <i>Journal of Food Safety</i> , 2008 , 28, 534-549	2	32
25	Effect of baking on dietary fibre and phenolics of muffins incorporated with apple skin powder. <i>Food Chemistry</i> , 2007 ,	8.5	23
24	Total antioxidant capacity, total phenolic content, mineral elements, and histamine concentrations in wines of different fruit sources. <i>Journal of Food Composition and Analysis</i> , 2007 , 20, 133-137	4.1	115
23	Biochemical characterization of enzymatic browning in selected apple genotypes. <i>Canadian Journal of Plant Science</i> , 2007 , 87, 1067-1074	1	14
22	ORCHARD WASTE AS A VALUABLE BIO-RESOURCE: A CHEMICAL COMPOSITION ANALYSIS. <i>Acta Horticulturae</i> , 2007 , 17-23	0.3	4
21	Vanillin inhibits pathogenic and spoilage microorganisms in vitro and aerobic microbial growth in fresh-cut apples. <i>Food Research International</i> , 2006 , 39, 575-580	7	98

20	Variation in total phenolics and antioxidant capacity among European plum genotypes. <i>Scientia Horticulturae</i> , 2006 , 108, 243-246	4.1	70
19	INFLUENCE OF 1-METHYLCYCLOPROPENE AND NATURESEAL ON THE QUALITY OF FRESH-CUT "EMPIRE" AND "CRISPIN" APPLES. <i>Journal of Food Quality</i> , 2005 , 28, 289-307	2.7	38
18	The electronic nose as a tool for the classification of fruit and grape wines from different Ontario wineries. <i>Journal of the Science of Food and Agriculture</i> , 2005 , 85, 2391-2396	4.3	36
17	A metabolomic analysis of medicinal diversity in Huang-qin (<i>Scutellaria baicalensis</i> Georgi) genotypes: discovery of novel compounds. <i>Plant Cell Reports</i> , 2004 , 23, 419-25	5.1	79
16	In vitro production and chemical characterization of St. John's wort (<i>Hypericum perforatum</i> L. cv 'New Stem'). <i>Plant Science</i> , 2004 , 166, 333-340	5.3	55
15	Optimized system for biomass production, chemical characterization and evaluation of chemo-preventive properties of <i>Scutellaria baicalensis</i> Georgi. <i>Plant Science</i> , 2004 , 167, 439-446	5.3	27
14	Elevated carbon supply altered hypericin and hyperforin contents of St. John's wort (<i>Hypericum perforatum</i> L. cv 'New Stem') grown in bioreactors. <i>Plant Cell, Tissue and Organ Culture</i> , 2003 , 75, 143-149	2.7	29
13	Nickel contamination affects growth and secondary metabolite composition of St. John's wort (<i>Hypericum perforatum</i> L.). <i>Environmental and Experimental Botany</i> , 2003 , 49, 251-257	5.9	92
12	Soyasapogenol A and B distribution in soybean (<i>Glycine max</i> L. Merr.) in relation to seed physiology, genetic variability, and growing location. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 5888-94	5.7	76
11	Rust-spotted North American Ginseng Roots: Phenolic, Antioxidant, Ginsenoside, and Mineral Nutrient Content. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2003 , 38, 179-182	2.4	14
10	Influence of temperature and duration of 1-methylcyclopropene (1-MCP) treatment on apple quality. <i>Postharvest Biology and Technology</i> , 2002 , 24, 349-353	6.2	95
9	Effects of processing on the content and composition of isoflavones during manufacturing of soy beverage and tofu. <i>Process Biochemistry</i> , 2002 , 37, 1117-1123	4.8	167
8	An in vitro and hydroponic growing system for hypericin, pseudohypericin, and hyperforin production of St. John's wort (<i>Hypericum perforatum</i> CV new stem). <i>Planta Medica</i> , 2002 , 68, 1108-12	3.1	18
7	Cloning of hmg1 and hmg2 cDNAs encoding 3-hydroxy-3-methylglutaryl coenzyme A reductase and their expression and activity in relation to farnesene synthesis in apple. <i>Plant Physiology and Biochemistry</i> , 2001 , 39, 933-947	5.4	39
6	Inhibitory effect of 1-MCP on ripening and superficial scald development in McIntosh and Delicious Apples. <i>Journal of Horticultural Science and Biotechnology</i> , 2000 , 75, 271-276	1.9	103
5	Sesquiterpene farnesene Synthase: Partial Purification, Characterization, and Activity in Relation to Superficial Scald Development in Apples. <i>Journal of the American Society for Horticultural Science</i> , 2000 , 125, 111-119	2.3	28
4	Biosynthesis of farnesene and its Relation to Superficial Scald Development in 'Delicious' Apples. <i>Journal of the American Society for Horticultural Science</i> , 1998 , 123, 882-886	2.3	26
3	Variations in nutritional and microbial composition of napa cabbage kimchi during refrigerated storage. <i>Journal of Food Processing and Preservation</i> , 1998 , 22, 160-65	2.1	

2	Quantifying apple diversity: A phenomic characterization of Canada's Apple Biodiversity Collection. <i>Plants People Planet,</i>	4-1	3
1	Phytochemicals and Health Benefits of Dried Apple Snacks211-225		3