

Kentaro Shiraki

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8826840/kentaro-shiraki-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

177
papers

3,981
citations

33
h-index

55
g-index

188
ext. papers

4,463
ext. citations

4.4
avg, IF

5.59
L-index

#	Paper	IF	Citations
177	Classification of protein solubilizing additives by fluorescence assay.. <i>International Journal of Biological Macromolecules</i> , 2022 , 203, 695-695	7.9	0
176	Solution design to extend the pH range of the pH-responsive precipitation of a CspB fusion protein.. <i>Protein Expression and Purification</i> , 2022 , 106091	2	
175	Affinity of aromatic amino acid side chains in amino acid solvents. <i>Biophysical Chemistry</i> , 2022 , 287, 106833	3.5	0
174	Lowering the viscosity of a high-concentration antibody solution by protein-polyelectrolyte complex. <i>Journal of Bioscience and Bioengineering</i> , 2021 , 133, 17-17	3.3	2
173	Solubility Parameters of Amino Acids on Liquid-Liquid Phase Separation and Aggregation of Proteins. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 691052	5.7	1
172	Quadruplex Folding Promotes the Condensation of Linker Histones and DNAs via Liquid-Liquid Phase Separation. <i>Journal of the American Chemical Society</i> , 2021 , 143, 9849-9857	16.4	8
171	Aggregation of hen egg white proteins with additives during agitation. <i>LWT - Food Science and Technology</i> , 2021 , 146, 111378	5.4	2
170	Glass-like protein condensate for the long-term storage of proteins. <i>International Journal of Biological Macromolecules</i> , 2021 , 182, 162-167	7.9	0
169	Dynamic behavior of liquid droplets with enzyme compartmentalization triggered by sequential glycolytic enzyme reactions. <i>Chemical Communications</i> , 2021 , 57, 12544-12547	5.8	1
168	1,6-hexanediol rapidly immobilizes and condenses chromatin in living human cells. <i>Life Science Alliance</i> , 2021 , 4,	5.8	16
167	Aromatic interaction of hydantoin compounds leads to virucidal activities. <i>Biophysical Chemistry</i> , 2021 , 275, 106621	3.5	0
166	Insight into the protein salting-in mechanism of arginine, magnesium chloride and ethylene glycol: Solvent interaction with aromatic solutes. <i>International Journal of Biological Macromolecules</i> , 2021 , 188, 670-677	7.9	0
165	Arginine is a disease modifier for polyQ disease models that stabilizes polyQ protein conformation. <i>Brain</i> , 2020 , 143, 1811-1825	11.2	10
164	Effect of additives on liquid droplets and aggregates of proteins. <i>Biophysical Reviews</i> , 2020 , 12, 587-592	3.7	9
163	Selective separation method of aggregates from IgG solution by aqueous two-phase system. <i>Protein Expression and Purification</i> , 2019 , 161, 57-62	2	8
162	Salt-containing aqueous two-phase system shows predictable partition of proteins with surface amino acids residues. <i>International Journal of Biological Macromolecules</i> , 2019 , 133, 1182-1186	7.9	1
161	The binding affinity of uncharged aromatic solutes for negatively charged resins is enhanced by cations via cation- π interactions: The case of sodium ion and arginine. <i>Journal of Chromatography A</i> , 2019 , 1595, 97-107	4.5	2

160	Array-based Generation of Response Patterns with Common Fluorescent Dyes for Identification of Proteins and Cells. <i>Analytical Sciences</i> , 2019 , 35, 99-102	1.7	2
159	Hydantoin and Its Derivatives Reduce the Viscosity of Concentrated Antibody Formulations by Inhibiting Associations via Hydrophobic Amino Acid Residues. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 16296-16306	3.9	4
158	Two Elution Mechanisms of MEP Chromatography. <i>Current Protein and Peptide Science</i> , 2019 , 20, 28-33	2.8	0
157	Effect of additives on liquid droplet of protein-polyelectrolyte complex for high-concentration formulations. <i>Journal of Chemical Physics</i> , 2019 , 150, 064903	3.9	8
156	Optical Fingerprints of Proteases and Their Inhibited Complexes Provided by Differential Cross-Reactivity of Fluorophore-Labeled Single-Stranded DNA. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 47428-47436	9.5	6
155	Non-chromatographic purification of Teriparatide with a pH-responsive CspB tag. <i>Protein Expression and Purification</i> , 2019 , 155, 66-71	2	1
154	Effect of Electrolyte Ions on the Stability of Flavin Adenine Dinucleotide-Dependent Glucose Dehydrogenase. <i>ChemElectroChem</i> , 2019 , 6, 1028-1031	4.3	5
153	Co-aggregation of ovotransferrin and lysozyme. <i>Food Hydrocolloids</i> , 2019 , 89, 416-424	10.6	16
152	Effects of Arginine on Multimodal Chromatography: Experiments and Simulations. <i>Current Protein and Peptide Science</i> , 2019 , 20, 40-48	2.8	6
151	Salt-dependent elution of uncharged aromatic solutes in ion-exchange chromatography. <i>Journal of Chromatography A</i> , 2018 , 1546, 46-55	4.5	7
150	Allantoin and hydantoin as new protein aggregation suppressors. <i>International Journal of Biological Macromolecules</i> , 2018 , 114, 497-503	7.9	12
149	Specific solubilization of impurities in culture media: Arg solution improves purification of pH-responsive tag CspB50 with Teriparatide. <i>Protein Expression and Purification</i> , 2018 , 146, 85-90	2	3
148	A new pH-responsive peptide tag for protein purification. <i>Protein Expression and Purification</i> , 2018 , 146, 91-96	2	5
147	Mechanism of co-aggregation in a protein mixture with small additives. <i>International Journal of Biological Macromolecules</i> , 2018 , 107, 1428-1437	7.9	20
146	Trimethylamine N-oxide (TMAO) is a counteracting solute of benzyl alcohol for multi-dose formulation of immunoglobulin. <i>International Journal of Biological Macromolecules</i> , 2018 , 107, 984-989	7.9	4
145	Viscosity Control of Protein Solution by Small Solutes: A Review. <i>Current Protein and Peptide Science</i> , 2018 , 19, 746-758	2.8	44
144	Effects of allantoin and dimethyl sulfoxide on the thermal aggregation of lysozyme. <i>International Journal of Biological Macromolecules</i> , 2018 , 119, 180-185	7.9	3
143	Arginine suppresses opalescence and liquid-liquid phase separation in IgG solutions. <i>International Journal of Biological Macromolecules</i> , 2018 , 118, 1708-1712	7.9	12

142	Coacervates and coaggregates: Liquid-liquid and liquid-solid phase transitions by native and unfolded protein complexes. <i>International Journal of Biological Macromolecules</i> , 2018 , 120, 10-18	7.9	18
141	Liquid Droplet of Protein-Polyelectrolyte Complex for High-Concentration Formulations. <i>Journal of Pharmaceutical Sciences</i> , 2018 , 107, 2713-2719	3.9	14
140	Control of Aggregation, Coaggregation, and Liquid Droplet of Proteins Using Small Additives. <i>Current Pharmaceutical Biotechnology</i> , 2018 , 19, 946-955	2.6	6
139	Hydration of Aqueous Polymers Investigated by Terahertz Spectroscopy and Principal Component Analysis 2018 ,		2
138	Hyperactivation of serine proteases by the Hofmeister effect. <i>Molecular Catalysis</i> , 2018 , 455, 32-37	3.3	7
137	Aggregative protein-polyelectrolyte complex for high-concentration formulation of protein drugs. <i>International Journal of Biological Macromolecules</i> , 2017 , 100, 11-17	7.9	20
136	Co-aggregation of ovalbumin and lysozyme. <i>Food Hydrocolloids</i> , 2017 , 67, 206-215	10.6	33
135	Arginine prevents thermal aggregation of hen egg white proteins. <i>Food Research International</i> , 2017 , 97, 272-279	7	20
134	Vibrational energy transfer from photoexcited carbon nanotubes to proteins observed by coherent phonon spectroscopy. <i>Applied Physics Express</i> , 2017 , 10, 125101	2.4	2
133	Thermal aggregation of human immunoglobulin G in arginine solutions: Contrasting effects of stabilizers and destabilizers. <i>International Journal of Biological Macromolecules</i> , 2017 , 104, 650-655	7.9	15
132	Noncovalent PEGylation through Protein-Polyelectrolyte Interaction: Kinetic Experiment and Molecular Dynamics Simulation. <i>Journal of Physical Chemistry B</i> , 2017 , 121, 6785-6791	3.4	13
131	One-Step Identification of Antibody Degradation Pathways Using Fluorescence Signatures Generated by Cross-Reactive DNA-Based Arrays. <i>Analytical Chemistry</i> , 2017 , 89, 7818-7822	7.8	14
130	A study of the small-molecule system used to investigate the effect of arginine on antibody elution in hydrophobic charge-induction chromatography. <i>Protein Expression and Purification</i> , 2017 , 129, 44-52	2	8
129	Arginine Suppresses the Adsorption of Lysozyme onto Single-wall Carbon Nanotubes. <i>Chemistry Letters</i> , 2016 , 45, 952-954	1.7	5
128	Noncovalent PEGylation-based enzyme switch in physiological saline conditions using quaternized polyamines. <i>Colloid and Polymer Science</i> , 2016 , 294, 1551-1556	2.4	8
127	Recovery Method for Surimi Wash-water Protein by pH Shift and Heat Treatment. <i>Food Science and Technology Research</i> , 2016 , 22, 743-749	0.8	8
126	Salt effects on the picosecond dynamics of lysozyme hydration water investigated by terahertz time-domain spectroscopy and an insight into the Hofmeister series for protein stability and solubility. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 15060-9	3.6	24
125	Charge state of arginine as an additive on heat-induced protein aggregation. <i>International Journal of Biological Macromolecules</i> , 2016 , 87, 563-9	7.9	22

124	The effects of N-acetyltryptophan and caprylic acid on protein aggregation. <i>Journal of Biological Macromolecules</i> , 2016 , 16, 3-7	0.4	2
123	Wrap-and-Strip Technology of Protein-Polyelectrolyte Complex for Biomedical Application. <i>Current Medicinal Chemistry</i> , 2016 , 23, 276-89	4.3	10
122	Hyperactivation of Ecthyomotrypsin by the Hofmeister effect. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2016 , 133, S432-S438		10
121	Effect of counter ions of arginine as an additive for the solubilization of protein and aromatic compounds. <i>International Journal of Biological Macromolecules</i> , 2016 , 91, 471-6	7.9	8
120	Thermal aggregation of hen egg white proteins in the presence of salts. <i>Protein Journal</i> , 2015 , 34, 212-9	3.9	24
119	Protein-poly(amino acid) precipitation stabilizes a therapeutic protein l-asparaginase against physicochemical stress. <i>Journal of Bioscience and Bioengineering</i> , 2015 , 120, 720-4	3.3	15
118	Liquid Chromatographic Analysis of the Interaction between Amino Acids and Aromatic Surfaces Using Single-Wall Carbon Nanotubes. <i>Langmuir</i> , 2015 , 31, 8923-9	4	12
117	Effects of multivalency and hydrophobicity of polyamines on enzyme hyperactivation of Ecthyomotrypsin. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2015 , 115, 135-139		16
116	Noncovalent PEGylation of L-asparaginase using PEGylated polyelectrolyte. <i>Journal of Pharmaceutical Sciences</i> , 2015 , 104, 587-92	3.9	30
115	Feasibility of antibody-poly(glutamic acid) complexes: preparation of high-concentration antibody formulations and their pharmaceutical properties. <i>Journal of Pharmaceutical Sciences</i> , 2015 , 104, 1929-1937	3.9	11
114	Heat-induced formation of myosin oligomer-soluble filament complex in high-salt solution. <i>International Journal of Biological Macromolecules</i> , 2015 , 73, 17-22	7.9	36
113	Stress Tolerance of Antibody-Poly(Amino Acid) Complexes for Improving the Stability of High Concentration Antibody Formulations. <i>Journal of Pharmaceutical Sciences</i> , 2015 , 104, 2457-63	3.9	13
112	Small Amine Molecules: Solvent Design Toward Facile Improvement of Protein Stability Against Aggregation and Inactivation. <i>Current Pharmaceutical Biotechnology</i> , 2015 , 17, 116-25	2.6	25
111	Arginine and lysine reduce the high viscosity of serum albumin solutions for pharmaceutical injection. <i>Journal of Bioscience and Bioengineering</i> , 2014 , 117, 539-43	3.3	46
110	Specific decrease in solution viscosity of antibodies by arginine for therapeutic formulations. <i>Molecular Pharmaceutics</i> , 2014 , 11, 1889-96	5.6	78
109	Cysteine inhibits amyloid fibrillation of lysozyme and directs the formation of small worm-like aggregates through non-covalent interactions. <i>Biotechnology Progress</i> , 2014 , 30, 470-8	2.8	13
108	Synthesis of graphene nanoribbons from amyloid templates by gallium vapor-assisted solid-phase graphitization. <i>Applied Physics Letters</i> , 2014 , 104, 243101	3.4	7
107	Degeneration of amyloid-Fibrils caused by exposure to low-temperature atmospheric-pressure plasma in aqueous solution. <i>Applied Physics Letters</i> , 2014 , 104, 023701	3.4	13

106	Cysteine inhibits the fibrillisation and cytotoxicity of amyloid- β 40 and 42: implications for the contribution of the thiophilic interaction. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 3566-72	3.6	6
105	Enzyme hyperactivation system based on a complementary charged pair of polyelectrolytes and substrates. <i>Langmuir</i> , 2014 , 30, 3826-31	4	36
104	Chemical modification of amino acids by atmospheric-pressure cold plasma in aqueous solution. <i>Journal Physics D: Applied Physics</i> , 2014 , 47, 285403	3	153
103	Dependence of ethanol effects on protein charges. <i>International Journal of Biological Macromolecules</i> , 2014 , 68, 169-72	7.9	14
102	Synthesis of graphene nanoribbons from amyloid fibrils by solid-phase graphitization using liquid gallium catalyst. <i>Materials Research Society Symposia Proceedings</i> , 2014 , 1658, 82		2
101	Charge-Separated Fmoc-Peptide β -Sheets: Sequence-Secondary Structure Relationship for Arranging Charged Side Chains on Both Sides. <i>Asian Journal of Organic Chemistry</i> , 2014 , 3, 1182-1188	3	7
100	Enzymatic fingerprinting of structurally similar homologous proteins using polyion complex library constructed by tuning PEGylated polyamine functionalities. <i>Analyst, The</i> , 2014 , 139, 6100-3	5	17
99	Mechanism of protein desorption from 4-mercaptoethylpyridine resins by arginine solutions. <i>Journal of Chromatography A</i> , 2014 , 1373, 141-8	4.5	20
98	Protein-poly(amino acid) complex precipitation for high-concentration protein formulation. <i>Journal of Pharmaceutical Sciences</i> , 2014 , 103, 2248-54	3.9	21
97	Molecular mechanism of plasma sterilization in solution with the reduced pH method: importance of permeation of HOO radicals into the cell membrane. <i>Journal Physics D: Applied Physics</i> , 2013 , 46, 295402	3.2	43
96	Synergistic solubilization of porcine myosin in physiological salt solution by arginine. <i>International Journal of Biological Macromolecules</i> , 2013 , 62, 647-51	7.9	53
95	Observation of salt effects on hydration water of lysozyme in aqueous solution using terahertz time-domain spectroscopy. <i>Applied Physics Letters</i> , 2013 , 103, 173704	3.4	11
94	Oligoethylene glycols prevent thermal aggregation of β -chymotrypsin in a temperature-dependent manner: implications for design guidelines. <i>Biotechnology Progress</i> , 2013 , 29, 1325-30	2.8	1
93	Molecular dynamics simulation of the arginine-assisted solubilization of caffeic acid: intervention in the interaction. <i>Journal of Physical Chemistry B</i> , 2013 , 117, 7518-27	3.4	31
92	Directed evolution for thermostabilization of a hygromycin B phosphotransferase from <i>Streptomyces hygrosopicus</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2013 , 77, 2234-41	2.1	8
91	Arginine inhibits adsorption of proteins on polystyrene surface. <i>PLoS ONE</i> , 2013 , 8, e70762	3.7	23
90	Polyethylene glycol behaves like weak organic solvent. <i>Biopolymers</i> , 2012 , 97, 117-22	2.2	18
89	Drug solubilization effect of lauroyl-L-glutamate. <i>Journal of Biochemistry</i> , 2012 , 151, 27-33	3.1	2

88	Improved complementary polymer pair system: switching for enzyme activity by PEGylated polymers. <i>Langmuir</i> , 2012 , 28, 4334-8	4	36
87	Mechanistic insights into protein precipitation by alcohol. <i>International Journal of Biological Macromolecules</i> , 2012 , 50, 865-71	7.9	62
86	Effects of alcohol on the solubility and structure of native and disulfide-modified bovine serum albumin. <i>International Journal of Biological Macromolecules</i> , 2012 , 50, 1286-91	7.9	38
85	Protein Inactivation by Low-temperature Atmospheric Pressure Plasma in Aqueous Solution. <i>Plasma Processes and Polymers</i> , 2012 , 9, 77-82	3.4	117
84	Adsorption and disruption of lipid bilayers by nanoscale protein aggregates. <i>Langmuir</i> , 2012 , 28, 3887-95	4	26
83	Different mechanisms of action of poly(ethylene glycol) and arginine on thermal inactivation of lysozyme and ribonuclease A. <i>Biotechnology and Bioengineering</i> , 2012 , 109, 2543-52	4.9	12
82	Glutathione ethylester, a novel protein refolding reagent, enhances both the efficiency of refolding and correct disulfide formation. <i>Protein Journal</i> , 2012 , 31, 499-503	3.9	3
81	Structure of three Humanin peptides with different activities upon interaction with liposome. <i>International Journal of Biological Macromolecules</i> , 2011 , 48, 360-3	7.9	6
80	1D1424 The influence of buffer species on the thermostability of proteins(Protein: Property 1,The 49th Annual Meeting of the Biophysical Society of Japan). <i>Seibutsu Butsuri</i> , 2011 , 51, S37	0	
79	3C1558 Destruction of Amyloid Fibrils by Low-Temperature Atmospheric Pressure Plasma(3C Molecular genetics & Gene expression, Development & Differentiation, Radiobiology & Active oxygen,The 49th Annual Meeting of the Biophysical Society of Japan). <i>Seibutsu Butsuri</i> , 2011 , 51, S116	0	
78	Relationship between heat-induced fibrillogenicity and hemolytic activity of thermostable direct hemolysin and a related hemolysin of <i>Vibrio parahaemolyticus</i> . <i>FEMS Microbiology Letters</i> , 2011 , 318, 10-7	2.9	15
77	Glycine amide shielding on the aromatic surfaces of lysozyme: implication for suppression of protein aggregation. <i>FEBS Letters</i> , 2011 , 585, 555-60	3.8	14
76	Poly(acrylic acid) is a common noncompetitive inhibitor for cationic enzymes with high affinity and reversibility. <i>Journal of Polymer Science Part A</i> , 2011 , 49, 3835-3841	2.5	20
75	Why do solution additives suppress the heat-induced inactivation of proteins? inhibition of chemical modifications. <i>Biotechnology Progress</i> , 2011 , 27, 855-62	2.8	13
74	Arginine controls heat-induced cluster-cluster aggregation of lysozyme at around the isoelectric point. <i>Biopolymers</i> , 2011 , 95, 695-701	2.2	35
73	Effects of alkyl chain length of gallate on self-association and membrane binding. <i>Journal of Biochemistry</i> , 2011 , 150, 165-71	3.1	29
72	High-resolution X-ray analysis reveals binding of arginine to aromatic residues of lysozyme surface: implication of suppression of protein aggregation by arginine. <i>Protein Engineering, Design and Selection</i> , 2011 , 24, 269-74	1.9	65
71	Arginine increases the solubility of alkyl gallates through interaction with the aromatic ring. <i>Journal of Biochemistry</i> , 2011 , 149, 389-94	3.1	33

70	Mechanism of Enhanced Dispersion of Single-Walled Carbon Nanotubes with Proteins by Alcohols and Chaotropes. <i>Japanese Journal of Applied Physics</i> , 2010 , 49, 06GJ10	1.4	2
69	Arginine-assisted solubilization system for drug substances: solubility experiment and simulation. <i>Journal of Physical Chemistry B</i> , 2010 , 114, 13455-62	3.4	69
68	Stabilizing and destabilizing effects of arginine on deoxyribonucleic acid. <i>International Journal of Biological Macromolecules</i> , 2010 , 46, 217-22	7.9	11
67	Structure changes of natively disordered Humanin in the presence of lipid. <i>International Journal of Biological Macromolecules</i> , 2010 , 46, 375-9	7.9	5
66	Extraction and purification of human interleukin-10 from transgenic rice seeds. <i>Protein Expression and Purification</i> , 2010 , 72, 125-30	2	38
65	The solubility of nucleobases in aqueous arginine solutions. <i>Archives of Biochemistry and Biophysics</i> , 2010 , 497, 90-6	4.1	22
64	One-dimensional protein-based nanoparticles induce lipid bilayer disruption: carbon nanotube conjugates and amyloid fibrils. <i>Langmuir</i> , 2010 , 26, 17256-9	4	34
63	Enzyme switch by complementary polymer pair system (CPPS). <i>Soft Matter</i> , 2010 , 6, 5320	3.6	23
62	Thermal-assisted refolding: dilution folding initiated at high temperature. <i>Current Pharmaceutical Biotechnology</i> , 2010 , 11, 306-8	2.6	
61	2P242 Quantitative Analysis of the interaction between Alkyl Gallates and Phospholipid Bilayers(The 48th Annual Meeting of the Biophysical Society of Japan). <i>Seibutsu Butsuri</i> , 2010 , 50, S125	0	
60	3P080 Molecular mechanism of the solution additives on thermal inactivation of proteins(Protein: Property,The 48th Annual Meeting of the Biophysical Society of Japan). <i>Seibutsu Butsuri</i> , 2010 , 50, S158-S159	0	
59	Ternary system of solution additives with arginine and salt for refolding of beta-galactosidase. <i>Protein Journal</i> , 2010 , 29, 161-6	3.9	12
58	Controlled dispersion and purification of protein-carbon nanotube conjugates using guanidine hydrochloride. <i>Chemistry - A European Journal</i> , 2010 , 16, 12221-8	4.8	14
57	Improving the heat resistance of ribonuclease A by the addition of poly(N,N-diethylaminoethyl methacrylate)-graft-poly(ethylene glycol) (PEAMA-g-PEG). <i>Macromolecular Bioscience</i> , 2010 , 10, 853-9	5.5	4
56	Comparative analysis of amino acids and amino-acid derivatives in protein crystallization. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 744-9		13
55	Enhanced solubilization of membrane proteins by alkylamines and polyamines. <i>Protein Science</i> , 2010 , 19, 486-93	6.3	8
54	2P348 Protein-absorbed carbon nanotubes and amyloid fibrils disrupt phospholipid dilayer membranes : implications for their biological impact(The 48th Annual Meeting of the Biophysical Society of Japan). <i>Seibutsu Butsuri</i> , 2010 , 50, S144	0	
53	Indispensable structure of solution additives to prevent inactivation of lysozyme for heating and refolding. <i>Biotechnology Progress</i> , 2009 , 25, 1515-24	2.8	43

52	Synthesis of Optically Active Polyamines Based on Chiral 1-Cyclohexylethylamine Derivatives. <i>Polymer Journal</i> , 2009 , 41, 503-507	2.7	4
51	Ultrafast vibrational motion of carbon nanotubes in different pH environments. <i>Physical Review B</i> , 2009 , 80,	3.3	24
50	Regulation of lysozyme activity based on thermotolerant protein/smart polymer complex formation. <i>Journal of the American Chemical Society</i> , 2009 , 131, 6549-53	16.4	54
49	Role of C-terminal Cys-rich Region of Phytochelatin Synthase in Tolerance to Cadmium Ion Toxicity. <i>Journal of Plant Biochemistry and Biotechnology</i> , 2009 , 18, 175-180	1.6	12
48	Synergistically enhanced dispersion of native protein-carbon nanotube conjugates by fluoroalcohols in aqueous solution. <i>Chemistry - A European Journal</i> , 2009 , 15, 9905-10	4.8	15
47	2P-060 Regulation of enzymatic activity using complementary polyelectrolyte pair(Protein:Function,The 47th Annual Meeting of the Biophysical Society of Japan). <i>Seibutsu Butsuri</i> , 2009 , 49, S116	0	
46	3P-272 Adsorption and structure change of protein on carbon nanotube surfaces(Miscellaneous topics,The 47th Annual Meeting of the Biophysical Society of Japan). <i>Seibutsu Butsuri</i> , 2009 , 49, S196	0	
45	Effect of additives on protein aggregation. <i>Current Pharmaceutical Biotechnology</i> , 2009 , 10, 400-7	2.6	174
44	Differences in the effects of solution additives on heat- and refolding-induced aggregation. <i>Biotechnology Progress</i> , 2008 , 24, 436-43	2.8	33
43	Effect of amino acids and amino acid derivatives on crystallization of hemoglobin and ribonuclease A. <i>Journal of Synchrotron Radiation</i> , 2008 , 15, 316-8	2.4	11
42	Arginine increases the solubility of coumarin: comparison with salting-in and salting-out additives. <i>Journal of Biochemistry</i> , 2008 , 144, 363-9	3.1	59
41	Discovery of posttranslational maturation by self-subunit swapping. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 14849-54	11.5	72
40	Enzymatic analysis of a thermostabilized mutant of an Escherichia coli hygromycin B phosphotransferase. <i>Bioscience, Biotechnology and Biochemistry</i> , 2008 , 72, 2467-71	2.1	9
39	Chelation of cadmium ions by phytochelatin synthase: role of the cysteine-rich C-terminal. <i>Analytical Sciences</i> , 2008 , 24, 277-81	1.7	31
38	3P-032 Poly (allylamine) prevents heat-induced inactivation of lysozyme and ribonuclease A(The 46th Annual Meeting of the Biophysical Society of Japan). <i>Seibutsu Butsuri</i> , 2008 , 48, S132	0	
37	1P-339 Improvement in dispersion of single-walled carbon nanotube by using proteins(The 46th Annual Meeting of the Biophysical Society of Japan). <i>Seibutsu Butsuri</i> , 2008 , 48, S74	0	
36	Trans-cyclohexanediamines prevent thermal inactivation of protein: role of hydrophobic and electrostatic interactions. <i>Protein Journal</i> , 2008 , 27, 253-7	3.9	14
35	Effect of an amyloidogenic sequence attached to yellow fluorescent protein. <i>Proteins: Structure, Function and Bioinformatics</i> , 2008 , 72, 811-21	4.2	12

34	?????????????????. Hosokawa Powder Technology Foundation ANNUAL REPORT, 2008 , 16, 114-116	o	
33	Amidated amino acids are prominent additives for preventing heat-induced aggregation of lysozyme. <i>Journal of Bioscience and Bioengineering</i> , 2007 , 103, 440-3	3.3	37
32	Correlation between thermal aggregation and stability of lysozyme with salts described by molar surface tension increment: an exceptional propensity of ammonium salts as aggregation suppressor. <i>Protein Journal</i> , 2007 , 26, 423-33	3.9	35
31	Systematic analysis of aggregates from 38 kinds of non disease-related proteins: identifying the intrinsic propensity of polypeptides to form amyloid fibrils. <i>Bioscience, Biotechnology and Biochemistry</i> , 2007 , 71, 1313-21	2.1	31
30	L-argininamide improves the refolding more effectively than L-arginine. <i>Journal of Biotechnology</i> , 2007 , 130, 153-60	3.7	52
29	Enhancing the tolerance of zebrafish (<i>Danio rerio</i>) to heavy metal toxicity by the expression of plant phytochelatin synthase. <i>Journal of Biotechnology</i> , 2006 , 122, 316-25	3.7	10
28	2P104 Structural implications of an amyloidogenic sequence attached to a folded protein(31. Protein folding and misfolding (II),Poster Session,Abstract,Meeting Program of EABS & BSJ 2006). <i>Seibutsu Butsuri</i> , 2006 , 46, S321	o	
27	Amino Acid esters prevent thermal inactivation and aggregation of lysozyme. <i>Biotechnology Progress</i> , 2005 , 21, 640-3	2.8	35
26	Diamines prevent thermal aggregation and inactivation of lysozyme. <i>Journal of Bioscience and Bioengineering</i> , 2005 , 100, 556-61	3.3	36
25	Unfolding mechanism of a hyperthermophilic protein O(6)-methylguanine-DNA methyltransferase. <i>Biophysical Chemistry</i> , 2005 , 116, 97-104	3.5	6
24	Comparative analysis of the two-step reaction catalyzed by prokaryotic and eukaryotic phytochelatin synthase by an ion-pair liquid chromatography assay. <i>Planta</i> , 2005 , 222, 181-91	4.7	35
23	Stretched-exponential analysis of heat-induced aggregation of apo-concanavalin A. <i>Protein Journal</i> , 2005 , 24, 193-9	3.9	8
22	A second lysine-specific serine protease from <i>Lysobacter</i> sp. strain IB-9374. <i>Journal of Bacteriology</i> , 2004 , 186, 5093-100	3.5	15
21	Mutational effects on O(6)-methylguanine-DNA methyltransferase from hyperthermophile: contribution of ion-pair network to protein thermostability. <i>Journal of Biochemistry</i> , 2004 , 135, 525-32	3.1	9
20	Equilibrium and kinetic stability of a hyperthermophilic protein, O6-methylguanine-DNA methyltransferase under various extreme conditions. <i>Journal of Biochemistry</i> , 2004 , 136, 503-8	3.1	4
19	Arginine ethylester prevents thermal inactivation and aggregation of lysozyme. <i>FEBS Journal</i> , 2004 , 271, 3242-7		64
18	High temperature increases the refolding yield of reduced lysozyme: implication for the productive process for folding. <i>Biotechnology Progress</i> , 2004 , 20, 1128-33	2.8	17
17	Contribution of protein-surface ion pairs of a hyperthermophilic protein on thermal and thermodynamic stability. <i>Journal of Bioscience and Bioengineering</i> , 2004 , 97, 75-7	3.3	4

16	Characterization of heat-induced aggregates of concanavalin A using fluorescent probes. <i>Science and Technology of Advanced Materials</i> , 2004 , 5, 339-341	7.1	12
15	Functional analysis of phytochelatin synthase from <i>Arabidopsis thaliana</i> and its expression in <i>Escherichia coli</i> and <i>Saccharomyces cerevisiae</i> . <i>Science and Technology of Advanced Materials</i> , 2004 , 5, 377-381	7.1	15
14	Characterization of phytochelatin synthase-like protein encoded by <i>alr0975</i> from a prokaryote, <i>Nostoc</i> sp. PCC 7120. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 315, 751-5	3.4	58
13	Small Molecular Additives to Prevent Protein Inactivation and Aggregation. <i>Seibutsu Butsuri</i> , 2004 , 44, 87-90	0	3
12	Genetic, enzymatic, and structural analyses of phenylalanyl-tRNA synthetase from <i>Thermococcus kodakaraensis</i> KOD1. <i>Journal of Biochemistry</i> , 2003 , 134, 567-74	3.1	2
11	Dissolution of protein aggregation by small amine compounds. <i>Science and Technology of Advanced Materials</i> , 2003 , 4, 55-59	7.1	23
10	Prevention of thermal inactivation and aggregation of lysozyme by polyamines. <i>FEBS Journal</i> , 2003 , 270, 4547-54		103
9	Electrostatic role of aromatic ring stacking in the pH-sensitive modulation of a chymotrypsin-type serine protease, <i>Achromobacter</i> protease I. <i>FEBS Journal</i> , 2002 , 269, 4152-8		16
8	Screening for stable mutants with amino acid pairs substituted for the disulfide bond between residues 14 and 38 of bovine pancreatic trypsin inhibitor (BPTI). <i>Journal of Biological Chemistry</i> , 2002 , 277, 51043-8	5.4	22
7	Biophysical effect of amino acids on the prevention of protein aggregation. <i>Journal of Biochemistry</i> , 2002 , 132, 591-5	3.1	205
6	Contribution of an imidazole-indole stack to high catalytic potency of a lysine-specific serine protease, <i>Achromobacter</i> protease I. <i>Journal of Biochemistry</i> , 2002 , 131, 213-8	3.1	12
5	Transformation from a Metastable Structure to Native Form of Hyperthermophilic Proteins: A Phenomenon Known as Heat Maturation. <i>Seibutsu Butsuri</i> , 2002 , 42, 185-188	0	1
4	Comparative analyses of the conformational stability of a hyperthermophilic protein and its mesophilic counterpart. <i>FEBS Journal</i> , 2001 , 268, 4144-50		33
3	Conformational Stability of a Hyperthermophilic Protein in Various Conditions for Denaturation. <i>Electrochemistry</i> , 2001 , 69, 949-952	1.2	6
2	In vitro heat effect on functional and conformational changes of cyclodextrin glucanotransferase from hyperthermophilic archaea. <i>Biochemical and Biophysical Research Communications</i> , 1999 , 265, 57-61 ^{3,4}		15
1	Trifluoroethanol-induced stabilization of the alpha-helical structure of beta-lactoglobulin: implication for non-hierarchical protein folding. <i>Journal of Molecular Biology</i> , 1995 , 245, 180-94	6.5	418