

Brett Taback

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8827813/publications.pdf>

Version: 2024-02-01

40
papers

2,483
citations

516710

16
h-index

434195

31
g-index

40
all docs

40
docs citations

40
times ranked

2231
citing authors

#	ARTICLE	IF	CITATIONS
1	Sentinel Lymph Node Surgery After Neoadjuvant Chemotherapy in Patients With Node-Positive Breast Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2013, 310, 1455.	7.4	1,153
2	Identification and Resection of Clipped Node Decreases the False-negative Rate of Sentinel Lymph Node Surgery in Patients Presenting With Node-positive Breast Cancer (T0â€“T4, N1â€“N2) Who Receive Neoadjuvant Chemotherapy. <i>Annals of Surgery</i> , 2016, 263, 802-807.	4.2	351
3	Tumor Biology Correlates With Rates of Breast-Conserving Surgery and Pathologic Complete Response After Neoadjuvant Chemotherapy for Breast Cancer. <i>Annals of Surgery</i> , 2014, 260, 608-616.	4.2	327
4	Factors Affecting Sentinel Lymph Node Identification Rate After Neoadjuvant Chemotherapy for Breast Cancer Patients Enrolled in ACOSOG Z1071 (Alliance). <i>Annals of Surgery</i> , 2015, 261, 547-552.	4.2	129
5	Sentinel Lymph Node Biopsy for Local Recurrence of Breast Cancer After Breast-Conserving Therapy. <i>Annals of Surgical Oncology</i> , 2006, 13, 1099-1104.	1.5	108
6	A Randomized Trial Evaluating Bioimpedance Spectroscopy Versus Tape Measurement for the Prevention of Lymphedema Following Treatment for Breast Cancer: Interim Analysis. <i>Annals of Surgical Oncology</i> , 2019, 26, 3250-3259.	1.5	54
7	A Prospective Study of L-Dex Values in Breast Cancer Patients Pretreatment and Through 12 Months Postoperatively. <i>Lymphatic Research and Biology</i> , 2018, 16, 435-441.	1.1	50
8	Epigenetic Analysis of Body Fluids and Tumor Tissues: Application of a Comprehensive Molecular Assessment for Early-Stage Breast Cancer Patients. <i>Annals of the New York Academy of Sciences</i> , 2006, 1075, 211-221.	3.8	36
9	Enhanced Axillary Evaluation Using Reflector-Guided Sentinel Lymph Node Biopsy: A Prospective Feasibility Study and Comparison With Conventional Lymphatic Mapping Techniques. <i>Clinical Breast Cancer</i> , 2018, 18, e869-e874.	2.4	27
10	Predicting Post Neoadjuvant Axillary Response Using a Novel Convolutional Neural Network Algorithm. <i>Annals of Surgical Oncology</i> , 2018, 25, 3037-3043.	1.5	26
11	Role of axillary ultrasound after neoadjuvant chemotherapy in women with node-positive breast cancer (T1-4, N1-2, M0) at initial diagnosis (ACOSOG Z1071).. <i>Journal of Clinical Oncology</i> , 2012, 30, 1107-1107.	1.6	26
12	Utilization of multiple SAVI SCOUT surgical guidance system reflectors in the same breast: A single-institution feasibility study. <i>Breast Journal</i> , 2018, 24, 531-534.	1.0	25
13	Expanding the Criteria for Nipple-Sparing Mastectomy in Patients With Poor Prognostic Features. <i>Clinical Breast Cancer</i> , 2018, 18, 229-233.	2.4	25
14	Fully Automated Postlumpectomy Breast Margin Assessment Utilizing Convolutional Neural Network Based Optical Coherence Tomography Image Classification Method. <i>Academic Radiology</i> , 2020, 27, e81-e86.	2.5	25
15	Perspectives on the recommendations for skin cancer management during the COVID-19 pandemic. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, 295-296.	1.2	20
16	Automated digital TIL analysis (ADTA) adds prognostic value to standard assessment of depth and ulceration in primary melanoma. <i>Scientific Reports</i> , 2021, 11, 2809.	3.3	20
17	Validation of Melanoma Immune Profile (MIP), a Prognostic Immune Gene Prediction Score for Stage IIâ€“III Melanoma. <i>Clinical Cancer Research</i> , 2019, 25, 2494-2502.	7.0	18
18	Diffuse optical tomography changes correlate with residual cancer burden after neoadjuvant chemotherapy in breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2017, 162, 533-540.	2.5	15

#	ARTICLE	IF	CITATIONS
19	Patient Selection for Ductal Carcinoma In Situ Observation Trials: Are the Lesions Truly Low Risk?. American Journal of Roentgenology, 2018, 211, 712-713.	2.2	15
20	A Single institution's randomized double-blind, controlled prospective study of lumpectomy margins with adjunctive use of the MarginProbe in nonpalpable breast cancers. Breast Journal, 2020, 26, 2157-2162.	1.0	7
21	A Single-Institution Experience in the Preoperative Selection of DCIS Patients for IORT using the ASTRO Consensus Guidelines. Advances in Radiation Oncology, 2019, 4, 253-260.	1.2	4
22	Sequential administration of high-dose interleukin-2 and ipilimumab in patients with metastatic melanoma.. Journal of Clinical Oncology, 2016, 34, e21041-e21041.	1.6	4
23	In the Setting of Negative Mammogram, Is Additional Breast Ultrasound Necessary for Evaluation of Breast Pain?. Current Problems in Diagnostic Radiology, 2019, 48, 117-120.	1.4	3
24	Presurgical evaluation of the AKT inhibitor MK-2206 in patients with operable invasive breast cancer.. Journal of Clinical Oncology, 2014, 32, 2613-2613.	1.6	3
25	Characterization and spatial localization of the tumor immune microenvironment in metastatic uveal melanoma.. Journal of Clinical Oncology, 2018, 36, 9570-9570.	1.6	3
26	An Open-Label, Randomized, Multi-Center Study Comparing the Sequence of High Dose Aldesleukin (Interleukin-2) and Ipilimumab (Yervoy) in Patients with Metastatic Melanoma. Oncolmunology, 2021, 10, 1984059.	4.6	2
27	Cystic metastatic lymph nodes in malignant melanoma: a case report. Clinical Imaging, 2017, 42, 158-160.	1.5	1
28	Case of Merkel cell carcinoma in a patient with pre-existing ILD. , 2020, 8, e001672.		1
29	Outcomes and predictors of survival in cutaneous melanoma of the eyelid: An analysis of the National Cancer Database. Journal of the American Academy of Dermatology, 2021, 84, 1753-1758.	1.2	1
30	Efficacy of a password-protected pill-dispensing device to enhance disposal of unused opioids after cancer surgery.. Journal of Clinical Oncology, 2021, 39, 264-264.	1.6	1
31	Complication Rates After Intraoperative Radiation Therapy: Do Applicator Size and Distance to Skin Matter?. Journal of Surgical Research, 2021, 268, 440-444.	1.6	1
32	Quantitative multiplex immunofluorescence to identify candidate biomarkers of response to anti-PD1 in metastatic melanoma.. Journal of Clinical Oncology, 2018, 36, e21600-e21600.	1.6	1
33	A Randomized Trial Evaluating Bioimpedance Spectroscopy Versus Tape Measurement for the Prevention of Lymphedema Following Treatment for Breast Cancer: Interim Analysis. , 2019, 26, 3250.		1
34	Abstract PS15-19: Preoperative selection of patients with early-stage invasive breast cancer for intraoperative radiation therapy (IORT): A single-institution experience. , 2021, , .		0
35	Experience with nipple-sparing mastectomy after prior whole-breast radiation.. Journal of Clinical Oncology, 2012, 30, 173-173.	1.6	0
36	Quantitative multiplex immunofluorescence (qmIF) and genomic evaluation of tumor microenvironment (TME) to identify candidate biomarkers in stage II/III melanoma.. Journal of Clinical Oncology, 2018, 36, 9580-9580.	1.6	0

#	ARTICLE	IF	CITATIONS
37	Validation of a prognostic 53-immune-gene panel in stage II/III melanoma.. Journal of Clinical Oncology, 2018, 36, 9576-9576.	1.6	0
38	When the clipped node goes missing, CT guided SAVI SCOUT placement: A novel approach for localizing soft tissue targets. Clinical Imaging, 2022, 85, 115-117.	1.5	0
39	Shaves off the Cavity or Specimen in Lumpectomy for Breast Cancer. Journal of Surgical Research, 2022, 277, 296-302.	1.6	0
40	Efficacy of a password-protected, pill-dispensing device with mail return capacity to enhance disposal of unused opioids after cancer surgery. Cancer, 0, , .	4.1	0