

Zhong-Wu Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8828010/publications.pdf>

Version: 2024-02-01

105
papers

2,579
citations

201674

27
h-index

243625

44
g-index

117
all docs

117
docs citations

117
times ranked

4555
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of neoadjuvant chemotherapy on the immune microenvironment in gastric cancer as determined by multiplex immunofluorescence and T cell receptor repertoire analysis. , 2022, 10, e003984.		27
2	Establishment of prognostic models for adenocarcinoma of oesophagogastric junction patients with neoadjuvant chemoradiotherapy: a real-world study. Radiation Oncology, 2022, 17, 45.	2.7	7
3	Clinical relevance of pathogenic germline variants in mismatch repair genes in Chinese breast cancer patients. Npj Breast Cancer, 2022, 8, 52.	5.2	3
4	MRI measurements predict major low anterior resection syndrome in rectal cancer patients. International Journal of Colorectal Disease, 2022, 37, 1239-1249.	2.2	1
5	PKUCH 04 trial: Total neoadjuvant chemoradiation combined with neoadjuvant PD-1 blockade for pMMR/MSS locally advanced middle to low rectal cancer.. Journal of Clinical Oncology, 2022, 40, 3609-3609.	1.6	8
6	Total neoadjuvant chemoradiation combined with neoadjuvant PD-1 blockade for patients with pMMR, high-risk, and locally advanced middle to low rectal cancer.. Journal of Clinical Oncology, 2022, 40, 3611-3611.	1.6	0
7	The drug targets genomic alterations detected in female tumor tissue with melanoma.. Journal of Clinical Oncology, 2022, 40, e21558-e21558.	1.6	0
8	Epstein-Barr virus-associated gastric adenosquamous carcinoma with concurrent gastric carcinoma with lymphoid stroma: a case report and review of the literature. BMC Gastroenterology, 2022, 22, .	2.0	2
9	Proteomic Analyses Identify Differentially Expressed Proteins and Pathways Between Low-Risk and High-Risk Subtypes of Early-Stage Lung Adenocarcinoma and Their Prognostic Impacts. Molecular and Cellular Proteomics, 2021, 20, 100015.	3.8	10
10	Heterogeneous constitutional mismatch repair deficiency with MSH6 missense mutation clinically benefits from pembrolizumab and regorafenib combination therapy: a case report and literature review. Hereditary Cancer in Clinical Practice, 2021, 19, 7.	1.5	4
11	Up-Regulation of SALL4 Is Associated With Survival and Progression via Putative WNT Pathway in Gastric Cancer. Frontiers in Cell and Developmental Biology, 2021, 9, 600344.	3.7	8
12	Genetic alteration of Chinese patients with rectal mucosal melanoma. BMC Cancer, 2021, 21, 623.	2.6	2
13	Clinicopathological features of tumor mutation burden, Epstein-Barr virus infection, microsatellite instability and PD-L1 status in Chinese patients with gastric cancer. Diagnostic Pathology, 2021, 16, 38.	2.0	12
14	Genetic differences between lung metastases and liver metastases from left-sided microsatellite stable colorectal cancer: next generation sequencing and clinical implications. Annals of Translational Medicine, 2021, 9, 967-967.	1.7	7
15	Identification and Validation of Plasma Metabolomic Signatures in Precancerous Gastric Lesions That Progress to Cancer. JAMA Network Open, 2021, 4, e2114186.	5.9	38
16	RBM10 Deficiency Is Associated With Increased Immune Activity in Lung Adenocarcinoma. Frontiers in Oncology, 2021, 11, 677826.	2.8	7
17	Genomic and transcriptomic profiling of hepatoid adenocarcinoma of the stomach. Oncogene, 2021, 40, 5705-5717.	5.9	20
18	Prognostic significance of the aberrant expression of neuroendocrine markers in melanomas. Diagnostic Pathology, 2021, 16, 78.	2.0	5

#	ARTICLE	IF	CITATIONS
19	The Significance of MET Expression and Strategies of Targeting MET Treatment in Advanced Gastric Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 719217.	2.8	4
20	PTP4A3 Is a Prognostic Biomarker Correlated With Immune Infiltrates in Papillary Renal Cell Carcinoma. <i>Frontiers in Immunology</i> , 2021, 12, 717688.	4.8	5
21	Folate-Receptor Positive Circulating Tumor Cell Is a Potential Diagnostic Marker of Prostate Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 708214.	2.8	5
22	Identification of "coregulation of RhoA activity panel" as a prognostic and predictive biomarker for gastric cancer. <i>Aging</i> , 2021, 13, 714-734.	3.1	1
23	CAN017, a novel anti-HER3 antibody, exerted great potency in mouse avatars of esophageal squamous cell carcinoma with NRG1 as a biomarker. <i>American Journal of Cancer Research</i> , 2021, 11, 1697-1708.	1.4	0
24	Proteomic profiling identifies signatures associated with progression of precancerous gastric lesions and risk of early gastric cancer. <i>EBioMedicine</i> , 2021, 74, 103714.	6.1	17
25	From AVATAR Mice to Patients: RC48-ADC Exerted Promising Efficacy in Advanced Gastric Cancer With HER2 Expression. <i>Frontiers in Pharmacology</i> , 2021, 12, 757994.	3.5	10
26	The Value of Perioperative Chemotherapy for Patients With Hepatoid Adenocarcinoma of the Stomach Undergoing Radical Gastrectomy. <i>Frontiers in Oncology</i> , 2021, 11, 789104.	2.8	6
27	Automated assessment of DNA ploidy, chromatin organization, and stroma fraction to predict prognosis and adjuvant therapy response in patients with stage II colorectal carcinoma.. <i>American Journal of Cancer Research</i> , 2021, 11, 6119-6132.	1.4	0
28	The Prognostic and Therapeutic Role of Genomic Subtyping by Sequencing Tumor or Cell-Free DNA in Pulmonary Large-Cell Neuroendocrine Carcinoma. <i>Clinical Cancer Research</i> , 2020, 26, 892-901.	7.0	80
29	The correlation between molecular pathological profiles and metabolic parameters of 18F-FDG PET/CT in patients with gastroesophageal junction cancer. <i>Abdominal Radiology</i> , 2020, 45, 312-321.	2.1	5
30	The prognosis of hepatoid adenocarcinoma of the stomach: a propensity score-based analysis. <i>BMC Cancer</i> , 2020, 20, 671.	2.6	17
31	Plasma-based microsatellite instability detection strategy to guide immune checkpoint blockade treatment. , 2020, 8, e001297.		25
32	Pyrotinib combined with CDK4/6 inhibitor in HER2-positive metastatic gastric cancer: A promising strategy from AVATAR mouse to patients. <i>Clinical and Translational Medicine</i> , 2020, 10, e148.	4.0	17
33	An integrated classifier improves prognostic accuracy in non-metastatic gastric cancer. <i>Oncology</i> , 2020, 9, 1792038.	4.6	10
34	Molecular characteristics of synchronous multiple gastric cancer. <i>Theranostics</i> , 2020, 10, 5489-5500.	10.0	10
35	Four-color fluorescence in-situ hybridization is useful to assist to distinguish early stage acral and cutaneous melanomas from dysplastic junctional or compound nevus. <i>Diagnostic Pathology</i> , 2020, 15, 51.	2.0	6
36	Multi-omics characterization of molecular features of gastric cancer correlated with response to neoadjuvant chemotherapy. <i>Science Advances</i> , 2020, 6, eaay4211.	10.3	60

#	ARTICLE	IF	CITATIONS
37	Prognostic value of nucleotyping, DNA ploidy and stroma in high-risk stage II colon cancer. <i>British Journal of Cancer</i> , 2020, 123, 973-981.	6.4	12
38	Patient-derived tumor-like cell clusters for drug testing in cancer therapy. <i>Science Translational Medicine</i> , 2020, 12, .	12.4	39
39	Evaluation of Next Generation Sequencing for Detecting HER2 Copy Number in Breast and Gastric Cancers. <i>Pathology and Oncology Research</i> , 2020, 26, 2577-2585.	1.9	30
40	Efficacy, Safety, and Biomarkers of Toripalimab in Patients with Recurrent or Metastatic Neuroendocrine Neoplasms: A Multiple-Center Phase Ib Trial. <i>Clinical Cancer Research</i> , 2020, 26, 2337-2345.	7.0	66
41	Predicting Rectal Cancer Response to Neoadjuvant Chemoradiotherapy Using Deep Learning of Diffusion Kurtosis MRI. <i>Radiology</i> , 2020, 296, 56-64.	7.3	57
42	Clinicopathological and Immunomicroenvironment Characteristics of Epstein-Barr Virus-Associated Gastric Cancer in a Chinese Population. <i>Frontiers in Oncology</i> , 2020, 10, 586752.	2.8	13
43	Virtual bronchoscopic navigation without fluoroscopy guidance for peripheral pulmonary lesions in inexperienced pulmonologist. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2020, 32, 530-539.	2.2	6
44	Conditionally reprogrammed colorectal cancer cells combined with mouse avatars identify synergy between EGFR and MEK or CDK4/6 inhibitors. <i>American Journal of Cancer Research</i> , 2020, 10, 249-262.	1.4	7
45	Dynamically decreased miR-671-5p expression is associated with oncogenic transformation and radiochemoresistance in breast cancer. <i>Breast Cancer Research</i> , 2019, 21, 89.	5.0	41
46	Molecularly annotation of mouse avatar models derived from patients with colorectal cancer liver metastasis. <i>Theranostics</i> , 2019, 9, 3485-3500.	10.0	9
47	Whole-genome sequencing reveals novel tandem-duplication hotspots and a prognostic mutational signature in gastric cancer. <i>Nature Communications</i> , 2019, 10, 2037.	12.8	55
48	Hepatoid adenocarcinoma of the stomach: a unique subgroup with distinct clinicopathological and molecular features. <i>Gastric Cancer</i> , 2019, 22, 1183-1192.	5.3	64
49	Lysyl oxidase assists tumor-initiating cells to enhance angiogenesis in hepatocellular carcinoma. <i>International Journal of Oncology</i> , 2019, 54, 1398-1408.	3.3	19
50	<p></p>Activated Wnt signaling promotes growth and progression of AFP-producing gastric cancer in preclinical models</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 1349-1362.	1.9	7
51	EPHA2 blockade reverses acquired resistance to afatinib induced by EPHA2-mediated MAPK pathway activation in gastric cancer cells and avatar mice. <i>International Journal of Cancer</i> , 2019, 145, 2440-2449.	5.1	20
52	Autophagy inhibition enhances PD-L1 expression in gastric cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 140.	8.6	104
53	Expert consensus on multidisciplinary therapy of colorectal cancer with lung metastases (2019) Tj ETQq1 1 0.784314 rgBT /Overlock 10 17.0 69		
54	Targeting autophagy potentiates antitumor activity of Met-TKIs against Met-amplified gastric cancer. <i>Cell Death and Disease</i> , 2019, 10, 139.	6.3	16

#	ARTICLE	IF	CITATIONS
55	A 18FDG PET/CT-based volume parameter is a predictor of overall survival in patients with local advanced gastric cancer. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2019, 31, 632-640.	2.2	2
56	Diagnostic value of negative enrichment and immune fluorescence in situ hybridization for intraperitoneal free cancer cells of gastric cancer. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2019, 31, 945-954.	2.2	9
57	Fat clearance and conventional fixation identified ypN0 rectal cancers following intermediate neoadjuvant radiotherapy have similar long-term outcomes. World Journal of Gastrointestinal Oncology, 2019, 11, 877-886.	2.0	1
58	A proteomic landscape of diffuse-type gastric cancer. Nature Communications, 2018, 9, 1012.	12.8	175
59	Targeting c-Myc: JQ1 as a promising option for c-Myc-amplified esophageal squamous cell carcinoma. Cancer Letters, 2018, 419, 64-74.	7.2	35
60	In papillary thyroid carcinoma, expression by immunohistochemistry of BRAF V600E, PD-L1, and PD-1 is closely related. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2018, 472, 779-787.	2.8	30
61	Dual PI3K/mTOR inhibitor BEZ235 as a promising therapeutic strategy against paclitaxel-resistant gastric cancer via targeting PI3K/Akt/mTOR pathway. Cell Death and Disease, 2018, 9, 123.	6.3	76
62	Characterization and validation of potential therapeutic targets based on the molecular signature of patient-derived xenografts in gastric cancer. Journal of Hematology and Oncology, 2018, 11, 20.	17.0	32
63	Pattern and Management of Recurrence of Mid-Low Rectal Cancer After Neoadjuvant Intensity-Modulated Radiotherapy: Single-Center Results of 687 Cases. Clinical Colorectal Cancer, 2018, 17, e307-e313.	2.3	10
64	Diagnostic Utility of SATB2 in Metastatic Krukenberg Tumors of the Ovary. American Journal of Surgical Pathology, 2018, 42, 160-171.	3.7	29
65	Mouse avatar models of esophageal squamous cell carcinoma proved the potential for EGFR-TKI afatinib and uncovered Src family kinases involved in acquired resistance. Journal of Hematology and Oncology, 2018, 11, 109.	17.0	22
66	Infiltration characteristics and influencing factors of retroperitoneal liposarcoma: Novel evidence for extended surgery and a tumor grading system. BioScience Trends, 2018, 12, 185-192.	3.4	17
67	Use of 18F-FDG-PET/CT for Retroperitoneal/Intra-Abdominal Soft Tissue Sarcomas. Contrast Media and Molecular Imaging, 2018, 2018, 1-8.	0.8	13
68	Augmented antitumor activity by olaparib plus AZD1775 in gastric cancer through disrupting DNA damage repair pathways and DNA damage checkpoint. Journal of Experimental and Clinical Cancer Research, 2018, 37, 129.	8.6	37
69	Wee1 Inhibitor AZD1775 Combined with Cisplatin Potentiates Anticancer Activity against Gastric Cancer by Increasing DNA Damage and Cell Apoptosis. BioMed Research International, 2018, 2018, 1-10.	1.9	18
70	Prognostic significance of PD-L1 expression and CD8+ T cell infiltration in pulmonary neuroendocrine tumors. Diagnostic Pathology, 2018, 13, 30.	2.0	43
71	Establishment and genomic characterizations of patient-derived esophageal squamous cell carcinoma xenograft models using biopsies for treatment optimization. Journal of Translational Medicine, 2018, 16, 15.	4.4	29
72	BMP-2 enhances the migration and proliferation of hypoxia-induced VSMCs via actin cytoskeleton, CD44 and matrix metalloproteinase linkage. Experimental Cell Research, 2018, 368, 248-257.	2.6	28

#	ARTICLE	IF	CITATIONS
73	HER2 copy number of circulating tumour DNA functions as a biomarker to predict and monitor trastuzumab efficacy in advanced gastric cancer. <i>European Journal of Cancer</i> , 2018, 88, 92-100.	2.8	64
74	SATB2 Shows Different Profiles Between Appendiceal Adenocarcinomas Ex Goblet Cell Carcinoids and Appendiceal/Colorectal Conventional Adenocarcinomas: An Immunohistochemical Study With Comparison to CDX2. <i>Gastroenterology Research</i> , 2018, 11, 221-230.	1.3	14
75	The pathway regulating RhoA activity to predict the survival of gastric cancers.. <i>Journal of Clinical Oncology</i> , 2018, 36, 49-49.	1.6	0
76	SPANOM: A cost-effective method of detecting MSI in ctDNA.. <i>Journal of Clinical Oncology</i> , 2018, 36, e24263-e24263.	1.6	0
77	miR-34a increases the sensitivity of colorectal cancer cells to 5-fluorouracil and. <i>American Journal of Cancer Research</i> , 2018, 8, 280-290.	1.4	11
78	Depletion of p42.3 gene inhibits proliferation and invasion in melanoma cells. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 639-648.	2.5	7
79	Circulating tumor <scp>DNA</scp> functions as an alternative for tissue to overcome tumor heterogeneity in advanced gastric cancer. <i>Cancer Science</i> , 2017, 108, 1881-1887.	3.9	51
80	PD-L1 and PD-1 expression are correlated with distinctive clinicopathological features in papillary thyroid carcinoma. <i>Diagnostic Pathology</i> , 2017, 12, 72.	2.0	25
81	CDK4/6 inhibitor-SHR6390 exerts potent antitumor activity in esophageal squamous cell carcinoma by inhibiting phosphorylated Rb and inducing G1 cell cycle arrest. <i>Journal of Translational Medicine</i> , 2017, 15, 127.	4.4	45
82	The Prognostic Value of HRAS mRNA Expression in Cutaneous Melanoma. <i>BioMed Research International</i> , 2017, 2017, 1-12.	1.9	9
83	Gimatecan exerts potent antitumor activity against gastric cancer in vitro and in vivo via AKT and MAPK signaling pathways. <i>Journal of Translational Medicine</i> , 2017, 15, 253.	4.4	11
84	GATA3 is a sensitive marker for primary genital extramammary paget disease: an immunohistochemical study of 72 cases with comparison to gross cystic disease fluid protein 15. <i>Diagnostic Pathology</i> , 2017, 12, 51.	2.0	19
85	Organ-preserving surgery for locally advanced duodenal gastrointestinal stromal tumor after neoadjuvant treatment. <i>BioScience Trends</i> , 2017, 11, 483-489.	3.4	13
86	Dynamic enhanced CT: is there a difference between liver metastases of gastroenteropancreatic neuroendocrine tumor and adenocarcinoma. <i>Oncotarget</i> , 2017, 8, 108146-108155.	1.8	5
87	Genomic alterations in advanced gastric cancer endoscopic biopsy samples using targeted next-generation sequencing. <i>American Journal of Cancer Research</i> , 2017, 7, 1540-1553.	1.4	21
88	miR-215 promotes malignant progression of gastric cancer by targeting RUNX1. <i>Oncotarget</i> , 2016, 7, 4817-4828.	1.8	54
89	Clinicopathologic and Molecular Features of Colorectal Adenocarcinoma with Signet-Ring Cell Component. <i>PLoS ONE</i> , 2016, 11, e0156659.	2.5	25
90	Circulating Chromogranin A as A Marker for Monitoring Clinical Response in Advanced Gastroenteropancreatic Neuroendocrine Tumors. <i>PLoS ONE</i> , 2016, 11, e0154679.	2.5	12

#	ARTICLE	IF	CITATIONS
91	PD-L1 expression is associated with massive lymphocyte infiltration and histology in gastric cancer. <i>Human Pathology</i> , 2016, 55, 182-189.	2.0	58
92	Loss of 5-hydroxymethylcytosine is linked to gene body hypermethylation in kidney cancer. <i>Cell Research</i> , 2016, 26, 103-118.	12.0	129
93	<i>ABCC2</i> -24C & T polymorphism is associated with the response to platinum/5-Fu-based neoadjuvant chemotherapy and better clinical outcomes in advanced gastric cancer patients. <i>Oncotarget</i> , 2016, 7, 55449-55457.	1.8	20
94	Intratumoral KIT mutational heterogeneity and recurrent KIT/ PDGFRA mutations in KIT/PDGFR wild-type gastrointestinal stromal tumors. <i>Oncotarget</i> , 2016, 7, 30241-30249.	1.8	11
95	Programmed death-ligand-1 expression in advanced gastric cancer detected with RNA <i>in situ</i> hybridization and its clinical significance. <i>Oncotarget</i> , 2016, 7, 39671-39679.	1.8	37
96	Dual PI3K/mTOR inhibitor BEZ235 exerts extensive antitumor activity in HER2-positive gastric cancer. <i>BMC Cancer</i> , 2015, 15, 894.	2.6	27
97	The extent of inflammatory infiltration in primary cancer tissues is associated with lymphomagenesis in immunodeficient mice. <i>Scientific Reports</i> , 2015, 5, 9447.	3.3	34
98	Expression and clinical significance of c-Met in advanced esophageal squamous cell carcinoma. <i>BMC Cancer</i> , 2015, 15, 6.	2.6	27
99	Establishment and characterization of patient-derived tumor xenograft using gastroscopic biopsies in gastric cancer. <i>Scientific Reports</i> , 2015, 5, 8542.	3.3	66
100	Tumor MET Expression and Gene Amplification in Chinese Patients with Locally Advanced or Metastatic Gastric or Gastroesophageal Junction Cancer. <i>Molecular Cancer Therapeutics</i> , 2015, 14, 2634-2641.	4.1	20
101	SATB2 is a sensitive marker for lower gastrointestinal well-differentiated neuroendocrine tumors. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 7072-82.	0.5	16
102	Evaluation of the prognostic value of the metastatic lymph node ratio for gastric cancer. <i>American Journal of Surgery</i> , 2014, 207, 555-565.	1.8	25
103	Combination of microtubule associated protein-tau and β -tubulin III predicts chemosensitivity of paclitaxel in patients with advanced gastric cancer. <i>European Journal of Cancer</i> , 2014, 50, 2328-2335.	2.8	24
104	Compliance and safety of neoadjuvant intensity modulated radiotherapy (IMRT) with concurrent capecitabine for locally advanced rectal cancer: Updated results from a phase II trial (ChiCTR-TNC-10001094).. <i>Journal of Clinical Oncology</i> , 2014, 32, 3598-3598.	1.6	0
105	Abdominoperineal excision following preoperative radiotherapy for rectal cancer: unfavorable prognosis even with negative circumferential resection margin. <i>World Journal of Gastroenterology</i> , 2014, 20, 9138-45.	3.3	3