
Alicia Gutiérrez-Valencia

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8830075/publications.pdf

Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | The Use of Transient Elastometry for Assessing Liver Fibrosis in Patients with HIV and Hepatitis C Virus Coinfection. Clinical Infectious Diseases, 2007, 45, 969-974. | 5.8 | 178 |
| 2 | Dendritic cell deficiencies persist seven months after SARS-CoV-2 infection. Cellular and Molecular Immunology, 2021, 18, 2128-2139. | 10.5 | 81 |
| 3 | Eradication of Hepatitis C Virus (HCV) Reduces Immune Activation, Microbial Translocation, and the HIV DNA Level in HIV/HCV-Coinfected Patients. Journal of Infectious Diseases, 2018, 218, 624-632. | 4.0 | 44 |
| 4 | Stepped-Dose Versus Full-Dose Efavirenz for HIV Infection and Neuropsychiatric Adverse Events. Annals of Internal Medicine, 2009, 151, 149. | 3.9 | 40 |
| 5 | Lopinavir Plasma Concentrations and Virological Outcome with Lopinavir-Ritonavir Monotherapy in HIV-1-Infected Patients. Antimicrobial Agents and Chemotherapy, 2013, 57, 3746-3751. | 3.2 | 20 |
| 6 | Cellular HIV reservoir replenishment is not affected by blip or intermittent viremia episodes during darunavir/ritonavir monotherapy. Aids, 2014, 28, 201-208. | 2.2 | 15 |
| 7 | Enterococcus faecalis Endocarditis and Outpatient Treatment: A Systematic Review of Current Alternatives. Antibiotics, 2020, 9, 657. | 3.7 | 15 |
| 8 | Darunavir Cmin and ritonavir-boosted darunavir monotherapy outcome in HIV-infected patients. Antiviral Therapy, 2014, 19, 443-447. | 1.0 | 14 |
| 9 | Differential Effects of Viremia and Microbial Translocation on Immune Activation in HIV-Infected Patients Throughout Ritonavir-Boosted Darunavir Monotherapy. Medicine (United States), 2015, 94, e781. | 1.0 | 14 |
| 10 | Viral Kinetics in Semen With Different Antiretroviral Families in Treatment-Naive Human Immunodeficiency Virus-Infected Patients: A Randomized Trial. Clinical Infectious Diseases, 2017, 65, 551-556. | 5.8 | 14 |
| 11 | Elevated Anti-SARS-CoV-2 Antibodies and IL-6, IL-8, MIP-1β, Early Predictors of Severe COVID-19. Microorganisms, 2021, 9, 2259. | 3.6 | 14 |
| 12 | Absolute CD4+ T cell count overstate immune recovery assessed by CD4+/CD8+ ratio in HIV-infected patients on treatment. PLoS ONE, 2018, 13, e0205777. | 2.5 | 13 |
| 13 | Efficacy and Safety of Pegylated Interferon plus Ribavirin in HIV and Hepatitis C Virus–Coinfected Patients with Advanced Immunosuppression. Clinical Infectious Diseases, 2009, 49, e84-e91. | 5.8 | 12 |
| 14 | Intracellular and plasma pharmacokinetics of 400 mg of etravirine once daily versus 200 mg of etravirine twice daily in HIV-infected patients. Journal of Antimicrobial Chemotherapy, 2012, 67, 681-684. | 3.0 | 11 |
| 15 | Fetuinâ€A, interâ€Î±â€ŧrypsin inhibitor, glutamic acid and ChoE (18:0) are key biomarkers in a panel distinguishing mild from critical coronavirus disease 2019 outcomes. Clinical and Translational Medicine, 2022, 12, e704. | 4.0 | 11 |
| 16 | Ampicillin Plus Ceftriaxone Combined Therapy for Enterococcus faecalis Infective Endocarditis in OPAT. Journal of Clinical Medicine, 2022, 11, 7. | 2.4 | 11 |
| 17 | Role of Ritonavir in the Drug Interactions Between Telaprevir and Ritonavir-Boosted Atazanavir. Clinical Infectious Diseases, 2014, 58, 268-273. | 5.8 | 8 |
| 18 | Brief Report: Response to Hepatitis A Virus Vaccine in HIV-Infected Patients Within a Retrospective, Multicentric Cohort: Facing Hepatitis A Outbreaks in the Clinical Practice. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 81, e1-e5. | 2.1 | 8 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Is Once-Daily High-Dose Ceftriaxone plus Ampicillin an Alternative for Enterococcus faecalis Infective Endocarditis in Outpatient Parenteral Antibiotic Therapy Programs?. Antimicrobial Agents and Chemotherapy, 2020, 65, . | 3.2 | 8 |
| 20 | Mesenchymal stromal cells in human immunodeficiency virusâ€infected patients with discordant immune response: Early results of a phase I/II clinical trial. Stem Cells Translational Medicine, 2021, 10, 534-541. | 3.3 | 8 |
| 21 | Deciphering the quality of SARSâ€CoVâ€2 specific Tâ€cell response associated with disease severity, immune memory and heterologous response. Clinical and Translational Medicine, 2022, 12, e802. | 4.0 | 8 |
| 22 | The IL28B effect on hepatitis C virus kinetics among HIV patients after the first weeks of pegylated-interferon/ribavirin treatment varies according to hepatitis C virus-1 subtype. Aids, 2013, 27, 1941-1947. | 2.2 | 6 |
| 23 | Higher Activation in CD4 ⁺ T Cells But Similar Viral Control Among HIV/Hepatitis C Virus-Coinfected Patients on a Simplification Monotherapy. AIDS Research and Human Retroviruses, 2016, 32, 6-11. | 1.1 | 6 |
| 24 | Response to a reinforced hepatitis B vaccination scheme in HIV-infected patients under real-life conditions. Vaccine, 2019, 37, 2758-2763. | 3.8 | 6 |
| 25 | Immunological and inflammatory changes after simplifying to dual therapy in virologically suppressed HIV-infected patients through week 96 in a randomized trial. Clinical Microbiology and Infection, 2022, 28, 1151.e9-1151.e16. | 6.0 | 6 |
| 26 | Darunavir/cobicistat showing similar effectiveness as darunavir/ritonavir monotherapy despite lower trough concentrations. Journal of the International AIDS Society, 2018, 21, e25072. | 3.0 | 5 |
| 27 | Pharmacokinetic interactions between cobicistat-boosted elvitegravir and darunavir in HIV-infected patients. Journal of Antimicrobial Chemotherapy, 2017, 72, dkw487. | 3.0 | 4 |
| 28 | Is immune recovery different depending on the use of integrase strand transfer inhibitor-, non-nucleoside reverse transcriptase- or boosted protease inhibitor-based regimens in antiretroviral-naive HIV-infected patients?. Journal of Antimicrobial Chemotherapy, 2020, 75, 200-207. | 3.0 | 4 |
| 29 | Telaprevir and Ribavirin Interaction: Higher Ribavirin Levels Are Not Only Due to Renal Dysfunction during Triple Therapy. Antimicrobial Agents and Chemotherapy, 2015, 59, 3257-3262. | 3.2 | 3 |
| 30 | No difference in effectiveness of treatment simplification to boosted or unboosted atazanavir plus lamivudine in virologically suppressed in HIV-1-infected patients. PLoS ONE, 2018, 13, e0203452. | 2.5 | 3 |
| 31 | Modulation of Monocyte Activation and Function during Direct Antiviral Agent Treatment in Patients Coinfected with HIV and Hepatitis C Virus. Antimicrobial Agents and Chemotherapy, 2020, 64, . | 3.2 | 3 |
| 32 | Differences in HCV Viral Decline between Low and Standard-Dose Pegylated-Interferon-Alpha-2a with Ribavirin in HIV/HCV Genotype 3 Patients. PLoS ONE, 2012, 7, e48959. | 2.5 | 2 |
| 33 | PDA-Based Glyconanomicelles for Hepatocellular Carcinoma Cells Active Targeting Via Mannose and Asialoglycoprotein Receptors. ACS Applied Bio Materials, 2021, 4, 4789-4799. | 4.6 | 2 |
| 34 | HIV-1 p24 and CD4 + T cell count during boosted protease-inhibitor monotherapy in HIV-infected patients. Enfermedades Infecciosas Y MicrobiologAa ClAnica, 2017, 35, 174-178. | 0.5 | 1 |
| 35 | Incidence of lymphoma in HIV-HCV-infected patients. Modifications in function of the anti-hepatitis C virus therapy. Annals of Hematology, 2019, 98, 1953-1959. | 1.8 | 1 |
| 36 | Does Once-Daily Raltegravir Have Any Role in the Antiretroviral Treatment?. Medicine (United States), 2015, 94, e1743. | 1.0 | 0 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Early initiation of antiretroviral therapy: debate over?. Lancet Infectious Diseases, The, 2016, 16, 769. | 9.1 | 0 |
| 38 | Clinical, laboratory data and inflammatory biomarkers at baseline as early discharge predictors in hospitalized SARS-CoV-2 infected patients. PLoS ONE, 2022, 17, e0269875. | 2.5 | 0 |