
Rafael San-Juan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8830596/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Reduction of Instrumentation-Related Spine Surgical Site Infections After Optimization of Surgical Techniques. A Single Center Retrospective Analysis. Global Spine Journal, 2024, 14, 438-446. | 1.2 | 0 |
| 2 | SARS-CoV-2 in pregnancy: characteristics and outcomes of hospitalized and non-hospitalized women due to COVID-19. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 2648-2654. | 0.7 | 38 |
| 3 | Immunoguided Discontinuation of Prophylaxis for Cytomegalovirus Disease in Kidney Transplant Recipients Treated With Antithymocyte Globulin: A Randomized Clinical Trial. Clinical Infectious Diseases, 2022, 74, 757-765. | 2.9 | 24 |
| 4 | Immunogenicity of Anti-SARS-CoV-2 Vaccines in Common Variable Immunodeficiency. Journal of Clinical Immunology, 2022, 42, 240-252. | 2.0 | 48 |
| 5 | Analysis of the factors predicting clinical response to tocilizumab therapy in patients with severe COVID-19. International Journal of Infectious Diseases, 2022, , . | 1.5 | 7 |
| 6 | Effectiveness of ceftazidime-avibactam for the treatment of infections due to Pseudomonas aeruginosa. International Journal of Antimicrobial Agents, 2022, 59, 106517. | 1.1 | 21 |
| 7 | Prognostic factors of OXA-48 carbapenemase-producing Klebsiella pneumoniae infection in a tertiary-care Spanish hospital: A retrospective single-center cohort study. International Journal of Infectious Diseases, 2022, 119, 59-68. | 1.5 | 4 |
| 8 | Derivation of a score to predict infection due to multidrug-resistant Pseudomonas aeruginosa: a tool for guiding empirical antibiotic treatment. Journal of Global Antimicrobial Resistance, 2022, 29, 215-221. | 0.9 | 5 |
| 9 | Fluconazole versus micafungin for initial antifungal prophylaxis against <i>Candida</i> in pancreas transplant recipients: A comparative study of two consecutive periods. Mycoses, 2022, 65, 517-525. | 1.8 | 2 |
| 10 | Role of cytomegalovirus infection after kidney transplantation on the subsequent risk of atherosclerotic and thrombotic events. Atherosclerosis Plus, 2022, 48, 37-46. | 0.3 | 1 |
| 11 | Human pegivirus type 1 infection in kidney transplant recipients: Replication kinetics and clinical correlates. Transplant Infectious Disease, 2022, 24, . | 0.7 | 3 |
| 12 | Brief Research Report: Virus-Specific Humoral Immunity at Admission Predicts the Development of Respiratory Failure in Unvaccinated SARS-CoV-2 Patients. Frontiers in Immunology, 2022, 13, 878812. | 2.2 | 3 |
| 13 | Tocilizumab therapy in SARS-CoV-2 pneumonia: A matched retrospective cohort analysis. Medicina ClÃnica (English Edition), 2022, 158, 608-612. | 0.1 | 0 |
| 14 | Risk factors for the development of invasive aspergillosis after kidney transplantation: Systematic review and meta-analysis. American Journal of Transplantation, 2021, 21, 703-716. | 2.6 | 14 |
| 15 | Daptomycin Plus Fosfomycin Versus Daptomycin Alone for Methicillin-resistant <i>Staphylococcus aureus</i> Bacteremia and Endocarditis: A Randomized Clinical Trial. Clinical Infectious Diseases, 2021, 72, 1517-1525. | 2.9 | 65 |
| 16 | Tocilizumab for the treatment of adult patients with severe COVIDâ€19 pneumonia: A singleâ€center cohort study. Journal of Medical Virology, 2021, 93, 831-842. | 2.5 | 37 |
| 17 | Efficacy of Î²â€łactam/Î²â€łactamase inhibitors to treat extendedâ€spectrum betaâ€lactamaseâ€producing <i>Enterobacterales</i> bacteremia secondary to urinary tract infection in kidney transplant recipients (INCREMENTâ€SOT Project). Transplant Infectious Disease, 2021, 23, e13520. | 0.7 | 10 |
| 18 | Experience With Moxifloxacin for the Treatment of Latent Tuberculosis Infection in Liver Transplantation: A Single enter Prospective Study. Liver Transplantation, 2021, 27, 913-917. | 1.3 | 1 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Impact of viral load at admission on the development of respiratory failure in hospitalized patients with SARS-CoV-2 infection. European Journal of Clinical Microbiology and Infectious Diseases, 2021, 40, 1209-1216. | 1.3 | 38 |
| 20 | Eradication of <i>Staphylococcus aureus</i> Post-Sternotomy Mediastinitis Following the Implementation of Universal Preoperative Nasal Decontamination With Mupirocin: An Interrupted Time-Series Analysis. Clinical Infectious Diseases, 2021, 73, 1685-1692. | 2.9 | 2 |
| 21 | SARS-CoV-2-Specific Cell-Mediated Immunity in Kidney Transplant Recipients Recovered from COVID-19 Transplantation, 2021, Publish Ahead of Print, 1372-1380. | 0.5 | 17 |
| 22 | CMV infection, valganciclovir exposure, and the risk of BK viremia and associated nephropathy after kidney transplantation: Is there a link?. Transplant Infectious Disease, 2021, 23, e13597. | 0.7 | 2 |
| 23 | A predictive score at admission for respiratory failure among hospitalized patients with confirmed 2019 Coronavirus Disease: a simple tool for a complex problem. Internal and Emergency Medicine, 2021, , 1. | 1.0 | 7 |
| 24 | Effectiveness of anakinra for tocilizumab-refractory severe COVID-19: A single-centre retrospective comparative study. International Journal of Infectious Diseases, 2021, 105, 319-325. | 1.5 | 10 |
| 25 | Combination therapy with tocilizumab and corticosteroids for aged patients with severe COVID-19 pneumonia: A single-center retrospective study. International Journal of Infectious Diseases, 2021, 105, 487-494. | 1.5 | 11 |
| 26 | IL-6–based mortality prediction model for COVID-19: Validation and update in multicenter and second wave cohorts. Journal of Allergy and Clinical Immunology, 2021, 147, 1652-1661.e1. | 1.5 | 14 |
| 27 | Inhaled budesonide for early treatment of COVID-19. Lancet Respiratory Medicine, the, 2021, 9, e58. | 5.2 | 2 |
| 28 | Tocilizumab en el tratamiento de la neumonÃa por SARS-CoV-2: análisis de una cohorte retrospectiva pareada. Medicina ClÃnica, 2021, , . | 0.3 | 2 |
| 29 | T cell–mediated response to SARS-CoV-2 in liver transplant recipients with prior COVID-19. American Journal of Transplantation, 2021, 21, 2785-2794. | 2.6 | 17 |
| 30 | SARS-CoV-2-specific T-cell responses after COVID-19 recovery in patients with rheumatic diseases on immunosuppressive therapy. Seminars in Arthritis and Rheumatism, 2021, 51, 1258-1262. | 1.6 | 3 |
| 31 | Multicentre, randomised, open-label, phase IV-III study to evaluate the efficacy of cloxacillin plus fosfomycin versus cloxacillin alone in adult patients with methicillin-susceptible bacteraemia: study protocol for the SAFO trial. BMJ Open, 2021, 11, e051208. | 0.8 | 0 |
| 32 | Preemptive approach against toxoplasmosis in allogeneic hematopoietic cell transplantation. Still far away from experience in CMV. Commentary on: toxoplasmosis after allogeneic hematopoietic cell transplantation: experience using a PCR-guided pre-emptive approach. Clinical Microbiology and Infection, 2021, , . | 2.8 | 0 |
| 33 | Cytomegalovirus Exposure and the Risk of Overall Infection After Kidney Transplantation: A Cohort Study on the Indirect Effects Attributable to Viral Replication. Transplant International, 2021, 35, 10273. | 0.8 | 1 |
| 34 | Longitudinal dynamics of SARS-CoV-2-specific cellular and humoral immunity after natural infection or BNT162b2 vaccination. PLoS Pathogens, 2021, 17, e1010211. | 2.1 | 37 |
| 35 | Discordance Between SARS-CoV-2–specific Cell-mediated and Antibody Responses Elicited by mRNA-1273 Vaccine in Kidney and Liver Transplant Recipients. Transplantation Direct, 2021, 7, e794. | 0.8 | 28 |
| 36 | Predictors of mortality in solid organ transplant recipients with bloodstream infections due to carbapenemase-producing Enterobacterales: The impact of cytomegalovirus disease and lymphopenia. American Journal of Transplantation, 2020, 20, 1629-1641. | 2.6 | 17 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Characteristics and Outcomes of Staphylococcus aureus Bloodstream Infection Originating From the Urinary Tract: A Multicenter Cohort Study. Open Forum Infectious Diseases, 2020, 7, ofaa216. | 0.4 | 7 |
| 38 | Dysfunctional accessory gene regulator (agr) as a prognostic factor in invasive Staphylococcus aureus infection: a systematic review and meta-analysis. Scientific Reports, 2020, 10, 20697. | 1.6 | 15 |
| 39 | Reduction in the infection rate of cranioplasty with a tailored antibiotic prophylaxis: a nonrandomized study. Acta Neurochirurgica, 2020, 162, 2857-2866. | 0.9 | 9 |
| 40 | IL-6–based mortality risk model for hospitalized patients with COVID-19. Journal of Allergy and Clinical Immunology, 2020, 146, 799-807.e9. | 1.5 | 154 |
| 41 | Executive summary of the Consensus Statement of the Transplant Infection Study Group (GESITRA) of the Spanish Society of Infectious Diseases and Clinical Microbiology (SEIMC) and the National Transplant Organization (ONT) on the Selection Criteria of Donors of Solid Organs in relation to Infectious Diseases. Enfermedades Infecciosas Y MicrobiologÃa ClÃnica. 2020. 38. 379-389. | 0.3 | 2 |
| 42 | Derivation and external validation of the SIMPLICITY score as a simple immune-based risk score to predict infection in kidney transplant recipients. Kidney International, 2020, 98, 1031-1043. | 2.6 | 5 |
| 43 | Imbalance favoring follicular helper T cells over IL10+ regulatory B cells is detrimental for the kidney allograft. Kidney International, 2020, 98, 732-743. | 2.6 | 13 |
| 44 | Incidence and clinical profiles of COVID-19 pneumonia in pregnant women: A single-centre cohort study from Spain. EClinicalMedicine, 2020, 23, 100407. | 3.2 | 41 |
| 45 | Varied clinical presentation and outcome of SARS oVâ€2 infection in liver transplant recipients: Initial experience at a single center in Madrid, Spain. Transplant Infectious Disease, 2020, 22, e13372. | 0.7 | 19 |
| 46 | Impact of duration of antibiotic therapy in central venous catheter-related bloodstream infection due to Gram-negative bacilli. Journal of Antimicrobial Chemotherapy, 2020, 75, 3049-3055. | 1.3 | 17 |
| 47 | <i>Mycobacterium senegalense</i> Infection after Implant-Based Breast Reconstruction, Spain. Emerging Infectious Diseases, 2020, 26, 611-613. | 2.0 | 6 |
| 48 | A New Clinical and Immunovirological Score for Predicting the Risk of Late Severe Infection in Solid Organ Transplant Recipients: The CLIV Score. Journal of Infectious Diseases, 2020, 222, 479-487. | 1.9 | 2 |
| 49 | Monitoring of CMV-specific cell-mediated immunity with a commercial ELISA-based interferon-Î ³ release assay in kidney transplant recipients treated with antithymocyte globulin. American Journal of Transplantation, 2020, 20, 2070-2080. | 2.6 | 30 |
| 50 | Selection criteria of solid organ donors in relation to infectious diseases: A Spanish consensus. Transplantation Reviews, 2020, 34, 100528. | 1.2 | 4 |
| 51 | COVID-19 in solid organ transplant recipients: A single-center case series from Spain. American Journal of Transplantation, 2020, 20, 1849-1858. | 2.6 | 358 |
| 52 | Early Posttransplant Mobilization of Monocytic Myeloid-derived Suppressor Cell Correlates With Increase in Soluble Immunosuppressive Factors and Predicts Cancer in Kidney Recipients. Transplantation, 2020, 104, 2599-2608. | 0.5 | 8 |
| 53 | Regular monitoring of cytomegalovirus-specific cell-mediated immunity in intermediate-risk kidney transplant recipients: predictive value of the immediate post-transplant assessment. Clinical Microbiology and Infection, 2019, 25, 381.e1-381.e10. | 2.8 | 32 |
| 54 | External validation of the INCREMENT-CPE mortality score in a carbapenem-resistant Klebsiella pneumoniae bacteraemia cohort: the prognostic significance of colistin resistance. International Journal of Antimicrobial Agents, 2019, 54, 442-448. | 1.1 | 11 |

| # | Article | IF | CITATIONS |
|----|--|-------------------------------|----------------|
| 55 | Photo Quiz: An Unexpected Organism Isolated from an Intracranial Epidural Abscess. Journal of Clinical Microbiology, 2019, 57, . | 1.8 | 0 |
| 56 | Answer to June 2019 Photo Quiz. Journal of Clinical Microbiology, 2019, 57, . | 1.8 | 0 |
| 57 | A short course of antibiotic treatment is safe after catheter withdrawal in catheter-related bloodstream infections due to coagulase-negative staphylococci. European Journal of Clinical Microbiology and Infectious Diseases, 2019, 38, 977-983. | 1.3 | 10 |
| 58 | Low 25-hydroxyvitamin D Levels and the Risk of Late CMV Infection After Kidney Transplantation: Role for CMV-specific Mediated Immunity. Transplantation, 2019, 103, e216-e217. | 0.5 | 3 |
| 59 | Liver Transplantation Using Uncontrolled Donors After Circulatory Death: A 10-year Single-center Experience. Transplantation, 2019, 103, 2497-2505. | 0.5 | 33 |
| 60 | Toxin B PCR Amplification Cycle Threshold Adds Little to Clinical Variables for Predicting Outcomes in <i>Clostridium difficile</i> Infection: a Retrospective Cohort Study. Journal of Clinical Microbiology, 2019, 57, . | 1.8 | 21 |
| 61 | Monitoring of alphatorquevirus DNA levels for the prediction of immunosuppression-related complications after kidney transplantation. American Journal of Transplantation, 2019, 19, 1139-1149. | 2.6 | 57 |
| 62 | Fluoroquinolones for the treatment of latent <i>Mycobacterium tuberculosis</i> infection in liver transplantation. World Journal of Gastroenterology, 2019, 25, 3291-3298. | 1.4 | 5 |
| 63 | Diagnosis and management of asymptomatic bacteriuria in kidney transplant recipients: a survey of current practice in Europe. Nephrology Dialysis Transplantation, 2018, 33, 1661-1668. | 0.4 | 32 |
| 64 | Post-transplant hypocomplementemia: A novel marker of cardiovascular risk in kidney transplant recipients?. Atherosclerosis, 2018, 269, 204-210. | 0.4 | 2 |
| 65 | ESCMID Study Group for Infections in Compromised Hosts (ESGICH) Consensus Document on the safety of targeted and biological therapies: an infectious diseases perspective (Soluble immune) Tj ETQq1 1 0.78 24, S10-S20. | 34314 rgB ⁻ 2.8 | T /Qygrlock 10 |
| 66 | Management of multidrug resistant Gram-negative bacilli infections in solid organ transplant recipients: SET/GESITRA-SEIMC/REIPI recommendations. Transplantation Reviews, 2018, 32, 36-57. | 1.2 | 104 |
| 67 | Herpes zoster in kidney transplant recipients: protective effect of anti-cytomegalovirus prophylaxis and natural killer cell count. A single-center cohort study. Transplant International, 2018, 31, 187-197. | 0.8 | 12 |
| 68 | Comparison of the clinical course of Clostridium difficile infection in glutamate dehydrogenase-positive toxin-negative patients diagnosed by PCR to those with a positive toxin test. Clinical Microbiology and Infection, 2018, 24, 414-421. | 2.8 | 45 |
| 69 | Experience with leflunomide as treatment and as secondary prophylaxis for cytomegalovirus infection in lung transplant recipients: A case series and review of the literature. Clinical Transplantation, 2018, 32, e13176. | 0.8 | 18 |
| 70 | Association between baseline serum hepcidin levels and infection in kidney transplant recipients: Potential role for iron overload. Transplant Infectious Disease, 2018, 20, e12807. | 0.7 | 9 |
| 71 | Impact on mortality of adherence to evidence-based interventions in patients with catheter-related bloodstream infection due to methicillin-sensitive Staphylococcus aureus. Infectious Diseases, 2018, 50, 837-846. | 1.4 | 2 |
| 72 | Molecular Epidemiology of Staphylococcus aureus Bacteremia: Association of Molecular Factors With the Source of Infection. Frontiers in Microbiology, 2018, 9, 2210. | 1.5 | 41 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Vitamin D deficiency and infection risk in kidney transplant recipients: A singleâ€eenter cohort study. Transplant Infectious Disease, 2018, 20, e12988. | 0.7 | 7 |
| 74 | Serum <scp>sCD</scp> 30: A promising biomarker for predicting the risk of bacterial infection after kidney transplantation. Transplant Infectious Disease, 2017, 19, e12668. | 0.7 | 13 |
| 75 | Experience with miltefosine for persistent or relapsing visceralÂleishmaniasis in solid organ transplant recipients: AÂcase series from Spain. Transplant Infectious Disease, 2017, 19, e12623. | 0.7 | 8 |
| 76 | Pathogen-related factors affecting outcome of catheter-related bacteremia due to methicillin-susceptible Staphylococcus aureus in a Spanish multicenter study. European Journal of Clinical Microbiology and Infectious Diseases, 2017, 36, 1757-1765. | 1.3 | 8 |
| 77 | Listeria monocytogenes bacteraemia over an 11-year period: Clinical and epidemiologic characteristics in the south area of Madrid. Journal of Infection, 2017, 75, 276-278. | 1.7 | 8 |
| 78 | The Not-So-Good Prognosis of Streptococcal Periprosthetic Joint Infection Managed by Implant Retention: The Results of a Large Multicenter Study. Clinical Infectious Diseases, 2017, 64, 1742-1752. | 2.9 | 97 |
| 79 | High vancomycin MICs predict the development of infective endocarditis in patients with catheter-related bacteraemia due to methicillin-resistant Staphylococcus aureus. Journal of Antimicrobial Chemotherapy, 2017, 72, 2102-2109. | 1.3 | 11 |
| 80 | Postâ€ŧransplant hypogammaglobulinemia and risk of infection after kidney transplantation: Magnitude matters. Transplant Infectious Disease, 2017, 19, e12628. | 0.7 | 6 |
| 81 | Complement C3F allotype synthesized by liver recipient modifies transplantation outcome independently from donor hepatic C3. Clinical Transplantation, 2017, 31, e12866. | 0.8 | 4 |
| 82 | Cytomegalovirus infection management in solid organ transplant recipients across European centers in the time of molecular diagnostics: An <scp>ESGICH</scp> survey. Transplant Infectious Disease, 2017, 19, e12773. | 0.7 | 26 |
| 83 | Environmental Factors as Key Determinants for Visceral Leishmaniasis in Solid Organ Transplant Recipients, Madrid, Spain. Emerging Infectious Diseases, 2017, 23, 1155-1159. | 2.0 | 14 |
| 84 | High MICs for Vancomycin and Daptomycin and Complicated Catheter-Related Bloodstream Infections with Methicillin-Sensitive <i>Staphylococcus aureus</i> . Emerging Infectious Diseases, 2016, 22, 1057-1066. | 2.0 | 21 |
| 85 | Postâ€ŧransplant monitoring of <scp>NK</scp> cell counts as a simple approach to predict the occurrence of opportunistic infection in liver transplant recipients. Transplant Infectious Disease, 2016, 18, 552-565. | 0.7 | 18 |
| 86 | Detection of Epstein–Barr virus <scp>DNA</scp> emia after lung transplantation and its potential relationship with the development of postâ€ŧransplant complications. Transplant Infectious Disease, 2016, 18, 431-441. | 0.7 | 4 |
| 87 | Progressive increase of resistance in Enterobacteriaceae urinary isolates from kidney transplant recipients over the past decade: narrowing of the therapeutic options. Transplant Infectious Disease, 2016, 18, 575-584. | 0.7 | 44 |
| 88 | Answer to July 2016 Photo Quiz. Journal of Clinical Microbiology, 2016, 54, 1935-1936. | 1.8 | 0 |
| 89 | Infectious Complications Following Small Bowel Transplantation. American Journal of Transplantation, 2016, 16, 951-959. | 2.6 | 47 |
| 90 | Should Asymptomatic Bacteriuria Be Systematically Treated in Kidney Transplant Recipients? Results From a Randomized Controlled Trial. American Journal of Transplantation, 2016, 16, 2943-2953. | 2.6 | 104 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Management of cytomegalovirus infection in solid organ transplant recipients: SET/GESITRA-SEIMC/REIPI recommendations. Transplantation Reviews, 2016, 30, 119-143. | 1.2 | 95 |
| 92 | Aortic Graft Mycotic Pseudoaneurysm as a Severe Complication After Multivisceral Transplantation: A Case Report. Transplantation Proceedings, 2016, 48, 539-542. | 0.3 | 2 |
| 93 | Significance of the isolation of Staphylococcus aureus from a central venous catheter tip in the absence of concomitant bacteremia: a clinical approach. European Journal of Clinical Microbiology and Infectious Diseases, 2016, 35, 1865-1869. | 1.3 | 2 |
| 94 | Monitoring of intracellular adenosine triphosphate in CD4 ⁺ T cells to predict the occurrence of cytomegalovirus disease in kidney transplant recipients. Transplant International, 2016, 29, 1094-1105. | 0.8 | 11 |
| 95 | Immune risk phenotype in kidney transplant recipients: a reliable surrogate for premature immune senescence and increased susceptibility to infection?. Transplant Infectious Disease, 2016, 18, 968-970. | 0.7 | 10 |
| 96 | Low Natural Killer Cell Counts and Onset of Invasive Fungal Disease After Solid Organ Transplantation. Journal of Infectious Diseases, 2016, 213, 873-874. | 1.9 | 14 |
| 97 | Early renal graft function deterioration in recipients with preformed anti-MICA antibodies: partial contribution of complement-dependent cytotoxicity. Nephrology Dialysis Transplantation, 2016, 31, 150-160. | 0.4 | 19 |
| 98 | Selective intestinal decontamination for the prevention of early bacterial infections after liver transplantation. World Journal of Gastroenterology, 2016, 22, 5950. | 1.4 | 12 |
| 99 | Effect of longâ€ŧerm prophylaxis in the development of cytomegalovirusâ€specific T ell immunity in D+/Râ^' solid organ transplant recipients. Transplant Infectious Disease, 2015, 17, 637-646. | 0.7 | 20 |
| 100 | <i>Mycobacterium abscessus</i> pulmonary infection complicated with vertebral osteomyelitis in a heart transplant recipient: case report and literature review. Transplant Infectious Disease, 2015, 17, 418-423. | 0.7 | 9 |
| 101 | Effect of delaying prophylaxis against CMV in D+/Râ^' solid organ transplant recipients in the development of CMV-specific cellular immunity and occurrence of late CMV disease. Journal of Infection, 2015, 71, 561-570. | 1.7 | 11 |
| 102 | Current preventive strategies and management of Epstein–Barr virus-related post-transplant lymphoproliferative disease in solid organ transplantation in Europe. Results of the ESGICH Questionnaire-based Cross-sectional Survey. Clinical Microbiology and Infection, 2015, 21, 604.e1-604.e9. | 2.8 | 56 |
| 103 | Potential role of post-transplant hypogammaglobulinemia in the risk of Clostridium difficile infection after kidney transplantation: a case–control study. Infection, 2015, 43, 413-422. | 2.3 | 14 |
| 104 | Influence of cytomegalovirus infection in the development of cardiac allograft vasculopathy after heart transplantation. Journal of Heart and Lung Transplantation, 2015, 34, 1112-1119. | 0.3 | 78 |
| 105 | Risk factors for metastatic osteoarticular infections after a long follow-up of patients with Staphylococcus aureus bacteraemia. Clinical Microbiology and Infection, 2015, 21, 1010.e1-1010.e5. | 2.8 | 3 |
| 106 | Tuberculosis Prophylaxis With Levofloxacin in Liver Transplant Patients Is Associated With a High Incidence of Tenosynovitis: Safety Analysis of a Multicenter Randomized Trial. Clinical Infectious Diseases, 2015, 60, 1642-1649. | 2.9 | 52 |
| 107 | Bacillus Calmette-Guérin (BCG) Infection Following Intravesical BCG Administration as Adjunctive Therapy For Bladder Cancer. Medicine (United States), 2014, 93, 236-254. | 0.4 | 216 |
| 108 | Relationship between agr dysfunction and reduced vancomycin susceptibility in methicillin-susceptible Staphylococcus aureus causing bacteraemia. Journal of Antimicrobial Chemotherapy, 2014, 69, 51-58. | 1.3 | 29 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Kinetics of peripheral blood lymphocyte subpopulations predicts the occurrence of opportunistic infection after kidney transplantation. Transplant International, 2014, 27, 674-685. | 0.8 | 65 |
| 110 | Epstein-Barr virus-related post-transplant lymphoproliferative disorder in solid organ transplant recipients. Clinical Microbiology and Infection, 2014, 20, 109-118. | 2.8 | 105 |
| 111 | Infection Risk in Kidney Transplantation From Uncontrolled Donation After Circulatory Death Donors. Transplantation Proceedings, 2013, 45, 1335-1338. | 0.3 | 8 |
| 112 | Limited impact of cytomegalovirus infection in the long-term outcome of renal and liver transplant. Journal of Clinical Virology, 2013, 56, 316-322. | 1.6 | 12 |
| 113 | Influence of antiviral therapy in the longâ€ŧerm outcome of recurrent hepatitis C virus infection following liver transplantation. Transplant Infectious Disease, 2013, 15, 405-415. | 0.7 | 10 |
| 114 | Serum iron parameters in the early postâ€ŧransplant period and infection risk in kidney transplant recipients. Transplant Infectious Disease, 2013, 15, 600-611. | 0.7 | 12 |
| 115 | Hypocomplementemia in Kidney Transplant Recipients: Impact on the Risk of Infectious Complications. American Journal of Transplantation, 2013, 13, 685-694. | 2.6 | 33 |
| 116 | Epidemiology, risk factors and impact on long-term pancreatic function of infection following pancreas-kidney transplantation. Clinical Microbiology and Infection, 2013, 19, 1132-1139. | 2.8 | 42 |
| 117 | Epstein-Barr Virus DNAemia Is an Early Surrogate Marker of the Net State of Immunosuppresion in Solid Organ Transplant Recipients. Transplantation, 2013, 95, 688-693. | 0.5 | 18 |
| 118 | Epstein-Barr Virus DNAemia and Infectious Complications After Preemptive Rituximab Treatment. Transplantation, 2013, 95, e13. | 0.5 | 0 |
| 119 | Role of High Vancomycin Minimum Inhibitory Concentration in the Outcome of Methicillin-Susceptible Staphylococcus aureus Bacteremia. Journal of Infectious Diseases, 2012, 205, 1024-1025. | 1.9 | 3 |
| 120 | Aspergillus Tracheobronchitis. Medicine (United States), 2012, 91, 261-273. | 0.4 | 92 |
| 121 | Epstein Barr Virus (EBV) Dnaemia Is An Early Surrogate Marker for Later Development of Immunosuppression-Related Adverse Events in Solid Organ Transplant (SOT) Recipients. Transplantation, 2012, 94, 554. | 0.5 | 0 |
| 122 | Cytomegalovirus Infection and Long-Term Outcome in Solid Organ Transplants Recipients: a Questionable Relationship in the Era of Widespread Prophylaxis. Transplantation, 2012, 94, 534. | 0.5 | 0 |
| 123 | Iron Overload Is a Major Risk Factor for Infectious Complications in Kidney Transplant Recipients. Transplantation, 2012, 94, 78. | 0.5 | 0 |
| 124 | Epstein Barr Virus (EBV) Dnaemia Is An Early Surrogate Marker for Later Development of Immunosuppression-Related Adverse Events in Solid Organ Transplant (SOT) Recipients. Transplantation, 2012, 94, 363. | 0.5 | 0 |
| 125 | Cytomegalovirus infection in solid organ transplantation. Enfermedades Infecciosas Y MicrobiologÃa ClÃnica, 2012, 30, 57-62. | 0.3 | 6 |
| 126 | Clinical significance of Candida colonization of intravascular catheters in the absence of documented candidemia. Diagnostic Microbiology and Infectious Disease, 2012, 73, 157-161. | 0.8 | 10 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Monitoring of Immunoglobulin Levels Identifies Kidney Transplant Recipients at High Risk of Infection. American Journal of Transplantation, 2012, 12, 2763-2773. | 2.6 | 66 |
| 128 | GESITRA-SEIMC/REIPI recommendations for the management of cytomegalovirus infection in solid-organ transplant patients. Enfermedades Infecciosas Y MicrobiologAa ClAnica, 2011, 29, 735-758. | 0.3 | 78 |
| 129 | High Vancomycin MIC and Complicated Methicillin-Susceptible <i>Staphylococcus aureus</i> Bacteremia. Emerging Infectious Diseases, 2011, 17, 1099-1102. | 2.0 | 64 |
| 130 | Reduced Susceptibility to Vancomycin in Staphylococcus aureus. Emerging Infectious Diseases, 2011, 17, 2083-4; author reply 2084. | 2.0 | 3 |
| 131 | Universal Prophylaxis With Fluconazole for the Prevention of Early Invasive Fungal Infection in Low-Risk Liver Transplant Recipients. Transplantation, 2011, 92, 346-350. | 0.5 | 26 |
| 132 | Impact of Hepatitis C Virus Infection on the Risk of Infectious Complications After Kidney Transplantation: Data From the RESITRA/REIPI Cohort. Transplantation, 2011, 92, 543-549. | 0.5 | 49 |
| 133 | Selective intestinal decontamination with fluoroquinolones for the prevention of early bacterial infections after liver transplantation. Liver Transplantation, 2011, 17, 896-904. | 1.3 | 12 |
| 134 | High Vancomycin MIC and Complicated Methicillin-Susceptible <i>Staphylococcus aureus</i> Bacteremia. Emerging Infectious Diseases, 2011, 17, 1099-1102. | 2.0 | 63 |
| 135 | Acute graft pyelonephritis in renal transplant recipients: incidence, risk factors and long-term outcome. Nephrology Dialysis Transplantation, 2011, 26, 1065-1073. | 0.4 | 77 |
| 136 | Is High Vancomycin Minimum Inhibitory Concentration a Good Marker to Predict the Outcome of Methicillinâ€Resistant <i>Staphylococcus aureus</i> Bacteremia?. Journal of Infectious Diseases, 2010, 201, 311-312. | 1.9 | 44 |
| 137 | Safety and Efficacy of Moxifloxacin Monotherapy for Treatment of Orthopedic Implant-Related Staphylococcal Infections. Antimicrobial Agents and Chemotherapy, 2010, 54, 5161-5166. | 1.4 | 33 |
| 138 | Emergence of Cytomegalovirus Disease in Patients Receiving Temozolomide: Report of Two Cases and Literature Review. Clinical Infectious Diseases, 2010, 50, e73-e76. | 2.9 | 21 |
| 139 | Systematic screening and treatment of asymptomatic bacteriuria in renal transplant recipients. Kidney International, 2010, 78, 774-781. | 2.6 | 113 |
| 140 | Value of Serial Quantification of Fungal DNA by a Real-Time PCR-Based Technique for Early Diagnosis of Invasive Aspergillosis in Patients with Febrile Neutropenia. Journal of Clinical Microbiology, 2009, 47, 379-384. | 1.8 | 89 |
| 141 | Tuberculosis after Solidâ€Organ Transplant: Incidence, Risk Factors, and Clinical Characteristics in the RESITRA (Spanish Network of Infection in Transplantation) Cohort. Clinical Infectious Diseases, 2009, 48, 1657-1665. | 2.9 | 251 |
| 142 | Pretransplant lymphocyte count predicts the incidence of infection during the first two years after liver transplantation. Liver Transplantation, 2009, 15, 1209-1216. | 1.3 | 41 |
| 143 | A new strategy of delayed longâ€ŧerm prophylaxis could prevent cytomegalovirus disease in (D+/Râ^') solid organ transplant recipients. Clinical Transplantation, 2009, 23, 666-671. | 0.8 | 16 |
| 144 | Preemptive therapy is not adequate for prevention of cytomegalovirus disease in pancreas–kidney transplant recipients. Transplant Infectious Disease, 2009, 11, 400-404. | 0.7 | 9 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Disseminated Nocardiosis: A Rare Infectious Complication Following Non–Heart-Beating Donor Liver Transplantation. Transplantation Proceedings, 2009, 41, 2495-2497. | 0.3 | 14 |
| 146 | Prophylaxis With Caspofungin for Invasive Fungal Infections in High-Risk Liver Transplant Recipients. Transplantation, 2009, 87, 424-435. | 0.5 | 99 |
| 147 | Hepatitis C virus, an important risk factor for tuberculosis in immunocompromised: experience with kidney transplantation. Transplant International, 2008, 21, 873-878. | 0.8 | 46 |
| 148 | Donor Infection and Transmission to the Recipient of a Solid Allograft. American Journal of Transplantation, 2008, 8, 2420-2425. | 2.6 | 74 |
| 149 | Impact of Current Transplantation Management on the Development of Cytomegalovirus Disease after Renal Transplantation. Clinical Infectious Diseases, 2008, 47, 875-882. | 2.9 | 122 |
| 150 | Urinary Tract Infection due to Corynebacterium urealyticum in Kidney Transplant Recipients: An Underdiagnosed Etiology for Obstructive Uropathy and Graft DysfunctionResults of a Prospective Cohort Study. Clinical Infectious Diseases, 2008, 46, 825-830. | 2.9 | 62 |
| 151 | Surgical Prophylaxis in Liver Transplantation: Is it Necessary But Not Enough?. Transplantation, 2008, 85, 1715-1716. | 0.5 | 2 |
| 152 | Correspondence Idiopathic CD4+ Lymphocytopenia Disclosed after the Diagnosis of Visceral Leishmaniasis. Clinical Infectious Diseases, 2007, 44, 1522-1523. | 2.9 | 9 |
| 153 | Clinical Implications of Respiratory Virus Infections in Solid Organ Transplant Recipients: A Prospective Study. Transplantation, 2007, 84, 851-856. | 0.5 | 68 |
| 154 | Second Case of Neurocysticercosis in a Patient With Liver Transplantation (First Case in Spain): A Case Report. Transplantation Proceedings, 2007, 39, 2454-2457. | 0.3 | 24 |
| 155 | Protean manifestations of pleural empyema caused by Streptococcus pneumoniae in adults. European Journal of Internal Medicine, 2007, 18, 141-145. | 1.0 | 2 |
| 156 | P965 Prospective, multicentre study of caspofungin for prophylaxis in high-risk liver transplantation. International Journal of Antimicrobial Agents, 2007, 29, S254-S255. | 1.1 | 4 |
| 157 | Incidence, Clinical Characteristics and Risk Factors of Late Infection in Solid Organ Transplant Recipients: Data from the RESITRA Study Group. American Journal of Transplantation, 2007, 7, 964-971. | 2.6 | 110 |
| 158 | Staphylococcus aureus poststernotomy mediastinitis: Description of two distinct acquisition pathways with different potential preventive approaches. Journal of Thoracic and Cardiovascular Surgery, 2007, 134, 670-676. | 0.4 | 33 |
| 159 | Case-Control Study of Risk Factors for Mediastinitis After Cardiovascular Surgery. Infection Control and Hospital Epidemiology, 2006, 27, 1397-1400. | 1.0 | 18 |
| 160 | Blood and urine samples as useful sources for the direct detection of tuberculosis by polymerase chain reaction. Diagnostic Microbiology and Infectious Disease, 2006, 56, 141-146. | 0.8 | 62 |
| 161 | A Review of Critical Periods for Opportunistic Infection in the New Transplantation Era. Transplantation, 2006, 82, 1457-1462. | 0.5 | 58 |
| 162 | Valganciclovir Preemptive Therapy for the Prevention of Cytomegalovirus Disease in High-Risk Seropositive Solid-Organ Transplant Recipients. Transplantation, 2006, 82, 30-35. | 0.5 | 45 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Interferon Î ³ quantification in cerebrospinal fluid compared with PCR for the diagnosis of tuberculous meningitis. Journal of Neurology, 2006, 253, 1323-1330. | 1.8 | 36 |
| 164 | Accuracy of blood culture for early diagnosis of mediastinitis in febrile patients after cardiac surgery. European Journal of Clinical Microbiology and Infectious Diseases, 2005, 24, 182-189. | 1.3 | 21 |
| 165 | Risk Factors for Invasive Aspergillosis in Solid-Organ Transplant Recipients: A Case-Control Study. Clinical Infectious Diseases, 2005, 41, 52-59. | 2.9 | 286 |
| 166 | Caso 4. Mujer proveniente de Bolivia con fiebre, exantema y «signo del torniquete» positivo. Revista Clinica Espanola, 2005, 205, 401. | 0.2 | 1 |
| 167 | A European perspective on intravascular catheter-related infections: report on the microbiology workload, aetiology and antimicrobial susceptibility (ESGNI-005 Study). Clinical Microbiology and Infection, 2004, 10, 838-842. | 2.8 | 44 |
| 168 | Clinical-epidemiological characteristics and outcome of patients with catheter-related bloodstream infections in Europe (ESGNI-006 Study). Clinical Microbiology and Infection, 2004, 10, 843-845. | 2.8 | 19 |
| 169 | Evaluation of the upgraded amplified mycobacterium tuberculosis direct test (gen-probe) for direct detection of mycobacterium tuberculosis in respiratory and non-respiratory specimens. Diagnostic Microbiology and Infectious Disease, 2001, 41, 51-56. | 0.8 | 20 |
| 170 | A European perspective on nosocomial urinary tract infections II. Report on incidence, clinical characteristics and outcome (ESGINI–04 study). Clinical Microbiology and Infection, 2001, 7, 532-542. | 2.8 | 137 |
| 171 | A European perspective on nosocomial urinary tract infections I. Report on the microbiology workload, etiology and antimicrobial susceptibility (ESGNI–003 study). Clinical Microbiology and Infection, 2001, 7, 523-531. | 2.8 | 143 |
| 172 | Feculent meningitis: polymicrobial meningitis in colorectal surgery. Diagnostic Microbiology and Infectious Disease, 2000, 38, 169-170. | 0.8 | 12 |
| 173 | Primary Meningococcal Conjunctivitis in a Human Immunodeficiency Virus– Infected Adult. Clinical Infectious Diseases, 1998, 27, 1556-1557. | 2.9 | 5 |