Hiroki Yoshida

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8831026/publications.pdf

Version: 2024-02-01

117571 71651 6,138 119 34 citations h-index papers

g-index 128 128 128 6456 docs citations times ranked citing authors all docs

76

#	Article	IF	CITATIONS
1	Hypericum perforatum extract and hyperforin inhibit the growth of neurotropic parasite Toxoplasma gondii and infection-induced inflammatory responses of glial cells in vitro. Journal of Ethnopharmacology, 2021, 267, 113525.	2.0	11
2	Stage-Specific <i>De Novo</i> Synthesis of Very-Long-Chain Dihydroceramides Confers Dormancy to <i>Entamoeba</i> Parasites. MSphere, 2021, 6, .	1.3	8
3	TREM2 is a receptor for non-glycosylated mycolic acids of mycobacteria that limits anti-mycobacterial macrophage activation. Nature Communications, 2021, 12, 2299.	5.8	32
4	<i>Entamoeba</i> Chitinase is Required for Mature Round Cyst Formation. Microbiology Spectrum, 2021, 9, e0051121.	1.2	2
5	Cholesterol 25-hydroxylase is a metabolic switch to constrain T cell–mediated inflammation in the skin. Science Immunology, 2021, 6, eabb6444.	5.6	7
6	Activation and IL-10 production of specific CD4+ T cells are regulated by IL-27 during chronic infection with Plasmodium chabaudi. Parasitology International, 2020, 74, 101994.	0.6	12
7	Hypericum erectum alcoholic extract inhibits Toxoplasma growth and Entamoeba encystation: an exploratory study on the anti-protozoan potential. Journal of Natural Medicines, 2020, 74, 294-305.	1.1	8
8	Apoptosis is involved in maintaining the character of the midbrain and the diencephalon roof plate after neural tube closure. Developmental Biology, 2020, 468, 101-109.	0.9	4
9	Adjuvant activity of Mycobacteria-derived mycolic acids. Heliyon, 2020, 6, e04064.	1.4	10
10	The dynamics of ultrastructural changes during <i>Entamoeba invadens</i> Parasitology, 2020, 147, 1305-1312.	0.7	14
11	Toxoplasma Infection Induces Sustained Up-Regulation of Complement Factor B and C5a Receptor in the Mouse Brain via Microglial Activation: Implication for the Alternative Complement Pathway Activation and Anaphylatoxin Signaling in Cerebral Toxoplasmosis. Frontiers in Immunology, 2020, 11, 603924.	2.2	8
12	Usefulness of N-vinyl-2-pyrrolidone Embalming for Endoscopic Transnasal Skull Base Approach in Cadaver Dissection. Neurologia Medico-Chirurgica, 2019, 59, 379-383.	1.0	5
13	Identification of lipophilic ligands of Siglec5 and -14 that modulate innate immune responses. Journal of Biological Chemistry, 2019, 294, 16776-16788.	1.6	10
14	Characterization of Entamoeba histolytica adenosine 5′-phosphosulfate (APS) kinase; validation as a target and provision of leads for the development of new drugs against amoebiasis. PLoS Neglected Tropical Diseases, 2019, 13, e0007633.	1.3	15
15	Unique Features of Entamoeba Sulfur Metabolism; Compartmentalization, Physiological Roles of Terminal Products, Evolution and Pharmaceutical Exploitation. International Journal of Molecular Sciences, 2019, 20, 4679.	1.8	10
16	Essential roles of C-type lectin Mincle in induction of neuropathic pain in mice. Scientific Reports, 2019, 9, 872.	1.6	9
17	Murine γ-Herpesvirus 68 Induces Severe Lung Inflammation in IL-27–Deficient Mice with Liver Dysfunction Preventable by Oral Neomycin. Journal of Immunology, 2018, 200, 2703-2713.	0.4	4
18	A Flow Cytometry Method for Dissecting the Cell Differentiation Process of Entamoeba Encystation. Frontiers in Cellular and Infection Microbiology, 2018, 8, 250.	1.8	14

#	Article	IF	CITATIONS
19	Interleukin-27 controls basal pain threshold in physiological and pathological conditions. Scientific Reports, 2018, 8, 11022.	1.6	9
20	Apaf1 plays a negative regulatory role in T cell responses by suppressing activation of antigen-stimulated T cells. PLoS ONE, 2018, 13, e0195119.	1.1	4
21	Pertussis toxin targets the innate immunity through DAP12, FcRγ, and MyD88 adaptor proteins. Immunobiology, 2017, 222, 664-671.	0.8	5
22	IL-17A contributes to reducing IFN- \hat{l}^3 /IL-4 ratio and persistence of Entamoeba histolytica during intestinal amebiasis. Parasitology International, 2017, 66, 817-823.	0.6	6
23	Uniqueness of <i>Entamoeba</i> sulfur metabolism: sulfolipid metabolism that plays pleiotropic roles in the parasitic life cycle. Molecular Microbiology, 2017, 106, 479-491.	1.2	24
24	Promotion of Expansion and Differentiation of Hematopoietic Stem Cells by Interleukin-27 into Myeloid Progenitors to Control Infection in Emergency Myelopoiesis. PLoS Pathogens, 2016, 12, e1005507.	2.1	60
25	Interleukin-27-Producing CD4+ T Cells Regulate Protective Immunity during Malaria Parasite Infection. Immunity, 2016, 44, 672-682.	6.6	72
26	Entamoeba Encystation: New Targets to Prevent the Transmission of Amebiasis. PLoS Pathogens, 2016, 12, e1005845.	2.1	39
27	Loss of CARD9-mediated innate activation attenuates severe influenza pneumonia without compromising host viral immunity. Scientific Reports, 2015, 5, 17577.	1.6	23
28	<i>Entamoeba</i> mitosomes play an important role in encystation by association with cholesteryl sulfate synthesis. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, E2884-90.	3.3	62
29	Clustering of CARMA1 through SH3–GUK domain interactions is required for its activation of NF-κB signalling. Nature Communications, 2015, 6, 5555.	5.8	21
30	Evidence for TLR4 and FcRγ–CARD9 activation by cholera toxin B subunit and its direct bindings to TREM2 and LMIR5 receptors. Molecular Immunology, 2015, 66, 463-471.	1.0	38
31	Evidence that the Entamoeba histolytica Mitochondrial Carrier Family Links Mitosomal and Cytosolic Pathways through Exchange of 3′-Phosphoadenosine 5′-Phosphosulfate and ATP. Eukaryotic Cell, 2015, 14, 1144-1150.	3.4	21
32	IL-27 affects helper T cell responses via regulation of PGE2 production by macrophages. Biochemical and Biophysical Research Communications, 2014, 451, 215-221.	1.0	7
33	Relationship between pre-radiographic cartilage damage following anterior cruciate ligament injury and biomarkers of cartilage turnover in clinical practice: a cross-sectional observational study. Osteoarthritis and Cartilage, 2013, 21, 831-838.	0.6	18
34	Local Apoptosis Modulates Early Mammalian Brain Development through the Elimination of Morphogen-Producing Cells. Developmental Cell, 2013, 27, 621-634.	3.1	92
35	Exacerbation of delayed-type hypersensitivity responses in EBV-induced gene-3 (EBI-3)-deficient mice. Immunology Letters, 2010, 128, 108-115.	1.1	28
36	Apaf-1-independent programmed cell death in mouse development. Cell Death and Differentiation, 2010, 17, 931-941.	5.0	61

#	Article	lF	CITATIONS
37	Interleukin 27: a double-edged sword for offense and defense. Journal of Leukocyte Biology, 2009, 86, 1295-1303.	1.5	115
38	Tumorâ€specific cytotoxic T cell generation and dendritic cell function are differentially regulated by interleukin 27 during development of antiâ€tumor immunity. International Journal of Cancer, 2009, 124, 1372-1378.	2.3	58
39	Deficiency in EBV-induced gene 3 (EBI3) in MRL/ <i>lpr</i> mice results in pathological alteration of autoimmune glomerulonephritis and sialadenitis. Modern Rheumatology, 2009, 19, 33-41.	0.9	35
40	Regulation of immune responses by interleukinâ€27. Immunological Reviews, 2008, 226, 234-247.	2.8	149
41	Interleukin 27 signaling pathways in regulation of immune and autoimmune responses. International Journal of Biochemistry and Cell Biology, 2008, 40, 2379-2383.	1.2	12
42	Amelioration of delayed-type hypersensitivity responses by IL-27 administration. Biochemical and Biophysical Research Communications, 2008, 373, 397-402.	1.0	17
43	Cell Type-Specific Regulation of ITAM-Mediated NF-κB Activation by the Adaptors, CARMA1 and CARD9. Journal of Immunology, 2008, 181, 918-930.	0.4	57
44	Regulation of Defense Responses against Protozoan Infection by Interleukin-27 and Related Cytokines. Journal of Biomedicine and Biotechnology, 2007, 2007, 1-7.	3.0	10
45	The adaptor protein CARD9 is essential for the activation of myeloid cells through ITAM-associated and Toll-like receptors. Nature Immunology, 2007, 8, 619-629.	7.0	300
46	Histological analyses of normally grown, fertile Apaf1-deficient mice. Cell Death and Differentiation, 2006, 13, 668-671.	5.0	17
47	The IL-27 Receptor (WSX-1) Is an Inhibitor of Innate and Adaptive Elements of Type 2 Immunity. Journal of Immunology, 2004, 173, 5626-5634.	0.4	226
48	WSX-1 Is Required for Resistance to Trypanosoma cruzi Infection by Regulation of Proinflammatory Cytokine Production. Immunity, 2003, 19, 657-667.	6.6	253
49	The IL-27R (WSX-1) Is Required to Suppress T Cell Hyperactivity during Infection. Immunity, 2003, 19, 645-655.	6.6	439
50	The Apoptotic Protease-Activating Factor 1-Mediated Pathway of Apoptosis Is Dispensable for Negative Selection of Thymocytes. Journal of Immunology, 2002, 168, 2288-2295.	0.4	47
51	Differential requirement for Apaf1 and Bcl-XL in the regulation of programmed cell death during development. Cell Death and Differentiation, 2002, 9, 1273-1276.	5.0	12
52	WSX-1 Is Required for the Initiation of Th1 Responses and Resistance to L. major Infection. Immunity, 2001, 15, 569-578.	6.6	380
53	Hepatitis C Virus Core Protein Activates Nuclear Factor κB-dependent Signaling through Tumor Necrosis Factor Receptor-associated Factor. Journal of Biological Chemistry, 2001, 276, 16399-16405.	1.6	97
54	Fatty Acids Enhance GRO/CINC-1 and Interleukin-6 Production in Rat Intestinal Epithelial Cells. Journal of Nutrition, 2001, 131, 2943-2950.	1.3	46

#	Article	IF	CITATIONS
55	Purification of activins from androgen-independent Shionogi carcinoma cells demonstrates enhanced expression of activin ?B-subunit under androgen-depleted cell conditions in vitro and in vivo. Journal of Cellular Physiology, 2001, 188, 194-200.	2.0	2
56	Co-expression of epidermal growth factor receptor and transforming growth factor-α predicts worse prognosis in breast-cancer patients. International Journal of Cancer, 2000, 89, 484-487.	2.3	91
57	Poor association of TT virus viremia with hepatocellular carcinoma. Liver International, 2000, 20, 247-252.	1.9	17
58	Cyclin D1 expression in ductal carcinoma in situ, atypical ductal hyperplasia and usual ductal hyperplasia: An immunohistochemical study. Pathology International, 2000, 50, 527-530.	0.6	16
59	Effects of Various Doses of 17.BETAestradiol on the Progression of Mammary Carcinomas Induced by Single and Multiple Administration of 7,12-Dimethylbenz [a] anthracene in Female Rats Journal of Toxicologic Pathology, 2000, 13, 67-75.	0.3	4
60	Effects of High Doses of 17.BETAestradiol and Ovariectomy on 7,12-Dimethylbenz[a]anthracene-Induced Mammary Carcinomas and Dysplasias in Neonatally Androgenized Female Sprague-Dawley Rats Journal of Toxicologic Pathology, 2000, 13, 77-85.	0.3	6
61	IL-7 receptor α+ CD3– cells in the embryonic intestine induces the organizing center of Peyer's patches. International Immunology, 1999, 11, 643-655.	1.8	267
62	The expression of substance P in human temporomandibular joint samples: an immunohistochemical study. Journal of Oral Rehabilitation, 1999, 26, 338-344.	1.3	25
63	Localization of lymph capillaries and blood capillaries in human temporomandibular joint discs. Journal of Oral Rehabilitation, 1999, 26, 600-607.	1.3	10
64	The expression of transforming growth factor beta (TGF-beta) in the synovial membrane of human temporomandibular joint with internal derangement: a comparison with tenascin expression. Journal of Oral Rehabilitation, 1999, 26, 814-820.	1.3	6
65	Induced immunity by expression of interleukin-2 or GM-CSF gene in murine neuroblastoma cells can generate antitumor response to established tumors. Cancer Gene Therapy, 1999, 6, 395-401.	2.2	6
66	Morphological characteristics of lipid accumulation in liver onstituting cells of acid lipase deficiency rats (Wolman's disease model rats). Pathology International, 1999, 49, 291-297.	0.6	21
67	Immunohistochemical study of MIB1 expression in phyllodes tumor and fibroadenoma. Pathology International, 1999, 49, 807-810.	0.6	53
68	Angiogenesis in the human temporomandibular joint studied by immunohistochemistry for CD34 antigen. Journal of Oral Pathology and Medicine, 1999, 28, 289-292.	1.4	14
69	The localization of matrix metalloproteinaseâ€3 and tenascin in synovial membrane of the temporomandibular joint with internal derangement. Oral Diseases, 1999, 5, 50-54.	1.5	10
70	The Effects of Sex Hormones on the Induction of Mammary Carcinomas in Male Rats by Pulse Doses of 7,12-Dimethylbenz(a) anthracene Journal of Toxicologic Pathology, 1999, 12, 35-40.	0.3	3
71	Allograft Rejection of Small Bowel Transplantation in Pigs. Surgery Today, 1998, 28, 1138-1145.	0.7	4
72	Estrogen Receptor Mutations and Changes in Estrogen Receptor and Progesterone Receptor Protein Expression in Metastatic or Recurrent Breast Cancer. Japanese Journal of Cancer Research, 1998, 89, 27-32.	1.7	16

#	Article	IF	CITATIONS
73	Histological and biological characteristics of microinvasion in mammary carcinomas â‰⊉ cm in diameter. Pathology International, 1998, 48, 800-805.	0.6	10
74	The expression of thymidine phosphorylase/plateletâ€derived endothelial cell growth factor is correlated to angiogenesis in breast cancer. Pathology International, 1998, 48, 850-856.	0.6	14
75	Lipid-secreting carcinoma of the breast: A case report and review of the literature. Breast Cancer, 1998, 5, 171-173.	1.3	10
76	Hematopoietic tissues, as a playground of receptor tyrosine kinases of the PDGF-receptor family. Developmental and Comparative Immunology, 1998, 22, 321-332.	1.0	24
77	Apaf1 Is Required for Mitochondrial Pathways of Apoptosis and Brain Development. Cell, 1998, 94, 739-750.	13.5	1,072
78	Collapsin Response Mediator Protein-2 Is Associated with Neurofibrillary Tangles in Alzheimer's Disease. Journal of Biological Chemistry, 1998, 273, 9761-9768.	1.6	161
79	Impaired tumorigenicity of IL-4-producing murine neuroblastoma cells in immunodeficient nude mice International Journal of Oncology, 1998, 12, 1067-71.	1.4	0
80	Antitumor vaccine effect of irradiated murine neuroblastoma cells producing interleukin-2 or granulocyte macrophage-colony stimulating factor International Journal of Oncology, 1998, 13, 73-8.	1.4	3
81	Growth Inhibition of a High Dose of 17.BETAEstradiol and Ovariectomy on 7,12-Dimethylbenz(a)anthracene-induced Mammary Carcinomas in Female Rats Journal of Toxicologic Pathology, 1998, 11, 257-262.	0.3	4
82	Impaired tumorigenicity and decreased liver metastasis of murine neuroblastoma cells engineered to secrete interleukin-2 or granulocyte macrophage colony-stimulating factor. Cancer Gene Therapy, 1998, 5, 67-73.	2.2	7
83	Stepwise Requirement ofc-kit Tyrosine Kinase in Mouse Ovarian Follicle Development. Developmental Biology, 1997, 184, 122-137.	0.9	222
84	Immunohistochemical distribution of lymph capillaries and blood capillaries in the synovial membrane in cases of internal derangement of the temporomandibular joint. Journal of Oral Pathology and Medicine, 1997, 26, 356-361.	1.4	20
85	The specific expression of tenascin in the synovial membrane of the temporomandibular joint with internal derangement: An immunohistochemical study. Histochemistry and Cell Biology, 1997, 107, 479-484.	0.8	13
86	Orthotopic ossification of the spinal ligaments of zucker fatty rats: A possible animal model for ossification of the human posterior longitudinal ligament. Journal of Orthopaedic Research, 1997, 15, 820-829.	1.2	22
87	Urinary kallikrein in Dahl-Iwai salt-sensitive and -resistant rats. American Journal of Hypertension, 1997, 10, 73S-77S.	1.0	1
88	The role of low-dose hemithoracic radiotherapy for thoracic dissemination of thymoma. Radiation Medicine, 1997, 15, 399-403.	0.8	15
89	High serum alpha-fetoprotein concentration associated with pseudoinfarction of a cirrhotic liver: Report of a case. Surgery Today, 1996, 26, 818-821.	0.7	3
90	Sharp increase in the incidence of mammary Carcinoma in Kagoshima prefecture, Japan. Breast Cancer, 1996, 3, 9-12.	1.3	1

#	Article	IF	Citations
91	An immunohistochemical and in situ hybridization study of the expression of tenascin in synovial membranes from human temporomandibular joints with internal derangement. Archives of Oral Biology, 1996, 41, 1081-1085.	0.8	11
92	Cytokine-induced neutrophil chemoattractant release from hepatocytes is modulated by Kupffer cells. Hepatology, 1996, 23, 353-358.	3.6	63
93	Neural and skin cell-specific expression pattern conferred by steel factor regulatory sequence in transgenic mice. Developmental Dynamics, 1996, 207, 222-232.	0.8	56
94	Distinct stages of melanocyte differentiation revealed by analysis of nonuniform pigmentation patterns. Development (Cambridge), 1996, 122, 1207-1214.	1.2	173
95	Distinct stages of melanocyte differentiation revealed by anlaysis of nonuniform pigmentation patterns. Development (Cambridge), 1996, 122, 1207-14.	1.2	40
96	A transgenic mouse line with ?-1,3/4-fucosyltransferase cDNA: production and characteristics. Glycoconjugate Journal, 1995, 12, 795-801.	1.4	6
97	Midkine (MK) Expression in Extraembryonic Tissues, Amniotic Fluid, and Cerebrospinal Fluid during Mouse Embryogenesis 1. Journal of Biochemistry, 1995, 118, 88-93.	0.9	16
98	Human androgen-induced growth factor in prostate and breast cancer cells: its molecular cloning and growth properties. FEBS Letters, 1995, 363, 226-230.	1.3	49
99	Detection and Cloning of Human Papillomavirus DNA Associated with Recurrent Respiratory Papillomatosis in Thailand. Japanese Journal of Cancer Research, 1994, 85, 699-703.	1.7	10
100	? in Paired Helical Filaments Is Functionally Distinct from Fetal ?: Assembly Incompetence of Paired Helical Filament-?. Journal of Neurochemistry, 1993, 61, 1183-1186.	2.1	232
101	Cardiac hypertrophy in juvenile visceral steatosis (jvs) mice with systemic carnitine deficiency. FEBS Letters, 1993, 326, 267-271.	1.3	73
102	Expression of a Rat Ovary-independent Mammary Tumor-associated Antigen Defined by a Monoclonal Antibody, TAK-B1. Japanese Journal of Cancer Research, 1991, 82, 577-584.	1.7	1
103	Detection of nephritogenic antigen from the Lewis rat renal tubular basement membrane. Kidney International, 1990, 37, 1286-1294.	2.6	9
104	Contribution of monoamine oxidase(MAO) to the binding of tertiary basic drugs in isolated perfused rat lung. Pharmaceutical Research, 1990, 07, 398-401.	1.7	8
105	5-Azacytidine inhibits thelpr gene-induced lymphadenopathy and acceleration of lupus-like syndrome in MRL/MpJ-lpr/lpr mice. European Journal of Immunology, 1990, 20, 1989-1993.	1.6	23
106	A Case of I-Cell Disease. Pediatrics International, 1990, 32, 670-674.	0.2	3
107	Genetic lipid storage disease with lysosomal acid lipase deficiency in rats. Laboratory Animal Science, 1990, 40, 486-9.	0.3	8
108	Contribution of monoamine oxidase (MAO) to the binding of tertiary basic drugs in lung mitochondria. Pharmaceutical Research, 1989, 06, 877-882.	1.7	6

#	Article	IF	CITATIONS
109	Study on lipid and glucose metabolism in patients with vasospastic angina Japanese Journal of Medicine, 1989, 28, 348-354.	0.1	4
110	Clinical evaluation of ketotifen syrup on atopic dermatitis: a comparative multicenter double-blind study of ketotifen and clemastine. Annals of Allergy, 1989, 62, 507-12.	0.5	12
111	Igh-C allotype-linked control of anti-DNA production and clonotype expression in mice infected with Plasmodium yoelii. Journal of Immunology, 1988, 141, 2125-31.	0.4	13
112	Analyses of azopigments obtained from the delta fraction of bilirubin from mammalian plasma (mammalian biliprotein). Biochemical Journal, 1987, 248, 79-84.	1.7	16
113	Subcellular distribution of basic drugs accumulated in the isolated perfused lung. Pharmaceutical Research, 1987, 04, 50-53.	1.7	17
114	Establishment of pharmacological doses of estrogen-dependent mammary tumors with estrogen and progesterone receptors. In Vivo, 1987, 1, 157-61.	0.6	2
115	STIMULATION OF DNA SYNTHESIS IN ADULT RAT HEPATOCYTES IN PRIMARY CULTURE BY SERA FROM PATIENTS WITH FULMINANT HEPATIC (b) FAILURE (b). Biomedical Research, 1985, 6, 231-237.	0.3	58
116	Induction of Ossification in the Clitoris of Neonatal Female Rats by Administration of Androgens. Endocrinology, 1980, 106, 1956-1959.	1.4	8
117	Studies on the prognosis of chronic hepatitis. Gastroenterologia Japonica, 1971, 6, 82-83.	0.4	О
118	Merits and demerits of diuretics on ascites in liver cirrhosis; Effect and side effect of diuretics and corticosteroid on patients with liver cirrhosis. Gastroenterologia Japonica, 1968, 3, 215-215.	0.4	0
119	The innervation of the spleen: Studies on the differences between the normal and so-called Bantiâ∈™s disease. Gastroenterologia Japonica, 1968, 3, 310-310.	0.4	o