

Michal Mikula

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8831317/michal-mikula-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109
papers

2,080
citations

24
h-index

40
g-index

118
ext. papers

2,533
ext. citations

4.8
avg, IF

4.47
L-index

#	Paper	IF	Citations
109	Prediction of fetal blood group antigens from maternal plasma using Ion AmpliSeq HD technology.. <i>Transfusion</i> , 2022 ,	2.9	1
108	Mutational landscape of primary and recurrent Ewing sarcoma.. <i>Wspolczesna Onkologia</i> , 2021 , 25, 241-248		0
107	Inhibition of PIM Kinases in DLBCL Targets MYC Transcriptional Program and Augments the Efficacy of Anti-CD20 Antibodies. <i>Cancer Research</i> , 2021 , 81, 6029-6043	10.1	3
106	Higher EU-TIRADS-Score Correlated with BRAF V600E Positivity in the Early Stage of Papillary Thyroid Carcinoma. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
105	Multi-Organ Transcriptome Dynamics in a Mouse Model of Cecal Ligation and Puncture-Induced Polymicrobial Sepsis. <i>Journal of Inflammation Research</i> , 2021 , 14, 2377-2388	4.8	0
104	Discovery of indazole-pyridinone derivatives as a novel class of potent and selective MNK1/2 kinase inhibitors that protecting against endotoxin-induced septic shock. <i>European Journal of Medicinal Chemistry</i> , 2021 , 213, 113057	6.8	1
103	Higher genome variability within metabolism genes associates with recurrent <i>Clostridium difficile</i> infection. <i>BMC Microbiology</i> , 2021 , 21, 36	4.5	2
102	Concurrent depletion of Vps37 proteins evokes ESCRT-I destabilization and profound cellular stress responses. <i>Journal of Cell Science</i> , 2021 , 134,	5.3	2
101	Peripheral Blood Cells from Patients with Hodgkin's and Diffuse Large B Cell Lymphomas May Be a Better Source of Candidate Diagnostic miRNAs Than Circulating miRNAs. <i>BioMed Research International</i> , 2021 , 2021, 3212878	3	
100	PD-L1 Overexpression, SWI/SNF Complex Deregulation, and Profound Transcriptomic Changes Characterize Cancer-Dependent Exhaustion of Persistently Activated CD4 T Cells. <i>Cancers</i> , 2021 , 13,	6.6	6
99	The gastric microbiota in patients with Crohn's disease; a preliminary study. <i>Scientific Reports</i> , 2021 , 11, 17866	4.9	0
98	Loss of epidermal MCP1 is associated with aggressive squamous cell carcinoma.. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021 , 40, 391	12.8	0
97	PARP Inhibition Increases the Reliance on ATR/CHK1 Checkpoint Signaling Leading to Synthetic Lethality-An Alternative Treatment Strategy for Epithelial Ovarian Cancer Cells Independent from HR Effectiveness. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5
96	SYK inhibition targets acute myeloid leukemia stem cells by blocking their oxidative metabolism. <i>Cell Death and Disease</i> , 2020 , 11, 956	9.8	7
95	Challenges in Cancer Biomarker Discovery Exemplified by the Identification of Diagnostic MicroRNAs in Prostate Tissues. <i>BioMed Research International</i> , 2020 , 2020, 9086829	3	6
94	The composition and richness of the gut microbiota differentiate the top Polish endurance athletes from sedentary controls. <i>Gut Microbes</i> , 2020 , 11, 1374-1384	8.8	18
93	Serine Biosynthesis Pathway Supports MYC-miR-494-EZH2 Feed-Forward Circuit Necessary to Maintain Metabolic and Epigenetic Reprogramming of Burkitt Lymphoma Cells. <i>Cancers</i> , 2020 , 12,	6.6	14

92	Differences between Well-Differentiated Neuroendocrine Tumors and Ductal Adenocarcinomas of the Pancreas Assessed by Multi-Omics Profiling. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	4
91	Synthetic lethality between VPS4A and VPS4B triggers an inflammatory response in colorectal cancer. <i>EMBO Molecular Medicine</i> , 2020 , 12, e10812	12	13
90	Signatures of circulating microRNA in four sarcoma subtypes. <i>Journal of Cancer</i> , 2020 , 11, 874-882	4.5	9
89	Mutational Mosaics of Cell-Free DNA from Pancreatic Cyst Fluids. <i>Digestive Diseases and Sciences</i> , 2020 , 65, 2294-2301	4	1
88	Inhibition of PIM Kinases in Diffuse Large B-Cell Lymphoma Cells Targets MYC-Dependent Transcriptional Program, Increases CD20 Expression and Augments the Efficacy of Anti-CD20 Antibodies. <i>Blood</i> , 2020 , 136, 33-34	2.2	
87	Lack of miR-378 attenuates muscular dystrophy in mdx mice. <i>JCI Insight</i> , 2020 , 5,	9.9	11
86	Integrative genomics reveal a role for MCPIP1 in adipogenesis and adipocyte metabolism. <i>Cellular and Molecular Life Sciences</i> , 2020 , 77, 4899-4919	10.3	7
85	Limited Practical Utility of Liquid Biopsy in the Treated Patients with Advanced Breast Cancer. <i>Diagnostics</i> , 2020 , 10,	3.8	1
84	High Prevalence of Genetically Related Strains at a Single Hemato-Oncology Ward Over 10 Years. <i>Frontiers in Microbiology</i> , 2020 , 11, 1618	5.7	2
83	Mitochondrial amidoxime-reducing component 2 (MARC2) has a significant role in -reductive activity and energy metabolism. <i>Journal of Biological Chemistry</i> , 2019 , 294, 17593-17602	5.4	4
82	Common functional alterations identified in blood transcriptome of autoimmune cholestatic liver and inflammatory bowel diseases. <i>Scientific Reports</i> , 2019 , 9, 7190	4.9	10
81	Molecular Signature of Prospero Homeobox 1 (PROX1) in Follicular Thyroid Carcinoma Cells. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	3
80	Transcription Factor Prospero Homeobox 1 (PROX1) as a Potential Angiogenic Regulator of Follicular Thyroid Cancer Dissemination. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	9
79	Effect of ZnO, TiO ₂ , Al ₂ O ₃ and ZrO ₂ nanoparticles on wheat callus cells. <i>Acta Biochimica Polonica</i> , 2019 , 66, 365-370	2	7
78	CDK8 Inhibitors Induce Transcriptional Reprogramming of AML Cells Associated with Differentiation. <i>Blood</i> , 2019 , 134, 3774-3774	2.2	
77	SEL120 - a First-in-Class CDK8/19 Inhibitor As a Novel Option for the Treatment of Acute Myeloid Leukemia and High-Risk Myelodysplastic Syndrome - Data from Preclinical Studies and Introduction to a Phase Ib Clinical Trial. <i>Blood</i> , 2019 , 134, 2651-2651	2.2	1
76	Mutation Profiling of Premalignant Colorectal Neoplasia. <i>Gastroenterology Research and Practice</i> , 2019 , 2019, 2542640	2	1
75	Keratinocyte-specific ablation of Mecip1 impairs skin integrity and promotes local and systemic inflammation. <i>Journal of Molecular Medicine</i> , 2019 , 97, 1669-1684	5.5	7

74	Whole-exome sequencing identifies novel pathogenic variants across the ATP7B gene and some modifiers of Wilson's disease phenotype. <i>Liver International</i> , 2019 , 39, 177-186	7.9	19
73	Redefining the Practical Utility of Blood Transcriptome Biomarkers in Inflammatory Bowel Diseases. <i>Journal of Crohns and Colitis</i> , 2019 , 13, 626-633	1.5	11
72	Prediction of fetal blood group and platelet antigens from maternal plasma using next-generation sequencing. <i>Transfusion</i> , 2019 , 59, 1102-1107	2.9	23
71	Transcriptomes of human mesenchymal cells isolated from the right ventricle and epicardial fat differ strikingly both directly after isolation and long-term culture. <i>ESC Heart Failure</i> , 2019 , 6, 351-361	3.7	4
70	Ectopic overexpression of MCPIP1 impairs adipogenesis by modulating microRNAs. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2018 , 1865, 186-195	4.9	12
69	A preliminary evaluation of next-generation sequencing as a screening tool for targeted genotyping of erythrocyte and platelet antigens in blood donors. <i>Blood Transfusion</i> , 2018 , 16, 285-292	3.6	14
68	Candidate diagnostic miRNAs that can detect cancer in prostate biopsy. <i>Prostate</i> , 2018 , 78, 178-185	4.2	17
67	Challenges in Stratifying the Molecular Variability of Patient-Derived Colon Tumor Xenografts. <i>BioMed Research International</i> , 2018 , 2018, 2954208	3	11
66	RNA sequencing reveals widespread transcriptome changes in a renal carcinoma cell line. <i>Oncotarget</i> , 2018 , 9, 8597-8613	3.3	17
65	Mass Spectrometry-Based Comprehensive Analysis of Pancreatic Cyst Fluids. <i>BioMed Research International</i> , 2018 , 2018, 7169595	3	4
64	Exome scale map of genetic alterations promoting metastasis in colorectal cancer. <i>BMC Genetics</i> , 2018 , 19, 85	2.6	13
63	Noninvasive prenatal HPA-1 typing in HPA-1a negative pregnancies selected in the Polish PREVFNAIT screening program. <i>Transfusion</i> , 2018 , 58, 2705-2711	2.9	4
62	IDH1/2 Mutations Predict Shorter Survival in Chondrosarcoma. <i>Journal of Cancer</i> , 2018 , 9, 998-1005	4.5	30
61	PALB2 mutations in BRCA1/2-mutation negative breast and ovarian cancer patients from Poland. <i>BMC Medical Genomics</i> , 2017 , 10, 14	3.7	11
60	A Strong Neutrophil Elastase Proteolytic Fingerprint Marks the Carcinoma Tumor Proteome. <i>Molecular and Cellular Proteomics</i> , 2017 , 16, 213-227	7.6	7
59	Clinical Applicability of Whole-Exome Sequencing Exemplified by a Study in Young Adults with the Advanced Cryptogenic Cholestatic Liver Diseases. <i>Gastroenterology Research and Practice</i> , 2017 , 2017, 4761962	2	2
58	Downregulation of PTPRH (Sap-1) in colorectal tumors. <i>International Journal of Oncology</i> , 2017 , 51, 841-850	4.1	3
57	A heterozygous mutation in GOT1 is associated with familial macro-aspartate aminotransferase. <i>Journal of Hepatology</i> , 2017 , 67, 1026-1030	13.4	11

56	A novel approach to genome-wide association analysis identifies genetic associations with primary biliary cholangitis and primary sclerosing cholangitis in Polish patients. <i>BMC Medical Genomics</i> , 2017 , 10, 2	3.7	10
55	Antimelanomic Effects of High- and Low-Molecular Weight Bioactive Subfractions Isolated from the Mossy Maze Mushroom, <i>Cerrena unicolor</i> (Agaricomycetes). <i>International Journal of Medicinal Mushrooms</i> , 2017 , 19, 619-628	1.3	2
54	SEL120-34A is a novel CDK8 inhibitor active in AML cells with high levels of serine phosphorylation of STAT1 and STAT5 transactivation domains. <i>Oncotarget</i> , 2017 , 8, 33779-33795	3.3	57
53	Genome-wide co-localization of active EGFR and downstream ERK pathway kinases mirrors mitogen-inducible RNA polymerase 2 genomic occupancy. <i>Nucleic Acids Research</i> , 2016 , 44, 10150-10164 ^{20.1}	20.1	14
52	Prolonged transfer of feces from the lean mice modulates gut microbiota in obese mice. <i>Nutrition and Metabolism</i> , 2016 , 13, 57	4.6	37
51	Effect of <i>Saccharomyces boulardii</i> and Mode of Delivery on the Early Development of the Gut Microbial Community in Preterm Infants. <i>PLoS ONE</i> , 2016 , 11, e0150306	3.7	22
50	Genetic architecture differences between pediatric and adult-onset inflammatory bowel diseases in the Polish population. <i>Scientific Reports</i> , 2016 , 6, 39831	4.9	26
49	Enhanced neuro-therapeutic potential of Wharton's Jelly-derived mesenchymal stem cells in comparison with bone marrow mesenchymal stem cells culture. <i>Cytotherapy</i> , 2016 , 18, 497-509	4.8	29
48	Limited prolonged effects of rifaximin treatment on irritable bowel syndrome-related differences in the fecal microbiome and metabolome. <i>Gut Microbes</i> , 2016 , 7, 397-413	8.8	40
47	New recurrent BRCA1/2 mutations in Polish patients with familial breast/ovarian cancer detected by next generation sequencing. <i>BMC Medical Genomics</i> , 2015 , 8, 19	3.7	28
46	Expression changes of cell-cell adhesion-related genes in colorectal tumors. <i>Oncology Letters</i> , 2015 , 9, 2463-2470	2.6	44
45	Regulation of the expression of claudin 23 by the enhancer of zeste 2 polycomb group protein in colorectal cancer. <i>Molecular Medicine Reports</i> , 2015 , 12, 728-36	2.9	16
44	Beads-free protein immunoprecipitation for a mass spectrometry-based interactome and posttranslational modifications analysis. <i>Proteome Science</i> , 2015 , 13, 23	2.6	8
43	Experimental acute lung injury induces multi-organ epigenetic modifications in key angiogenic genes implicated in sepsis-associated endothelial dysfunction. <i>Critical Care</i> , 2015 , 19, 225	10.8	30
42	Combination Testing Using a Single MSH5 Variant alongside HLA Haplotypes Improves the Sensitivity of Predicting Coeliac Disease Risk in the Polish Population. <i>PLoS ONE</i> , 2015 , 10, e0139197	3.7	4
41	Epigenetic-Mediated Downregulation of E-cadherin in Colorectal Tumours. <i>Gastroenterology Research and Practice</i> , 2015 , 2015, 317093	2	12
40	Transcriptional changes between uninfamed ulcerative colitis and familial adenomatous polyposis pouch mucosa can be attributed to an altered immune response. <i>Acta Biochimica Polonica</i> , 2015 , 62, 69-75	7.5	6
39	CDK8 kinase--An emerging target in targeted cancer therapy. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2015 , 1854, 1617-29	4	49

38	Mitochondrial-related proteomic changes during obesity and fasting in mice are greater in the liver than skeletal muscles. <i>Functional and Integrative Genomics</i> , 2014 , 14, 245-59	3.8	19
37	Histone H3 lysine 27 acetylation is altered in colon cancer. <i>Clinical Proteomics</i> , 2014 , 11, 24	5	51
36	DNA methylation status is more reliable than gene expression at detecting cancer in prostate biopsy. <i>British Journal of Cancer</i> , 2014 , 111, 781-9	8.7	50
35	Obesity increases histone H3 lysine 9 and 18 acetylation at Tnfa and Ccl2 genes in mouse liver. <i>International Journal of Molecular Medicine</i> , 2014 , 34, 1647-54	4.4	30
34	The role of the SHH gene in prostate cancer cell resistance to paclitaxel. <i>Prostate</i> , 2014 , 74, 1142-52	4.2	18
33	Extracellular matrix and cytochrome P450 gene expression can distinguish steatohepatitis from steatosis in mice. <i>Journal of Cellular and Molecular Medicine</i> , 2014 , 18, 1762-72	5.6	15
32	jChIP: a graphical environment for exploratory ChIP-Seq data analysis. <i>BMC Research Notes</i> , 2014 , 7, 676	2.3	2
31	The N-reductive system composed of mitochondrial amidoxime reducing component (mARC), cytochrome b5 (CYB5B) and cytochrome b5 reductase (CYB5R) is regulated by fasting and high fat diet in mice. <i>PLoS ONE</i> , 2014 , 9, e105371	3.7	12
30	Heterogeneous nuclear ribonucleoprotein (hnRNP) K genome-wide binding survey reveals its role in regulating 3' end RNA processing and transcription termination at the early growth response 1 (EGR1) gene through XRN2 exonuclease. <i>Journal of Biological Chemistry</i> , 2013 , 288, 24788-98	5.4	23
29	Synchronous recruitment of epigenetic modifiers to endotoxin synergistically activated Tnf- α gene in acute kidney injury. <i>PLoS ONE</i> , 2013 , 8, e70322	3.7	16
28	Pre-analytical-related variability influencing serum peptide profiles demonstrated in a mass spectrometry-based search for colorectal and prostate cancer biomarkers. <i>Acta Biochimica Polonica</i> , 2013 , 60,	2	9
27	Pre-analytical-related variability influencing serum peptide profiles demonstrated in a mass spectrometry-based search for colorectal and prostate cancer biomarkers. <i>Acta Biochimica Polonica</i> , 2013 , 60, 417-25	2	8
26	The transcription factor encyclopedia. <i>Genome Biology</i> , 2012 , 13, R24	18.3	86
25	Comparative kinome analysis to identify putative colon tumor biomarkers. <i>Journal of Molecular Medicine</i> , 2012 , 90, 447-56	5.5	22
24	Lack of evidence for increased level of circulating urothelial cells in the peripheral blood after transurethral resection of bladder tumors. <i>International Urology and Nephrology</i> , 2012 , 44, 761-7	2.3	10
23	Integrating proteomic and transcriptomic high-throughput surveys for search of new biomarkers of colon tumors. <i>Functional and Integrative Genomics</i> , 2011 , 11, 215-24	3.8	80
22	Direct recruitment of ERK cascade components to inducible genes is regulated by heterogeneous nuclear ribonucleoprotein (hnRNP) K. <i>Journal of Biological Chemistry</i> , 2011 , 286, 9763-75	5.4	23
21	Comprehensive analysis of the palindromic motif TCTCGGAGA: a regulatory element of the HNRNPK promoter. <i>DNA Research</i> , 2010 , 17, 245-60	4.5	35

20	Halogenated imidazole derivatives block RNA polymerase II elongation along mitogen inducible genes. <i>BMC Molecular Biology</i> , 2010 , 11, 4	4.5	4
19	Modeling oncogenic signaling in colon tumors by multidirectional analyses of microarray data directed for maximization of analytical reliability. <i>PLoS ONE</i> , 2010 , 5, e13091	3.7	263
18	Association between gynecomastia and aromatase (CYP19) polymorphisms. <i>European Journal of Endocrinology</i> , 2008 , 158, 721-7	6.5	27
17	Tip-alpha (hp0596 gene product) is a highly immunogenic Helicobacter pylori protein involved in colonization of mouse gastric mucosa. <i>Current Microbiology</i> , 2008 , 56, 279-86	2.4	20
16	Large intra- and inter-individual variability of genes expression levels limits potential predictive value of molecular diagnosis of dysplasia in Barrett's esophagus. <i>Journal of Molecular Medicine</i> , 2008 , 86, 233-42	5.5	7
15	Lack of evidence for association of primary sclerosing cholangitis and primary biliary cirrhosis with risk alleles for Crohn's disease in Polish patients. <i>BMC Medical Genetics</i> , 2008 , 9, 81	2.1	23
14	Barrett's esophagus associates with a variant of IL23R gene.. <i>Acta Biochimica Polonica</i> , 2008 , 55, 365-369		5
13	NrCAM, a neuronal system cell-adhesion molecule, is induced in papillary thyroid carcinomas. <i>British Journal of Cancer</i> , 2007 , 97, 531-8	8.7	26
12	Molecular defense mechanisms of Barrett's metaplasia estimated by an integrative genomics. <i>Journal of Molecular Medicine</i> , 2007 , 85, 733-43	5.5	38
11	Three clinical variants of gastroesophageal reflux disease form two distinct gene expression signatures. <i>Journal of Molecular Medicine</i> , 2006 , 84, 872-82	5.5	9
10	The diverse involvement of heterogeneous nuclear ribonucleoprotein K in mitochondrial response to insulin. <i>FEBS Letters</i> , 2006 , 580, 1839-45	3.8	9
9	Helicobacter pylori protein oxidation influences the colonization process. <i>International Journal of Medical Microbiology</i> , 2006 , 296, 321-4	3.7	22
8	Landscape of the hnRNP K protein-protein interactome. <i>Proteomics</i> , 2006 , 6, 2395-406	4.8	65
7	Editing of hnRNP K protein mRNA in colorectal adenocarcinoma and surrounding mucosa. <i>British Journal of Cancer</i> , 2006 , 94, 586-92	8.7	39
6	Casein kinases phosphorylate multiple residues spanning the entire hnRNP K length. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2006 , 1764, 299-306	4	12
5	Increased mitochondrial gene expression during L6 cell myogenesis is accelerated by insulin. <i>International Journal of Biochemistry and Cell Biology</i> , 2005 , 37, 1815-28	5.6	17
4	Expression of pendrin in benign and malignant human thyroid tissues. <i>British Journal of Cancer</i> , 2005 , 93, 144-51	8.7	22
3	Heterogeneous nuclear ribonucleoprotein K enhances insulin-induced expression of mitochondrial UCP2 protein. <i>Journal of Biological Chemistry</i> , 2004 , 279, 54599-609	5.4	24

2	Protective effect of vaccination with DNA of the H. Pylori genomic library in experimentally infected mice. <i>Cellular and Molecular Biology Letters</i> , 2004 , 9, 483-95	8.1	8
1	Quantitative detection for low levels of Helicobacter pylori infection in experimentally infected mice by real-time PCR. <i>Journal of Microbiological Methods</i> , 2003 , 55, 351-9	2.8	58