

Qing Yao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8832227/publications.pdf>

Version: 2024-02-01

92
papers

1,956
citations

279487

23
h-index

329751

37
g-index

95
all docs

95
docs citations

95
times ranked

2067
citing authors

#	ARTICLE	IF	CITATIONS
1	Compound enzymatic hydrolysis of feather waste to improve the nutritional value. <i>Biomass Conversion and Biorefinery</i> , 2022, 12, 287-298.	2.9	6
2	Arbuscular mycorrhizal fungus differentially regulates P mobilizing bacterial community and abundance in rhizosphere and hyphosphere. <i>Applied Soil Ecology</i> , 2022, 170, 104294.	2.1	19
3	<i>Corallococcus silvisoli</i> sp. nov., a novel myxobacterium isolated from subtropical forest soil. <i>Archives of Microbiology</i> , 2022, 204, 141.	1.0	8
4	<i>Shewanella jiangmenensis</i> sp. nov., isolated from aquaculture water. <i>Archives of Microbiology</i> , 2022, 204, 198.	1.0	7
5	<i>Erwinia phyllosphaerae</i> sp. nov., a novel bacterium isolated from phyllosphere of pomelo (Citrus Tj ETQq1 1 0.784314 rgBT /Overlock 10 0.8	0.8	7
6	Comparative Genomics Reveals Genetic Diversity and Metabolic Potentials of the Genus <i>Qipengyuania</i> and Suggests Fifteen Novel Species. <i>Microbiology Spectrum</i> , 2022, 10, e0126421.	1.2	55
7	A myxobacterial GH19 lysozyme with bacteriolytic activity on both Gram-positive and negative phytopathogens. <i>AMB Express</i> , 2022, 12, 54.	1.4	5
8	<i>Pseudomonas oligotrophica</i> sp. nov., a Novel Denitrifying Bacterium Possessing Nitrogen Removal Capability Under Low Carbonâ€“Nitrogen Ratio Condition. <i>Frontiers in Microbiology</i> , 2022, 13, .	1.5	8
9	<i>Microvirga terricola</i> sp. nov. and <i>Microvirga solisilvae</i> sp. nov, isolated from forest soil. <i>Archives of Microbiology</i> , 2022, 204, .	1.0	2
10	Feather-Based Compost Drastically Regulates Soil Microbial Community and Lettuce Growth in a Subtropical Soil: the Possible Role of Amino Acids. <i>Journal of Soil Science and Plant Nutrition</i> , 2021, 21, 709-721.	1.7	10
11	Arbuscular mycorrhizal fungi improve uptake and control efficacy of carbosulfan on <i>Spodoptera frugiperda</i> in maize plants. <i>Pest Management Science</i> , 2021, 77, 2812-2819.	1.7	10
12	Phylogenomic Analysis Substantiates the <i>gyrB</i> Gene as a Powerful Molecular Marker to Efficiently Differentiate the Most Closely Related Genera <i>Myxococcus</i> , <i>Corallococcus</i> , and <i>Pyxidicoccus</i> . <i>Frontiers in Microbiology</i> , 2021, 12, 763359.	1.5	8
13	The Predatory Myxobacterium <i>Citreicoccus inhibens</i> gen. nov. sp. nov. Showed Antifungal Activity and Bacteriolytic Property against Phytopathogens. <i>Microorganisms</i> , 2021, 9, 2137.	1.6	18
14	<i>Chitinophaga rhizophila</i> sp. nov., isolated from rhizosphere soil of banana. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	5
15	<i>Sphingobacterium micropteri</i> sp. nov. and <i>Sphingobacterium litopenaei</i> sp. nov., isolated from aquaculture water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	12
16	<i>Myxococcus xanthus</i> R31 Suppresses Tomato Bacterial Wilt by Inhibiting the Pathogen <i>Ralstonia solanacearum</i> With Secreted Proteins. <i>Frontiers in Microbiology</i> , 2021, 12, 801091.	1.5	11
17	Linking lipid transfer with reduced arbuscule formation in tomato roots colonized by arbuscular mycorrhizal fungus under low pH stress. <i>Environmental Microbiology</i> , 2020, 22, 1036-1051.	1.8	20
18	Nitrogen removal characteristics of a versatile heterotrophic nitrifying-aerobic denitrifying bacterium, <i>Pseudomonas bauzanensis</i> DN13-1, isolated from deep-sea sediment. <i>Bioresource Technology</i> , 2020, 305, 122626.	4.8	59

#	ARTICLE	IF	CITATIONS
19	Earthworms negate the adverse effect of arbuscular mycorrhizae on living bacterial biomass and bacterial necromass accumulation in a subtropical soil. <i>Soil Biology and Biochemistry</i> , 2020, 151, 108052.	4.2	10
20	Soil Organic Carbon Attenuates the Influence of Plants on Root-Associated Bacterial Community. <i>Frontiers in Microbiology</i> , 2020, 11, 594890.	1.5	8
21	Responses of Arbuscular Mycorrhizal Symbiosis to Abiotic Stress: A Lipid-Centric Perspective. <i>Frontiers in Plant Science</i> , 2020, 11, 578919.	1.7	18
22	Both Soil Bacteria and Soil Chemical Property Affected the Micropredator Myxobacterial Community: Evidence from Natural Forest Soil and Greenhouse Rhizosphere Soil. <i>Microorganisms</i> , 2020, 8, 1387.	1.6	8
23	Culture-dependent and -independent methods revealed an abundant myxobacterial community shaped by other bacteria and pH in Dinghushan acidic soils. <i>PLoS ONE</i> , 2020, 15, e0238769.	1.1	4
24	Plant Species-Dependent Effects of Liming and Plant Residue Incorporation on Soil Bacterial Community and Activity in an Acidic Orchard Soil. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 5681.	1.3	1
25	Acidic soil inhibits the functionality of arbuscular mycorrhizal fungi by reducing arbuscule formation in tomato roots. <i>Soil Science and Plant Nutrition</i> , 2020, 66, 275-284.	0.8	24
26	<i>Pseudidiomarina gelatinasegens</i> sp. nov., isolated from surface sediment of the Terra Nova Bay, Antarctica. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 708-714.	0.8	9
27	Transfer of <i>Sphingorhabdus marina</i> , <i>Sphingorhabdus litoris</i> , <i>Sphingorhabdus flavimaris</i> and <i>Sphingorhabdus pacifica</i> corrig. into the novel genus <i>Parasphingorhabdus</i> gen. nov. and <i>Sphingopyxis baekryungensis</i> into the novel genus <i>Novosphingopyxis</i> gen. nov. within the family <i>Sphingomonadaceae</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 2147-2154.	0.8	31
28	<i>Marinobacter denitrificans</i> sp. nov., isolated from marine sediment of southern Scott Coast, Antarctica. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 2918-2924.	0.8	12
29	<i>Chitinophaga tropicalis</i> sp. nov., isolated from forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3859-3864.	0.8	10
30	Exogenous abscisic acid and root volatiles increase sporulation of <i>Rhizophagus irregularis</i> DAOM 197198 in asymbiotic and pre-symbiotic status. <i>Mycorrhiza</i> , 2019, 29, 581-589.	1.3	13
31	Soil Bacterial Function Associated With Stylo (Legume) and Bahiagrass (Grass) Is Affected More Strongly by Soil Chemical Property Than by Bacterial Community Composition. <i>Frontiers in Microbiology</i> , 2019, 10, 798.	1.5	20
32	Promoting Crop Growth With Symbiotic Microbes in Agro-Ecosystems in Climate Change Era. , 2019, , 31-41.		1
33	Meta-16S rRNA Gene Phylogenetic Reconstruction Reveals the Astonishing Diversity of Cosmopolitan Myxobacteria. <i>Microorganisms</i> , 2019, 7, 551.	1.6	10
34	Plant-microbe associations for enhancement of agricultural productivity. , 2019, , 63-76.		2
35	Culture-Dependent and -Independent Analyses Reveal the Diversity, Structure, and Assembly Mechanism of Benthic Bacterial Community in the Ross Sea, Antarctica. <i>Frontiers in Microbiology</i> , 2019, 10, 2523.	1.5	19
36	Study of Biochemical and Microbiological Properties During Co-composting of Spent Mushroom Substrates and Chicken Feather. <i>Waste and Biomass Valorization</i> , 2019, 10, 23-32.	1.8	16

#	ARTICLE	IF	CITATIONS
37	<i>Lysobacter silvisoli</i> sp. nov., isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 93-98.	0.8	17
38	<i>Chitinophaga flava</i> sp. nov., isolated from monsoon evergreen broad-leaved forest soil. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 625-630.	0.8	8
39	<i>Microvirga flavescens</i> sp. nov., a novel bacterium isolated from forest soil and emended description of the genus <i>Microvirga</i> . International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 667-671.	0.8	19
40	<i>Ramlibacter humi</i> sp. nov., isolated from tropical forest soil. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 3460-3464.	0.8	14
41	<i>Lysobacter penaei</i> sp. nov., isolated from intestinal content of a Pacific white shrimp (<i>Penaeus</i>) Tj ETQq1 1 0.784314 rgBT /Oyerlock 10	0.8	10
42	Contrasting P acquisition strategies of the bacterial communities associated with legume and grass in subtropical orchard soil. Environmental Microbiology Reports, 2018, 10, 310-319.	1.0	17
43	Cooperation of earthworm and arbuscular mycorrhizae enhanced plant N uptake by balancing absorption and supply of ammonia. Soil Biology and Biochemistry, 2018, 116, 351-359.	4.2	33
44	Growth and Photosynthetic Responses of Litchi Seedlings to Arbuscular Mycorrhizal Fungal Inoculation: Differences between Two Genotypes. Notulae Botanicae Horti Agrobotanici Cluj-Napoca, 2018, 46, 466-473.	0.5	1
45	Improving Soil Fertility and Soil Functioning in Cover Cropped Agroecosystems with Symbiotic Microbes. , 2017, , 149-171.		5
46	The differential and interactive effects of arbuscular mycorrhizal fungus and phosphorus on the lateral root formation in <i>Poncirus trifoliata</i> (L.). Scientia Horticulturae, 2017, 217, 258-265.	1.7	15
47	Population and function analysis of cultivable bacteria associated with spores of arbuscular mycorrhizal fungus <i>Gigaspora margarita</i> . 3 Biotech, 2017, 7, 8.	1.1	16
48	Metagenomic evidence of stronger effect of stylo (legume) than bahiagrass (grass) on taxonomic and functional profiles of the soil microbial community. Scientific Reports, 2017, 7, 10195.	1.6	17
49	External hyphae of <i>Rhizophagus irregularis</i> DAOM 197198 are less sensitive to low pH than roots in arbuscular mycorrhizae: evidence from axenic culture system. Environmental Microbiology Reports, 2017, 9, 649-657.	1.0	9
50	Arbuscular Mycorrhizal Fungus Enhances Lateral Root Formation in <i>Poncirus trifoliata</i> (L.) as Revealed by RNA-Seq Analysis. Frontiers in Plant Science, 2017, 8, 2039.	1.7	36
51	Variation in Soil Microbial Community Structure Associated with Different Legume Species Is Greater than that Associated with Different Grass Species. Frontiers in Microbiology, 2017, 8, 1007.	1.5	62
52	Transcriptome Profiling to Understand the Effect of Citrus Rootstocks on the Growth of ‘Shatangju’™ Mandarin. PLoS ONE, 2017, 12, e0169897.	1.1	27
53	The feather-degrading bacterial community in two soils as revealed by a specific primer targeting serine-type keratinolytic proteases. World Journal of Microbiology and Biotechnology, 2016, 32, 165.	1.7	5
54	Effect of Zn and NAA co-treatment on the occurrence of creasing fruit and the peel development of ‘Shatangju’™ mandarin. Scientia Horticulturae, 2016, 201, 230-237.	1.7	12

#	ARTICLE	IF	CITATIONS
55	The possible involvement of salicylic acid and hydrogen peroxide in the systemic promotion of phenolic biosynthesis in clover roots colonized by arbuscular mycorrhizal fungus. <i>Journal of Plant Physiology</i> , 2015, 178, 27-34.	1.6	21
56	The combined effects of cover crops and symbiotic microbes on phosphatase gene and organic phosphorus hydrolysis in subtropical orchard soils. <i>Soil Biology and Biochemistry</i> , 2015, 82, 119-126.	4.2	86
57	Contributions of an arbuscular mycorrhizal fungus to growth and physiology of loquat (<i>Eriobotrya</i>) Tj ETQq1 1 0.784314 rgBT /Overlo	0.5	23
58	Differences in Arbuscular Mycorrhizal Fungal Community Composition in Soils of Three Land Use Types in Subtropical Hilly Area of Southern China. <i>PLoS ONE</i> , 2015, 10, e0130983.	1.1	24
59	Growth Response and Nutrient Uptake of <i>Eriobotrya japonica</i> Plants Inoculated with Three Isolates of Arbuscular Mycorrhizal Fungi Under Water Stress Condition. <i>Journal of Plant Nutrition</i> , 2014, 37, 690-703.	0.9	15
60	<i>Acinetobacter refrigeratorensis</i> sp. nov., Isolated from a Domestic Refrigerator. <i>Current Microbiology</i> , 2014, 69, 888-893.	1.0	10
61	Phosphate application enhances the resistance of arbuscular mycorrhizae in clover plants to cadmium via polyphosphate accumulation in fungal hyphae. <i>Environmental and Experimental Botany</i> , 2014, 108, 63-70.	2.0	34
62	Evaluation of soil storage methods for soil microbial community using genetic and metabolic fingerprintings. <i>European Journal of Soil Biology</i> , 2014, 63, 55-63.	1.4	25
63	Approach to Analyze the Diversity of Myxobacteria in Soil by Semi-Nested PCR-Denaturing Gradient Gel Electrophoresis (DGGE) Based on Taxon-Specific Gene. <i>PLoS ONE</i> , 2014, 9, e108877.	1.1	8
64	Arbuscular mycorrhizal fungal inoculation increases phenolic synthesis in clover roots via hydrogen peroxide, salicylic acid and nitric oxide signaling pathways. <i>Journal of Plant Physiology</i> , 2013, 170, 74-79.	1.6	127
65	Isolation and Identification of Myxobacteria from Saline-Alkaline Soils in Xinjiang, China. <i>PLoS ONE</i> , 2013, 8, e70466.	1.1	24
66	<i>Burkholderia dabaoshanensis</i> sp. nov., a Heavy-Metal-Tolerant Bacteria Isolated from Dabaoshan Mining Area Soil in China. <i>PLoS ONE</i> , 2012, 7, e50225.	1.1	36
67	<i>Streptomyces fenghuangensis</i> sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2811-2815.	0.8	20
68	<i>Streptomyces lacticiproducens</i> sp. nov., a lactic acid-producing streptomycete isolated from the rhizosphere of tomato plants. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 35-39.	0.8	5
69	<i>Streptomyces caeruleatus</i> sp. nov., with dark blue diffusible pigment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 507-511.	0.8	16
70	<i>Microbacterium radiodurans</i> sp. nov., a UV radiation-resistant bacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2665-2670.	0.8	34
71	Effects of arbuscular mycorrhizal fungi on zinnia and the different colonization between <i>Gigaspora</i> and <i>Glomus</i> . <i>World Journal of Microbiology and Biotechnology</i> , 2010, 26, 1527-1531.	1.7	19
72	Influence of nitrogen and phosphorus on polyphosphate accumulation in <i>Gigaspora margarita</i> during spore germination. <i>Plant and Soil</i> , 2010, 330, 303-311.	1.8	9

#	ARTICLE	IF	CITATIONS
73	Exogenous polyamines influence root morphogenesis and arbuscular mycorrhizal development of Citrus limonia seedlings. <i>Plant Growth Regulation</i> , 2010, 60, 27-33.	1.8	17
74	Evaluation of the potential of trap plants to detect arbuscular mycorrhizal fungi using polymerase chain reaction-denaturing gradient gel electrophoresis analysis. <i>Soil Science and Plant Nutrition</i> , 2010, 56, 205-211.	0.8	10
75	Molecular community analysis of arbuscular mycorrhizal fungi associated with five selected plant species from heavy metal polluted soils. <i>European Journal of Soil Biology</i> , 2010, 46, 288-294.	1.4	63
76	Effect of arbuscular mycorrhizal fungal inoculation on root system architecture of trifoliolate orange (<i>Poncirus trifoliata</i> L. Raf.) seedlings. <i>Scientia Horticulturae</i> , 2009, 121, 458-461.	1.7	68
77	Cellular wall metabolism in citrus fruit pericarp and its relation to creasing fruit rate. <i>Scientia Horticulturae</i> , 2009, 122, 45-50.	1.7	10
78	Detection of a novel bacterium associated with spores of the arbuscular mycorrhizal fungus <i>Gigaspora margarita</i> . <i>Canadian Journal of Microbiology</i> , 2009, 55, 771-775.	0.8	6
79	Analysis of bacterial communities associated with spores of <i>Gigaspora margarita</i> and <i>Gigaspora rosea</i> . <i>Plant and Soil</i> , 2008, 310, 1-9.	1.8	40
80	Differential influence of native and introduced arbuscular mycorrhizal fungi on growth of dominant and subordinate plants. <i>Plant Ecology</i> , 2008, 196, 261-268.	0.7	15
81	THE EFFECTS OF POLYAMINES ON ROOT MORPHOLOGY AND ARBUSCULAR MYCORRHIZA OF CITRUS SEEDLINGS. <i>Acta Horticulturae</i> , 2008, , 151-158.	0.1	1
82	RESPONSES OF CITRUS SEEDLINGS AND A LEGUMINOUS HERB, <i>STYLOSANTHES GRACILIS</i> , TO ARBUSCULAR MYCORRHIZAL FUNGAL INOCULATION. <i>Acta Horticulturae</i> , 2008, , 63-67.	0.1	2
83	<i>Streptomyces vietnamensis</i> sp. nov., a streptomycete with violet-blue diffusible pigment isolated from soil in Vietnam. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1770-1774.	0.8	34
84	MORPHOLOGICAL CHARACTERISTICS OF LOQUAT MYCORRHIZA AND INOCULATION EFFECTS OF ARBUSCULAR MYCORRHIZAL FUNGI ON LOQUAT. <i>Acta Horticulturae</i> , 2007, , 389-394.	0.1	3
85	Colonization, ALP activity and plant growth promotion of native and exotic arbuscular mycorrhizal fungi at low pH. <i>Soil Biology and Biochemistry</i> , 2007, 39, 942-950.	4.2	28
86	Influence of an Arbuscular Mycorrhizal Fungus on Competition for Phosphorus Between Sweet Orange and a Leguminous Herb. <i>Journal of Plant Nutrition</i> , 2005, 28, 2179-2192.	0.9	10
87	Growth responses and endogenous IAA and iPAs changes of litchi (<i>Litchi chinensis</i> Sonn.) seedlings induced by arbuscular mycorrhizal fungal inoculation. <i>Scientia Horticulturae</i> , 2005, 105, 145-151.	1.7	45
88	Localized and Systemic Increase of Phenols in Tomato Roots Induced by <i>Glomus versiforme</i> Inhibits <i>Ralstonia solanacearum</i> . <i>Journal of Phytopathology</i> , 2004, 152, 537-542.	0.5	110
89	Bi-directional transfer of phosphorus between red clover and perennial ryegrass via arbuscular mycorrhizal hyphal links. <i>European Journal of Soil Biology</i> , 2003, 39, 47-54.	1.4	33
90	FACTORS AFFECTING ARBUSCULAR MYCORRHIZAL DEPENDENCY OF WHEAT GENOTYPES WITH DIFFERENT PHOSPHORUS EFFICIENCIES. <i>Journal of Plant Nutrition</i> , 2001, 24, 1409-1419.	0.9	24

#	ARTICLE	IF	CITATIONS
91	Title is missing!. Plant and Soil, 2001, 230, 279-285.	1.8	68
92	Influence of extramatrical hyphae on mycorrhizal dependency of wheat genotypes. Communications in Soil Science and Plant Analysis, 2001, 32, 3307-3317.	0.6	23