

# Andrea Comastri

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8833387/publications.pdf>

Version: 2024-02-01

363  
papers

26,990  
citations

5558

82  
h-index

7333

152  
g-index

369  
all docs

369  
docs citations

369  
times ranked

8521  
citing authors

#	ARTICLE	IF	CITATIONS
1	THE <i>NUCLEAR SPECTROSCOPIC TELESCOPE ARRAY</i> (<i>NuSTAR</i>) HIGH-ENERGY X-RAY MISSION. <i>Astrophysical Journal</i> , 2013, 770, 103.	1.6	1,627
2	A unifying view of the spectral energy distributions of blazars. <i>Monthly Notices of the Royal Astronomical Society</i> , 1998, 299, 433-448.	1.6	1,004
3	A theoretical unifying scheme for gamma-ray bright blazars. <i>Monthly Notices of the Royal Astronomical Society</i> , 1998, 301, 451-468.	1.6	717
4	The synthesis of the cosmic X-ray background in the Chandra and XMM-Newton era. <i>Astronomy and Astrophysics</i> , 2007, 463, 79-96.	2.1	703
5	The First Release COSMOS Optical and Near-IR Data and Catalog. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 99-116.	3.0	672
6	The $2 \times 10^4$ keV luminosity as a Star Formation Rate indicator. <i>Astronomy and Astrophysics</i> , 2003, 399, 39-50.	2.1	555
7	S&COSMOS: The <i>Spitzer</i> Legacy Survey of the <i>Hubble Space Telescope</i> ACS 2 deg <sup>2</sup> COSMOS Field I: Survey Strategy and First Analysis. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 86-98.	3.0	503
8	THE CHANDRA DEEP FIELD-SOUTH SURVEY: 4 Ms SOURCE CATALOGS. <i>Astrophysical Journal, Supplement Series</i> , 2011, 195, 10.	3.0	488
9	COSMOS: <i>Hubble Space Telescope</i> Observations. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 38-45.	3.0	392
10	THE <i>CHANDRA</i> COSMOS SURVEY. I. OVERVIEW AND POINT SOURCE CATALOG. <i>Astrophysical Journal, Supplement Series</i> , 2009, 184, 158-171.	3.0	361
11	THE CHANDRA COSMOS LEGACY SURVEY: OVERVIEW AND POINT SOURCE CATALOG. <i>Astrophysical Journal</i> , 2016, 819, 62.	1.6	348
12	The HELLAS2XMM Survey. VII. The Hard X-ray Luminosity Function of AGNs up to $z = 4$ : More Absorbed AGNs at Low Luminosities and High Redshifts. <i>Astrophysical Journal</i> , 2005, 635, 864-879.	1.6	342
13	THE CHANDRA DEEP FIELD-SOUTH SURVEY: 7 MS SOURCE CATALOGS. <i>Astrophysical Journal, Supplement Series</i> , 2017, 228, 2.	3.0	337
14	Resolving the mid-infrared cores of local Seyferts. <i>Astronomy and Astrophysics</i> , 2009, 502, 457-472.	2.1	322
15	Bolometric luminosities and Eddington ratios of X-ray selected active galactic nuclei in the <i>XMM</i>-COSMOS survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 425, 623-640.	1.6	315
16	The X-ray to optical-UV luminosity ratio of X-ray selected type 1 AGN in XMM-COSMOS. <i>Astronomy and Astrophysics</i> , 2010, 512, A34.	2.1	306
17	ON THE COSMIC EVOLUTION OF THE SCALING RELATIONS BETWEEN BLACK HOLES AND THEIR HOST GALAXIES: BROAD-LINE ACTIVE GALACTIC NUCLEI IN THE zCOSMOS SURVEY. <i>Astrophysical Journal</i> , 2010, 708, 137-157.	1.6	276
18	THREE-YEAR <i>SWIFT</i>-BAT SURVEY OF ACTIVE GALACTIC NUCLEI: RECONCILING THEORY AND OBSERVATIONS?. <i>Astrophysical Journal</i> , 2011, 728, 58.	1.6	275

#	ARTICLE	IF	CITATIONS
19	THE <i>XMM-NEWTON</i> WIDE-FIELD SURVEY IN THE COSMOS FIELD (XMM-COSMOS): DEMOGRAPHY AND MULTIWAVELENGTH PROPERTIES OF OBSCURED AND UNOBSCURED LUMINOUS ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2010, 716, 348-369.	1.6	266
20	The <i>XMM-Newton</i> Wide-Field Survey in the COSMOS Field. I. Survey Description. <i>Astrophysical Journal</i> , Supplement Series, 2007, 172, 29-37.	3.0	263
21	The <i>Chandra</i> Deep Field "South Survey: 2 Ms Source Catalogs. <i>Astrophysical Journal</i> , Supplement Series, 2008, 179, 19-36.	3.0	250
22	The incidence of obscuration in active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 437, 3550-3567.	1.6	245
23	THE CHANDRA COSMOS LEGACY SURVEY: OPTICAL/IR IDENTIFICATIONS. <i>Astrophysical Journal</i> , 2016, 817, 34.	1.6	242
24	The <i>XMM-Newton</i> Wide-Field Survey in the COSMOS Field: Statistical Properties of Clusters of Galaxies. <i>Astrophysical Journal</i> , Supplement Series, 2007, 172, 182-195.	3.0	234
25	The <i>XMM-Newton</i> wide-field survey in the COSMOS field. <i>Astronomy and Astrophysics</i> , 2009, 497, 635-648.	2.1	230
26	Unveiling Obscured Accretion in the <i>Chandra</i> Deep Field "South. <i>Astrophysical Journal</i> , 2008, 672, 94-101.	1.6	210
27	The HELLAS <i>XMM</i> survey. <i>Astronomy and Astrophysics</i> , 2003, 409, 79-90.	2.1	207
28	DISSECTING PHOTOMETRIC REDSHIFT FOR ACTIVE GALACTIC NUCLEUS USING <i>XMM</i> - AND <i>CHANDRA</i> -COSMOS SAMPLES. <i>Astrophysical Journal</i> , 2011, 742, 61.	1.6	205
29	Accreting supermassive black holes in the COSMOS field and the connection to their host galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 427, 3103-3133.	1.6	202
30	THE <i>CHANDRA</i> COSMOS SURVEY. III. OPTICAL AND INFRARED IDENTIFICATION OF X-RAY POINT SOURCES. <i>Astrophysical Journal</i> , Supplement Series, 2012, 201, 30.	3.0	200
31	ONGOING AND CO-EVOLVING STAR FORMATION IN <i>z</i> COSMOS GALAXIES HOSTING ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2009, 696, 396-410.	1.6	197
32	CHASING HIGHLY OBSCURED QSOs IN THE COSMOS FIELD. <i>Astrophysical Journal</i> , 2009, 693, 447-462.	1.6	191
33	X-ray spectral survey with <i>XMM-Newton</i> of a complete sample of nearby Seyfert galaxies. <i>Astronomy and Astrophysics</i> , 2006, 446, 459-470.	2.1	188
34	THE 4 Ms <i>CHANDRA</i> DEEP FIELD-SOUTH NUMBER COUNTS APPORTIONED BY SOURCE CLASS: PERVASIVE ACTIVE GALACTIC NUCLEI AND THE ASCENT OF NORMAL GALAXIES. <i>Astrophysical Journal</i> , 2012, 752, 46.	1.6	173
35	Steps toward Determination of the Size and Structure of the Broad-Line Region in Active Galactic Nuclei. XIV. Intensive Optical Spectrophotometric Observations of NGC 7469. <i>Astrophysical Journal</i> , 1998, 500, 162-172.	1.6	172
36	MASSIVE GALAXIES IN COSMOS: EVOLUTION OF BLACK HOLE VERSUS BULGE MASS BUT NOT VERSUS TOTAL STELLAR MASS OVER THE LAST 9 Gyr?. <i>Astrophysical Journal</i> , 2009, 706, L215-L220.	1.6	161

#	ARTICLE	IF	CITATIONS
37	Ionised outflows in $z \sim 2.4$ quasar host galaxies. <i>Astronomy and Astrophysics</i> , 2015, 580, A102.	2.1	161
38	New Spectral Model for Constraining Torus Covering Factors from Broadband X-Ray Spectra of Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2018, 854, 42.	1.6	161
39	A statistical relation between the X-ray spectral index and Eddington ratio of active galactic nuclei in deep surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 433, 2485-2496.	1.6	155
40	HUBBLE IMAGING OF THE IONIZING RADIATION FROM A STAR-FORMING GALAXY AT $Z = 3.2$ WITH *. <i>Astrophysical Journal</i> , 2016, 825, 41.	1.6	151
41	THE IMPACT OF GALAXY INTERACTIONS ON ACTIVE GALACTIC NUCLEUS ACTIVITY IN $z$ COSMOS. <i>Astrophysical Journal</i> , 2011, 743, 2.	1.6	148
42	An extreme [O III] emitter at $z = 3.2$ : a low metallicity Lyman continuum source. <i>Astronomy and Astrophysics</i> , 2016, 585, A51.	2.1	147
43	The XMM-Newton Wide-Field Survey in the COSMOS Field. III. Optical Identification and Multiwavelength Properties of a Large Sample of X-Ray Selected Sources. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 353-367.	3.0	147
44	Steps toward Determination of the Size and Structure of the Broad-Line Region in Active Galactic Nuclei. XI. Intensive Monitoring of the Ultraviolet Spectrum of NGC 7469. <i>Astrophysical Journal, Supplement Series</i> , 1997, 113, 69-88.	3.0	143
45	The XMM-Newton Wide-Field Survey in the COSMOS Field. II. X-Ray Data and the $\log N$ vs $\log S$ Relations. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 341-352.	3.0	136
46	The HELAS2XMM Survey. II. Multiwavelength Observations of P3: An X-Ray bright, Optically Inactive Galaxy. <i>Astrophysical Journal</i> , 2002, 571, 771-778.	1.6	134
47	IDENTIFICATIONS AND PHOTOMETRIC REDSHIFTS OF THE 2 Ms CHANDRA DEEP FIELD-SOUTH SOURCES. <i>Astrophysical Journal, Supplement Series</i> , 2010, 187, 560-580.	3.0	133
48	The THESEUS space mission concept: science case, design and expected performances. <i>Advances in Space Research</i> , 2018, 62, 191-244.	1.2	133
49	The WISSH quasars project. <i>Astronomy and Astrophysics</i> , 2017, 598, A122.	2.1	133
50	X-shooter reveals powerful outflows in $z \sim 1.5$ X-ray selected obscured quasi-stellar objects. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 446, 2394-2417.	1.6	128
51	Direct Lyman continuum and Ly $\alpha$ escape observed at redshift 4. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 476, L15-L19.	1.2	128
52	T-PHOT: A new code for PSF-matched, prior-based, multiwavelength extragalactic deconvolution photometry. <i>Astronomy and Astrophysics</i> , 2015, 582, A15.	2.1	128
53	THE EXTENDED CHANDRA DEEP FIELD-SOUTH SURVEY: OPTICAL SPECTROSCOPY OF FAINT X-RAY SOURCES WITH THE VLT AND KECK. <i>Astrophysical Journal, Supplement Series</i> , 2010, 191, 124-142.	3.0	123
54	THE COSMOS ACTIVE GALACTIC NUCLEUS SPECTROSCOPIC SURVEY. I. XMM-NEWTON COUNTERPARTS. <i>Astrophysical Journal</i> , 2009, 696, 1195-1212.	1.6	122

#	ARTICLE	IF	CITATIONS
55	Elusive active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003, 344, L59-L64.	1.6	121
56	The <i>XMM</i> -Deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2011, 526, L9.	2.1	119
57	THE <i>XMM-NEWTON</i> WIDE FIELD SURVEY IN THE COSMOS FIELD: REDSHIFT EVOLUTION OF AGN BIAS AND SUBDOMINANT ROLE OF MERGERS IN TRIGGERING MODERATE-LUMINOSITY AGNs AT REDSHIFTS UP TO 2.2. <i>Astrophysical Journal</i> , 2011, 736, 99.	1.6	118
58	THE OBSCURED FRACTION OF ACTIVE GALACTIC NUCLEI IN THE <i>XMM</i> -COSMOS SURVEY: A SPECTRAL ENERGY DISTRIBUTION PERSPECTIVE. <i>Astrophysical Journal</i> , 2013, 777, 86.	1.6	118
59	<i>NuSTAR</i> SPECTROSCOPY OF MULTI-COMPONENT X-RAY REFLECTION FROM NGC 1068. <i>Astrophysical Journal</i> , 2015, 812, 116.	1.6	117
60	Fast outflows and star formation quenching in quasar host galaxies. <i>Astronomy and Astrophysics</i> , 2016, 591, A28.	2.1	116
61	The HELLAS2 <i>XMM</i> Survey. I. The X-ray Data and the log $N$ -log $S$ Relation. <i>Astrophysical Journal</i> , 2002, 564, 190-195.	1.6	113
62	High-redshift AGN in the Chandra Deep Fields: the obscured fraction and space density of the sub-L* population. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 473, 2378-2406.	1.6	110
63	THE 2-79 keV X-RAY SPECTRUM OF THE CIRCINUS GALAXY WITH <i>NuSTAR</i> , <i>XMM-Newton</i> , AND <i>CHANDRA</i> : A FULLY COMPTON-THICK ACTIVE GALACTIC NUCLEUS. <i>Astrophysical Journal</i> , 2014, 791, 81.	1.6	109
64	Compton-Thick AGN: The Dark Side of the X-Ray Background. <i>Astrophysics and Space Science Library</i> , 2004, , 245-272.	1.0	102
65	A RUNAWAY BLACK HOLE IN COSMOS: GRAVITATIONAL WAVE OR SLINGSHOT RECOIL?. <i>Astrophysical Journal</i> , 2010, 717, 209-222.	1.6	101
66	The ASTRODEEP Frontier Fields catalogues. <i>Astronomy and Astrophysics</i> , 2016, 590, A31.	2.1	101
67	A NEW POPULATION OF COMPTON-THICK AGNs IDENTIFIED USING THE SPECTRAL CURVATURE ABOVE 10 keV. <i>Astrophysical Journal</i> , 2016, 825, 85.	1.6	101
68	On the Soft X-ray Spectra of $\Gamma$ -ray Loud Blazars. <i>Astrophysical Journal</i> , 1997, 480, 534-546.	1.6	99
69	ASCA and ROSAT X-ray Spectra of High-redshift Radio-loud Quasars. <i>Astrophysical Journal</i> , 1997, 478, 492-510.	1.6	97
70	GOODS- <i>Herschel</i> : ultra-deep <i>XMM-Newton</i> observations reveal AGN/star-formation connection. <i>Astronomy and Astrophysics</i> , 2012, 546, A58.	2.1	94
71	<i>NuSTAR</i> AND <i>XMM-NEWTON</i> OBSERVATIONS OF LUMINOUS, HEAVILY OBSCURED, <i>WISE</i> -SELECTED QUASARS AT $Z \sim 1/4$ 2. <i>Astrophysical Journal</i> , 2014, 794, 102.	1.6	93
72	THE CHANDRA COSMOS-LEGACY SURVEY: SOURCE X-RAY SPECTRAL PROPERTIES. <i>Astrophysical Journal</i> , 2016, 830, 100.	1.6	93

#	ARTICLE	IF	CITATIONS
73	HIGH-RESOLUTION SPECTROSCOPY OF A YOUNG, LOW-METALLICITY OPTICALLY THIN $L = 0.02L^*$ STAR-FORMING GALAXY AT $z = 3.12^*$ . <i>Astrophysical Journal Letters</i> , 2016, 821, L27.	3.0	91
74	THE <i>NuSTAR</i> VIEW OF NEARBY COMPTON-THICK ACTIVE GALACTIC NUCLEI: THE CASES OF NGC 424, NGC 1320, AND IC 2560. <i>Astrophysical Journal</i> , 2014, 794, 111.	1.6	90
75	The ASTRODEEP Frontier Fields catalogues. <i>Astronomy and Astrophysics</i> , 2016, 590, A30.	2.1	90
76	The HELLAS2XMM survey. <i>Astronomy and Astrophysics</i> , 2004, 421, 491-501.	2.1	90
77	The spatial clustering of X-ray selected AGN in the XMM-COSMOS field. <i>Astronomy and Astrophysics</i> , 2009, 494, 33-48.	2.1	90
78	The <i>XMM-Newton</i> Wide-Field Survey in the COSMOS Field. IV. X-Ray Spectral Properties of Active Galactic Nuclei. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 368-382.	3.0	89
79	THE ENVIRONMENTS OF ACTIVE GALACTIC NUCLEI WITHIN THE $z$ COSMOS DENSITY FIELD. <i>Astrophysical Journal</i> , 2009, 695, 171-182.	1.6	89
80	HIGH-REDSHIFT QUASARS IN THE COSMOS SURVEY: THE SPACE DENSITY OF $z > 3$ X-RAY SELECTED QSOs. <i>Astrophysical Journal</i> , 2009, 693, 8-22.	1.6	88
81	DETAILED SHAPE AND EVOLUTIONARY BEHAVIOR OF THE X-RAY LUMINOSITY FUNCTION OF ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2015, 804, 104.	1.6	86
82	The WISSH quasars project. <i>Astronomy and Astrophysics</i> , 2018, 617, A81.	2.1	86
83	Black hole growth and starburst activity at $z = 0.6$ in the Chandra Deep Field South. <i>Astronomy and Astrophysics</i> , 2009, 507, 1277-1289.	2.1	86
84	<i>NuSTAR</i> REVEALS AN INTRINSICALLY X-RAY WEAK BROAD ABSORPTION LINE QUASAR IN THE ULTRALUMINOUS INFRARED GALAXY MARKARIAN 231. <i>Astrophysical Journal</i> , 2014, 785, 19.	1.6	80
85	WEAK HARD X-RAY EMISSION FROM BROAD ABSORPTION LINE QUASARS: EVIDENCE FOR INTRINSIC X-RAY WEAKNESS. <i>Astrophysical Journal</i> , 2014, 794, 70.	1.6	79
86	The X-ray derived Cosmological Star Formation History and the Galaxy X-ray Luminosity Functions in the Chandra Deep Fields North and South. <i>Astrophysical Journal</i> , 2004, 607, 721-738.	1.6	77
87	The hard X-ray luminosity function of high-redshift ( $3 < z < 5$ ) active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 445, 3557-3574.	1.6	77
88	Compton thick AGN in the XMM-COSMOS survey. <i>Astronomy and Astrophysics</i> , 2015, 573, A137.	2.1	77
89	Ionizing the intergalactic medium by star clusters: the first empirical evidence. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 491, 1093-1103.	1.6	77
90	XMM-Newton observations of Extremely Red Objects and the link with luminous, X-ray obscured quasars. <i>Astronomy and Astrophysics</i> , 2005, 432, 69-81.	2.1	77

#	ARTICLE	IF	CITATIONS
91	The contribution of faint active galactic nuclei to the hard X-ray background. <i>Monthly Notices of the Royal Astronomical Society</i> , 1999, 306, L55-L60.	1.6	76
92	Black hole accretion and host galaxies of obscured quasars in XMM-COSMOS. <i>Astronomy and Astrophysics</i> , 2011, 535, A80.	2.1	76
93	THE POPULATION OF HIGH-REDSHIFT ACTIVE GALACTIC NUCLEI IN THE CHANDRA-COSMOS SURVEY. <i>Astrophysical Journal</i> , 2011, 741, 91.	1.6	76
94	Spectroscopic identification of ten faint hard X-ray sources discovered by Chandra. <i>New Astronomy</i> , 2000, 5, 143-153.	0.8	75
95	Active galactic nuclei vs. host galaxy properties in the COSMOS field. <i>Astronomy and Astrophysics</i> , 2017, 602, A123.	2.1	75
96	The Cosmic X-ray Background and the Population of the Most Heavily Obscured AGNs. <i>Astrophysical Journal</i> , 2007, 666, 86-95.	1.6	73
97	A deep X-ray observation of M82 with XMM-Newton. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008, 386, 1464-1480.	1.6	73
98	THE NuSTAR EXTRAGALACTIC SURVEY: A FIRST SENSITIVE LOOK AT THE HIGH-ENERGY COSMIC X-RAY BACKGROUND POPULATION. <i>Astrophysical Journal</i> , 2013, 773, 125.	1.6	73
99	Galaxy-wide outflows in $z \sim 1.5$ luminous obscured quasars revealed through near-IR slit-resolved spectroscopy. <i>Astronomy and Astrophysics</i> , 2015, 574, A82.	2.1	72
100	The X-ray to [Ne V] 3426 flux ratio: discovering heavily obscured AGN in the distant Universe. <i>Astronomy and Astrophysics</i> , 2010, 519, A92.	2.1	71
101	CROSS-CORRELATING COSMIC INFRARED AND X-RAY BACKGROUND FLUCTUATIONS: EVIDENCE OF SIGNIFICANT BLACK HOLE POPULATIONS AMONG THE CIB SOURCES. <i>Astrophysical Journal</i> , 2013, 769, 68.	1.6	71
102	The Chandra COSMOS Legacy Survey: Energy Spectrum of the Cosmic X-Ray Background and Constraints on Undetected Populations. <i>Astrophysical Journal</i> , 2017, 837, 19.	1.6	71
103	The X-ray properties of $z > 6$ quasars: no evident evolution of accretion physics in the first Gyr of the Universe. <i>Astronomy and Astrophysics</i> , 2019, 630, A118.	2.1	71
104	ASCA spectroscopy of the luminous infrared galaxy NGC 6240: X-ray emission from a starburst and a buried active nucleus. <i>Monthly Notices of the Royal Astronomical Society</i> , 1998, 297, 1219-1226.	1.6	70
105	Molecular outflow and feedback in the obscured quasar XID2028 revealed by ALMA. <i>Astronomy and Astrophysics</i> , 2018, 612, A29.	2.1	70
106	The BeppoSAX High Energy Large Area Survey (HELLAS) – III. Testing synthesis models for the X-ray background. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001, 327, 781-787.	1.6	69
107	THE 31 DEG <sup>2</sup> RELEASE OF THE STRIPE 82 X-RAY SURVEY: THE POINT SOURCE CATALOG. <i>Astrophysical Journal</i> , 2016, 817, 172.	1.6	69
108	Magnifying the Early Episodes of Star Formation: Super Star Clusters at Cosmological Distances*. <i>Astrophysical Journal</i> , 2017, 842, 47.	1.6	68

#	ARTICLE	IF	CITATIONS
109	SPECTRAL ENERGY DISTRIBUTIONS OF TYPE 1 ACTIVE GALACTIC NUCLEI IN THE COSMOS SURVEY. I. THE XMM-COSMOS SAMPLE. <i>Astrophysical Journal</i> , 2012, 759, 6.	1.6	67
110	NuSTAR UNVEILS A COMPTON-THICK TYPE 2 QUASAR IN Mrk 34. <i>Astrophysical Journal</i> , 2014, 792, 117.	1.6	66
111	THE VARIABLE HARD X-RAY EMISSION OF NGC 4945 AS OBSERVED BY NuSTAR. <i>Astrophysical Journal</i> , 2014, 793, 26.	1.6	66
112	Gamma-ray Cloud Quasars: A View with BEPPOSAX. <i>Astrophysical Journal</i> , 2000, 543, 535-544.	1.6	65
113	The deepest X-ray view of high-redshift galaxies: constraints on low-rate black hole accretion. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 463, 348-374.	1.6	64
114	ALMA reveals a warm and compact starburst around a heavily obscured supermassive black hole at $z = 4.75$ . <i>Astronomy and Astrophysics</i> , 2014, 562, A67.	2.1	63
115	A NuSTAR SURVEY OF NEARBY ULTRALUMINOUS INFRARED GALAXIES. <i>Astrophysical Journal</i> , 2015, 814, 56.	1.6	63
116	DETERMINING THE COVERING FACTOR OF COMPTON-THICK ACTIVE GALACTIC NUCLEI WITH NuSTAR. <i>Astrophysical Journal</i> , 2015, 805, 41.	1.6	63
117	THE NuSTAR EXTRAGALACTIC SURVEYS: THE NUMBER COUNTS OF ACTIVE GALACTIC NUCLEI AND THE RESOLVED FRACTION OF THE COSMIC X-RAY BACKGROUND. <i>Astrophysical Journal</i> , 2016, 831, 185.	1.6	63
118	Compton-thick AGNs in the NuSTAR Era. <i>Astrophysical Journal</i> , 2018, 854, 49.	1.6	63
119	THE CHANDRA SURVEY OF THE COSMOS FIELD. II. SOURCE DETECTION AND PHOTOMETRY. <i>Astrophysical Journal</i> , Supplement Series, 2009, 185, 586-601.	3.0	62
120	NuSTAR REVEALS EXTREME ABSORPTION IN $z < 0.5$ TYPE 2 QUASARS. <i>Astrophysical Journal</i> , 2015, 809, 115.	1.6	62
121	The XMM-Newton survey of the ELAIS-S1 field. <i>Astronomy and Astrophysics</i> , 2006, 457, 501-515.	2.1	61
122	The Cosmic Evolution Survey (COSMOS): A Large-scale Structure at $z = 0.73$ and the Relation of Galaxy Morphologies to Local Environment. <i>Astrophysical Journal</i> , Supplement Series, 2007, 172, 254-269.	3.0	61
123	NuSTAR observations of water megamaser AGN. <i>Astronomy and Astrophysics</i> , 2016, 589, A59.	2.1	61
124	Observational Signatures of High-Redshift Quasars and Local Relics of Black Hole Seeds. <i>Publications of the Astronomical Society of Australia</i> , 2016, 33, .	1.3	61
125	SUPER. <i>Astronomy and Astrophysics</i> , 2020, 642, A147.	2.1	61
126	Chandra discovery of extended non-thermal emission in 3C 207 and the spectrum of the relativistic electrons. <i>Astronomy and Astrophysics</i> , 2002, 381, 795-809.	2.1	61



#	ARTICLE	IF	CITATIONS
127	The Nuclear Spectral Energy Distribution of NGC 4395, the Least Luminous Type 1 Seyfert Galaxy. Publications of the Astronomical Society of the Pacific, 1999, 111, 801-808.	1.0	60
128	Chandra Study of an Overdensity of X-ray Sources around Two Distant ( $z \approx 0.5$ ) Clusters. Astrophysical Journal, 2001, 548, 624-638.	1.6	59
129	WEAK HARD X-RAY EMISSION FROM TWO BROAD ABSORPTION LINE QUASARS OBSERVED WITH NuSTAR: COMPTON-THICK ABSORPTION OR INTRINSIC X-RAY WEAKNESS?. Astrophysical Journal, 2013, 772, 153.	1.6	58
130	BROADBAND OBSERVATIONS OF THE COMPTON-THICK NUCLEUS OF NGC 3393. Astrophysical Journal, 2015, 807, 149.	1.6	58
131	The HELLAS2XMM survey. Astronomy and Astrophysics, 2004, 418, 827-840.	2.1	58
132	Primordial environment of super massive black holes: large-scale galaxy overdensities around $z \sim 6$ quasars with LBT. Astronomy and Astrophysics, 2014, 568, A1.	2.1	57
133	The XMM deep survey in the CDF-S. Astronomy and Astrophysics, 2013, 555, A43.	2.1	56
134	THE NuSTAR EXTRAGALACTIC SURVEYS: OVERVIEW AND CATALOG FROM THE COSMOS FIELD. Astrophysical Journal, 2015, 808, 185.	1.6	56
135	HOT-DUST-POOR TYPE 1 ACTIVE GALACTIC NUCLEI IN THE COSMOS SURVEY. Astrophysical Journal Letters, 2010, 724, L59-L63.	3.0	55
136	The Chandra-COSMOS survey – IV. X-ray spectra of the bright sample. Monthly Notices of the Royal Astronomical Society, 2013, 431, 978-996.	1.6	55
137	NuSTAR OBSERVATIONS OF WISE J1036+0449, A GALAXY AT $z \approx 1$ OBSCURED BY HOT DUST. Astrophysical Journal, 2017, 835, 105.	1.6	55
138	X-UDS: The Chandra Legacy Survey of the UKIDSS Ultra Deep Survey Field. Astrophysical Journal, Supplement Series, 2018, 236, 48.	3.0	55
139	SPACE: the spectroscopic all-sky cosmic explorer. Experimental Astronomy, 2009, 23, 39-66.	1.6	54
140	The bolometric output and host-galaxy properties of obscured AGN in the XMM-COSMOS survey. Astronomy and Astrophysics, 2011, 534, A110.	2.1	54
141	The XMM deep survey in the CDF-S. Astronomy and Astrophysics, 2013, 555, A42.	2.1	54
142	X-RAY SPECTRAL CONSTRAINTS FOR $z \approx 2$ MASSIVE GALAXIES: THE IDENTIFICATION OF REFLECTION-DOMINATED ACTIVE GALACTIC NUCLEI. Astrophysical Journal, 2011, 738, 44.	1.6	53
143	CHANDRA HIGH-RESOLUTION OBSERVATIONS OF CID-42, A CANDIDATE RECOILING SUPERMASSIVE BLACK HOLE. Astrophysical Journal, 2012, 752, 49.	1.6	53
144	Finding rare AGN: XMM-Newton and Chandra observations of SDSS Stripe 82. Monthly Notices of the Royal Astronomical Society, 2013, 436, 3581-3601.	1.6	53

#	ARTICLE	IF	CITATIONS
145	The BeppoSAX High-Energy Large-Area Survey. V. The Nature of the Hard X-Ray Source Population and Its Evolution. <i>Astrophysical Journal</i> , 2002, 570, 100-113.	1.6	52
146	Stellar and Gaseous Abundances in M82. <i>Astrophysical Journal</i> , 2004, 606, 862-868.	1.6	52
147	A COMPTON-THICK ACTIVE GALACTIC NUCLEUS AT $z \approx 5$ IN THE 4 Ms CHANDRA DEEP FIELD SOUTH. <i>Astrophysical Journal Letters</i> , 2011, 730, L28.	3.0	52
148	X-Ray Spectral Analyses of AGNs from the 7Ms Chandra Deep Field-South Survey: The Distribution, Variability, and Evolutions of AGN Obscuration. <i>Astrophysical Journal, Supplement Series</i> , 2017, 232, 8.	3.0	52
149	ACTIVE GALACTIC NUCLEUS X-RAY VARIABILITY IN THE XMM-COSMOS SURVEY. <i>Astrophysical Journal</i> , 2014, 781, 105.	1.6	51
150	The hard X-ray spectrum of NGC 5506 as seen by NuSTAR. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 447, 3029-3033.	1.6	51
151	The HELLAS2XMM survey. <i>Astronomy and Astrophysics</i> , 2003, 409, 65-78.	2.1	51
152	THE NuSTAR EXTRAGALACTIC SURVEY: FIRST DIRECT MEASUREMENTS OF THE $\sim 3$ keV X-RAY LUMINOSITY FUNCTION FOR ACTIVE GALACTIC NUCLEI AT $z > 0.1$ . <i>Astrophysical Journal</i> , 2015, 815, 66.	1.6	50
153	The XMM-Newton Wide-Field Survey in the COSMOS Field. V. Angular Clustering of the X-Ray Point Sources. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 396-405.	3.0	49
154	TRACKING DOWN THE SOURCE POPULATION RESPONSIBLE FOR THE UNRESOLVED COSMIC $6-8$ keV BACKGROUND. <i>Astrophysical Journal</i> , 2012, 758, 129.	1.6	49
155	Black hole accretion preferentially occurs in gas-rich galaxies*. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 441, 1059-1065.	1.6	49
156	The NuSTAR Serendipitous Survey: The 40-month Catalog and the Properties of the Distant High-energy X-Ray Source Population. <i>Astrophysical Journal</i> , 2017, 836, 99.	1.6	49
157	The Chandra COSMOS Legacy Survey: Compton thick AGN at high redshift. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 480, 2578-2592.	1.6	49
158	CLUSTERING OF MODERATE LUMINOSITY X-RAY-SELECTED TYPE 1 AND TYPE 2 AGNS AT $z \approx 3$ . <i>Astrophysical Journal</i> , 2014, 796, 4.	1.6	48
159	Mass without radiation: Heavily obscured AGNs, the X-ray background, and the black hole mass density. <i>Astronomy and Astrophysics</i> , 2015, 574, L10.	2.1	46
160	A new, faint population of X-ray transients. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 467, 4841-4857.	1.6	46
161	The NuSTAR Serendipitous Survey: Hunting for the Most Extreme Obscured AGN at $> 10$ keV. <i>Astrophysical Journal</i> , 2017, 846, 20.	1.6	46
162	The Nuclear Accretion in the FR I Radio Galaxy IC 4296 from Chandra and Very Long Baseline Array Observations. <i>Astrophysical Journal</i> , 2003, 585, 677-686.	1.6	46

#	ARTICLE	IF	CITATIONS
163	The BeppoSAX High Energy Large Area Survey (HELLAS) – II. Number counts and X-ray spectral properties. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001, 327, 771-780.	1.6	45
164	PROBING THE FAINT END OF THE QUASAR LUMINOSITY FUNCTION AT $z \approx 4$ IN THE COSMOS FIELD. <i>Astrophysical Journal Letters</i> , 2011, 728, L25.	3.0	45
165	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2012, 546, A84.	2.1	45
166	Spectral Energy Distributions of Flat-spectrum Radio Quasars Observed with BeppoSAX. <i>Astrophysical Journal</i> , 2002, 575, 137-144.	1.6	44
167	The nature of the unresolved extragalactic cosmic soft X-ray background. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 427, 651-663.	1.6	44
168	Obscured AGN at $z \sim 1$ from the zCOSMOS-Bright Survey. <i>Astronomy and Astrophysics</i> , 2013, 556, A29.	2.1	44
169	A wide search for obscured active galactic nuclei using XMM-Newton and WISE. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 438, 494-512.	1.6	44
170	CHANDRA COUNTERPARTS OF CANDELS GOODS-S SOURCES. <i>Astrophysical Journal</i> , 2016, 823, 95.	1.6	44
171	Heavy X-ray obscuration in the most luminous galaxies discovered by WISE. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 474, 4528-4540.	1.6	44
172	The HELLAS2XMM survey. <i>Astronomy and Astrophysics</i> , 2007, 476, 1223-1233.	2.1	43
173	SUZAKU OBSERVATIONS OF HARD X-RAY-SELECTED SEYFERT 2 GALAXIES. <i>Astrophysical Journal</i> , 2010, 717, 787-794.	1.6	42
174	A fast ionised wind in a star-forming quasar system at $z \sim 1.5$ resolved through adaptive optics assisted near-infrared data. <i>Astronomy and Astrophysics</i> , 2016, 588, A58.	2.1	42
175	Tracing the accretion history of supermassive black holes through X-ray variability: results from the Chandra Deep Field-South. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 471, 4398-4411.	1.6	42
176	The HELLAS2XMM survey. <i>Astronomy and Astrophysics</i> , 2007, 468, 603-612.	2.1	40
177	Constraining the Black Hole Mass and Accretion Rate in the Narrow-line Seyfert 1 Galaxy RE J1034+396. <i>Astrophysical Journal</i> , 2001, 550, 644-654.	1.6	40
178	NuSTAR Survey of Obscured Swift/BAT-selected Active Galactic Nuclei. II. Median High-energy Cutoff in Seyfert II Hard X-Ray Spectra. <i>Astrophysical Journal</i> , 2020, 905, 41.	1.6	40
179	Hard X-ray emission of the luminous infrared galaxy NGC 6240 as observed by NuSTAR. <i>Astronomy and Astrophysics</i> , 2016, 585, A157.	2.1	39
180	Ultra-deep catalog of X-ray groups in the Extended Chandra Deep Field South. <i>Astronomy and Astrophysics</i> , 2015, 576, A130.	2.1	39

#	ARTICLE	IF	CITATIONS
181	The HELLAS2XMM survey. <i>Astronomy and Astrophysics</i> , 2007, 466, 31-40.	2.1	39
182	The high-redshift ( $z > 3$ ) active galactic nucleus population in the 4-Ms Chandra Deep Field-South. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 428, 354-369.	1.6	37
183	X-ray spectral analysis of optically faint sources in the Chandra deep fields. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005, 358, 693-704.	1.6	36
184	The quest for Type 2 quasars: Chandra observations of luminous obscured quasars in the Sloan Digital Sky Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2006, 373, 321-329.	1.6	36
185	REVEALING A POPULATION OF HEAVILY OBSCURED ACTIVE GALACTIC NUCLEI AT $z \approx 0.5-1$ IN THE CHANDRA DEEP FIELD-SOUTH. <i>Astrophysical Journal</i> , 2011, 740, 37.	1.6	36
186	SUPER. <i>Astronomy and Astrophysics</i> , 2018, 620, A82.	2.1	36
187	Fe K emission from active galaxies in the COSMOS field. <i>Astronomy and Astrophysics</i> , 2012, 537, A86.	2.1	35
188	THE NuSTAR EXTRAGALACTIC SURVEYS: INITIAL RESULTS AND CATALOG FROM THE EXTENDED CHANDRA DEEP FIELD SOUTH. <i>Astrophysical Journal</i> , 2015, 808, 184.	1.6	35
189	THE CHANDRA COSMOS-LEGACY SURVEY: THE $\sim 3$ SAMPLE. <i>Astrophysical Journal</i> , 2016, 827, 150.	1.6	35
190	Molecular gas content in obscured AGN at $z > 1$ . <i>Astronomy and Astrophysics</i> , 2018, 619, A90.	2.1	35
191	The $5-10$ keV AGN luminosity function at $0.01 < z < 4.0$ . <i>Astronomy and Astrophysics</i> , 2016, 587, A142.	2.1	35
192	Probing the Hard X-ray Properties of High-Redshift Radio-quiet Quasars with ASCA. <i>Astrophysical Journal</i> , 1999, 516, 582-590.	1.6	35
193	Inverse Compton X-rays from the radio galaxy 3C 219. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003, 340, L52-L56.	1.6	34
194	The X-ray luminosity function and number counts of spiral galaxies. <i>Astronomy and Astrophysics</i> , 2005, 440, 23-37.	2.1	34
195	EXOSAT X-ray spectra of quasars. <i>Astrophysical Journal</i> , 1992, 384, 62.	1.6	34
196	Finding rare AGN: X-ray number counts of Chandra sources in Stripe 82. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 432, 1351-1360.	1.6	33
197	The NuSTAR Extragalactic Surveys: X-Ray Spectroscopic Analysis of the Bright Hard-band Selected Sample. <i>Astrophysical Journal</i> , 2018, 854, 33.	1.6	33
198	The 500 ks Chandra observation of the $z \approx 6.31$ QSO SDSS J1030+0524. <i>Astronomy and Astrophysics</i> , 2018, 614, A121.	2.1	33

#	ARTICLE	IF	CITATIONS
199	Compton-thick AGNs in the NuSTAR Era. III. A Systematic Study of the Torus Covering Factor. <i>Astrophysical Journal</i> , 2019, 872, 8.	1.6	33
200	Disclosing the true nature of the Sy <sup>2</sup> galaxy NGC 3281: One more Compton-thick source. <i>Astronomy and Astrophysics</i> , 2002, 381, 834-840.	2.1	31
201	Discovery of the first heavily obscured QSO candidate at $z \approx 6$ in a close galaxy pair. <i>Astronomy and Astrophysics</i> , 2019, 628, L6.	2.1	31
202	The Iron Line Background. <i>Astrophysical Journal</i> , 2005, 621, L5-L8.	1.6	30
203	BeppoSAX observations of Narrow-Line Seyfert 1 galaxies. <i>Astronomy and Astrophysics</i> , 2001, 365, 400-408.	2.1	30
204	On the $L_{\text{X}}/L_{\text{bol}}$ ratio as a diagnostic for Compton-thick AGN. <i>Astronomy and Astrophysics</i> , 2011, 534, A23.	2.1	29
205	Spectral energy distributions of type 1 AGN in XMM-COSMOS II. Shape evolution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 438, 1288-1304.	1.6	29
206	NuSTAR J033202+2746.8: DIRECT CONSTRAINTS ON THE COMPTON REFLECTION IN A HEAVILY OBSCURED QUASAR AT $z \approx 2$ . <i>Astrophysical Journal</i> , 2014, 786, 16.	1.6	29
207	A GROWTH-RATE INDICATOR FOR COMPTON-THICK ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2016, 826, 93.	1.6	29
208	Primordial environment of supermassive black holes. <i>Astronomy and Astrophysics</i> , 2017, 606, A23.	2.1	29
209	A COMPARATIVE ANALYSIS OF VIRIAL BLACK HOLE MASS ESTIMATES OF MODERATE-LUMINOSITY ACTIVE GALACTIC NUCLEI USING SUBARU/FMOS. <i>Astrophysical Journal</i> , 2013, 771, 64.	1.6	28
210	X-ray imaging of the ionisation cones in NGC 5252. <i>Astronomy and Astrophysics</i> , 2010, 516, A9.	2.1	28
211	Extremely Red Objects: An X-Ray Dichotomy. <i>Astrophysical Journal</i> , 2002, 581, L89-L92.	1.6	27
212	The variable ROSAT X-ray spectrum of the BL Lac 0716+714. <i>Monthly Notices of the Royal Astronomical Society</i> , 1994, 271, 438-448.	1.6	26
213	BeppoSAX observations of 1-Jy BL Lacertae objects - I. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001, 328, 931-943.	1.6	26
214	The most obscured AGN in the COSMOS field. <i>Astronomy and Astrophysics</i> , 2015, 578, A120.	2.1	26
215	NuSTAR reveals the extreme properties of the super-Eddington accreting supermassive black hole in PG 1247+267. <i>Astronomy and Astrophysics</i> , 2016, 590, A77.	2.1	26
216	The weak Fe fluorescence line and long-term X-ray evolution of the Compton-thick active galactic nucleus in NGC 7674. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 467, 4606-4621.	1.6	26

#	ARTICLE	IF	CITATIONS
217	The HELLAS2XMM survey. <i>Astronomy and Astrophysics</i> , 2010, 517, A11.	2.1	26
218	Solution of the Einstein-Strauss problem with a $\hat{\nu}$ term. <i>Physical Review D</i> , 1988, 38, 2415-2418.	1.6	25
219	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2015, 583, A141.	2.1	25
220	Mock catalogs for the extragalactic X-ray sky: Simulating AGN surveys with ATHENA and with the AXIS probe. <i>Astronomy and Astrophysics</i> , 2020, 642, A184.	2.1	25
221	SUPER. <i>Astronomy and Astrophysics</i> , 2020, 644, A175.	2.1	25
222	X-Ray Bolometric Corrections for Compton-thick Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2017, 844, 10.	1.6	24
223	Discovery of a galaxy overdensity around a powerful, heavily obscured FR II radio galaxy at $z = 1.7$ : star formation promoted by large-scale AGN feedback?. <i>Astronomy and Astrophysics</i> , 2019, 632, A26.	2.1	24
224	[ITAL]Chandra[/ITAL] Detection of the Radio and Optical Double Hot Spot of 3C 351. <i>Astrophysical Journal</i> , 2001, 561, L157-L160.	1.6	24
225	The HELLAS2XMM survey - XII. The infrared/submillimetre view of an X-ray selected type 2 quasar at $z \approx 2$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2009, 395, 2189-2195.	1.6	23
226	X-ray observations of highly obscured $z \approx 0.7$ $\frac{1}{4} m$ $\hat{A}$ $\hat{A}$ sources: an efficient method for selecting Compton-thick AGN?. <i>Astronomy and Astrophysics</i> , 2011, 531, A116.	2.1	23
227	A quasar "galaxy mixing diagram: quasar spectral energy distribution shapes in the optical to near-infrared. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 434, 3104-3121.	1.6	23
228	The NuSTAR Extragalactic Surveys: Source Catalog and the Compton-thick Fraction in the UDS Field. <i>Astrophysical Journal, Supplement Series</i> , 2018, 235, 17.	3.0	23
229	Web of the giant: Spectroscopic confirmation of a large-scale structure around the $z = 6.31$ quasar SDSS J1030+0524. <i>Astronomy and Astrophysics</i> , 2020, 642, L1.	2.1	23
230	The BeppoSAX View of the X-ray Active Nucleus of NGC 4258. <i>Astrophysical Journal</i> , 2001, 556, 150-157.	1.6	23
231	The XMM-Newton view of IRAS 09104+4109: evidence for a changing-look Type 2 quasar?. <i>Astronomy and Astrophysics</i> , 2007, 473, 85-89.	2.1	22
232	The $M_{\text{BH}} \sim M_{\text{star}}$ relation of obscured AGNs at high redshift. <i>Astronomy and Astrophysics</i> , 2010, 522, L3.	2.1	22
233	The Contribution of AGNs and Star-forming Galaxies to the Mid-Infrared as Revealed by Their Spectral Energy Distributions. <i>Astrophysical Journal</i> , 2008, 684, 136-152.	1.6	21
234	ON R $\hat{A}$ W1 AS A DIAGNOSTIC TO DISCOVER OBSCURED ACTIVE GALACTIC NUCLEI IN WIDE-AREA X-RAY SURVEYS. <i>Astrophysical Journal</i> , 2016, 818, 88.	1.6	21

#	ARTICLE	IF	CITATIONS
235	The 2–10 keV unabsorbed luminosity function of AGN from the LSS, CDFS, and COSMOS surveys. <i>Astronomy and Astrophysics</i> , 2016, 590, A80.	2.1	21
236	Rest-frame stacking of 2XMM catalog sources. <i>Astronomy and Astrophysics</i> , 2012, 537, A6.	2.1	21
237	X-Ray Spectral Properties of Seven Heavily Obscured Seyfert 2 Galaxies. <i>Astrophysical Journal</i> , 2017, 836, 116.	1.6	20
238	The WISSH quasars project. <i>Astronomy and Astrophysics</i> , 2020, 635, L5.	2.1	20
239	The Complex X-ray Absorbers of NGC 3516 Observed by BEPOSAX. <i>Astrophysical Journal</i> , 2000, 544, 283-292.	1.6	20
240	The contribution of AGN to the X-ray background: the effect of iron features. <i>New Astronomy</i> , 1999, 4, 45-57.	0.8	19
241	The XMM-Newton survey of the ELAIS-S1 field. <i>Astronomy and Astrophysics</i> , 2008, 488, 417-428.	2.1	19
242	SPECTROSCOPIC IDENTIFICATIONS OF SPITZER SOURCES IN THE SWIRE/XMM-NEWTON/ELAIS-S1 FIELD: A LARGE FRACTION OF ACTIVE GALACTIC NUCLEI WITH HIGH $F(24 \mu\text{m})/F(\text{R})$ RATIO. <i>Astrophysical Journal</i> , 2009, 703, 1778-1790.	1.6	19
243	EDGE: Explorer of diffuse emission and gamma-ray burst explosions. <i>Experimental Astronomy</i> , 2009, 23, 67-89.	1.6	19
244	The HELLAS2XMM survey. <i>Astronomy and Astrophysics</i> , 2006, 445, 457-463.	2.1	19
245	Compton-thick AGN in the NuSTAR Era VI: The Observed Compton-thick Fraction in the Local Universe. <i>Astrophysical Journal</i> , 2021, 922, 252.	1.6	19
246	Evidence for X-ray obscuration in Type II quasar candidates from the Sloan Digital Sky Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 354, 720-726.	1.6	18
247	X-ray observations of sub-mm LABOCA galaxies in the eCDFS. <i>Astronomy and Astrophysics</i> , 2011, 526, A46.	2.1	18
248	X-ray detected infrared excess AGN in the Chandra deep fields: a moderate fraction of Compton-thick sources. <i>Astronomy and Astrophysics</i> , 2011, 526, A86.	2.1	18
249	The space density of Compton-thick AGN at $z < 0.8$ in the zCOSMOS-Bright Survey. <i>Astronomy and Astrophysics</i> , 2014, 571, A34.	2.1	18
250	The NuSTAR Extragalactic Survey: Average Broadband X-Ray Spectral Properties of the NuSTAR-detected AGNs. <i>Astrophysical Journal</i> , 2017, 849, 57.	1.6	18
251	NuSTAR Measurement of Coronal Temperature in Two Luminous, High-redshift Quasars. <i>Astrophysical Journal Letters</i> , 2019, 875, L20.	3.0	18
252	Properties of the integrated spectrum of serendipitous 2XMM catalog sources. <i>Astronomy and Astrophysics</i> , 2010, 518, A58.	2.1	18

#	ARTICLE	IF	CITATIONS
253	Anisotropic inverse Compton emission in the radio galaxy 3C 265. Monthly Notices of the Royal Astronomical Society, 2004, 354, L43-L47.	1.6	17
254	Evolution of the X-ray luminosity in young H&fii galaxies. Monthly Notices of the Royal Astronomical Society, 2009, 399, 487-496.	1.6	17
255	<i>Chandra</i> and <i>Magellan</i>/FIRE follow-up observations of PSO167&acirc;13: An X-ray weak QSO at <i>z</i> = 6.515. Astronomy and Astrophysics, 2021, 649, A133.	2.1	17
256	On the nature of the X-ray absorption in the Seyfert 2 galaxy NGC 4507. Monthly Notices of the Royal Astronomical Society, 1998, 295, 443-450.	1.6	16
257	BeppoSAX observations of the Seyfert 2 galaxies NGC 7172 and ESO 103-G35. Monthly Notices of the Royal Astronomical Society, 2001, 324, 521-528.	1.6	16
258	XMM-Newton Spectroscopy of the Highly Polarized and Luminous Broad Absorption Line Quasar CSO 755. Astronomical Journal, 2005, 130, 2522-2528.	1.9	16
259	The XMM-SERVS Survey: XMM-Newton Point-source Catalogs for the W-CDF-S and ELAIS-S1 Fields. Astrophysical Journal, Supplement Series, 2021, 256, 21.	3.0	16
260	\$\vec{\text{BeppoSAX}}\$ observations of LINER-2 galaxies. Astronomy and Astrophysics, 2002, 386, 60-68.	2.1	16
261	Hidden activity in high-redshift spheroidal galaxies from mid-infrared and X-ray observations in the GOODS-North field. Monthly Notices of the Royal Astronomical Society, 2007, 376, 416-434.	1.6	15
262	Ultraluminous X-ray sources out to <i>z</i> ~ 0.3 in the COSMOS field. Astronomy and Astrophysics, 2010, 514, A85.	2.1	15
263	Connecting X-ray nuclear winds with galaxy-scale ionised outflows in two <i>z</i> &lt;math>\sim 1.5</math> lensed quasars. Astronomy and Astrophysics, 2021, 648, A99.	2.1	15
264	The XMM Deep survey in the CDF-S. Astronomy and Astrophysics, 2013, 555, A79.	2.1	15
265	The BeppoSAX High Energy Large Area Survey. Astronomy and Astrophysics, 2001, 370, 900-908.	2.1	15
266	X-Rays from the Highly Polarized Broad Absorption Line QSO CSO 755. Astrophysical Journal, 1999, 525, L69-L72.	1.6	15
267	The BeppoSAX High Energy Large Area Survey (HELLAS) – VI. The radio properties. Monthly Notices of the Royal Astronomical Society, 2003, 342, 575-586.	1.6	13
268	X-ray observations of dust obscured galaxies in the <i>Chandra</i> deep field south. Astronomy and Astrophysics, 2016, 592, A109.	2.1	13
269	Compton-thick AGNs in the NuSTAR Era. V. Joint NuSTAR and XMM-Newton Spectral Analysis of Three &lt;math>\text{e}^{-}</math>Soft-gamma Candidate CT-AGNs in the Swift/BAT 100-month Catalog. Astrophysical Journal, 2019, 882, 162.	1.6	13
270	Unconventional AGN in hard X-ray surveys. Astronomische Nachrichten, 2003, 324, 28-31.	0.6	12



#	ARTICLE	IF	CITATIONS
271	A broad iron $K\alpha$ line at $z=1.146$ . Monthly Notices of the Royal Astronomical Society, 2004, 351, L9-L13.	1.6	12
272	Compton Thick AGN in the <i>Suzaku</i> Era. Progress of Theoretical Physics Supplement, 2007, 169, 274-277.	0.2	12
273	The XMM deep survey in the CDF-S. Astronomy and Astrophysics, 2013, 556, A114.	2.1	12
274	X-Ray Redshifts for Obscured AGN: A Case Study in the J1030 Deep Field. Astrophysical Journal, 2021, 906, 90.	1.6	12
275	<i>Suzaku</i> observation of the Phoenix galaxy. Astronomy and Astrophysics, 2009, 496, 653-658.	2.1	12
276	Optical, near-infrared and hard X-ray observations of SAX J1353.9+1820: a red quasar. Monthly Notices of the Royal Astronomical Society, 2000, 314, L11-L15.	1.6	11
277	<i>BeppoSAX</i> view of NGC 526A: A Seyfert 1.9 galaxy with a flat spectrum. Astronomy and Astrophysics, 2001, 379, 46-53.	2.1	11
278	On the X-ray properties of OH megamaser sources: Chandra snapshot observations. Monthly Notices of the Royal Astronomical Society, 2005, 364, 99-106.	1.6	11
279	X-ray properties of radio-selected star forming galaxies in the <i>Chandra</i> -COSMOS survey. Astronomy and Astrophysics, 2012, 542, A16.	2.1	11
280	The XMM deep survey in the CDFS. Astronomy and Astrophysics, 2020, 639, A51.	2.1	11
281	The hard X-ray view of the low-luminosity blazar in the radio galaxy NGC 6251. Astronomy and Astrophysics, 2003, 410, 131-138.	2.1	11
282	Piercing through Highly Obscured and Compton-thick AGNs in the Chandra Deep Fields. II. Are Highly Obscured AGNs the Missing Link in the Merger-triggered AGN "Galaxy Coevolution Models?". Astrophysical Journal, 2020, 903, 49.	1.6	11
283	The deep <i>Chandra</i> survey in the SDSS J1030+0524 field. Astronomy and Astrophysics, 2020, 637, A52.	2.1	10
284	<i>BeppoSAX</i> /PDS identification of the true counterpart of the Piccinotti source H0917-074. Astronomy and Astrophysics, 2002, 394, 801-805.	2.1	10
285	Extragalactic X-ray surveys: AGN physics and evolution. Astronomische Nachrichten, 2008, 329, 122-126.	0.6	9
286	Probing black hole accretion in quasar pairs at high redshift. Monthly Notices of the Royal Astronomical Society, 2018, 477, 780-790.	1.6	9
287	HEXIT-SAT: a mission concept for x-ray grazing incidence telescopes from 0.5 to 70 keV. , 2004, , .		9
288	The <i>BeppoSAX</i> view of NLS1s. New Astronomy Reviews, 2000, 44, 403-410.	5.2	8

#	ARTICLE	IF	CITATIONS
289	The Density and Masses of Obscured Black Holes. <i>Astrophysics and Space Science</i> , 2004, 294, 63-69.	0.5	8
290	XEUS: the physics of the hot evolving universe. <i>Experimental Astronomy</i> , 2009, 23, 139-168.	1.6	8
291	THE XMM-NEWTON SPECTRUM OF A CANDIDATE RECOILING SUPERMASSIVE BLACK HOLE: AN ELUSIVE INVERTED P-CYgni PROFILE. <i>Astrophysical Journal</i> , 2013, 778, 62.	1.6	8
292	BeppoSAX observations of the TeV Blazar Mkn 421. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 1999, 69, 423-426.	0.5	7
293	XEUS: the x-ray evolving universe spectroscopy mission. , 2003, 4851, 304.		7
294	The new XEUS science case. , 2006, , .		7
295	Rolling down from the 30 keV peak: Modelling the Hard X-Ray and $\hat{1}^3$ -Ray Backgrounds. <i>Experimental Astronomy</i> , 2006, 20, 41-47.	1.6	7
296	The XMM Deep Survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2015, 574, A49.	2.1	7
297	Measuring the Obscuring Column of a Disk Megamaser AGN in a Nearby Merger. <i>Astrophysical Journal</i> , 2019, 882, 83.	1.6	7
298	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2015, 574, A144.	2.1	7
299	<i>ROSAT</i> observations of radio-selected BL Lac objects. <i>Monthly Notices of the Royal Astronomical Society</i> , 0, , .	1.6	6
300	On the nature of red galaxies: the Chandra perspective. <i>Astronomy and Astrophysics</i> , 2009, 501, 485-494.	2.1	6
301	ORIGIN: metal creation and evolution from the cosmic dawn. <i>Experimental Astronomy</i> , 2012, 34, 519-549.	1.6	6
302	The Phoenix galaxy as seen by NuSTAR. <i>Astronomy and Astrophysics</i> , 2017, 597, A100.	2.1	6
303	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2017, 608, A32.	2.1	6
304	The NuSTAR Extragalactic Surveys: Unveiling Rare, Buried AGNs and Detecting the Contributors to the Peak of the Cosmic X-Ray Background. <i>Astrophysical Journal</i> , 2018, 867, 162.	1.6	6
305	Testing the paradigm: First spectroscopic evidence of a quasar galaxy Mpc-scale association at cosmic dawn. <i>Astronomy and Astrophysics</i> , 2019, 631, L10.	2.1	6
306	The properties of the X-ray corona in the distant ( $z = 3.91$ ) quasar APM 08279+5255. <i>Astronomy and Astrophysics</i> , 2022, 662, A98.	2.1	6

#	ARTICLE	IF	CITATIONS
307	The BeppoSAX deep surveys. Nuclear Physics, Section B, Proceedings Supplements, 1999, 69, 591-599.	0.5	5
308	EDGE: explorer of diffuse emission and gamma-ray burst explosions. , 2007, , .		5
309	Simulations of X-Ray Telescopes for eROSITA and IXO. , 2010, , .		4
310	Inferring Compton-thick AGN candidates at $z \gtrsim 2$ with Chandra using the $>8 \text{ keV}$ rest-frame spectral curvature. Monthly Notices of the Royal Astronomical Society, 2017, 471, 364-372.	1.6	4
311	The active nucleus of the ULIRG IRAS F00183-7111 viewed by <i>NuSTAR</i> . Astronomy and Astrophysics, 2017, 606, A117.	2.1	4
312	THE MISSING X-RAY BACKGROUND. , 2004, , .		4
313	Multiwavelength perspective of AGN evolution. AIP Conference Proceedings, 2010, , .	0.3	3
314	The Sources of the Hard X-ray Background. , 1996, , 263-270.		3
315	Should we see iron features in the AGN model of the X-ray background?. Astronomische Nachrichten, 1998, 319, 65-65.	0.6	2
316	BeppoSAX observations of 1 Jy BL lacertae objects. Nuclear Physics, Section B, Proceedings Supplements, 1999, 69, 431-434.	0.5	2
317	BeppoSAX observations of 3C 279. Nuclear Physics, Section B, Proceedings Supplements, 1999, 69, 453-456.	0.5	2
318	BeppoSAX observations of the Seyfert 1 galaxy NGC 3516. Nuclear Physics, Section B, Proceedings Supplements, 1999, 69, 505-508.	0.5	2
319	The NH distribution of Seyfert 2 galaxies and the X-ray background. Advances in Space Research, 2000, 25, 809-814.	1.2	2
320	A qualitative test of a unified model of Seyfert galaxies with BeppoSAX. Advances in Space Research, 2000, 25, 815-818.	1.2	2
321	The BeppoSAX view of the hard X-ray background. Advances in Space Research, 2000, 25, 833-838.	1.2	2
322	XEUS-the X-ray evolving universe spectroscopy mission. AIP Conference Proceedings, 2001, , .	0.3	2
323	High-Energy Large-Area Surveys: From BeppoSAX to Chandra and XMM. , 0, , 271-276.		2
324	The AGN Content of Hard X-ray Surveys. International Astronomical Union Colloquium, 2002, 184, 235-244.	0.1	2

#	ARTICLE	IF	CITATIONS
325	Unveiling the powerful quasar hidden in the nucleus of the FR II radio galaxy 3C 265. <i>New Astronomy Reviews</i> , 2003, 47, 443-445.	5.2	2
326	The evolution of obscured accretion. , 2010, , .		2
327	Chandra Follow-up Observations of Swift-BAT-selected AGNs II. <i>Astrophysical Journal</i> , 2022, 932, 43.	1.6	2
328	FSRQ and the Gamma-Ray Background. Symposium - International Astronomical Union, 1996, 175, 595-596.	0.1	1
329	BeppoSAX observations of PKS 0528+134. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 1999, 69, 427-430.	0.5	1
330	What's wrong with AGN models for the X-ray background?. <i>AIP Conference Proceedings</i> , 2001, , .	0.3	1
331	The BeppoSAX hellas survey: On the nature of faint hard X-ray selected sources. <i>AIP Conference Proceedings</i> , 2001, , .	0.3	1
332	Extended X-ray Emission from FRIs and RL Quasars. Symposium - International Astronomical Union, 2002, 199, 227-230.	0.1	1
333	Studying the evolution of the hot universe with the X-ray evolving universe spectroscopy mission "XEU". <i>Advances in Space Research</i> , 2004, 34, 2623-2627.	1.2	1
334	Probing BH mass and accretion through X-ray variability in the CDFS. , 2010, , .		1
335	X-ray gaseous emission in star forming galaxies. , 2010, , .		1
336	<i>NuSTAR</i> reveals that the heavily obscured nucleus of NGC 2785 was the contaminant of IRAS 09104+4109 in the <i>Beppo</i>SAX/PDS hard X-rays. <i>Astronomy and Astrophysics</i> , 2018, 619, A16.	2.1	1
337	Relativistic Iron Lines at High Redshifts. , 2007, , 202-206.		1
338	The Sources of the Hard X-Ray Background. Symposium - International Astronomical Union, 1996, 168, 263-270.	0.1	0
339	X-Ray Properties of High-Z Radio-Quiet Quasars: <i>ASCA</i> Observations. Symposium - International Astronomical Union, 1998, 188, 426-427.	0.1	0
340	X-ray observations of high-z radio loud/quiet quasars. <i>Advances in Space Research</i> , 1999, 23, 1151-1154.	1.2	0
341	What can BeppoSAX tell us about X-ray spectra of BL Lacs?. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 1999, 69, 411-414.	0.5	0
342	Probing the extremes of Seyfert activity: BeppoSAX observations of Narrow-Line Seyfert 1 galaxies. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 1999, 69, 523-528.	0.5	0

#	ARTICLE	IF	CITATIONS
343	1H0419-577: A two-state Seyfert galaxy?. Nuclear Physics, Section B, Proceedings Supplements, 1999, 69, 533-536.	0.5	0
344	BeppoSAX broad-band spectra of Seyfert 2 galaxies. Nuclear Physics, Section B, Proceedings Supplements, 1999, 69, 542-545.	0.5	0
345	New ASCA perspectives on high-redshift quasars. Advances in Space Research, 2000, 25, 861-866.	1.2	0
346	The complex and variable absorption of NGC 3516 observed by BeppoSAX. AIP Conference Proceedings, 2001, , .	0.3	0
347	Weighing the black hole in the narrow-line Seyfert 1 galaxy, RE J1034+396. AIP Conference Proceedings, 2001, , .	0.3	0
348	Flaring blazars with BeppoSAX. AIP Conference Proceedings, 2001, , .	0.3	0
349	ASCA view on high-redshift radio-quiet quasars. AIP Conference Proceedings, 2001, , .	0.3	0
350	Restless quasar activity: from BeppoSAX to Chandra and XMM-Newton. Nuclear Physics, Section B, Proceedings Supplements, 2004, 132, 248-251.	0.5	0
351	The obscured X-ray source population in the HELLAS2XMM survey: the Spitzer view. , 2007, , .		0
352	The Cosmic X-ray Background at the peak of its emission: new results and implications. AIP Conference Proceedings, 2008, , .	0.3	0
353	Simbol-X Core Science in a Context. , 2009, , .		0
354	The Infrared View of Luminous X-ray Selected Type 2 Quasars, and Coeval Nuclear Activity and Star Formation at $z \approx 2$ . , 2009, , .		0
355	Resolved Mid-Infrared Imaging of AGN: An Isotropic Measure of Intrinsic Power. Proceedings of the International Astronomical Union, 2009, 5, 108-108.	0.0	0
356	The Large-scale Structure in the Chandra Deep Field South. Proceedings of the International Astronomical Union, 2010, 6, 333-336.	0.0	0
357	Type 2 Quasars at the heart of dust-obscured galaxies (DOGs) at high $z$ . , 2010, , .		0
358	A "Pandora" box of galaxies. , 2010, , .		0
359	Resolved mid-infrared imaging of AGN: an isotropic measure of intrinsic power. , 2010, , .		0
360	A wide search of obscured Active Galactic Nuclei using XMM-Newton and WISE. Proceedings of the International Astronomical Union, 2013, 9, 245-246.	0.0	0

#	ARTICLE	IF	CITATIONS
361	The <scp>XMM</scp> deep survey in the Chandra Deep Field South. <i>Astronomische Nachrichten</i> , 2017, 338, 311-315.	0.6	0
362	Rolling down from the 30 keV peak: Modelling the hard X-ray and $\hat{\text{I}}^3$ -ray backgrounds. , 2006, , 41-47.		0
363	X-Ray Properties of High-Z Radio-Quiet Quasars: ASCA Observations. , 1998, , 426-427.		0