

Andrea Comastri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8833387/publications.pdf>

Version: 2024-02-01

363
papers

26,990
citations

5558

82
h-index

7333

152
g-index

369
all docs

369
docs citations

369
times ranked

8521
citing authors

#	ARTICLE	IF	CITATIONS
1	The properties of the X-ray corona in the distant ($z = 3.91$) quasar APM 08279+5255. <i>Astronomy and Astrophysics</i> , 2022, 662, A98.	2.1	6
2	Chandra Follow-up Observations of Swift-BAT-selected AGNs II. <i>Astrophysical Journal</i> , 2022, 932, 43.	1.6	2
3	Connecting X-ray nuclear winds with galaxy-scale ionised outflows in two $z \sim 1.5$ lensed quasars. <i>Astronomy and Astrophysics</i> , 2021, 648, A99.	2.1	15
4	Chandra and Magellan/FIRE follow-up observations of PSO167-13: An X-ray weak QSO at $z = 6.515$. <i>Astronomy and Astrophysics</i> , 2021, 649, A133.	2.1	17
5	The XMM-SERVS Survey: XMM-Newton Point-source Catalogs for the W-CDF-S and ELAIS-S1 Fields. <i>Astrophysical Journal, Supplement Series</i> , 2021, 256, 21.	3.0	16
6	X-Ray Redshifts for Obscured AGN: A Case Study in the J1030 Deep Field. <i>Astrophysical Journal</i> , 2021, 906, 90.	1.6	12
7	Compton-thick AGN in the NuSTAR Era VI: The Observed Compton-thick Fraction in the Local Universe. <i>Astrophysical Journal</i> , 2021, 922, 252.	1.6	19
8	Ionizing the intergalactic medium by star clusters: the first empirical evidence. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 491, 1093-1103.	1.6	77
9	The deep Chandra survey in the SDSS J1030+0524 field. <i>Astronomy and Astrophysics</i> , 2020, 637, A52.	2.1	10
10	Web of the giant: Spectroscopic confirmation of a large-scale structure around the $z = 6.31$ quasar SDSS J1030+0524. <i>Astronomy and Astrophysics</i> , 2020, 642, L1.	2.1	23
11	The WISSH quasars project. <i>Astronomy and Astrophysics</i> , 2020, 635, L5.	2.1	20
12	The XMM deep survey in the CDFS. <i>Astronomy and Astrophysics</i> , 2020, 639, A51.	2.1	11
13	SUPER. <i>Astronomy and Astrophysics</i> , 2020, 642, A147.	2.1	61
14	Mock catalogs for the extragalactic X-ray sky: Simulating AGN surveys with ATHENA and with the AXIS probe. <i>Astronomy and Astrophysics</i> , 2020, 642, A184.	2.1	25
15	SUPER. <i>Astronomy and Astrophysics</i> , 2020, 644, A175.	2.1	25
16	Piercing through Highly Obscured and Compton-thick AGNs in the Chandra Deep Fields. II. Are Highly Obscured AGNs the Missing Link in the Merger-triggered AGN Galaxy Coevolution Models?. <i>Astrophysical Journal</i> , 2020, 903, 49.	1.6	11
17	NuSTAR Survey of Obscured Swift/BAT-selected Active Galactic Nuclei. II. Median High-energy Cutoff in Seyfert II Hard X-Ray Spectra. <i>Astrophysical Journal</i> , 2020, 905, 41.	1.6	40
18	Measuring the Obscuring Column of a Disk Megamaser AGN in a Nearby Merger. <i>Astrophysical Journal</i> , 2019, 882, 83.	1.6	7

#	ARTICLE	IF	CITATIONS
19	Discovery of the first heavily obscured QSO candidate at $z \approx 6$ in a close galaxy pair. <i>Astronomy and Astrophysics</i> , 2019, 628, L6.	2.1	31
20	Compton-thick AGNs in the NuSTAR Era. III. A Systematic Study of the Torus Covering Factor. <i>Astrophysical Journal</i> , 2019, 872, 8.	1.6	33
21	NuSTAR Measurement of Coronal Temperature in Two Luminous, High-redshift Quasars. <i>Astrophysical Journal Letters</i> , 2019, 875, L20.	3.0	18
22	Testing the paradigm: First spectroscopic evidence of a quasar-galaxy Mpc-scale association at cosmic dawn. <i>Astronomy and Astrophysics</i> , 2019, 631, L10.	2.1	6
23	Discovery of a galaxy overdensity around a powerful, heavily obscured FR II radio galaxy at $z = 1.7$: star formation promoted by large-scale AGN feedback?. <i>Astronomy and Astrophysics</i> , 2019, 632, A26.	2.1	24
24	The X-ray properties of $z \approx 6$ quasars: no evident evolution of accretion physics in the first Gyr of the Universe. <i>Astronomy and Astrophysics</i> , 2019, 630, A118.	2.1	71
25	Compton-thick AGNs in the NuSTAR Era. V. Joint NuSTAR and XMM-Newton Spectral Analysis of Three α -Soft-gamma-Candidate CT-AGNs in the Swift/BAT 100-month Catalog. <i>Astrophysical Journal</i> , 2019, 882, 162.	1.6	13
26	Heavy X-ray obscuration in the most luminous galaxies discovered by WISE. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 474, 4528-4540.	1.6	44
27	The NuSTAR Extragalactic Surveys: X-Ray Spectroscopic Analysis of the Bright Hard-band Selected Sample. <i>Astrophysical Journal</i> , 2018, 854, 33.	1.6	33
28	Compton-thick AGNs in the NuSTAR Era. <i>Astrophysical Journal</i> , 2018, 854, 49.	1.6	63
29	New Spectral Model for Constraining Torus Covering Factors from Broadband X-Ray Spectra of Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2018, 854, 42.	1.6	161
30	The NuSTAR Extragalactic Surveys: Source Catalog and the Compton-thick Fraction in the UDS Field. <i>Astrophysical Journal, Supplement Series</i> , 2018, 235, 17.	3.0	23
31	Direct Lyman continuum and Ly α escape observed at redshift 4. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 476, L15-L19.	1.2	128
32	SUPER. <i>Astronomy and Astrophysics</i> , 2018, 620, A82.	2.1	36
33	NuSTAR reveals that the heavily obscured nucleus of NGC 2785 was the contaminant of IRAS 09104+4109 in the BeppoSAX/PDS hard X-rays. <i>Astronomy and Astrophysics</i> , 2018, 619, A16.	2.1	1
34	Molecular outflow and feedback in the obscured quasar XID2028 revealed by ALMA. <i>Astronomy and Astrophysics</i> , 2018, 612, A29.	2.1	70
35	The NuSTAR Extragalactic Surveys: Unveiling Rare, Buried AGNs and Detecting the Contributors to the Peak of the Cosmic X-Ray Background. <i>Astrophysical Journal</i> , 2018, 867, 162.	1.6	6
36	The WISSH quasars project. <i>Astronomy and Astrophysics</i> , 2018, 617, A81.	2.1	86

#	ARTICLE	IF	CITATIONS
37	Molecular gas content in obscured AGN at $z > 1$. <i>Astronomy and Astrophysics</i> , 2018, 619, A90.	2.1	35
38	The Chandra COSMOS Legacy Survey: Compton thick AGN at high redshift. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 480, 2578-2592.	1.6	49
39	Probing black hole accretion in quasar pairs at high redshift. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 477, 780-790.	1.6	9
40	High-redshift AGN in the Chandra Deep Fields: the obscured fraction and space density of the sub-L* population. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 473, 2378-2406.	1.6	110
41	The THESEUS space mission concept: science case, design and expected performances. <i>Advances in Space Research</i> , 2018, 62, 191-244.	1.2	133
42	The 500Ås <i>Chandra</i> observation of the $z = 6.31$ QSO SDSS J1030+0524. <i>Astronomy and Astrophysics</i> , 2018, 614, A121.	2.1	33
43	X-UDS: The <i>Chandra</i> Legacy Survey of the UKIDSS Ultra Deep Survey Field. <i>Astrophysical Journal, Supplement Series</i> , 2018, 236, 48.	3.0	55
44	THE CHANDRA DEEP FIELD-SOUTH SURVEY: 7 MS SOURCE CATALOGS. <i>Astrophysical Journal, Supplement Series</i> , 2017, 228, 2.	3.0	337
45	NuSTAR OBSERVATIONS OF WISE J1036+0449, A GALAXY AT $z \approx 1$ OBSCURED BY HOT DUST. <i>Astrophysical Journal</i> , 2017, 835, 105.	1.6	55
46	The Chandra COSMOS Legacy Survey: Energy Spectrum of the Cosmic X-Ray Background and Constraints on Undetected Populations. <i>Astrophysical Journal</i> , 2017, 837, 19.	1.6	71
47	The NuSTAR Serendipitous Survey: The 40-month Catalog and the Properties of the Distant High-energy X-Ray Source Population. <i>Astrophysical Journal</i> , 2017, 836, 99.	1.6	49
48	A new, faint population of X-ray transients. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 467, 4841-4857.	1.6	46
49	Magnifying the Early Episodes of Star Formation: Super Star Clusters at Cosmological Distances*. <i>Astrophysical Journal</i> , 2017, 842, 47.	1.6	68
50	The <i>XMM</i> deep survey in the Chandra Deep Field South. <i>Astronomische Nachrichten</i> , 2017, 338, 311-315.	0.6	0
51	X-Ray Bolometric Corrections for Compton-thick Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2017, 844, 10.	1.6	24
52	The NuSTAR Extragalactic Survey: Average Broadband X-Ray Spectral Properties of the NuSTAR-detected AGNs. <i>Astrophysical Journal</i> , 2017, 849, 57.	1.6	18
53	Active galactic nuclei vs. host galaxy properties in the COSMOS field. <i>Astronomy and Astrophysics</i> , 2017, 602, A123.	2.1	75
54	Inferring Compton-thick AGN candidates at $z > 2$ with Chandra using the > 8 keV rest-frame spectral curvature. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 471, 364-372.	1.6	4

#	ARTICLE	IF	CITATIONS
55	The weak Fe fluorescence line and long-term X-ray evolution of the Compton-thick active galactic nucleus in NGC 7674. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 467, 4606-4621.	1.6	26
56	The NuSTAR Serendipitous Survey: Hunting for the Most Extreme Obscured AGN at >10 keV. <i>Astrophysical Journal</i> , 2017, 846, 20.	1.6	46
57	X-Ray Spectral Analyses of AGNs from the 7Ms Chandra Deep Field-South Survey: The Distribution, Variability, and Evolutions of AGN Obscuration. <i>Astrophysical Journal, Supplement Series</i> , 2017, 232, 8.	3.0	52
58	X-Ray Spectral Properties of Seven Heavily Obscured Seyfert 2 Galaxies. <i>Astrophysical Journal</i> , 2017, 836, 116.	1.6	20
59	Tracing the accretion history of supermassive black holes through X-ray variability: results from the Chandra Deep Field-South. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 471, 4398-4411.	1.6	42
60	The Phoenix galaxy as seen by NuSTAR. <i>Astronomy and Astrophysics</i> , 2017, 597, A100.	2.1	6
61	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2017, 608, A32.	2.1	6
62	Primordial environment of supermassive black holes. <i>Astronomy and Astrophysics</i> , 2017, 606, A23.	2.1	29
63	The active nucleus of the ULIRG IRAS F00183-7111 viewed by NuSTAR. <i>Astronomy and Astrophysics</i> , 2017, 606, A117.	2.1	4
64	The WISSH quasars project. <i>Astronomy and Astrophysics</i> , 2017, 598, A122.	2.1	133
65	CHANDRA COUNTERPARTS OF CANDELS GOODS-S SOURCES. <i>Astrophysical Journal</i> , 2016, 823, 95.	1.6	44
66	ON R _{W1} AS A DIAGNOSTIC TO DISCOVER OBSCURED ACTIVE GALACTIC NUCLEI IN WIDE-AREA X-RAY SURVEYS. <i>Astrophysical Journal</i> , 2016, 818, 88.	1.6	21
67	X-ray observations of dust obscured galaxies in the Chandra deep field south. <i>Astronomy and Astrophysics</i> , 2016, 592, A109.	2.1	13
68	An extreme [O III] emitter at $z = 3.2$: a low metallicity Lyman continuum source. <i>Astronomy and Astrophysics</i> , 2016, 585, A51.	2.1	147
69	The ASTRODEEP Frontier Fields catalogues. <i>Astronomy and Astrophysics</i> , 2016, 590, A30.	2.1	90
70	A fast ionised wind in a star-forming quasar system at $z \sim 1.5$ resolved through adaptive optics assisted near-infrared data. <i>Astronomy and Astrophysics</i> , 2016, 588, A58.	2.1	42
71	THE 31 DEGS ² RELEASE OF THE STRIPE 82 X-RAY SURVEY: THE POINT SOURCE CATALOG. <i>Astrophysical Journal</i> , 2016, 817, 172.	1.6	69
72	HUBBLE IMAGING OF THE IONIZING RADIATION FROM A STAR-FORMING GALAXY AT $Z = 3.2$ WITH *. <i>Astrophysical Journal</i> , 2016, 825, 41.	1.6	151

#	ARTICLE	IF	CITATIONS
73	HIGH-RESOLUTION SPECTROSCOPY OF A YOUNG, LOW-METALLICITY OPTICALLY THIN $L = 0.02L^*$ STAR-FORMING GALAXY AT $z = 3.12^*$. <i>Astrophysical Journal Letters</i> , 2016, 821, L27.	3.0	91
74	The ASTRODEEP Frontier Fields catalogues. <i>Astronomy and Astrophysics</i> , 2016, 590, A31.	2.1	101
75	<i>NuSTAR</i> reveals the extreme properties of the super-Eddington accreting supermassive black hole in PG 1247+267. <i>Astronomy and Astrophysics</i> , 2016, 590, A77.	2.1	26
76	The $2\text{--}10$ keV unabsorbed luminosity function of AGN from the LSS, CDFS, and COSMOS surveys. <i>Astronomy and Astrophysics</i> , 2016, 590, A80.	2.1	21
77	THE CHANDRA COSMOS-LEGACY SURVEY: SOURCE X-RAY SPECTRAL PROPERTIES. <i>Astrophysical Journal</i> , 2016, 830, 100.	1.6	93
78	Fast outflows and star formation quenching in quasar host galaxies. <i>Astronomy and Astrophysics</i> , 2016, 591, A28.	2.1	116
79	Hard X-ray emission of the luminous infrared galaxy NGC 6240 as observed by NuSTAR. <i>Astronomy and Astrophysics</i> , 2016, 585, A157.	2.1	39
80	NuSTAR observations of water megamaser AGN. <i>Astronomy and Astrophysics</i> , 2016, 589, A59.	2.1	61
81	THE CHANDRA COSMOS LEGACY SURVEY: OPTICAL/IR IDENTIFICATIONS. <i>Astrophysical Journal</i> , 2016, 817, 34.	1.6	242
82	THE CHANDRA COSMOS-LEGACY SURVEY: THE $z > 3$ SAMPLE. <i>Astrophysical Journal</i> , 2016, 827, 150.	1.6	35
83	Observational Signatures of High-Redshift Quasars and Local Relics of Black Hole Seeds. <i>Publications of the Astronomical Society of Australia</i> , 2016, 33, .	1.3	61
84	THE NuSTAR EXTRAGALACTIC SURVEYS: THE NUMBER COUNTS OF ACTIVE GALACTIC NUCLEI AND THE RESOLVED FRACTION OF THE COSMIC X-RAY BACKGROUND. <i>Astrophysical Journal</i> , 2016, 831, 185.	1.6	63
85	The deepest X-ray view of high-redshift galaxies: constraints on low-rate black hole accretion. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 463, 348-374.	1.6	64
86	A GROWTH-RATE INDICATOR FOR COMPTON-THICK ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2016, 826, 93.	1.6	29
87	THE CHANDRA COSMOS LEGACY SURVEY: OVERVIEW AND POINT SOURCE CATALOG. <i>Astrophysical Journal</i> , 2016, 819, 62.	1.6	348
88	The $5\text{--}10$ keV AGN luminosity function at $0.01 < z < 4.0$. <i>Astronomy and Astrophysics</i> , 2016, 587, A142.	2.1	35
89	A NEW POPULATION OF COMPTON-THICK AGNs IDENTIFIED USING THE SPECTRAL CURVATURE ABOVE 10 keV. <i>Astrophysical Journal</i> , 2016, 825, 85.	1.6	101
90	<i>NuSTAR</i> REVEALS EXTREME ABSORPTION IN $z < 0.5$ TYPE 2 QUASARS. <i>Astrophysical Journal</i> , 2015, 809, 115.	1.6	62

#	ARTICLE	IF	CITATIONS
91	BROADBAND OBSERVATIONS OF THE COMPTON-THICK NUCLEUS OF NGC 3393. <i>Astrophysical Journal</i> , 2015, 807, 149.	1.6	58
92	<i>NuSTAR</i> SPECTROSCOPY OF MULTI-COMPONENT X-RAY REFLECTION FROM NGC 1068. <i>Astrophysical Journal</i> , 2015, 812, 116.	1.6	117
93	A <i>NuSTAR</i> SURVEY OF NEARBY ULTRALUMINOUS INFRARED GALAXIES. <i>Astrophysical Journal</i> , 2015, 814, 56.	1.6	63
94	Ionised outflows in <i>z</i> ~ 2.4 quasar host galaxies. <i>Astronomy and Astrophysics</i> , 2015, 580, A102.	2.1	161
95	THE <i>NuSTAR</i> EXTRAGALACTIC SURVEY: FIRST DIRECT MEASUREMENTS OF THE ~ 310 keV X-RAY LUMINOSITY FUNCTION FOR ACTIVE GALACTIC NUCLEI AT <i>z</i> > 0.1. <i>Astrophysical Journal</i> , 2015, 815, 66.	1.6	50
96	The most obscured AGN in the COSMOS field. <i>Astronomy and Astrophysics</i> , 2015, 578, A120.	2.1	26
97	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2015, 583, A141.	2.1	25
98	The XMM Deep Survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2015, 574, A49.	2.1	7
99	Mass without radiation: Heavily obscured AGNs, the X-ray background, and the black hole mass density. <i>Astronomy and Astrophysics</i> , 2015, 574, L10.	2.1	46
100	Compton thick AGN in the XMM-COSMOS survey. <i>Astronomy and Astrophysics</i> , 2015, 573, A137.	2.1	77
101	THE <i>NuSTAR</i> EXTRAGALACTIC SURVEYS: OVERVIEW AND CATALOG FROM THE COSMOS FIELD. <i>Astrophysical Journal</i> , 2015, 808, 185.	1.6	56
102	THE <i>NuSTAR</i> EXTRAGALACTIC SURVEYS: INITIAL RESULTS AND CATALOG FROM THE EXTENDED <i>CHANDRA</i> DEEP FIELD SOUTH. <i>Astrophysical Journal</i> , 2015, 808, 184.	1.6	35
103	DETERMINING THE COVERING FACTOR OF COMPTON-THICK ACTIVE GALACTIC NUCLEI WITH <i>NuSTAR</i>. <i>Astrophysical Journal</i> , 2015, 805, 41.	1.6	63
104	DETAILED SHAPE AND EVOLUTIONARY BEHAVIOR OF THE X-RAY LUMINOSITY FUNCTION OF ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2015, 804, 104.	1.6	86
105	X-shooter reveals powerful outflows in $z \sim 1.5$ X-ray selected obscured quasi-stellar objects. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 446, 2394-2417.	1.6	128
106	The hard X-ray spectrum of NGC 5506 as seen by NuSTAR. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 447, 3029-3033.	1.6	51
107	Ultra-deep catalog of X-ray groups in the Extended <i>Chandra</i> Deep Field South. <i>Astronomy and Astrophysics</i> , 2015, 576, A130.	2.1	39
108	Galaxy-wide outflows in <i>z</i> ~ 1.5 luminous obscured quasars revealed through near-IR slit-resolved spectroscopy. <i>Astronomy and Astrophysics</i> , 2015, 574, A82.	2.1	72

#	ARTICLE	IF	CITATIONS
109	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2015, 574, A144.	2.1	7
110	T-PHOT: A new code for PSF-matched, prior-based, multiwavelength extragalactic deconvolution photometry. <i>Astronomy and Astrophysics</i> , 2015, 582, A15.	2.1	128
111	The space density of Compton-thick AGN at $z \sim 0.8$ in the zCOSMOS-Bright Survey. <i>Astronomy and Astrophysics</i> , 2014, 571, A34.	2.1	18
112	Primordial environment of super massive black holes: large-scale galaxy overdensities around $z \sim 6$ quasars with LBT. <i>Astronomy and Astrophysics</i> , 2014, 568, A1.	2.1	57
113	The hard X-ray luminosity function of high-redshift ($3 < z < 5$) active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 445, 3557-3574.	1.6	77
114	A wide search for obscured active galactic nuclei using XMM-Newton and WISE. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 438, 494-512.	1.6	44
115	Black hole accretion preferentially occurs in gas-rich galaxies*. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 441, 1059-1065.	1.6	49
116	<i>NuSTAR</i> AND <i>XMM-NEWTON</i> OBSERVATIONS OF LUMINOUS, HEAVILY OBSCURED, <i>WISE</i> -SELECTED QUASARS AT $z \sim 2$. <i>Astrophysical Journal</i> , 2014, 794, 102.	1.6	93
117	CLUSTERING OF MODERATE LUMINOSITY X-RAY-SELECTED TYPE 1 AND TYPE 2 AGNS AT $z \sim 3$. <i>Astrophysical Journal</i> , 2014, 796, 4.	1.6	48
118	ACTIVE GALACTIC NUCLEUS X-RAY VARIABILITY IN THE <i>XMM</i> -COSMOS SURVEY. <i>Astrophysical Journal</i> , 2014, 781, 105.	1.6	51
119	<i>NuSTAR</i> J033202+2746.8: DIRECT CONSTRAINTS ON THE COMPTON REFLECTION IN A HEAVILY OBSCURED QUASAR AT $z \sim 2$. <i>Astrophysical Journal</i> , 2014, 786, 16.	1.6	29
120	WEAK HARD X-RAY EMISSION FROM BROAD ABSORPTION LINE QUASARS: EVIDENCE FOR INTRINSIC X-RAY WEAKNESS. <i>Astrophysical Journal</i> , 2014, 794, 70.	1.6	79
121	The incidence of obscuration in active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 437, 3550-3567.	1.6	245
122	<i>NuSTAR</i> REVEALS AN INTRINSICALLY X-RAY WEAK BROAD ABSORPTION LINE QUASAR IN THE ULTRALUMINOUS INFRARED GALAXY MARKARIAN 231. <i>Astrophysical Journal</i> , 2014, 785, 19.	1.6	80
123	THE <i>NuSTAR</i> VIEW OF NEARBY COMPTON-THICK ACTIVE GALACTIC NUCLEI: THE CASES OF NGC 424, NGC 1320, AND IC 2560. <i>Astrophysical Journal</i> , 2014, 794, 111.	1.6	90
124	THE 2-79 keV X-RAY SPECTRUM OF THE CIRCINUS GALAXY WITH <i>NuSTAR</i> , <i>XMM-Newton</i> , AND <i>CHANDRA</i> : A FULLY COMPTON-THICK ACTIVE GALACTIC NUCLEUS. <i>Astrophysical Journal</i> , 2014, 791, 81.	1.6	109
125	<i>NuSTAR</i> UNVEILS A COMPTON-THICK TYPE 2 QUASAR IN MrK 34. <i>Astrophysical Journal</i> , 2014, 792, 117.	1.6	66
126	THE VARIABLE HARD X-RAY EMISSION OF NGC 4945 AS OBSERVED BY <i>NUSTAR</i> . <i>Astrophysical Journal</i> , 2014, 793, 26.	1.6	66

#	ARTICLE	IF	CITATIONS
127	ALMA reveals a warm and compact starburst around a heavily obscured supermassive black hole at $z = 4.75$. <i>Astronomy and Astrophysics</i> , 2014, 562, A67.	2.1	63
128	A COMPARATIVE ANALYSIS OF VIRIAL BLACK HOLE MASS ESTIMATES OF MODERATE-LUMINOSITY ACTIVE GALACTIC NUCLEI USING SUBARU/FMOS. <i>Astrophysical Journal</i> , 2013, 771, 64.	1.6	28
129	Finding rare AGN: XMM-Newton and Chandra observations of SDSS Stripe 82. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 436, 3581-3601.	1.6	53
130	Spectral energy distributions of type 1 AGN in XMM-COSMOS II. Shape evolution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 438, 1288-1304.	1.6	29
131	A quasar-galaxy mixing diagram: quasar spectral energy distribution shapes in the optical to near-infrared. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 434, 3104-3121.	1.6	23
132	Finding rare AGN: X-ray number counts of Chandra sources in Stripe 82. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 432, 1351-1360.	1.6	33
133	The Chandra-COSMOS survey IV. X-ray spectra of the bright sample. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 431, 978-996.	1.6	55
134	A statistical relation between the X-ray spectral index and Eddington ratio of active galactic nuclei in deep surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 433, 2485-2496.	1.6	155
135	THE NuSTAR EXTRAGALACTIC SURVEY: A FIRST SENSITIVE LOOK AT THE HIGH-ENERGY COSMIC X-RAY BACKGROUND POPULATION. <i>Astrophysical Journal</i> , 2013, 773, 125.	1.6	73
136	THE XMM-NEWTON SPECTRUM OF A CANDIDATE RECOILING SUPERMASSIVE BLACK HOLE: AN ELUSIVE INVERTED P-CYGNI PROFILE. <i>Astrophysical Journal</i> , 2013, 778, 62.	1.6	8
137	WEAK HARD X-RAY EMISSION FROM TWO BROAD ABSORPTION LINE QUASARS OBSERVED WITH NuSTAR: COMPTON-THICK ABSORPTION OR INTRINSIC X-RAY WEAKNESS?. <i>Astrophysical Journal</i> , 2013, 772, 153.	1.6	58
138	CROSS-CORRELATING COSMIC INFRARED AND X-RAY BACKGROUND FLUCTUATIONS: EVIDENCE OF SIGNIFICANT BLACK HOLE POPULATIONS AMONG THE CIB SOURCES. <i>Astrophysical Journal</i> , 2013, 769, 68.	1.6	71
139	THE OBSCURED FRACTION OF ACTIVE GALACTIC NUCLEI IN THE XMM-COSMOS SURVEY: A SPECTRAL ENERGY DISTRIBUTION PERSPECTIVE. <i>Astrophysical Journal</i> , 2013, 777, 86.	1.6	118
140	The high-redshift ($z > 3$) active galactic nucleus population in the 4-Ms Chandra Deep Field-South. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 428, 354-369.	1.6	37
141	THE NUCLEAR SPECTROSCOPIC TELESCOPE ARRAY (NuSTAR) HIGH-ENERGY X-RAY MISSION. <i>Astrophysical Journal</i> , 2013, 770, 103.	1.6	1,627
142	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2013, 555, A42.	2.1	54
143	Obscured AGN at $z \sim 1$ from the zCOSMOS-Bright Survey. <i>Astronomy and Astrophysics</i> , 2013, 556, A29.	2.1	44
144	A wide search of obscured Active Galactic Nuclei using XMM-Newton and WISE. <i>Proceedings of the International Astronomical Union</i> , 2013, 9, 245-246.	0.0	0

#	ARTICLE	IF	CITATIONS
145	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2013, 555, A43.	2.1	56
146	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2013, 556, A114.	2.1	12
147	The XMM Deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2013, 555, A79.	2.1	15
148	THE <i>CHANDRA</i> COSMOS SURVEY. III. OPTICAL AND INFRARED IDENTIFICATION OF X-RAY POINT SOURCES. <i>Astrophysical Journal, Supplement Series</i> , 2012, 201, 30.	3.0	200
149	TRACKING DOWN THE SOURCE POPULATION RESPONSIBLE FOR THE UNRESOLVED COSMIC $6\text{--}8\text{ keV}$ BACKGROUND. <i>Astrophysical Journal</i> , 2012, 758, 129.	1.6	49
150	GOODS- <i>Herschel</i> : ultra-deep <i>XMM-Newton</i> observations reveal AGN/star-formation connection. <i>Astronomy and Astrophysics</i> , 2012, 546, A58.	2.1	94
151	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2012, 546, A84.	2.1	45
152	<i>CHANDRA</i> HIGH-RESOLUTION OBSERVATIONS OF CID-42, A CANDIDATE RECOILING SUPERMASSIVE BLACK HOLE. <i>Astrophysical Journal</i> , 2012, 752, 49.	1.6	53
153	THE 4 Ms <i>CHANDRA</i> DEEP FIELD-SOUTH NUMBER COUNTS APPORTIONED BY SOURCE CLASS: PERVASIVE ACTIVE GALACTIC NUCLEI AND THE ASCENT OF NORMAL GALAXIES. <i>Astrophysical Journal</i> , 2012, 752, 46.	1.6	173
154	SPECTRAL ENERGY DISTRIBUTIONS OF TYPE 1 ACTIVE GALACTIC NUCLEI IN THE COSMOS SURVEY. I. THE <i>XMM</i> -COSMOS SAMPLE. <i>Astrophysical Journal</i> , 2012, 759, 6.	1.6	67
155	ORIGIN: metal creation and evolution from the cosmic dawn. <i>Experimental Astronomy</i> , 2012, 34, 519-549.	1.6	6
156	The nature of the unresolved extragalactic cosmic soft X-ray background. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 427, 651-663.	1.6	44
157	Accreting supermassive black holes in the COSMOS field and the connection to their host galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 427, 3103-3133.	1.6	202
158	X-ray properties of radio-selected star forming galaxies in the <i>Chandra</i> -COSMOS survey. <i>Astronomy and Astrophysics</i> , 2012, 542, A16.	2.1	11
159	Fe emission from active galaxies in the COSMOS field. <i>Astronomy and Astrophysics</i> , 2012, 537, A86.	2.1	35
160	Bolometric luminosities and Eddington ratios of X-ray selected active galactic nuclei in the <i>XMM</i> -COSMOS survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 425, 623-640.	1.6	315
161	Rest-frame stacking of 2XMM catalog sources. <i>Astronomy and Astrophysics</i> , 2012, 537, A6.	2.1	21
162	The bolometric output and host-galaxy properties of obscured AGN in the XMM-COSMOS survey. <i>Astronomy and Astrophysics</i> , 2011, 534, A110.	2.1	54

#	ARTICLE	IF	CITATIONS
163	A COMPTON-THICK ACTIVE GALACTIC NUCLEUS AT $z \approx 5$ IN THE 4 Ms CHANDRA DEEP FIELD SOUTH. <i>Astrophysical Journal Letters</i> , 2011, 730, L28.	3.0	52
164	REVEALING A POPULATION OF HEAVILY OBSCURED ACTIVE GALACTIC NUCLEI AT $z \approx 0.5-1$ IN THE CHANDRA DEEP FIELD-SOUTH. <i>Astrophysical Journal</i> , 2011, 740, 37.	1.6	36
165	X-ray observations of sub-mm LABOCA galaxies in the eCDFs. <i>Astronomy and Astrophysics</i> , 2011, 526, A46.	2.1	18
166	Black hole accretion and host galaxies of obscured quasars in XMM-COSMOS. <i>Astronomy and Astrophysics</i> , 2011, 535, A80.	2.1	76
167	X-ray detected infrared excess AGN in the Chandra deep fields: a moderate fraction of Compton-thick sources. <i>Astronomy and Astrophysics</i> , 2011, 526, A86.	2.1	18
168	On the $L_x/L_{60\mu m}$ ratio as a diagnostic for Compton-thick AGN. <i>Astronomy and Astrophysics</i> , 2011, 534, A23.	2.1	29
169	THE IMPACT OF GALAXY INTERACTIONS ON ACTIVE GALACTIC NUCLEUS ACTIVITY IN zCOSMOS. <i>Astrophysical Journal</i> , 2011, 743, 2.	1.6	148
170	THE POPULATION OF HIGH-REDSHIFT ACTIVE GALACTIC NUCLEI IN THE CHANDRA-COSMOS SURVEY. <i>Astrophysical Journal</i> , 2011, 741, 91.	1.6	76
171	THREE-YEAR SWIFT-BAT SURVEY OF ACTIVE GALACTIC NUCLEI: RECONCILING THEORY AND OBSERVATIONS?. <i>Astrophysical Journal</i> , 2011, 728, 58.	1.6	275
172	THE XMM-NEWTON WIDE FIELD SURVEY IN THE COSMOS FIELD: REDSHIFT EVOLUTION OF AGN BIAS AND SUBDOMINANT ROLE OF MERGERS IN TRIGGERING MODERATE-LUMINOSITY AGNs AT REDSHIFTS UP TO 2.2. <i>Astrophysical Journal</i> , 2011, 736, 99.	1.6	118
173	X-ray observations of highly obscured $L_{0.5-10\text{keV}}/L_{60\mu m} > 9.7$ sources: an efficient method for selecting Compton-thick AGN?. <i>Astronomy and Astrophysics</i> , 2011, 531, A116.	2.1	23
174	DISSECTING PHOTOMETRIC REDSHIFT FOR ACTIVE GALACTIC NUCLEUS USING XMM- AND CHANDRA-COSMOS SAMPLES. <i>Astrophysical Journal</i> , 2011, 742, 61.	1.6	205
175	X-RAY SPECTRAL CONSTRAINTS FOR $z \approx 2$ MASSIVE GALAXIES: THE IDENTIFICATION OF REFLECTION-DOMINATED ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2011, 738, 44.	1.6	53
176	The XMM-Deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2011, 526, L9.	2.1	119
177	PROBING THE FAINT END OF THE QUASAR LUMINOSITY FUNCTION AT $z \approx 4$ IN THE COSMOS FIELD. <i>Astrophysical Journal Letters</i> , 2011, 728, L25.	3.0	45
178	THE CHANDRA DEEP FIELD-SOUTH SURVEY: 4 Ms SOURCE CATALOGS. <i>Astrophysical Journal, Supplement Series</i> , 2011, 195, 10.	3.0	488
179	The Large-scale Structure in the Chandra Deep Field South. <i>Proceedings of the International Astronomical Union</i> , 2010, 6, 333-336.	0.0	0
180	ON THE COSMIC EVOLUTION OF THE SCALING RELATIONS BETWEEN BLACK HOLES AND THEIR HOST GALAXIES: BROAD-LINE ACTIVE GALACTIC NUCLEI IN THE zCOSMOS SURVEY. <i>Astrophysical Journal</i> , 2010, 708, 137-157.	1.6	276

#	ARTICLE	IF	CITATIONS
181	The X-ray to optical-UV luminosity ratio of X-ray selected type 1 AGN in XMM-COSMOS. <i>Astronomy and Astrophysics</i> , 2010, 512, A34.	2.1	306
182	THE XMM-NEWTON WIDE-FIELD SURVEY IN THE COSMOS FIELD (XMM-COSMOS): DEMOGRAPHY AND MULTI-WAVELENGTH PROPERTIES OF OBSCURED AND UNOBSCURED LUMINOUS ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2010, 716, 348-369.	1.6	266
183	A RUNAWAY BLACK HOLE IN COSMOS: GRAVITATIONAL WAVE OR SLINGSHOT RECOIL?. <i>Astrophysical Journal</i> , 2010, 717, 209-222.	1.6	101
184	HOT-DUST-POOR TYPE 1 ACTIVE GALACTIC NUCLEI IN THE COSMOS SURVEY. <i>Astrophysical Journal Letters</i> , 2010, 724, L59-L63.	3.0	55
185	SUZAKU OBSERVATIONS OF HARD X-RAY-SELECTED SEYFERT 2 GALAXIES. <i>Astrophysical Journal</i> , 2010, 717, 787-794.	1.6	42
186	The $M_{\text{BH}} \sim M_{\text{star}}$ relation of obscured AGNs at high redshift. <i>Astronomy and Astrophysics</i> , 2010, 522, L3.	2.1	22
187	The X-ray to [Ne V] 3426 flux ratio: discovering heavily obscured AGN in the distant Universe. <i>Astronomy and Astrophysics</i> , 2010, 519, A92.	2.1	71
188	Ultraluminous X-ray sources out to $z \sim 0.3$ in the COSMOS field. <i>Astronomy and Astrophysics</i> , 2010, 514, A85.	2.1	15
189	THE EXTENDED CHANDRA DEEP FIELD-SOUTH SURVEY: OPTICAL SPECTROSCOPY OF FAINT X-RAY SOURCES WITH THE VLT AND KECK. <i>Astrophysical Journal, Supplement Series</i> , 2010, 191, 124-142.	3.0	123
190	IDENTIFICATIONS AND PHOTOMETRIC REDSHIFTS OF THE 2 Ms CHANDRA DEEP FIELD-SOUTH SOURCES. <i>Astrophysical Journal, Supplement Series</i> , 2010, 187, 560-580.	3.0	133
191	Multiwavelength perspective of AGN evolution. <i>AIP Conference Proceedings</i> , 2010, , .	0.3	3
192	Probing BH mass and accretion through X-ray variability in the CDFS. , 2010, , .		1
193	Type 2 Quasars at the heart of dust-obscured galaxies (DOGs) at high z . , 2010, , .		0
194	Simulations of X-Ray Telescopes for eROSITA and IXO. , 2010, , .		4
195	A "Pandora" box of galaxies. , 2010, , .		0
196	Resolved mid-infrared imaging of AGN: an isotropic measure of intrinsic power. , 2010, , .		0
197	X-ray gaseous emission in star forming galaxies. , 2010, , .		1
198	The evolution of obscured accretion. , 2010, , .		2

#	ARTICLE	IF	CITATIONS
199	The HELLAS2XMM survey. <i>Astronomy and Astrophysics</i> , 2010, 517, A11.	2.1	26
200	X-ray imaging of the ionisation cones in NGC 5252. <i>Astronomy and Astrophysics</i> , 2010, 516, A9.	2.1	28
201	Properties of the integrated spectrum of serendipitous 2XMM catalog sources. <i>Astronomy and Astrophysics</i> , 2010, 518, A58.	2.1	18
202	HIGH-REDSHIFT QUASARS IN THE COSMOS SURVEY: THE SPACE DENSITY OF $z > 3$ X-RAY SELECTED QSOs. <i>Astrophysical Journal</i> , 2009, 693, 8-22.	1.6	88
203	THE COSMOS ACTIVE GALACTIC NUCLEUS SPECTROSCOPIC SURVEY. I. XMM-NEWTON COUNTERPARTS. <i>Astrophysical Journal</i> , 2009, 696, 1195-1212.	1.6	122
204	THE ENVIRONMENTS OF ACTIVE GALACTIC NUCLEI WITHIN THE zCOSMOS DENSITY FIELD. <i>Astrophysical Journal</i> , 2009, 695, 171-182.	1.6	89
205	ONGOING AND CO-EVOLVING STAR FORMATION IN zCOSMOS GALAXIES HOSTING ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2009, 696, 396-410.	1.6	197
206	SPECTROSCOPIC IDENTIFICATIONS OF SPITZER SOURCES IN THE SWIRE/XMM-NEWTON/ELAIS-S1 FIELD: A LARGE FRACTION OF ACTIVE GALACTIC NUCLEI WITH HIGH $F(24 \mu\text{m})/F(\text{R})$ RATIO. <i>Astrophysical Journal</i> , 2009, 703, 1778-1790.	1.6	19
207	MASSIVE GALAXIES IN COSMOS: EVOLUTION OF BLACK HOLE VERSUS BULGE MASS BUT NOT VERSUS TOTAL STELLAR MASS OVER THE LAST 9 Gyr?. <i>Astrophysical Journal</i> , 2009, 706, L215-L220.	1.6	161
208	On the nature of red galaxies: the Chandra perspective. <i>Astronomy and Astrophysics</i> , 2009, 501, 485-494.	2.1	6
209	The XMM-Newton wide-field survey in the COSMOS field. <i>Astronomy and Astrophysics</i> , 2009, 497, 635-648.	2.1	230
210	Simbol-X Core Science in a Context. , 2009, , .		0
211	The Infrared View of Luminous X-ray Selected Type 2 Quasars, and Coeval Nuclear Activity and Star Formation at $z \approx 2$. , 2009, , .		0
212	EDGE: Explorer of diffuse emission and gamma-ray burst explosions. <i>Experimental Astronomy</i> , 2009, 23, 67-89.	1.6	19
213	SPACE: the spectroscopic all-sky cosmic explorer. <i>Experimental Astronomy</i> , 2009, 23, 39-66.	1.6	54
214	XEUS: the physics of the hot evolving universe. <i>Experimental Astronomy</i> , 2009, 23, 139-168.	1.6	8
215	The HELLAS2XMM survey - XII. The infrared/submillimetre view of an X-ray selected type 2 quasar at $z \approx 2$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009, 395, 2189-2195.	1.6	23
216	Evolution of the X-ray luminosity in young H&fii galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009, 399, 487-496.	1.6	17

#	ARTICLE	IF	CITATIONS
217	THE <i>CHANDRA</i> SURVEY OF THE COSMOS FIELD. II. SOURCE DETECTION AND PHOTOMETRY. <i>Astrophysical Journal, Supplement Series</i> , 2009, 185, 586-601.	3.0	62
218	CHASING HIGHLY OBSCURED QSOs IN THE COSMOS FIELD. <i>Astrophysical Journal</i> , 2009, 693, 447-462.	1.6	191
219	Resolved Mid-Infrared Imaging of AGN: An Isotropic Measure of Intrinsic Power. <i>Proceedings of the International Astronomical Union</i> , 2009, 5, 108-108.	0.0	0
220	THE <i>CHANDRA</i> COSMOS SURVEY. I. OVERVIEW AND POINT SOURCE CATALOG. <i>Astrophysical Journal, Supplement Series</i> , 2009, 184, 158-171.	3.0	361
221	<i>Suzaku</i> observation of the Phoenix galaxy. <i>Astronomy and Astrophysics</i> , 2009, 496, 653-658.	2.1	12
222	Resolving the mid-infrared cores of local Seyferts. <i>Astronomy and Astrophysics</i> , 2009, 502, 457-472.	2.1	322
223	Black hole growth and starburst activity at $z = 0.6$ in the Chandra Deep Field South. <i>Astronomy and Astrophysics</i> , 2009, 507, 1277-1289.	2.1	86
224	The spatial clustering of X-ray selected AGN in the XMM-COSMOS field. <i>Astronomy and Astrophysics</i> , 2009, 494, 33-48.	2.1	90
225	Extragalactic X-ray surveys: AGN physics and evolution. <i>Astronomische Nachrichten</i> , 2008, 329, 122-126.	0.6	9
226	A deep X-ray observation of M82 with XMM-Newton. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008, 386, 1464-1480.	1.6	73
227	The Cosmic X-ray Background at the peak of its emission: new results and implications. <i>AIP Conference Proceedings</i> , 2008, , .	0.3	0
228	Unveiling Obscured Accretion in the Chandra Deep Field-South. <i>Astrophysical Journal</i> , 2008, 672, 94-101.	1.6	210
229	The <i>Chandra</i> Deep Field-South Survey: 2 Ms Source Catalogs. <i>Astrophysical Journal, Supplement Series</i> , 2008, 179, 19-36.	3.0	250
230	The Contribution of AGNs and Star-forming Galaxies to the Mid-Infrared as Revealed by Their Spectral Energy Distributions. <i>Astrophysical Journal</i> , 2008, 684, 136-152.	1.6	21
231	The <i>XMM-Newton</i> survey of the ELAIS-S1 field. <i>Astronomy and Astrophysics</i> , 2008, 488, 417-428.	2.1	19
232	The obscured X-ray source population in the HELLAS2XMM survey: the Spitzer view. , 2007, , .		0
233	Compton Thick AGN in the <i>SuZaku</i> Era. <i>Progress of Theoretical Physics Supplement</i> , 2007, 169, 274-277.	0.2	12
234	The First Release COSMOS Optical and Near-IR Data and Catalog. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 99-116.	3.0	672

#	ARTICLE	IF	CITATIONS
235	COSMOS: <i>Hubble Space Telescope</i> Observations. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 38-45.	3.0	392
236	The <i>XMM-Newton</i> Wide-Field Survey in the COSMOS Field. I. Survey Description. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 29-37.	3.0	263
237	The <i>XMM-Newton</i> Wide-Field Survey in the COSMOS Field. V. Angular Clustering of the X-Ray Point Sources. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 396-405.	3.0	49
238	The <i>XMM-Newton</i> Wide-Field Survey in the COSMOS Field. IV. X-Ray Spectral Properties of Active Galactic Nuclei. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 368-382.	3.0	89
239	The <i>XMM-Newton</i> Wide-Field Survey in the COSMOS Field. II. X-Ray Data and the $\log N$ - $\log S$ Relations. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 341-352.	3.0	136
240	The Cosmic Evolution Survey (COSMOS): A Large-Scale Structure at $z \approx 0.73$ and the Relation of Galaxy Morphologies to Local Environment. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 254-269.	3.0	61
241	The Cosmic X-Ray Background and the Population of the Most Heavily Obscured AGNs. <i>Astrophysical Journal</i> , 2007, 666, 86-95.	1.6	73
242	S&C COSMOS: The <i>Spitzer</i> Legacy Survey of the <i>Hubble Space Telescope</i> ACS 2 deg ² COSMOS Field I: Survey Strategy and First Analysis. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 86-98.	3.0	503
243	The <i>XMM-Newton</i> Wide-Field Survey in the COSMOS Field: Statistical Properties of Clusters of Galaxies. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 182-195.	3.0	234
244	EDGE: explorer of diffuse emission and gamma-ray burst explosions. , 2007, , .		5
245	The HELLAS2XMM survey. <i>Astronomy and Astrophysics</i> , 2007, 476, 1223-1233.	2.1	43
246	The XMM-Newton view of IRAS 09104+4109: evidence for a changing-look Type 2 quasar?. <i>Astronomy and Astrophysics</i> , 2007, 473, 85-89.	2.1	22
247	The synthesis of the cosmic X-ray background in the Chandra and XMM-Newton era. <i>Astronomy and Astrophysics</i> , 2007, 463, 79-96.	2.1	703
248	Hidden activity in high-redshift spheroidal galaxies from mid-infrared and X-ray observations in the GOODS-North field. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007, 376, 416-434.	1.6	15
249	Relativistic Iron Lines at High Redshifts. , 2007, , 202-206.		1
250	The HELLAS2XMM survey. <i>Astronomy and Astrophysics</i> , 2007, 466, 31-40.	2.1	39
251	The HELLAS2XMM survey. <i>Astronomy and Astrophysics</i> , 2007, 468, 603-612.	2.1	40
252	The <i>XMM-Newton</i> Wide-Field Survey in the COSMOS Field. III. Optical Identification and Multiwavelength Properties of a Large Sample of X-Ray Selected Sources. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 353-367.	3.0	147

#	ARTICLE	IF	CITATIONS
253	The XMM-Newton survey of the ELAIS-S1 field. <i>Astronomy and Astrophysics</i> , 2006, 457, 501-515.	2.1	61
254	The new XEUS science case. , 2006, , .		7
255	The quest for Type 2 quasars: Chandra observations of luminous obscured quasars in the Sloan Digital Sky Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2006, 373, 321-329.	1.6	36
256	Rolling down from the 30 keV peak: Modelling the Hard X-Ray and $\hat{\Gamma}^3$ -Ray Backgrounds. <i>Experimental Astronomy</i> , 2006, 20, 41-47.	1.6	7
257	The HELLAS2XMM survey. <i>Astronomy and Astrophysics</i> , 2006, 445, 457-463.	2.1	19
258	X-ray spectral survey with XMM-Newton of a complete sample of nearby Seyfert galaxies. <i>Astronomy and Astrophysics</i> , 2006, 446, 459-470.	2.1	188
259	Rolling down from the 30 keV peak: Modelling the hard X-ray and $\hat{\Gamma}^3$ -ray backgrounds. , 2006, , 41-47.		0
260	The Iron Line Background. <i>Astrophysical Journal</i> , 2005, 621, L5-L8.	1.6	30
261	XMM-Newton Spectroscopy of the Highly Polarized and Luminous Broad Absorption Line Quasar CSO 755. <i>Astronomical Journal</i> , 2005, 130, 2522-2528.	1.9	16
262	The HELLAS2XMM Survey. VII. The Hard X-ray Luminosity Function of AGNs up to $z=4$: More Absorbed AGNs at Low Luminosities and High Redshifts. <i>Astrophysical Journal</i> , 2005, 635, 864-879.	1.6	342
263	X-ray spectral analysis of optically faint sources in the Chandra deep fields. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005, 358, 693-704.	1.6	36
264	On the X-ray properties of OH megamaser sources: Chandra snapshot observations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005, 364, 99-106.	1.6	11
265	XMM-Newton observations of Extremely Red Objects and the link with luminous, X-ray obscured quasars. <i>Astronomy and Astrophysics</i> , 2005, 432, 69-81.	2.1	77
266	The X-ray luminosity function and number counts of spiral galaxies. <i>Astronomy and Astrophysics</i> , 2005, 440, 23-37.	2.1	34
267	A broad iron $K\alpha$ line at $z=1.146$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 351, L9-L13.	1.6	12
268	Evidence for X-ray obscuration in Type II quasar candidates from the Sloan Digital Sky Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 354, 720-726.	1.6	18
269	Anisotropic inverse Compton emission in the radio galaxy 3C 265. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 354, L43-L47.	1.6	17
270	The Density and Masses of Obscured Black Holes. <i>Astrophysics and Space Science</i> , 2004, 294, 63-69.	0.5	8

#	ARTICLE	IF	CITATIONS
271	Restless quasar activity: from BeppoSAX to Chandra and XMM-Newton. Nuclear Physics, Section B, Proceedings Supplements, 2004, 132, 248-251.	0.5	0
272	Studying the evolution of the hot universe with the X-ray evolving universe spectroscopy mission "XEUS. Advances in Space Research, 2004, 34, 2623-2627.	1.2	1
273	Stellar and Gaseous Abundances in M82. Astrophysical Journal, 2004, 606, 862-868.	1.6	52
274	The "Ray" derived Cosmological Star Formation History and the Galaxy "Ray Luminosity Functions in the Chandra Deep Fields North and South. Astrophysical Journal, 2004, 607, 721-738.	1.6	77
275	Compton-Thick AGN: The Dark Side of the X-Ray Background. Astrophysics and Space Science Library, 2004, , 245-272.	1.0	102
276	The HELLAS2XMM survey. Astronomy and Astrophysics, 2004, 418, 827-840.	2.1	58
277	The HELLAS2XMM survey. Astronomy and Astrophysics, 2004, 421, 491-501.	2.1	90
278	HEXIT-SAT: a mission concept for x-ray grazing incidence telescopes from 0.5 to 70 keV. , 2004, , .		9
279	THE MISSING X-RAY BACKGROUND. , 2004, , .		4
280	Unconventional AGN in hard X-ray surveys. Astronomische Nachrichten, 2003, 324, 28-31.	0.6	12
281	Inverse Compton X-rays from the radio galaxy 3C 219. Monthly Notices of the Royal Astronomical Society, 2003, 340, L52-L56.	1.6	34
282	The BeppoSAX High Energy Large Area Survey (HELLAS) – VI. The radio properties. Monthly Notices of the Royal Astronomical Society, 2003, 342, 575-586.	1.6	13
283	Elusive active galactic nuclei. Monthly Notices of the Royal Astronomical Society, 2003, 344, L59-L64.	1.6	121
284	Unveiling the powerful quasar hidden in the nucleus of the FR II radio galaxy 3C 265. New Astronomy Reviews, 2003, 47, 443-445.	5.2	2
285	XEUS: the x-ray evolving universe spectroscopy mission. , 2003, 4851, 304.		7
286	The 2×10^4 keV luminosity as a Star Formation Rate indicator. Astronomy and Astrophysics, 2003, 399, 39-50.	2.1	555
287	The HELLAS2XMM survey. Astronomy and Astrophysics, 2003, 409, 79-90.	2.1	207
288	The HELLAS2XMM survey. Astronomy and Astrophysics, 2003, 409, 65-78.	2.1	51

#	ARTICLE	IF	CITATIONS
289	The hard X-ray view of the low-luminosity blazar in the radio galaxy NGC 6251. <i>Astronomy and Astrophysics</i> , 2003, 410, 131-138.	2.1	11
290	The Nuclear Accretion in the FR I Radio Galaxy IC 4296 from Chandra and Very Long Baseline Array Observations. <i>Astrophysical Journal</i> , 2003, 585, 677-686.	1.6	46
291	The BeppoSAX High-Energy Large-Area Survey. V. The Nature of the Hard X-ray Source Population and Its Evolution. <i>Astrophysical Journal</i> , 2002, 570, 100-113.	1.6	52
292	Spectral Energy Distributions of Flat-Spectrum Radio Quasars Observed with BeppoSAX. <i>Astrophysical Journal</i> , 2002, 575, 137-144.	1.6	44
293	Extremely Red Objects: An X-Ray Dichotomy. <i>Astrophysical Journal</i> , 2002, 581, L89-L92.	1.6	27
294	Disclosing the true nature of the Sy 2 galaxy NGC 3281: One more Compton-thick source. <i>Astronomy and Astrophysics</i> , 2002, 381, 834-840.	2.1	31
295	Extended X-ray Emission from FR IIs and RL Quasars. Symposium - International Astronomical Union, 2002, 199, 227-230.	0.1	1
296	The AGN Content of Hard X-ray Surveys. International Astronomical Union Colloquium, 2002, 184, 235-244.	0.1	2
297	Chandra discovery of extended non-thermal emission in 3C 207 and the spectrum of the relativistic electrons. <i>Astronomy and Astrophysics</i> , 2002, 381, 795-809.	2.1	61
298	BeppoSAX observations of LINER-2 galaxies. <i>Astronomy and Astrophysics</i> , 2002, 386, 60-68.	2.1	16
299	BeppoSAX/PDS identification of the true counterpart of the Piccinotti source H0917-074. <i>Astronomy and Astrophysics</i> , 2002, 394, 801-805.	2.1	10
300	The HELAS2XMM Survey. I. The X-ray Data and the log N-log S Relation. <i>Astrophysical Journal</i> , 2002, 564, 190-195.	1.6	113
301	The HELAS2XMM Survey. II. Multiwavelength Observations of P3: An X-ray "bright, Optically Inactive Galaxy. <i>Astrophysical Journal</i> , 2002, 571, 771-778.	1.6	134
302	BeppoSAX view of NGC 526A: A Seyfert 1.9 galaxy with a flat spectrum. <i>Astronomy and Astrophysics</i> , 2001, 379, 46-53.	2.1	11
303	Chandra Study of an Overdensity of X-ray Sources around Two Distant ($z \sim 0.5$) Clusters. <i>Astrophysical Journal</i> , 2001, 548, 624-638.	1.6	59
304	What's wrong with AGN models for the X-ray background?. AIP Conference Proceedings, 2001, , .	0.3	1
305	The BeppoSAX hellas survey: On the nature of faint hard X-ray selected sources. AIP Conference Proceedings, 2001, , .	0.3	1
306	The complex and variable absorption of NGC 3516 observed by BeppoSAX. AIP Conference Proceedings, 2001, , .	0.3	0

#	ARTICLE	IF	CITATIONS
307	XEUS-the X-ray evolving universe spectroscopy mission. AIP Conference Proceedings, 2001, , .	0.3	2
308	Weighing the black hole in the narrow-line Seyfert 1 galaxy, RE J1034+396. AIP Conference Proceedings, 2001, , .	0.3	0
309	Flaring blazars with BeppoSAX. AIP Conference Proceedings, 2001, , .	0.3	0
310	ASCA view on high-redshift radio-quiet quasars. AIP Conference Proceedings, 2001, , .	0.3	0
311	BeppoSAX observations of the Seyfert 2 galaxies NGC 7172 and ESO 103-G35. Monthly Notices of the Royal Astronomical Society, 2001, 324, 521-528.	1.6	16
312	The BeppoSAX High Energy Large Area Survey (HELLAS) – II. Number counts and X-ray spectral properties. Monthly Notices of the Royal Astronomical Society, 2001, 327, 771-780.	1.6	45
313	The BeppoSAX High Energy Large Area Survey (HELLAS) – III. Testing synthesis models for the X-ray background. Monthly Notices of the Royal Astronomical Society, 2001, 327, 781-787.	1.6	69
314	BeppoSAX observations of 1-Jy BL Lacertae objects - I. Monthly Notices of the Royal Astronomical Society, 2001, 328, 931-943.	1.6	26
315	BeppoSAX observations of Narrow-Line Seyfert 1 galaxies. Astronomy and Astrophysics, 2001, 365, 400-408.	2.1	30
316	The BeppoSAX High Energy Large Area Survey. Astronomy and Astrophysics, 2001, 370, 900-908.	2.1	15
317	Constraining the Black Hole Mass and Accretion Rate in the Narrow-Line Seyfert 1 Galaxy RE J1034+396. Astrophysical Journal, 2001, 550, 644-654.	1.6	40
318	The BeppoSAX View of the X-Ray Active Nucleus of NGC 4258. Astrophysical Journal, 2001, 556, 150-157.	1.6	23
319	[ITAL]Chandra [ITAL] Detection of the Radio and Optical Double Hot Spot of 3C 351. Astrophysical Journal, 2001, 561, L157-L160.	1.6	24
320	Optical, near-infrared and hard X-ray observations of SAX J1353.9+1820: a red quasar. Monthly Notices of the Royal Astronomical Society, 2000, 314, L11-L15.	1.6	11
321	The BeppoSAX view of NLS1s. New Astronomy Reviews, 2000, 44, 403-410.	5.2	8
322	New ASCA perspectives on high-redshift quasars. Advances in Space Research, 2000, 25, 861-866.	1.2	0
323	Spectroscopic identification of ten faint hard X-ray sources discovered by Chandra. New Astronomy, 2000, 5, 143-153.	0.8	75
324	The NH distribution of Seyfert 2 galaxies and the X-ray background. Advances in Space Research, 2000, 25, 809-814.	1.2	2

#	ARTICLE	IF	CITATIONS
325	A qualitative test of a unified model of Seyfert galaxies with BeppoSAX. <i>Advances in Space Research</i> , 2000, 25, 815-818.	1.2	2
326	The BeppoSAX view of the hard X-ray background. <i>Advances in Space Research</i> , 2000, 25, 833-838.	1.2	2
327	Gamma-ray Cloud Quasars: A View with BEPPOSAX. <i>Astrophysical Journal</i> , 2000, 543, 535-544.	1.6	65
328	The Complex X-ray Absorbers of NGC 3516 Observed by BEPPOSAX. <i>Astrophysical Journal</i> , 2000, 544, 283-292.	1.6	20
329	X-ray observations of high-z radio loud/quiet quasars. <i>Advances in Space Research</i> , 1999, 23, 1151-1154.	1.2	0
330	The contribution of faint active galactic nuclei to the hard X-ray background. <i>Monthly Notices of the Royal Astronomical Society</i> , 1999, 306, L55-L60.	1.6	76
331	The contribution of AGN to the X-ray background: the effect of iron features. <i>New Astronomy</i> , 1999, 4, 45-57.	0.8	19
332	What can BeppoSAX tell us about X-ray spectra of BL Lacs?. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 1999, 69, 411-414.	0.5	0
333	BeppoSAX observations of the TeV Blazar Mkn 421. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 1999, 69, 423-426.	0.5	7
334	BeppoSAX observations of PKS 0528+134. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 1999, 69, 427-430.	0.5	1
335	BeppoSAX observations of 1 Jy BL lacertae objects. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 1999, 69, 431-434.	0.5	2
336	BeppoSAX observations of 3C 279. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 1999, 69, 453-456.	0.5	2
337	BeppoSAX observations of the Seyfert 1 galaxy NGC 3516. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 1999, 69, 505-508.	0.5	2
338	Probing the extremes of Seyfert activity: BeppoSAX observations of Narrow-Line Seyfert 1 galaxies. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 1999, 69, 523-528.	0.5	0
339	1H0419-577: A two-state Seyfert galaxy?. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 1999, 69, 533-536.	0.5	0
340	BeppoSAX broad-band spectra of Seyfert 2 galaxies. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 1999, 69, 542-545.	0.5	0
341	The BeppoSAX deep surveys. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 1999, 69, 591-599.	0.5	5
342	The Nuclear Spectral Energy Distribution of NGC 4395, the Least Luminous Type 1 Seyfert Galaxy. <i>Publications of the Astronomical Society of the Pacific</i> , 1999, 111, 801-808.	1.0	60

#	ARTICLE	IF	CITATIONS
343	Probing the Hard X-Ray Properties of High-Redshift Radio-Quiet Quasars with ASCA. <i>Astrophysical Journal</i> , 1999, 516, 582-590.	1.6	35
344	X-Rays from the Highly Polarized Broad Absorption Line QSO CSO 755. <i>Astrophysical Journal</i> , 1999, 525, L69-L72.	1.6	15
345	Should we see iron features in the AGN model of the X-ray background?. <i>Astronomische Nachrichten</i> , 1998, 319, 65-65.	0.6	2
346	On the nature of the X-ray absorption in the Seyfert 2 galaxy NGC 4507. <i>Monthly Notices of the Royal Astronomical Society</i> , 1998, 295, 443-450.	1.6	16
347	ASCA spectroscopy of the luminous infrared galaxy NGC 6240: X-ray emission from a starburst and a buried active nucleus. <i>Monthly Notices of the Royal Astronomical Society</i> , 1998, 297, 1219-1226.	1.6	70
348	A unifying view of the spectral energy distributions of blazars. <i>Monthly Notices of the Royal Astronomical Society</i> , 1998, 299, 433-448.	1.6	1,004
349	A theoretical unifying scheme for gamma-ray bright blazars. <i>Monthly Notices of the Royal Astronomical Society</i> , 1998, 301, 451-468.	1.6	717
350	X-Ray Properties of High-Z Radio-Quiet Quasars: ASCA Observations. <i>Symposium - International Astronomical Union</i> , 1998, 188, 426-427.	0.1	0
351	Steps toward Determination of the Size and Structure of the Broad-Line Region in Active Galactic Nuclei. XIV. Intensive Optical Spectrophotometric Observations of NGC 7469. <i>Astrophysical Journal</i> , 1998, 500, 162-172.	1.6	172
352	X-Ray Properties of High-Z Radio-Quiet Quasars: ASCA Observations. , 1998, , 426-427.		0
353	On the Soft X-Ray Spectra of Faint Blazars. <i>Astrophysical Journal</i> , 1997, 480, 534-546.	1.6	99
354	ASCA and ROSAT X-Ray Spectra of High-Redshift Radio-Loud Quasars. <i>Astrophysical Journal</i> , 1997, 478, 492-510.	1.6	97
355	Steps toward Determination of the Size and Structure of the Broad-Line Region in Active Galactic Nuclei. XI. Intensive Monitoring of the Ultraviolet Spectrum of NGC 7469. <i>Astrophysical Journal, Supplement Series</i> , 1997, 113, 69-88.	3.0	143
356	FSRQ and the Gamma-Ray Background. <i>Symposium - International Astronomical Union</i> , 1996, 175, 595-596.	0.1	1
357	The Sources of the Hard X-Ray Background. <i>Symposium - International Astronomical Union</i> , 1996, 168, 263-270.	0.1	0
358	The Sources of the Hard X-ray Background. , 1996, , 263-270.		3
359	The variable ROSAT X-ray spectrum of the BL Lac 0716+714. <i>Monthly Notices of the Royal Astronomical Society</i> , 1994, 271, 438-448.	1.6	26
360	EXOSAT X-ray spectra of quasars. <i>Astrophysical Journal</i> , 1992, 384, 62.	1.6	34

#	ARTICLE	IF	CITATIONS
361	Solution of the Einstein-Strauss problem with a Λ term. <i>Physical Review D</i> , 1988, 38, 2415-2418.	1.6	25
362	<i>ROSAT</i> observations of radio-selected BL Lac objects. <i>Monthly Notices of the Royal Astronomical Society</i> , 0, , .	1.6	6
363	High-Energy Large-Area Surveys: From BeppoSAX to Chandra and XMM. , 0, , 271-276.		2