

# Andrew L Carey

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8833450/publications.pdf>

Version: 2024-02-01

37  
papers

3,730  
citations

201385

27  
h-index

344852

36  
g-index

38  
all docs

38  
docs citations

38  
times ranked

5887  
citing authors

#	ARTICLE	IF	CITATIONS
1	Plasma Docosahexaenoic Acid and Eicosapentaenoic Acid Concentrations Are Positively Associated with Brown Adipose Tissue Activity in Humans. <i>Metabolites</i> , 2020, 10, 388.	1.3	11
2	Matrix-Induced Autologous Chondrocyte Implantation (MACI) Grafting for Osteochondral Lesions of the Talus. <i>Foot and Ankle International</i> , 2020, 41, 1099-1105.	1.1	25
3	Apo AI Nanoparticles Delivered Post Myocardial Infarction Moderate Inflammation. <i>Circulation Research</i> , 2020, 127, 1422-1436.	2.0	24
4	Acute effects of active breaks during prolonged sitting on subcutaneous adipose tissue gene expression: an ancillary analysis of a randomised controlled trial. <i>Scientific Reports</i> , 2019, 9, 3847.	1.6	18
5	Acute metabolic and cardiovascular effects of mirabegron in healthy individuals. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 276-284.	2.2	42
6	Pioglitazone reduces cold-induced brown fat glucose uptake despite induction of browning in cultured human adipocytes: a randomised, controlled trial in humans. <i>Diabetologia</i> , 2018, 61, 220-230.	2.9	28
7	Brown adipose tissue and lipid metabolism: New strategies for identification of activators and biomarkers with clinical potential. , 2018, 192, 141-149.		14
8	High-density lipoprotein delivered after myocardial infarction increases cardiac glucose uptake and function in mice. <i>Science Translational Medicine</i> , 2017, 9, .	5.8	43
9	Effects of the BET-inhibitor, RVX-208 on the HDL lipidome and glucose metabolism in individuals with prediabetes: A randomized controlled trial. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 904-914.	1.5	37
10	Reducing peripheral serotonin turns up the heat in brown fat. <i>Nature Medicine</i> , 2015, 21, 114-116.	15.2	7
11	Chronic ephedrine administration decreases brown adipose tissue activity in a randomised controlled human trial: implications for obesity. <i>Diabetologia</i> , 2015, 58, 1045-1054.	2.9	44
12	Role of IL-6 in Exercise Training- and Cold-Induced UCP1 Expression in Subcutaneous White Adipose Tissue. <i>PLoS ONE</i> , 2014, 9, e84910.	1.1	158
13	Reduced UCP-1 Content in In Vitro Differentiated Beige/Brite Adipocytes Derived from Preadipocytes of Human Subcutaneous White Adipose Tissues in Obesity. <i>PLoS ONE</i> , 2014, 9, e91997.	1.1	67
14	Brown adipose tissue in humans: Therapeutic potential to combat obesity. , 2013, 140, 26-33.		47
15	Effects of High-Density Lipoprotein Elevation With Cholesteryl Ester Transfer Protein Inhibition on Insulin Secretion. <i>Circulation Research</i> , 2013, 113, 167-175.	2.0	62
16	Effects of breaking up prolonged sitting on skeletal muscle gene expression. <i>Journal of Applied Physiology</i> , 2013, 114, 453-460.	1.2	115
17	Skeletal Muscle Insulin Resistance Associated with Cholesterol-Induced Activation of Macrophages Is Prevented by High Density Lipoprotein. <i>PLoS ONE</i> , 2013, 8, e56601.	1.1	15
18	Plasma Sphingosine-1-Phosphate Is Elevated in Obesity. <i>PLoS ONE</i> , 2013, 8, e72449.	1.1	139

#	ARTICLE	IF	CITATIONS
19	Can exercise training rescue the adverse cardiometabolic effects of low birth weight and prematurity?. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2012, 39, 944-957.	0.9	22
20	Fat adaptation in well-trained athletes: effects on cell metabolism. <i>Applied Physiology, Nutrition and Metabolism</i> , 2011, 36, 12-22.	0.9	87
21	Phosphoinositide 3-kinase as a novel functional target for the regulation of the insulin signaling pathway by SIRT1. <i>Molecular and Cellular Endocrinology</i> , 2011, 335, 166-176.	1.6	109
22	Reconstituted high-density lipoprotein infusion modulates fatty acid metabolism in patients with type 2 diabetes mellitus. <i>Journal of Lipid Research</i> , 2011, 52, 572-581.	2.0	39
23	Short-term endurance training does not alter the oxidative capacity of human subcutaneous adipose tissue. <i>European Journal of Applied Physiology</i> , 2010, 109, 307-316.	1.2	49
24	Acute signalling responses to intense endurance training commenced with low or normal muscle glycogen. <i>Experimental Physiology</i> , 2010, 95, 351-358.	0.9	95
25	Global Gene Expression in Skeletal Muscle from Well-Trained Strength and Endurance Athletes. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 546-565.	0.2	82
26	Oxidative stress-induced insulin resistance in skeletal muscle cells is ameliorated by gamma-tocopherol treatment. <i>European Journal of Nutrition</i> , 2008, 47, 387-392.	1.8	30
27	Skeletal muscle adaptation and performance responses to once a day versus twice every second day endurance training regimens. <i>Journal of Applied Physiology</i> , 2008, 105, 1462-1470.	1.2	236
28	Prolonged interleukin-6 administration enhances glucose tolerance and increases skeletal muscle PPAR $\alpha$ and UCP2 expression in rats. <i>Journal of Endocrinology</i> , 2008, 198, 367-374.	1.2	55
29	Tumor necrosis factor $\alpha$ -induced skeletal muscle insulin resistance involves suppression of AMP-kinase signaling. <i>Cell Metabolism</i> , 2006, 4, 465-474.	7.2	363
30	Interleukin-6 Increases Insulin-Stimulated Glucose Disposal in Humans and Glucose Uptake and Fatty Acid Oxidation In Vitro via AMP-Activated Protein Kinase. <i>Diabetes</i> , 2006, 55, 2688-2697.	0.3	699
31	PGC- $1\alpha$ gene expression is down-regulated by Akt-mediated phosphorylation and nuclear exclusion of FoxO1 in insulin-stimulated skeletal muscle. <i>FASEB Journal</i> , 2005, 19, 2072-2074.	0.2	65
32	Cytokine gene expression in human skeletal muscle during concentric contraction: evidence that IL-8, like IL-6, is influenced by glycogen availability. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2004, 287, R322-R327.	0.9	122
33	Intramuscular Heat Shock Protein 72 and Heme Oxygenase-1 mRNA Are Reduced in Patients With Type 2 Diabetes: Evidence That Insulin Resistance Is Associated With a Disturbed Antioxidant Defense Mechanism. <i>Diabetes</i> , 2003, 52, 2338-2345.	0.3	310
34	Interleukin-6 production by contracting human skeletal muscle: autocrine regulation by IL-6. <i>Biochemical and Biophysical Research Communications</i> , 2003, 310, 550-554.	1.0	109
35	Muscle Oxidative Capacity Is a Better Predictor of Insulin Sensitivity than Lipid Status. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 5444-5451.	1.8	195
36	Effect of short-term fat adaptation on high-intensity training. <i>Medicine and Science in Sports and Exercise</i> , 2002, 34, 449-455.	0.2	61

#	ARTICLE	IF	CITATIONS
37	Effects of fat adaptation and carbohydrate restoration on prolonged endurance exercise. Journal of Applied Physiology, 2001, 91, 115-122.	1.2	105