

Hans-Peter Hammes

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8835312/hans-peter-hammes-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65
papers

1,542
citations

20
h-index

38
g-index

70
ext. papers

1,950
ext. citations

6
avg, IF

5.01
L-index

#	Paper	IF	Citations
65	Accumulation of acetaldehyde in aldh2.1 zebrafish causes increased retinal angiogenesis and impaired glucose metabolism.. <i>Redox Biology</i> , 2022 , 50, 102249	11.3	1
64	Asparaginyl endopeptidase protects against podocyte injury in diabetic nephropathy through cleaving cofilin-1.. <i>Cell Death and Disease</i> , 2022 , 13, 184	9.8	1
63	Adverse childhood experiences and late-life diurnal HPA axis activity: Associations of different childhood adversity types and interaction with timing in a sample of older East Prussian World War II refugees.. <i>Psychoneuroendocrinology</i> , 2022 , 139, 105717	5	0
62	Sulforaphane and Vitamin E Protect From Glucotoxic Neurodegeneration and Lifespan Reduction In <i>C. Elegans</i> . <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2021 , 129, 887-894	2.3	3
61	miRetrieve-an R package and web application for miRNA text mining.. <i>NAR Genomics and Bioinformatics</i> , 2021 , 3, lqab117	3.7	0
60	Activity of Glyoxylase 1 is regulated by a glucose-responsive phosphorylation on Tyr136. <i>Molecular Metabolism</i> , 2021 , 101406	8.8	
59	MAD2B-mediated cell cycle reentry of podocytes is involved in the pathogenesis of FSGS. <i>International Journal of Biological Sciences</i> , 2021 , 17, 4396-4408	11.2	0
58	Diabetic Retinopathy and Maculopathy. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2021 , 129, S64-S69	2.3	0
57	Microglial Activation Is Associated With Vasoprotection in a Rat Model of Inflammatory Retinal Vasoregression. <i>Frontiers in Physiology</i> , 2021 , 12, 660164	4.6	0
56	Advancing Diabetic Retinopathy Research: Analysis of the Neurovascular Unit in Zebrafish. <i>Cells</i> , 2021 , 10,	7.9	1
55	CaM Kinase II- β s Required for Diabetic Hyperglycemia and Retinopathy but Not Nephropathy. <i>Diabetes</i> , 2021 , 70, 616-626	0.9	3
54	Iron aggravates hepatic insulin resistance in the absence of inflammation in a novel db/db mouse model with iron overload. <i>Molecular Metabolism</i> , 2021 , 51, 101235	8.8	5
53	Glucosamine protects against neuronal but not vascular damage in experimental diabetic retinopathy. <i>Molecular Metabolism</i> , 2021 , 54, 101333	8.8	1
52	microRNA Expression Profile in the Vitreous of Proliferative Diabetic Retinopathy Patients and Differences from Patients Treated with Anti-VEGF Therapy. <i>Translational Vision Science and Technology</i> , 2020 , 9, 16	3.3	10
51	Pro-angiogenic Activity Discriminates Human Adipose-Derived Stromal Cells From Retinal Pericytes: Considerations for Cell-Based Therapy of Diabetic Retinopathy. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 387	5.7	3
50	Activation of Retinal Angiogenesis in Hyperglycemic Zebrafish Mutants. <i>Diabetes</i> , 2020 , 69, 1020-1031	0.9	9
49	Involvement of NDPK-B in Glucose Metabolism-Mediated Endothelial Damage via Activation of the Hexosamine Biosynthesis Pathway and Suppression of O-GlcNAcase Activity. <i>Cells</i> , 2020 , 9,	7.9	1

48	Hyperglycemia induces spermatogenic disruption via major pathways of diabetes pathogenesis. <i>Scientific Reports</i> , 2019 , 9, 13074	4.9	16
47	Impaired Retinal Vessel Dilation Predicts Mortality in End-Stage Renal Disease. <i>Circulation Research</i> , 2019 ,	15.7	23
46	Technical and clinical performance of the thermo-test device "Q-Sense" to assess small fibre function: A head-to-head comparison with the "Thermal Sensory Analyzer" TSA in diabetic patients and healthy volunteers. <i>European Journal of Pain</i> , 2019 , 23, 1863-1878	3.7	3
45	Intravitreal injection of mesenchymal stem cells evokes retinal vascular damage in rats. <i>FASEB Journal</i> , 2019 , 33, 14668-14679	0.9	13
44	Soluble epoxide hydrolase promotes astrocyte survival in retinopathy of prematurity. <i>Journal of Clinical Investigation</i> , 2019 , 129, 5204-5218	15.9	14
43	The Role of Long-Lived Plasma Cells in Antibody-Mediated Rejection of Kidney Transplantation: An Update. <i>Kidney Diseases (Basel, Switzerland)</i> , 2019 , 5, 211-219	3.3	8
42	Methylglyoxal induces retinopathy-type lesions in the absence of hyperglycemia: studies in a rat model. <i>FASEB Journal</i> , 2019 , 33, 4141-4153	0.9	12
41	Cystoid edema, neovascularization and inflammatory processes in the murine Norrin-deficient retina. <i>Scientific Reports</i> , 2018 , 8, 5970	4.9	3
40	Mesenchymal stromal/stem cells as potential therapy in diabetic retinopathy. <i>Immunobiology</i> , 2018 , 223, 729-743	3.4	35
39	TRPC proteins contribute to development of diabetic retinopathy and regulate glyoxalase 1 activity and methylglyoxal accumulation. <i>Molecular Metabolism</i> , 2018 , 9, 156-167	8.8	18
38	Diabetic retinopathy: hyperglycaemia, oxidative stress and beyond. <i>Diabetologia</i> , 2018 , 61, 29-38	10.3	118
37	O-GlcNAcylation of FoxO1 mediates nucleoside diphosphate kinase B deficiency induced endothelial damage. <i>Scientific Reports</i> , 2018 , 8, 10581	4.9	7
36	Anti-angiogenic effects of the DPP-4 inhibitor linagliptin via inhibition of VEGFR signalling in the mouse model of oxygen-induced retinopathy. <i>Diabetologia</i> , 2018 , 61, 2412-2421	10.3	10
35	Neuronal damage and shortening of lifespan in by peritoneal dialysis fluid: Protection by glyoxalase-1. <i>Biomedical Reports</i> , 2018 , 8, 540-546	1.8	2
34	The soluble epoxide hydrolase attenuates pathological vascularization by preventing astrocyte loss in a retinopathy of prematurity model in mice. <i>FASEB Journal</i> , 2018 , 32, 561.2	0.9	
33	The angiotensin II type 2 receptors protect renal tubule mitochondria in early stages of diabetes mellitus. <i>Kidney International</i> , 2018 , 94, 937-950	9.9	21
32	Plate-based Large-scale Cultivation of <i>Caenorhabditis elegans</i> : Sample Preparation for the Study of Metabolic Alterations in Diabetes. <i>Journal of Visualized Experiments</i> , 2018 ,	1.6	1
31	Human adipose tissue-derived stromal cells act as functional pericytes in mice and suppress high-glucose-induced proinflammatory activation of bovine retinal endothelial cells. <i>Diabetologia</i> , 2018 , 61, 2371-2385	10.3	19

30	Absence of macrophage migration inhibitory factor reduces proliferative retinopathy in a mouse model. <i>Acta Diabetologica</i> , 2017 , 54, 383-392	3.9	10
29	Hyperglycemia is associated with reduced testicular function and activin dysregulation in the Ins2 mouse model of type 1 diabetes. <i>Molecular and Cellular Endocrinology</i> , 2017 , 446, 91-101	4.4	20
28	Retinopathy in an obesity WHO III cohort: prevalence and risk factors. <i>British Journal of Ophthalmology</i> , 2017 , 101, 1550-1554	5.5	3
27	Hyperglycaemic memory affects the neurovascular unit of the retina in a diabetic mouse model. <i>Diabetologia</i> , 2017 , 60, 1354-1358	10.3	22
26	The role of insulin resistance in experimental diabetic retinopathy-Genetic and molecular aspects. <i>PLoS ONE</i> , 2017 , 12, e0178658	3.7	5
25	A Hepatic GAbp-AMPK Axis Links Inflammatory Signaling to Systemic Vascular Damage. <i>Cell Reports</i> , 2017 , 20, 1422-1434	10.6	4
24	Homeostatic nuclear RAGE-ATM interaction is essential for efficient DNA repair. <i>Nucleic Acids Research</i> , 2017 , 45, 10595-10613	20.1	37
23	Studying Diabetes Through the Eyes of a Fish: Microdissection, Visualization, and Analysis of the Adult tg(fli:EGFP) Zebrafish Retinal Vasculature. <i>Journal of Visualized Experiments</i> , 2017 ,	1.6	9
22	Long-term consequences of developmental vascular defects on retinal vessel homeostasis and function in a mouse model of Norrie disease. <i>PLoS ONE</i> , 2017 , 12, e0178753	3.7	6
21	Inhibition of soluble epoxide hydrolase prevents diabetic retinopathy. <i>Nature</i> , 2017 , 552, 248-252	50.4	82
20	In-Depth Functional Diagnostics of Mouse Models by Single-Flash and Flicker Electroretinograms without Adapting Background Illumination. <i>Advances in Experimental Medicine and Biology</i> , 2016 , 854, 619-25	3.6	5
19	Performance of the 1 mg dexamethasone suppression test in patients with severe obesity. <i>Obesity</i> , 2016 , 24, 850-5	8	9
18	Nucleoside diphosphate kinase B deficiency causes a diabetes-like vascular pathology via up-regulation of endothelial angiotensin-2 in the retina. <i>Acta Diabetologica</i> , 2016 , 53, 81-9	3.9	20
17	Gasotransmitters in Vascular Complications of Diabetes. <i>Diabetes</i> , 2016 , 65, 331-45	0.9	33
16	The DPP4 Inhibitor Linagliptin Protects from Experimental Diabetic Retinopathy. <i>PLoS ONE</i> , 2016 , 11, e0167853	3.7	37
15	Impaired Purinergic Regulation of the Glial (Müller) Cell Volume in the Retina of Transgenic Rats Expressing Defective Polycystin-2. <i>Neurochemical Research</i> , 2016 , 41, 1784-96	4.6	7
14	High tissue glucose alters intersomitic blood vessels in zebrafish via methylglyoxal targeting the VEGF receptor signaling cascade. <i>Diabetes</i> , 2015 , 64, 213-25	0.9	36
13	Risk Factors for Retinopathy and DME in Type 2 Diabetes-Results from the German/Austrian DPV Database. <i>PLoS ONE</i> , 2015 , 10, e0132492	3.7	68

12	Nucleoside diphosphate kinase B regulates angiogenesis through modulation of vascular endothelial growth factor receptor type 2 and endothelial adherens junction proteins. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014 , 34, 2292-300	9.4	19
11	Angiopoietin-1 is regulated by miR-204 and contributes to corneal neovascularization in KLEIP-deficient mice 2014 , 55, 4295-303		21
10	Müller cell reactivity in response to photoreceptor degeneration in rats with defective polycystin-2. <i>PLoS ONE</i> , 2014 , 8, e61631	3.7	18
9	HbA1c variability as an independent risk factor for diabetic retinopathy in type 1 diabetes: a German/Austrian multicenter analysis on 35,891 patients. <i>PLoS ONE</i> , 2014 , 9, e91137	3.7	54
8	Systemic treatment with erythropoietin protects the neurovascular unit in a rat model of retinal neurodegeneration. <i>PLoS ONE</i> , 2014 , 9, e102013	3.7	28
7	Diabetes, the Kidney and Retinopathy 2012 , 153-167		
6	Retinal digest preparation: a method to study diabetic retinopathy. <i>Methods in Molecular Biology</i> , 2012 , 933, 291-302	1.4	21
5	Carnosine prevents apoptosis of glomerular cells and podocyte loss in STZ diabetic rats. <i>Cellular Physiology and Biochemistry</i> , 2011 , 28, 279-88	3.9	86
4	Diabetic retinopathy: targeting vasoregression. <i>Diabetes</i> , 2011 , 60, 9-16	0.9	244
3	Vasoregression linked to neuronal damage in the rat with defect of polycystin-2. <i>PLoS ONE</i> , 2009 , 4, e7338	3.7	45
2	Pericyte migration: a novel mechanism of pericyte loss in experimental diabetic retinopathy. <i>Diabetes</i> , 2008 , 57, 2495-502	0.9	176
1	A truncated polycystin-2 protein causes polycystic kidney disease and retinal degeneration in transgenic rats. <i>Journal of the American Society of Nephrology: JASN</i> , 2006 , 17, 2719-30	12.7	54