Yaogang Li

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8835420/yaogang-li-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38 133 5,952 74 h-index g-index citations papers 6.16 7,497 9.7 137 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
133	Electrochemical Actuators with Multicolor Changes and Multidirectional Actuation Small, 2022, e2107	778	3
132	A portable ascorbic acid in sweat analysis system based on highly crystalline conductive nickel-based metal-organic framework (Ni-MOF) <i>Journal of Colloid and Interface Science</i> , 2022 , 616, 32	6 ⁹ 3337	5
131	Flexible and high-performance electrochromic devices enabled by self-assembled 2D TiO/MXene heterostructures. <i>Nature Communications</i> , 2021 , 12, 1587	17.4	44
130	Wicking-Polarization-Induced Water Cluster Size Effect on Triboelectric Evaporation Textiles. <i>Advanced Materials</i> , 2021 , 33, e2007352	24	21
129	Abrasion Resistant/Waterproof Stretchable Triboelectric Yarns Based on Fermat Spirals. <i>Advanced Materials</i> , 2021 , 33, e2100782	24	20
128	NiCoNiCoO2/carbon hollow nanocages for non-enzyme glucose detection. <i>Electrochimica Acta</i> , 2021 , 381, 138259	6.7	4
127	Dielectrophoretic Assembly of Carbon Nanotube Chains in Aqueous Solution. <i>Advanced Fiber Materials</i> , 2021 , 3, 312	10.9	O
126	Integrated Ionic-Additive Assisted Wet-Spinning of Highly Conductive and Stretchable PEDOT:PSS Fiber for Fibrous Organic Electrochemical Transistors. <i>Advanced Electronic Materials</i> , 2021 , 7, 2100231	6.4	3
125	A highly integrated sensing paper for wearable electrochemical sweat analysis. <i>Biosensors and Bioelectronics</i> , 2021 , 174, 112828	11.8	35
124	Mechanical design of brush coating technology for the alignment of one-dimension nanomaterials. Journal of Colloid and Interface Science, 2021 , 583, 188-195	9.3	5
123	Microstructural origin of selective water oxidation to hydrogen peroxide at low overpotentials: a study on Mn-alloyed TiO2. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 18498-18505	13	2
122	Ultra-stretchable, self-adhesive, transparent, and ionic conductive organohydrogel for flexible sensor. <i>APL Materials</i> , 2021 , 9, 011101	5.7	9
121	Independent dual-responsive Janus chromic fibers. Science China Materials, 2021, 64, 1770-1779	7.1	3
120	Self-Powered Interactive Fiber Electronics with Visual-Digital Synergies. <i>Advanced Materials</i> , 2021 , 33, e2104681	24	13
119	Core-shell structured SiO@ZrO@SiO filler for radiopacity and ultra-low shrinkage dental composite resins. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2021 , 121, 104593	4.1	4
118	Continuous preparation of dual-responsive sensing fibers for smart textiles. <i>Journal of Colloid and Interface Science</i> , 2021 , 597, 215-222	9.3	1
117	High performance stretchable fibrous supercapacitors and flexible strain sensors based on CNTs/MXene-TPU hybrid fibers. <i>Electrochimica Acta</i> , 2021 , 395, 139141	6.7	10

(2020-2020)

116	High Volumetric Energy Density Asymmetric Fibrous Supercapacitors with Coaxial Structure Based on Graphene/MnO2 Hybrid Fibers. <i>ChemElectroChem</i> , 2020 , 7, 4641-4648	4.3	5
115	Continuously Processed, Long Electrochromic Fibers with Multi-Environmental Stability. <i>ACS Applied Materials & Applied Materials & Description</i> (2008) 12, 28451-28460	9.5	19
114	Raman-tag labelled Au@ZIF-8 for cell metabolism monitoring in vitro. <i>Clinical Hemorheology and Microcirculation</i> , 2020 , 75, 489-498	2.5	О
113	Skeleton-Structure WS@CNT Thin-Film Hybrid Electrodes for High-Performance Quasi-Solid-State Flexible Supercapacitors. <i>Frontiers in Chemistry</i> , 2020 , 8, 442	5	10
112	Thermal and Humidity Management for Next-Generation Textiles 2020 , 163-181		
111	Facilitating Interfacial Stability Via Bilayer Heterostructure Solid Electrolyte Toward High-energy, Safe and Adaptable Lithium Batteries. <i>Advanced Energy Materials</i> , 2020 , 10, 2000709	21.8	28
110	Highly Integrable Thermoelectric Fiber. ACS Applied Materials & amp; Interfaces, 2020, 12, 33297-33304	9.5	26
109	Flexible 3D Porous MoS2/CNTs Architectures with ZT of 0.17 at Room Temperature for Wearable Thermoelectric Applications. <i>Advanced Functional Materials</i> , 2020 , 30, 2002508	15.6	15
108	A kirigami-inspired island-chain design for wearable moistureproof perovskite solar cells with high stretchability and performance stability. <i>Nanoscale</i> , 2020 , 12, 3646-3656	7.7	16
107	Facile synthesis of 3D hierarchical micro-/nanostructures in capillaries for efficient capture of circulating tumor cells. <i>Journal of Colloid and Interface Science</i> , 2020 , 575, 108-118	9.3	4
106	Additional-Heating-Enhanced Large-Scale Metallic Molybdenum Disulfide Nanosheet Exfoliation for Free-Standing Films and Flexible High-Performance Supercapacitors. <i>ChemNanoMat</i> , 2020 , 6, 267-27	13 ·5	3
105	Capillary force driven printing of asymmetric Na-ion micro-supercapacitors. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 22083-22089	13	4
104	Carbon-based thin-film actuator with 1D to 2D transitional structure applied in smart clothing. <i>Carbon</i> , 2020 , 168, 546-552	10.4	2
103	Thermochromic Hydrogel-Functionalized Textiles for Synchronous Visual Monitoring of On-Demand Drug Release. <i>ACS Applied Materials & Amp; Interfaces</i> , 2020 , 12, 51225-51235	9.5	18
102	Stretchable electrothermochromic fibers based on hierarchical porous structures with electrically conductive dual-pathways. <i>Science China Materials</i> , 2020 , 63, 2582-2589	7.1	5
101	Large-Grained Perovskite Films Enabled by One-Step Meniscus-Assisted Solution Printing of Cross-Aligned Conductive Nanowires for Biodegradable Flexible Solar Cells. <i>Advanced Energy Materials</i> , 2020 , 10, 2001185	21.8	19
100	Composite Solid Electrolytes: Facilitating Interfacial Stability Via Bilayer Heterostructure Solid Electrolyte Toward High-energy, Safe and Adaptable Lithium Batteries (Adv. Energy Mater. 31/2020). Advanced Energy Materials, 2020 , 10, 2070131	21.8	11
99	Metal©rganic Framework-Derived Nickel/Cobalt-Based Nanohybrids for Sensing Non-Enzymatic Glucose. ChemElectroChem, 2020 , 7, 4446-4452	4.3	13

98	Thermally Responsive Photonic Fibers Consisting of Chained Nanoparticles. <i>ACS Applied Materials & Amp; Interfaces</i> , 2020 , 12, 50844-50851	9.5	11
97	Transparent Metal-Organic Framework-Based Gel Electrolytes for Generalized Assembly of Quasi-Solid-State Electrochromic Devices. <i>ACS Applied Materials & Devices</i> , 2020, 12, 42955-4296	61 ^{9.5}	12
96	MXene-Coated Air-Permeable Pressure-Sensing Fabric for Smart Wear. <i>ACS Applied Materials & amp; Interfaces</i> , 2020 , 12, 46446-46454	9.5	42
95	Stable Hydrogel Electrolytes for Flexible and Submarine-Use Zn-Ion Batteries. <i>ACS Applied Materials</i> & Amp; Interfaces, 2020 , 12, 46005-46014	9.5	29
94	Highly fluorinated polyimide gate dielectric for fully transparent aqueous precursor derived In Z n oxide thin-film transistors. <i>Journal of Materials Science</i> , 2020 , 55, 15919-15929	4.3	2
93	Microfluidic spinning of editable polychromatic fibers. <i>Journal of Colloid and Interface Science</i> , 2020 , 558, 115-122	9.3	12
92	Regulation of carbon content in MOF-derived hierarchical-porous NiO@C films for high-performance electrochromism. <i>Materials Horizons</i> , 2019 , 6, 571-579	14.4	49
91	1T-Molybdenum disulfide/reduced graphene oxide hybrid fibers as high strength fibrous electrodes for wearable energy storage. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 3143-3149	13	30
90	ZnStdStaON nanocomposites with enhanced stability and photocatalytic hydrogen evolution activity. <i>Journal of Sol-Gel Science and Technology</i> , 2019 , 91, 82-91	2.3	10
89	High-Performance Flexible Thermoelectric Devices Based on All-Inorganic Hybrid Films for Harvesting Low-Grade Heat. <i>Advanced Functional Materials</i> , 2019 , 29, 1900304	15.6	66
88	Solvatochromic structural color fabrics with favorable wearability properties. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 4855-4862	7.1	6
87	Light-driven artificial muscles based on electrospun microfiber yarns. <i>Science China Technological Sciences</i> , 2019 , 62, 965-970	3.5	7
86	Highly Aligned Molybdenum Trioxide Nanobelts for Flexible Thin-Film Transistors and Supercapacitors: Macroscopic Assembly and Anisotropic Electrical Properties. <i>ACS Applied Nano Materials</i> , 2019 , 2, 1466-1471	5.6	10
85	Advanced Functional Fiber and Smart Textile. <i>Advanced Fiber Materials</i> , 2019 , 1, 3-31	10.9	87
84	Continuous and scalable manufacture of amphibious energy yarns and textiles. <i>Nature Communications</i> , 2019 , 10, 868	17.4	75
83	Highly efficient walking perovskite solar cells based on thermomechanical polymer films. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 26154-26161	13	10
82	All-fiber tribo-ferroelectric synergistic electronics with high thermal-moisture stability and comfortability. <i>Nature Communications</i> , 2019 , 10, 5541	17.4	61
81	Flexible photodetector based on cotton coated with reduced graphene oxide and sulfur and nitrogen co-doped graphene quantum dots. <i>Journal of Materials Science</i> , 2019 , 54, 3242-3251	4.3	9

(2017-2019)

80	Earth-Abundant Oxygen Electrocatalysts for Alkaline Anion-Exchange-Membrane Water Electrolysis: Effects of Catalyst Conductivity and Comparison with Performance in Three-Electrode Cells. <i>ACS Catalysis</i> , 2019 , 9, 7-15	13.1	89
79	Dual-Mechanism and Multimotion Soft Actuators Based on Commercial Plastic Film. <i>ACS Applied Materials & District Actuation </i>	9.5	41
78	Molecular-channel driven actuator with considerations for multiple configurations and color switching. <i>Nature Communications</i> , 2018 , 9, 590	17.4	108
77	Modifying Perovskite Films with Polyvinylpyrrolidone for Ambient-Air-Stable Highly Bendable Solar Cells. <i>ACS Applied Materials & amp; Interfaces</i> , 2018 , 10, 35385-35394	9.5	40
76	Mesoporous Pt/TiO2-xNx nanoparticles with less than 10 nm and high specific surface area as visible light hydrogen evolution photocatalysts. <i>Journal of Sol-Gel Science and Technology</i> , 2018 , 87, 230)- 2 :39	2
75	Lattice-contraction triggered synchronous electrochromic actuator. <i>Nature Communications</i> , 2018 , 9, 4798	17.4	52
74	Antisolvent-Derived Intermediate Phases for Low-Temperature Flexible Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2018 , 1, 6477-6486	6.1	13
73	Design and Mechanisms of Asymmetric Supercapacitors. <i>Chemical Reviews</i> , 2018 , 118, 9233-9280	68.1	1396
72	Self-powered multifunctional UV and IR photodetector as an artificial electronic eye. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 1436-1442	7.1	33
71	S, N Co-Doped Graphene Quantum Dot/TiO Composites for Efficient Photocatalytic Hydrogen Generation. <i>Nanoscale Research Letters</i> , 2017 , 12, 400	5	68
70	Solution-Processed Porous Tungsten Molybdenum Oxide Electrodes for Energy Storage Smart Windows. <i>Advanced Materials Technologies</i> , 2017 , 2, 1700047	6.8	32
69	A remote controllable fiber-type near-infrared light-responsive actuator. <i>Chemical Communications</i> , 2017 , 53, 11118-11121	5.8	36
68	Synthesis of Mesoporous (Ga1\(\text{NZ}\) (N1\(\text{NO}\) (Vsing Layered Double Hydroxides as Precursors for Enhanced Visible-Light Driven H2 Production. <i>Chinese Journal of Chemistry</i> , 2017 , 35, 196-202	4.9	4
67	Aluminum-Ion-Intercalation Supercapacitors with Ultrahigh Areal Capacitance and Highly Enhanced Cycling Stability: Power Supply for Flexible Electrochromic Devices. <i>Small</i> , 2017 , 13, 1700380	11	76
66	Ultrathin, Washable, and Large-Area Graphene Papers for Personal Thermal Management. <i>Small</i> , 2017 , 13, 1702645	11	98
65	Flexible quasi-solid-state planar micro-supercapacitor based on cellular graphene films. <i>Materials Horizons</i> , 2017 , 4, 1145-1150	14.4	150
64	A flexible metallic actuator using reduced graphene oxide as a multifunctional component. <i>Nanoscale</i> , 2017 , 9, 12963-12968	7.7	17
63	Fabrication of magnetic field induced structural colored films with tunable colors and its application on security materials. <i>Journal of Colloid and Interface Science</i> , 2017 , 485, 18-24	9.3	20

62	Reduced graphene oxide functionalized stretchable and multicolor electrothermal chromatic fibers. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 11448-11453	7.1	31
61	Prepolymerization-assisted fabrication of an ultrathin immobilized layer to realize a semi-embedded wrinkled AgNW network for a smart electrothermal chromatic display and actuator. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 9778-9785	7.1	34
60	Facile fabrication of magnetically responsive PDMS fiber for camouflage. <i>Journal of Colloid and Interface Science</i> , 2016 , 483, 11-16	9.3	18
59	An Elastic Transparent Conductor Based on Hierarchically Wrinkled Reduced Graphene Oxide for Artificial Muscles and Sensors. <i>Advanced Materials</i> , 2016 , 28, 9491-9497	24	121
58	Single-walled carbon nanotubes/polyaniline-coated polyester thermoelectric textile with good interface stability prepared by ultrasonic induction. <i>RSC Advances</i> , 2016 , 6, 90347-90353	3.7	15
57	3D Freeze-Casting of Cellular Graphene Films for Ultrahigh-Power-Density Supercapacitors. <i>Advanced Materials</i> , 2016 , 28, 6719-26	24	335
56	Three-dimensional ordered titanium dioxide-zirconium dioxide film-based microfluidic device for efficient on-chip phosphopeptide enrichment. <i>Journal of Colloid and Interface Science</i> , 2016 , 478, 227-3	5 ^{9.3}	10
55	An electrically controllable all-solid-state Au@graphene oxide actuator. <i>Chemical Communications</i> , 2016 , 52, 5816-9	5.8	7
54	Visibly vapor-responsive structurally colored carbon fibers prepared by an electrophoretic deposition method. <i>RSC Advances</i> , 2016 , 6, 16319-16322	3.7	8
53	Fluoroalkylsilane-Modified Textile-Based Personal Energy Management Device for Multifunctional Wearable Applications. <i>ACS Applied Materials & Device (Control of the Control of the Contr</i>	9.5	95
52	Spray coated ultrathin films from aqueous tungsten molybdenum oxide nanoparticle ink for high contrast electrochromic applications. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 33-38	7.1	53
51	Aqueous synthesis of high bright and tunable near-infrared AgInSe2-ZnSe quantum dots for bioimaging. <i>Journal of Colloid and Interface Science</i> , 2016 , 463, 1-7	9.3	42
50	Biocompatible and colloidally stabilized mPEG-PE/calcium phosphate hybrid nanoparticles loaded with siRNAs targeting tumors. <i>Oncotarget</i> , 2016 , 7, 2855-66	3.3	16
49	Photoelectrocatalytic microfluidic reactors utilizing hierarchical TiO2 nanotubes for determination of chemical oxygen demand. <i>RSC Advances</i> , 2016 , 6, 49824-49830	3.7	5
48	Lightweight, highly bendable and foldable electrochromic films based on all-solution-processed bilayer nanowire networks. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 5849-5857	7.1	26
47	Enhanced fluorescence and heat dissipation of calcium titanate red phosphor based on silver coating. <i>Journal of Colloid and Interface Science</i> , 2015 , 459, 44-52	9.3	7
46	Rapid formation of superelastic 3D reduced graphene oxide networks with simultaneous removal of HI utilizing NIR irradiation. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 9882-9889	13	12
45	A multi-responsive water-driven actuator with instant and powerful performance for versatile applications. <i>Scientific Reports</i> , 2015 , 5, 9503	4.9	75

(2013-2015)

44	Laser irradiated self-supporting and flexible 3-dimentional graphene-based film electrode with promising electrochemical properties. <i>RSC Advances</i> , 2015 , 5, 47074-47079	3.7	9
43	Flow Effects on the Controlled Growth of Nanostructured Networks at Microcapillary Walls for Applications in Continuous Flow Reactions. <i>ACS Applied Materials & District Applied & District Applied & District Applied & D</i>	9.5	10
42	Structure and chemical durability of ZnOB2O3P2O5R n O m glass system with Fe2O3 additive. <i>Glass Physics and Chemistry</i> , 2015 , 41, 467-473	0.7	3
41	Origami-inspired active graphene-based paper for programmable instant self-folding walking devices. <i>Science Advances</i> , 2015 , 1, e1500533	14.3	260
40	High-performance all-solid-state yarn supercapacitors based on porous graphene ribbons. <i>Nano Energy</i> , 2015 , 12, 26-32	17.1	92
39	Construction of hydrated tungsten trioxide nanosheet films for efficient electrochromic performance. <i>RSC Advances</i> , 2015 , 5, 196-201	3.7	28
38	One-pot Hydrothermal Synthesis of N-Doped Carbon Quantum Dots Using the Waste of Shrimp for Hydrogen Evolution from Formic Acid. <i>Chemistry Letters</i> , 2015 , 44, 241-243	1.7	18
37	Facile fabrication of a magnetically induced structurally colored fiber and its strain-responsive properties. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 11093-11097	13	42
36	Eu doped Si-oxynitride fluorescent nanofibrous inorganic membranes with high flexibility. <i>RSC Advances</i> , 2015 , 5, 101287-101292	3.7	2
35	Controllable construction of titanium dioxide-zirconium dioxide@zinc hydroxyfluoride networks in micro-capillaries for bio-analysis. <i>Journal of Colloid and Interface Science</i> , 2015 , 446, 290-7	9.3	10
34	Fabrication of LiMnPO4-MWCNT cathode material via vapor phase hydrolysis and its electrochemical properties. <i>Ionics</i> , 2015 , 21, 651-656	2.7	1
33	Highly strong and elastic graphene fibres prepared from universal graphene oxide precursors. <i>Scientific Reports</i> , 2014 , 4, 4248	4.9	47
32	Self-seeded growth of nest-like hydrated tungsten trioxide film directly on FTO substrate for highly enhanced electrochromic performance. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 11305-11310	13	61
31	Controllable growth of high-quality metal oxide/conducting polymer hierarchical nanoarrays with outstanding electrochromic properties and solar-heat shielding ability. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 13541-13549	13	45
30	In Situ Functionalization of Stable 3D Nest-Like Networks in Confined Channels for Microfluidic Enrichment and Detection. <i>Advanced Functional Materials</i> , 2014 , 24, 1017-1026	15.6	36
29	Highly conductive, flexible, and compressible all-graphene passive electronic skin for sensing human touch. <i>Advanced Materials</i> , 2014 , 26, 5018-24	24	231
28	Fabrication of large-area and high-crystallinity photoreduced graphene oxide films via reconstructed two-dimensional multilayer structures. <i>NPG Asia Materials</i> , 2014 , 6, e119-e119	10.3	36
27	Environment-sensitive carbon nanotube/polymer composite microhydrogels synthesized via a microfluidic reactor. <i>Journal of Applied Polymer Science</i> , 2013 , 127, 2422-2426	2.9	6

26	Morphology-tailored synthesis of vertically aligned 1D WO3 nano-structure films for highly enhanced electrochromic performance. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 684-691	13	122
25	High-performance flexible asymmetric supercapacitors based on 3D porous graphene/MnO2 nanorod and graphene/Ag hybrid thin-film electrodes. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 1245-1	257	135
24	A high efficiency microreactor with Pt/ZnO nanorod arrays on the inner wall for photodegradation of phenol. <i>Journal of Hazardous Materials</i> , 2013 , 254-255, 318-324	12.8	52
23	Facile growth of vertically aligned BiOCl nanosheet arrays on conductive glass substrate with high photocatalytic properties. <i>Journal of Materials Chemistry</i> , 2012 , 22, 16851		65
22	Low shrinkage light curable dental nanocomposites using SiO microspheres as fillers. <i>Materials Science and Engineering C</i> , 2012 , 32, 2115-2121	8.3	45
21	Low-temperature preparation of monodispersed Eu-doped CaTiO3 LED phosphors with controllable morphologies. <i>CrystEngComm</i> , 2012 , 14, 2094	3.3	20
20	Bio-applicable and electroactive near-infrared laser-triggered self-healing hydrogels based on graphene networks. <i>Journal of Materials Chemistry</i> , 2012 , 22, 14991		67
19	Self-weaving WO3 nanoflake films with greatly enhanced electrochromic performance. <i>Journal of Materials Chemistry</i> , 2012 , 22, 16633		63
18	Preparation of Core/Shell Structured Rutile/Anatase Photocatalyst via Vapor Phase Hydrolysis and its Photocatalytic Degradation of Phenol and Methylene Blue. <i>Journal of the American Ceramic Society</i> , 2012 , 95, 1927-1932	3.8	14
17	Aqueous synthesis of color-tunable and stable Mn2+-doped ZnSe quantum dots. <i>Journal of Materials Chemistry</i> , 2011 , 21, 151-156		56
16	Structure and crystallization of ZnO-B2O3-P2O5 glasses. <i>Glass Physics and Chemistry</i> , 2011 , 37, 29-33	0.7	19
15	Functionalization of PNIPAAm microgels using magnetic graphene and their application in microreactors as switch materials. <i>Journal of Materials Chemistry</i> , 2011 , 21, 10512		23
14	White light emission from Mn-doped ZnSe d-dots synthesized continuously in microfluidic reactors. Journal of Materials Chemistry, 2011 , 21, 17972		31
13	CaSi2O2N2:Eu nanofiber mat based on electrospinning: facile synthesis, uniform arrangement, and application in white LEDs. <i>Journal of Materials Chemistry</i> , 2011 , 21, 17790		38
12	Molar ratio of In to urea directed formation of In2O3 hierarchical structures: cubes and nanorod-flowers. <i>CrystEngComm</i> , 2011 , 13, 2557	3.3	27
11	Nitridation from core-shell oxides for tunable luminescence of BaSi2O2N2 : Eu2 + LED phosphors. Journal of Materials Chemistry, 2010 , 20, 6050		22
10	Facile crystallization control of LaF3/LaPO4:Ce, Tb nanocrystals in a microfluidic reactor using microwave irradiation. <i>Journal of Materials Chemistry</i> , 2010 , 20, 1766		26
9	Design, Synthesis and Characterization of A Novel Cationic Polymer Poly(lactic acid-b-L-lysine). Journal of Macromolecular Science - Pure and Applied Chemistry, 2010 , 47, 230-234	2.2	4

LIST OF PUBLICATIONS

8	Peptization Hydrothermal Method as a Surfactant-Free Process toward Nanorod-Like Anatase TiO2 Nanocrystals. <i>European Journal of Inorganic Chemistry</i> , 2009 , 2009, 4078-4084	2.3	19
7	Synthesis and characterization of biodegradable block copolymer pluronic-b-poly(L-lysine). <i>Journal of Applied Polymer Science</i> , 2009 , 112, 3371-3379	2.9	3
6	ZnO/MgAl layered double hydroxides as strongly adsorptive photocatalysts. <i>Research on Chemical Intermediates</i> , 2009 , 35, 685-692	2.8	12
5	Redispersible and water-soluble LaF3:Ce,Tb nanocrystalsvia a microfluidic reactor with temperature steps. <i>Journal of Materials Chemistry</i> , 2008 , 18, 5060		34
4	One-Dimensional Magnetic Composite of Polypyrrole-Containing Carbon Nanotubes/Ni0.75Zn0.25Fe2O4. <i>Journal of Macromolecular Science - Physics</i> , 2006 , 45, 541-547	1.4	1
3	Emerging Two-dimensional Materials Constructed Nanofluidic Fiber: Properties, Preparation and Applications. <i>Advanced Fiber Materials</i> ,1	10.9	1
2	High-Performance Ionic Thermoelectric Supercapacitor for Integrated Energy Conversion-Storage. <i>Energy and Environmental Materials</i> ,	13	4
1	Synergistic Solvation and Interface Regulations of Eco-Friendly Silk Peptide Additive Enabling Stable Aqueous Zinc-Ion Batteries. <i>Advanced Functional Materials</i> ,2112693	15.6	11