Jelena M Aleksic

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8836167/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	High pollen immigration but no gene flow via-seed into a Genetic Conservation Unit of the endangered Picea omorika after disturbance. Forest Ecology and Management, 2022, 510, 120115.	3.2	3
2	Towards the dynamic conservation of Serbian spruce (Picea omorika) western populations. Annals of Forest Science, 2020, 77, 1.	2.0	5
3	Complete mitogenome data for the Serbian population: the contribution to high-quality forensic databases. International Journal of Legal Medicine, 2020, 134, 1581-1590.	2.2	7
4	Phylogeographic and taxonomic considerations on Goniolimon tataricum (Plumbaginaceae) and its relatives from south-eastern Europe and the Apennine Peninsula. Plant Systematics and Evolution, 2020, 306, 1.	0.9	6
5	Banat donkey, a neglected donkey breed from the central Balkans (Serbia). PeerJ, 2020, 8, e8598.	2.0	3
6	Technical overview of nuclear microsatellites for <i>Fagus</i> sp., and their utility in <i>F.Âsylvatica</i> from the central Balkans (Serbia). Scandinavian Journal of Forest Research, 2019, 34, 545-556.	1.4	1
7	Serbian Spruce and Climate Change: Possible Outcomes and Conservation Strategy. Advances in Global Change Research, 2019, , 353-371.	1.6	6
8	Comparative phylogeography of capitulate Campanula species from the Balkans, with description of a new species, C. daucoides. Plant Systematics and Evolution, 2018, 304, 549-575.	0.9	11
9	Honey bee viruses in Serbian colonies of different strength. PeerJ, 2018, 6, e5887.	2.0	21
10	Mitochondrial super-haplogroup U diversity in Serbians. Annals of Human Biology, 2017, 44, 408-418.	1.0	16
11	Exploring and conserving a "microcosm― whole-population genetic characterization within a refugial area of the endemic, relict conifer Picea omorika. Conservation Genetics, 2017, 18, 777-788.	1.5	11
12	New insights into the origin and the genetic status of the Balkan donkey from Serbia. Animal Genetics, 2017, 48, 580-590.	1.7	10
13	Response of rare and endangered species Picea omorika to climate change - The need for speed. Reforesta, 2016, , 81-99.	0.4	12
14	A Mediterranean medicinal plant in the continental Balkans: A plastid DNA-based phylogeographic survey ofSalvia officinalis(Lamiaceae) and its conservation implications. Willdenowia, 2015, 45, 103-118.	0.8	14
15	Faba Bean. Handbook of Plant Breeding, 2015, , 141-178.	0.1	38
16	Mitochondrial DNA perspective of Serbian genetic diversity. American Journal of Physical Anthropology, 2015, 156, 449-465.	2.1	15
17	Quaternary population dynamics of an endemic conifer, Picea omorika, and their conservation implications. Conservation Genetics, 2014, 15, 87-107.	1.5	30
18	A robust and cost-effective method for DNA isolation from Satureja species (Lamiaceae). Archives of Biological Sciences, 2014, 66, 285-297.	0.5	3

JELENA M ALEKSIC

#	Article	IF	CITATIONS
19	<i>Campanula cichoracea</i> (<i>Campanulaceae</i>), a neglected species from the Balkan-Carpathian <i>C. lingulata</i> complex as inferred from molecular and morphological characters. Willdenowia, 2014, 44, 77-96.	0.8	7
20	A new phylogeny for the genus Picea from plastid, mitochondrial, and nuclear sequences. Molecular Phylogenetics and Evolution, 2013, 69, 717-727.	2.7	99
21	A Simple and Efficient DNA Isolation Method for Salvia officinalis. Biochemical Genetics, 2012, 50, 881-892.	1.7	20
22	Mitochondrial DNA reveals complex genetic structuring in a stenoendemic conifer Picea omorika [(Panĕ) Purk.] caused by its long persistence within the refugial Balkan region. Plant Systematics and Evolution, 2010, 285, 1-11.	0.9	24