

Martin Bares

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/883618/publications.pdf>

Version: 2024-02-01

134
papers

3,980
citations

109321

35
h-index

149698

56
g-index

141
all docs

141
docs citations

141
times ranked

4219
citing authors

#	ARTICLE	IF	CITATIONS
1	Pramipexole and pergolide in the treatment of depression in Parkinson's disease: a national multicentre prospective randomized study. <i>European Journal of Neurology</i> , 2003, 10, 399-406.	3.3	220
2	Early reduction in prefrontal theta QEEG cordance value predicts response to venlafaxine treatment in patients with resistant depressive disorder. <i>European Psychiatry</i> , 2008, 23, 350-355.	0.2	120
3	Changes in QEEG prefrontal cordance as a predictor of response to antidepressants in patients with treatment resistant depressive disorder: A pilot study. <i>Journal of Psychiatric Research</i> , 2007, 41, 319-325.	3.1	107
4	Dystonia and the cerebellum: A new field of interest in movement disorders?. <i>Clinical Neurophysiology</i> , 2013, 124, 1269-1276.	1.5	106
5	Consensus paper: Decoding the Contributions of the Cerebellum as a Time Machine. From Neurons to Clinical Applications. <i>Cerebellum</i> , 2019, 18, 266-286.	2.5	101
6	WILSON'S DISEASE AND EPILEPSY. <i>Brain</i> , 1988, 111, 1139-1155.	7.6	99
7	Predictive Motor Timing Performance Dissociates Between Early Diseases of the Cerebellum and Parkinson's Disease. <i>Cerebellum</i> , 2010, 9, 124-135.	2.5	97
8	Intracortical inhibition and facilitation are impaired in patients with early Parkinson's disease: a paired TMS study. <i>European Journal of Neurology</i> , 2003, 10, 385-389.	3.3	88
9	Disruption in cerebellar and basal ganglia networks during a visuospatial task in cervical dystonia. <i>Movement Disorders</i> , 2017, 32, 757-768.	3.9	88
10	Levodopa-induced dyskinesias and continuous subcutaneous infusions of apomorphine: Results of a two-year, prospective follow-up. <i>Movement Disorders</i> , 2002, 17, 188-191.	3.9	82
11	Essential tremor-plus: a controversial new concept. <i>Lancet Neurology</i> , The, 2020, 19, 266-270.	10.2	82
12	The change of prefrontal QEEG theta cordance as a predictor of response to bupropion treatment in patients who had failed to respond to previous antidepressant treatments. <i>European Neuropsychopharmacology</i> , 2010, 20, 459-466.	0.7	81
13	Efficacy and safety of a standardised 500 unit dose of Dysport Â® (Clostridium botulinum toxin type A) Tj ETQq1 1 0.784314 rgBT /Over multicentre, randomised, double-blind, placebo-controlled, parallel group study. <i>Journal of Neurology</i> , 2001, 248, 1073-1078.	3.6	79
14	Impaired predictive motor timing in patients with cerebellar disorders. <i>Experimental Brain Research</i> , 2007, 180, 355-365.	1.5	79
15	Abnormalities of cortical excitability and cortical inhibition in cervical dystonia. <i>Journal of Neurology</i> , 2003, 250, 42-50.	3.6	78
16	Cognitive functioning after repetitive transcranial magnetic stimulation in patients with cerebrovascular disease without dementia: a pilot study of seven patients. <i>Journal of the Neurological Sciences</i> , 2005, 229-230, 157-161.	0.6	76
17	Movement-related potentials in the basal ganglia: a SEEG readiness potential study. <i>Clinical Neurophysiology</i> , 2001, 112, 2146-2153.	1.5	71
18	Effects of Ropinirole on Nonmotor Symptoms of Parkinson Disease. <i>Clinical Neuropharmacology</i> , 2008, 31, 261-266.	0.7	70

#	ARTICLE	IF	CITATIONS
19	Functional anatomy of outcome evaluation during Iowa Gambling Task performance in patients with Parkinson's disease: an fMRI study. <i>Neurological Sciences</i> , 2013, 34, 2159-2166.	1.9	69
20	Basal ganglia involvement in sensory and cognitive processing. A depth electrode CNV study in human subjects. <i>Clinical Neurophysiology</i> , 2001, 112, 2022-2030.	1.5	68
21	Linking Essential Tremor to the Cerebellum: Physiological Evidence. <i>Cerebellum</i> , 2016, 15, 774-780.	2.5	66
22	The selective gating of the N30 cortical component of the somatosensory evoked potentials of median nerve is different in the mesial and dorsolateral frontal cortex: evidence from intracerebral recordings. <i>Clinical Neurophysiology</i> , 2003, 114, 981-991.	1.5	65
23	A SEEG study of ERP in motor and premotor cortices and in the basal ganglia. <i>Clinical Neurophysiology</i> , 2003, 114, 463-471.	1.5	62
24	Psychological Benefits of Nonpharmacological Methods Aimed for Improving Balance in Parkinson's Disease: A Systematic Review. <i>Behavioural Neurology</i> , 2015, 2015, 1-16.	2.1	56
25	Low frequency (1-Hz), right prefrontal repetitive transcranial magnetic stimulation (rTMS) compared with venlafaxine ER in the treatment of resistant depression: A double-blind, single-centre, randomized study. <i>Journal of Affective Disorders</i> , 2009, 118, 94-100.	4.1	53
26	Cognitive and movement-related potentials recorded in the human basal ganglia. <i>Movement Disorders</i> , 2005, 20, 562-568.	3.9	52
27	Event-related potentials, CNV, readiness potential, and movement accompanying potential recorded from posterior thalamus in human subjects. A SEEG study. <i>Neurophysiologie Clinique</i> , 2001, 31, 253-261.	2.2	49
28	The Neural Substrate of Predictive Motor Timing in Spinocerebellar Ataxia. <i>Cerebellum</i> , 2011, 10, 233-244.	2.5	49
29	Cognitive potentials in the basal ganglia's frontocortical circuits. An intracerebral recording study. <i>Experimental Brain Research</i> , 2004, 158, 289-301.	1.5	48
30	Feasibility and reproducibility of neurochemical profile quantification in the human hippocampus at 3T. <i>NMR in Biomedicine</i> , 2015, 28, 685-693.	2.8	46
31	Deep brain stimulation in acute management of status dystonicus. <i>Movement Disorders</i> , 2009, 24, 2291-2292.	3.9	43
32	The effect of apomorphine administration on smooth pursuit ocular movements in early Parkinsonian patients. <i>Parkinsonism and Related Disorders</i> , 2003, 9, 139-144.	2.2	41
33	QEEG Theta Cordance in the Prediction of Treatment Outcome to Prefrontal Repetitive Transcranial Magnetic Stimulation or Venlafaxine ER in Patients With Major Depressive Disorder. <i>Clinical EEG and Neuroscience</i> , 2015, 46, 73-80.	1.7	39
34	Cognitive performance in people with Parkinson's disease and mild or moderate depression: effects of dopamine agonists in an addition to L-dopa therapy. <i>European Journal of Neurology</i> , 2005, 12, 9-15.	3.3	38
35	The mystery of the cerebellum: clues from experimental and clinical observations. <i>Cerebellum and Ataxias</i> , 2018, 5, 8.	1.9	38
36	Cortical and subcortical distribution of middle and long latency auditory and visual evoked potentials in a cognitive (CNV) paradigm. <i>Clinical Neurophysiology</i> , 2003, 114, 2447-2460.	1.5	36

#	ARTICLE	IF	CITATIONS
37	The effect of response type (motor output versus mental counting) on the intracerebral distribution of the slow cortical potentials in an externally cued (CNV) paradigm. <i>Brain Research Bulletin</i> , 2007, 71, 428-435.	3.0	36
38	The Mechanisms of Movement Control and Time Estimation in Cervical Dystonia Patients. <i>Neural Plasticity</i> , 2013, 2013, 1-10.	2.2	36
39	Long-term efficacy and tolerability of 4-monthly versus yearly botulinum toxin type A treatment for lower-limb spasticity in children with cerebral palsy. <i>Developmental Medicine and Child Neurology</i> , 2009, 51, 436-445.	2.1	35
40	Efficacy and safety of abobotulinumtoxinA liquid formulation in cervical dystonia: A randomized-controlled trial. <i>Movement Disorders</i> , 2016, 31, 1649-1657.	3.9	35
41	Pergolide mesylate can improve sexual dysfunction in patients with Parkinson's disease: the results of an open, prospective, 6-month follow-up. <i>European Journal of Neurology</i> , 2004, 11, 483-488.	3.3	34
42	Functional Imaging of the Cerebellum and Basal Ganglia During Predictive Motor Timing in Early Parkinson's Disease. <i>Journal of Neuroimaging</i> , 2014, 24, 45-53.	2.0	34
43	Essential tremor, the cerebellum, and motor timing: towards integrating them into one complex entity. <i>Tremor and Other Hyperkinetic Movements</i> , 2012, 2, .	2.0	34
44	Intracerebral recording of readiness potential induced by a complex motor task. <i>Movement Disorders</i> , 2001, 16, 698-704.	3.9	33
45	Long-term therapy of benign essential blepharospasm and facial hemispasm with botulinum toxin A: retrospective assessment of the clinical and quality of life impact in patients treated for more than 15 years. <i>Acta Neurologica Belgica</i> , 2014, 114, 285-291.	1.1	33
46	Amantadine infusion in treatment of motor fluctuations and dyskinesias in Parkinson's disease. <i>Journal of Neural Transmission</i> , 2000, 107, 1297-1306.	2.8	32
47	Penile erections and hypersexuality induced by pergolide treatment in advanced, fluctuating Parkinson's disease. <i>Journal of Neurology</i> , 2002, 249, 112-114.	3.6	31
48	Iowa Gambling Task in patients with early-onset Parkinson's disease: strategy analysis. <i>Neurological Sciences</i> , 2012, 33, 1329-1335.	1.9	31
49	The effectiveness of prefrontal theta cordance and early reduction of depressive symptoms in the prediction of antidepressant treatment outcome in patients with resistant depression: analysis of naturalistic data. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 73-82.	3.2	31
50	Social cognition and idiopathic isolated cervical dystonia. <i>Journal of Neural Transmission</i> , 2017, 124, 1097-1104.	2.8	31
51	Treatment of facial and orolingual tardive dystonia by botulinum toxin a: Evidence of a long-lasting effect. <i>Movement Disorders</i> , 1999, 14, 886-888.	3.9	29
52	The long-lasting improvement of sexual dysfunction in patients with advanced, fluctuating Parkinson's disease induced by pergolide: evidence from the results of an open, prospective, one-year trial. <i>Parkinsonism and Related Disorders</i> , 2005, 11, 509-512.	2.2	29
53	Is the Cerebellum a Potential Target for Stimulation in Parkinson's Disease? Results of 1-Hz rTMS on Upper Limb Motor Tasks. <i>Cerebellum</i> , 2011, 10, 804-811.	2.5	29
54	Functional coupling between anterior prefrontal cortex (BA10) and hand muscle contraction during intentional and imitative motor acts. <i>NeuroImage</i> , 2008, 39, 1314-1323.	4.2	27

#	ARTICLE	IF	CITATIONS
55	Similar Circuits but Different Connectivity Patterns Between The Cerebellum, Basal Ganglia, and Supplementary Motor Area In Early Parkinson's Disease Patients and Controls During Predictive Motor Timing. <i>Journal of Neuroimaging</i> , 2013, 23, 452-462.	2.0	27
56	The change of QEEG prefrontal cordance as a response predictor to antidepressive intervention in bipolar depression. A pilot study. <i>Journal of Psychiatric Research</i> , 2012, 46, 219-225.	3.1	26
57	Morphological changes of cerebellar substructures in temporal lobe epilepsy: A complex phenomenon, not mere atrophy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2018, 54, 51-57.	2.0	25
58	Processing of Emotion in Functional Neurological Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 479.	2.6	25
59	Impulsivity in patients with borderline personality disorder: a comprehensive profile compared with healthy people and patients with ADHD. <i>Psychological Medicine</i> , 2020, 50, 1829-1838.	4.5	23
60	TRANSCRANIAL MAGNETIC STIMULATION OF THE CEREBELLUM. <i>Biomedical Papers of the Medical Faculty of the University Palacký&#x0301;, Olomouc, Czechoslovakia</i> , 2010, 154, 133-139.	0.6	23
61	Cerebellar Dysfunction and Ataxia in Patients with Epilepsy: Coincidence, Consequence, or Cause?. <i>Tremor and Other Hyperkinetic Movements</i> , 2020, 6, 376.	2.0	22
62	Disruption of Multiple Distinctive Neural Networks Associated With Impulse Control Disorder in Parkinson's Disease. <i>Frontiers in Human Neuroscience</i> , 2018, 12, 462.	2.0	21
63	Excessive daytime sleepiness and 'sleep attacks' induced by entacapone. <i>Fundamental and Clinical Pharmacology</i> , 2003, 17, 113-116.	1.9	20
64	DYT 6-A novel THAP1 mutation with excellent effect on pallidal DBS. <i>Movement Disorders</i> , 2011, 26, 924-925.	3.9	20
65	Trial-to-trial Adaptation: Parsing out the Roles of Cerebellum and BG in Predictive Motor Timing. <i>Journal of Cognitive Neuroscience</i> , 2016, 28, 920-934.	2.3	20
66	Prevalence and evolution of spasticity in patients suffering from firstéver stroke with carotid origin: a prospective, longitudinal study. <i>European Journal of Neurology</i> , 2019, 26, 880-886.	3.3	20
67	Behavioral and Neuroanatomical Account of Impulsivity in Parkinson's Disease. <i>Frontiers in Neurology</i> , 2019, 10, 1338.	2.4	20
68	Cerebellar Dysfunction and Ataxia in Patients with Epilepsy: Coincidence, Consequence, or Cause?. <i>Tremor and Other Hyperkinetic Movements</i> , 2016, 6, 376.	2.0	20
69	Synchronization of gamma oscillations increases functional connectivity of human hippocampus and inferior-middle temporal cortex during repetitive visuomotor events. <i>European Journal of Neuroscience</i> , 2004, 19, 3088-3098.	2.6	19
70	Wegener's granulomatosis: ischemic stroke as the first clinical manifestation (case study). <i>Journal of Neurology</i> , 2002, 249, 1593-1594.	3.6	18
71	Modifications of cognitive and motor tasks affect the occurrence of eventérelated potentials in the human cortex. <i>European Journal of Neuroscience</i> , 2007, 26, 1371-1380.	2.6	18
72	Directional functional coupling of cerebral rhythms between anterior cingulate and dorsolateral prefrontal areas during rare stimuli: A directed transfer function analysis of human depth EEG signal. <i>Human Brain Mapping</i> , 2009, 30, 138-146.	3.6	18

#	ARTICLE	IF	CITATIONS
73	Predictive Motor Timing and the Cerebellar Vermis in Schizophrenia: An fMRI Study. Schizophrenia Bulletin, 2016, 42, 1517-1527.	4.3	18
74	Neural Scaffolding as the Foundation for Stable Performance of Aging Cerebellum. Cerebellum, 2019, 18, 500-510.	2.5	18
75	Impulse control disorders in patients with Parkinson's disease. Acta Neurologica Belgica, 2011, 111, 3-9.	1.1	17
76	The Comparison of Effectiveness of Various Potential Predictors of Response to Treatment With SSRIs in Patients With Depressive Disorder. Journal of Nervous and Mental Disease, 2017, 205, 618-626.	1.0	16
77	Individual differences in interoceptive accuracy and prediction error in motor functional neurological disorders: A <scp>DTI</scp> study. Human Brain Mapping, 2021, 42, 1434-1445.	3.6	16
78	The impact of motor activity on intracerebral ERPs: P3 latency variability in modified auditory odd-ball paradigms involving a motor task. Neurophysiologie Clinique, 2003, 33, 159-168.	2.2	15
79	Processing of Emotions in Functional Movement Disorder: An Exploratory fMRI Study. Frontiers in Neurology, 2019, 10, 861.	2.4	15
80	Does WOQ-9 help to recognize symptoms of non-motor wearing-off in Parkinsonâ€™s disease?. Journal of Neural Transmission, 2012, 119, 373-380.	2.8	14
81	Disturbed intracortical excitability in early Parkinson's disease is L-DOPA dose related: A prospective 12-month paired TMS study. Parkinsonism and Related Disorders, 2007, 13, 489-494.	2.2	12
82	Motion and emotion: anxietyâ€™axial connections in Parkinsonâ€™s disease. Journal of Neural Transmission, 2017, 124, 369-377.	2.8	12
83	Autism, impulsivity and inhibition a review of the literature. Basal Ganglia, 2018, 14, 44-53.	0.3	12
84	Theory of Mind Skills Are Related to Resting-State Frontolimbic Connectivity in Schizophrenia. Brain Connectivity, 2018, 8, 350-361.	1.7	12
85	Predicting Sex From EEG: Validity and Generalizability of Deep-Learning-Based Interpretable Classifier. Frontiers in Neuroscience, 2020, 14, 589303.	2.8	12
86	Mismatch negativity-like potential (MMN-like) in the subthalamic nuclei in Parkinsonâ€™s disease patients. Journal of Neural Transmission, 2014, 121, 1507-1522.	2.8	10
87	Neural Network of Predictive Motor Timing in the Context of Gender Differences. Neural Plasticity, 2016, 2016, 1-9.	2.2	10
88	Cerebellum and dystonia: The story continues. Will the patients benefit from new discoveries?. Clinical Neurophysiology, 2018, 129, 282-283.	1.5	10
89	Early change of prefrontal theta cordance and occipital alpha asymmetry in the prediction of responses to antidepressants. International Journal of Psychophysiology, 2019, 143, 1-8.	1.0	10
90	The clinical phenomenology and associations of trick maneuvers in cervical dystonia. Journal of Neural Transmission, 2016, 123, 269-275.	2.8	9

#	ARTICLE	IF	CITATIONS
91	Antidepressant monotherapy compared with combinations of antidepressants in the treatment of resistant depressive patients: A randomized, open-label study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2013, 17, 35-43.	2.4	8
92	Neuronal substrate and effective connectivity of abnormal movement sequencing in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 67, 1-9.	4.8	8
93	Differential diagnosis of tremor syndromes using MRI relaxometry. <i>Parkinsonism and Related Disorders</i> , 2020, 81, 190-193.	2.2	8
94	New endemic familial parkinsonism in south Moravia, Czech Republic and its genetical background. <i>Medicine (United States)</i> , 2018, 97, e12313.	1.0	7
95	Tremor associated with similar structural networks in Parkinson's disease and essential tremor. <i>Parkinsonism and Related Disorders</i> , 2022, 95, 28-34.	2.2	7
96	Dropped head syndrome in severe intractable epilepsies with mental retardation. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2005, 14, 282-287.	2.0	6
97	<p>Transcranial Direct-Current Stimulation (tDCS) Versus Venlafaxine ER In The Treatment Of Depression: A Randomized, Double-Blind, Single-Center Study With Open-Label, Follow-Up</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 3003-3014.	2.2	6
98	Beck Depression Inventory-II: Self-report or interview-based administrations show different results in older persons. <i>International Psychogeriatrics</i> , 2019, 31, 735-742.	1.0	6
99	Psychosocial Modulators of Motor Learning in Parkinson's Disease. <i>Frontiers in Human Neuroscience</i> , 2016, 10, 74.	2.0	5
100	Baseline Difference in Quantitative Electroencephalography Variables Between Responders and Non-Responders to Low-Frequency Repetitive Transcranial Magnetic Stimulation in Depression. <i>Frontiers in Psychiatry</i> , 2020, 11, 83.	2.6	5
101	Epidemiological Study of Neurodegenerative Parkinsonism in "Hornacko", a Specific Region of the South-eastern Moravia, Czech Republic. <i>Ceska A Slovenska Neurologie A Neurochirurgie</i> , 2014, 77/110, 714-720.	0.1	5
102	Antidepressant monotherapy and combination of antidepressants in the treatment of resistant depression in current clinical practice: A retrospective study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2010, 14, 303-308.	2.4	4
103	Impulse control disorders in patients with young-onset Parkinson's disease: A cross-sectional study seeking associated factors. <i>Basal Ganglia</i> , 2016, 6, 197-205.	0.3	4
104	Cerebellum's aging of the neuronal machine. , 2021, , 281-288.		4
105	Contemporary clinical neurophysiology applications in dystonia. <i>Journal of Neural Transmission</i> , 2021, 128, 509-519.	2.8	4
106	Heart valve abnormalities in Parkinson's disease treated with dopamine agonists. <i>Journal of Neurology</i> , 2008, 255, 1596-1596.	3.6	3
107	Rare neurological presentation of human granulocytic anaplasmosis. <i>European Journal of Neurology</i> , 2013, 20, e70-2.	3.3	3
108	24-Hour Alberta Stroke Program Early CT Score Assessment in Post-Stroke Spasticity Development in Patients with a First Documented Anterior Circulation Ischemic Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018, 27, 240-245.	1.6	3

#	ARTICLE	IF	CITATIONS
109	RAFF-4, Magnetization Transfer and Diffusion Tensor MRI of Lysophosphatidylcholine Induced Demyelination and Remyelination in Rats. <i>Frontiers in Neuroscience</i> , 2021, 15, 625167.	2.8	3
110	Neurostimulation Methods in the Treatment of Depression: A Comparison of rTMS, tDCS, and Venlafaxine Using a Pooled Analysis of Two Studies. <i>Neuropsychiatric Disease and Treatment</i> , 2021, Volume 17, 1713-1722.	2.2	3
111	Infantile status epilepticus disrupts myelin development. <i>Neurobiology of Disease</i> , 2022, 162, 105566.	4.4	3
112	Motor cortex plasticity and excitability in Parkinson's disease. <i>Clinical Neurophysiology</i> , 2014, 125, 2135-2136.	1.5	2
113	Associated factors of REM sleep without atonia in younger (< 50 years) hospitalized psychiatric patients. <i>BMC Psychiatry</i> , 2020, 20, 482.	2.6	2
114	Early manifestation of spasticity after first stroke in the territory of the internal carotid artery. A prospective multicenter study. <i>Biomedical Papers of the Medical Faculty of the University Palacky&#x0301;, Olomouc, Czechoslovakia</i> , 2018, 162, 319-323.	0.6	2
115	Quantitative but Not Qualitative Performance Changes in Predictive Motor Timing as a Result of Overtraining. <i>Cerebellum</i> , 2020, 19, 201-207.	2.5	1
116	Editorial: Neuropsychology Through the MRI Looking Glass. <i>Frontiers in Neurology</i> , 2020, 11, 609897.	2.4	1
117	Processing of emotionally ambiguous stimuli in eating disorders: an fMRI pilot study. <i>Eating and Weight Disorders</i> , 2021, 26, 2757-2761.	2.5	1
118	Alterations in Sensorimotor and Mesiotemporal Cortices and Diffuse White Matter Changes in Primary Progressive Multiple Sclerosis Detected by Adiabatic Relaxometry. <i>Frontiers in Neuroscience</i> , 2021, 15, 711067.	2.8	1
119	Long-Term Treatment of Focal Dystonias (Cervical and Writer's Cramp): Clinical and Quality of Life Impact. , 2015, , 151-164.		1
120	FP44-TH-01 Epidemiology of wearing-off symptoms among the population of Parkinson's disease patients on l-dopa in the Czech Republic: the results of E.W.O. study. <i>Journal of the Neurological Sciences</i> , 2009, 285, S127.	0.6	0
121	PO24-TH-10 Gender differences in motor and non-motor clinical manifestation of Parkinson's disease: analysis of the E.W.O study. <i>Journal of the Neurological Sciences</i> , 2009, 285, S288.	0.6	0
122	P2.117 Wearing-off symptoms in Parkinson's disease patients on L-DOPA in the Czech Republic – the results of E.W.O. study. <i>Parkinsonism and Related Disorders</i> , 2009, 15, S121.	2.2	0
123	Correspondence on –Outcome Measures Used in Studies of Botulinum Toxin in Childhood Cerebral Palsy: A Systematic Review–. <i>Journal of Child Neurology</i> , 2010, 25, 793-794.	1.4	0
124	W9.4 Iowa gambling task in patients with Parkinson's disease without a history of pathological gambling: strategy analysis and neural correlates revealed by functional imaging. <i>Clinical Neurophysiology</i> , 2011, 122, S31.	1.5	0
125	Impulse control disorders in young-onset patients with Parkinson's disease: cross-sectional study seeking associated factors with regard of personal characteristics. <i>Journal of the Neurological Sciences</i> , 2015, 357, e272-e273.	0.6	0
126	Repetitive Transcranial Magnetic Stimulation in ADHD. , 2015, , .		0

#	ARTICLE	IF	CITATIONS
127	ARE SUBTHALAMICUS NUCLEUS, INTERNAL GLOBUS PALLIDUS AND THALAMUS INVOLVED IN THINKING?. Journal of Neurology, Neurosurgery and Psychiatry, 2015, 86, e4.77-e4.	1.9	0
128	Interdisciplinary approach to diagnosing adult-onset Niemann-Pick disease type C. Basal Ganglia, 2016, 6, 121-122.	0.3	0
129	Emotion Processing Abnormalities in Eating Disorders: An FMRI Pilot Study. European Psychiatry, 2017, 41, S289-S290.	0.2	0
130	Neural correlates of behavioral inhibition in healthy people and in patients with borderline personality disorder and ADHD. European Psychiatry, 2017, 41, S346-S347.	0.2	0
131	The identification of molecular-genetic background of familial atypical parkinsonism in "Hornacko", a specific region of the South-Eastern Moravia, Czech Republic. Journal of the Neurological Sciences, 2017, 381, 581.	0.6	0
132	Genetics of the Dystonias. , 0, , 53-58.		0
133	Are the subthalamic nucleus, internal globus pallidus and thalamus involved in thinking?. Basal Ganglia, 2018, 14, 22-30.	0.3	0
134	Acute Hyperkinetic Syndromes Treated with Stereotactic Neurosurgery Intervention – Three Case Reports. Ceska A Slovenska Neurologie A Neurochirurgie, 2015, 78/111, 591-596.	0.1	0