

# Martin Bares

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/883618/publications.pdf>

Version: 2024-02-01

134  
papers

3,980  
citations

109137

35  
h-index

149479

56  
g-index

141  
all docs

141  
docs citations

141  
times ranked

4219  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Infantile status epilepticus disrupts myelin development. <i>Neurobiology of Disease</i> , 2022, 162, 105566.  | 2.1 | 3         |
| 2  | Tremor associated with similar structural networks in Parkinson's disease and essential tremor. <i>Parkinsonism and Related Disorders</i> , 2022, 95, 28-34.   | 1.1 | 7         |
| 3  | Individual differences in interoceptive accuracy and prediction error in motor functional neurological disorders: A <scp>DTI</scp> study. <i>Human Brain Mapping</i> , 2021, 42, 1434-1445.  | 1.9 | 16        |
| 4  | Cerebellumâ€™aging of the neuronal machine. , 2021, , 281-288.   |     | 4         |
| 5  | Contemporary clinical neurophysiology applications in dystonia. <i>Journal of Neural Transmission</i> , 2021, 128, 509-519.  | 1.4 | 4         |
| 6  | Processing of emotionally ambiguous stimuli in eating disorders: an fMRI pilot study. <i>Eating and Weight Disorders</i> , 2021, 26, 2757-2761.  | 1.2 | 1         |
| 7  | RAFF-4, Magnetization Transfer and Diffusion Tensor MRI of Lysophosphatidylcholine Induced Demyelination and Remyelination in Rats. <i>Frontiers in Neuroscience</i> , 2021, 15, 625167.   | 1.4 | 3         |
| 8  | Neurostimulation Methods in the Treatment of Depression: A Comparison of rTMS, tDCS, and Venlafaxine Using a Pooled Analysis of Two Studies. <i>Neuropsychiatric Disease and Treatment</i> , 2021, Volume 17, 1713-1722.               | 1.0 | 3         |
| 9  | Alterations in Sensorimotor and Mesiotemporal Cortices and Diffuse White Matter Changes in Primary Progressive Multiple Sclerosis Detected by Adiabatic Relaxometry. <i>Frontiers in Neuroscience</i> , 2021, 15, 711067.              | 1.4 | 1         |
| 10 | Impulsivity in patients with borderline personality disorder: a comprehensive profile compared with healthy people and patients with ADHD. <i>Psychological Medicine</i> , 2020, 50, 1829-1838.  | 2.7 | 23        |
| 11 | Essential tremor-plus: a controversial new concept. <i>Lancet Neurology</i> , The, 2020, 19, 266-270.  | 4.9 | 82        |
| 12 | Quantitative but Not Qualitative Performance Changes in Predictive Motor Timing as a Result of Overtraining. <i>Cerebellum</i> , 2020, 19, 201-207.  | 1.4 | 1         |
| 13 | Associated factors of REM sleep without atonia in younger (â‰¥ 50â‰¥years) hospitalized psychiatric patients. <i>BMC Psychiatry</i> , 2020, 20, 482.   | 1.1 | 2         |
| 14 | Differential diagnosis of tremor syndromes using MRI relaxometry. <i>Parkinsonism and Related Disorders</i> , 2020, 81, 190-193.   | 1.1 | 8         |
| 15 | Editorial: Neuropsychology Through the MRI Looking Glass. <i>Frontiers in Neurology</i> , 2020, 11, 609897.  | 1.1 | 1         |
| 16 | Baseline Difference in Quantitative Electroencephalography Variables Between Responders and Non-Responders to Low-Frequency Repetitive Transcranial Magnetic Stimulation in Depression. <i>Frontiers in Psychiatry</i> , 2020, 11, 83. | 1.3 | 5         |
| 17 | Predicting Sex From EEG: Validity and Generalizability of Deep-Learning-Based Interpretable Classifier. <i>Frontiers in Neuroscience</i> , 2020, 14, 589303.   | 1.4 | 12        |
| 18 | Cerebellar Dysfunction and Ataxia in Patients with Epilepsy: Coincidence, Consequence, or Cause?. <i>Tremor and Other Hyperkinetic Movements</i> , 2020, 6, 376.   | 1.1 | 22        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Early change of prefrontal theta cordance and occipital alpha asymmetry in the prediction of responses to antidepressants. <i>International Journal of Psychophysiology</i> , 2019, 143, 1-8.   | 0.5 | 10        |
| 20 | <p>Transcranial Direct-Current Stimulation (tDCS) Versus Venlafaxine ER In The Treatment Of Depression: A Randomized, Double-Blind, Single-Center Study With Open-Label, Follow-Up</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 3003-3014. | 1.0 | 6         |
| 21 | Processing of Emotions in Functional Movement Disorder: An Exploratory fMRI Study. <i>Frontiers in Neurology</i> , 2019, 10, 861.   | 1.1 | 15        |
| 22 | Neural Scaffolding as the Foundation for Stable Performance of Aging Cerebellum. <i>Cerebellum</i> , 2019, 18, 500-510.   | 1.4 | 18        |
| 23 | Prevalence and evolution of spasticity in patients suffering from first-ever stroke with carotid origin: a prospective, longitudinal study. <i>European Journal of Neurology</i> , 2019, 26, 880-886.   | 1.7 | 20        |
| 24 | Beck Depression Inventory-II: Self-report or interview-based administrations show different results in older persons. <i>International Psychogeriatrics</i> , 2019, 31, 735-742.  | 0.6 | 6         |
| 25 | Consensus paper: Decoding the Contributions of the Cerebellum as a Time Machine. From Neurons to Clinical Applications. <i>Cerebellum</i> , 2019, 18, 266-286.  | 1.4 | 101       |
| 26 | Behavioral and Neuroanatomical Account of Impulsivity in Parkinson's Disease. <i>Frontiers in Neurology</i> , 2019, 10, 1338.   | 1.1 | 20        |
| 27 | Morphological changes of cerebellar substructures in temporal lobe epilepsy: A complex phenomenon, not mere atrophy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2018, 54, 51-57.   | 0.9 | 25        |
| 28 | The mystery of the cerebellum: clues from experimental and clinical observations. <i>Cerebellum and Ataxias</i> , 2018, 5, 8.   | 1.9 | 38        |
| 29 | Cerebellum and dystonia: The story continues. Will the patients benefit from new discoveries?. <i>Clinical Neurophysiology</i> , 2018, 129, 282-283.  | 0.7 | 10        |
| 30 | 24-Hour Alberta Stroke Program Early CT Score Assessment in Post-Stroke Spasticity Development in Patients with a First Documented Anterior Circulation Ischemic Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018, 27, 240-245.                 | 0.7 | 3         |
| 31 | New endemic familial parkinsonism in south Moravia, Czech Republic and its genetical background. <i>Medicine (United States)</i> , 2018, 97, e12313.  | 0.4 | 7         |
| 32 | Disruption of Multiple Distinctive Neural Networks Associated With Impulse Control Disorder in Parkinson's Disease. <i>Frontiers in Human Neuroscience</i> , 2018, 12, 462.   | 1.0 | 21        |
| 33 | Autism, impulsivity and inhibition a review of the literature. <i>Basal Ganglia</i> , 2018, 14, 44-53.  | 0.3 | 12        |
| 34 | Processing of Emotion in Functional Neurological Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 479.   | 1.3 | 25        |
| 35 | Are the subthalamic nucleus, internal globus pallidus and thalamus involved in thinking?. <i>Basal Ganglia</i> , 2018, 14, 22-30.   | 0.3 | 0         |
| 36 | Theory of Mind Skills Are Related to Resting-State Frontolimbic Connectivity in Schizophrenia. <i>Brain Connectivity</i> , 2018, 8, 350-361.  | 0.8 | 12        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Early manifestation of spasticity after first stroke in the territory of the internal carotid artery. A prospective multicenter study. Biomedical Papers of the Medical Faculty of the University Palacky&#x0301;, Olomouc, Czechoslovakia, 2018, 162, 319-323. | 0.2 | 2         |
| 38 | Disruption in cerebellar and basal ganglia networks during a visuospatial task in cervical dystonia. Movement Disorders, 2017, 32, 757-768.   | 2.2 | 88        |
| 39 | The Comparison of Effectiveness of Various Potential Predictors of Response to Treatment With SSRIs in Patients With Depressive Disorder. Journal of Nervous and Mental Disease, 2017, 205, 618-626.  | 0.5 | 16        |
| 40 | Social cognition and idiopathic isolated cervical dystonia. Journal of Neural Transmission, 2017, 124, 1097-1104.   | 1.4 | 31        |
| 41 | Emotion Processing Abnormalities in Eating Disorders: An fMRI Pilot Study. European Psychiatry, 2017, 41, S289-S290.  | 0.1 | 0         |
| 42 | Neural correlates of behavioral inhibition in healthy people and in patients with borderline personality disorder and ADHD. European Psychiatry, 2017, 41, S346-S347.   | 0.1 | 0         |
| 43 | Motion and emotion: anxiety&#x201c;axial connections in Parkinson&#x2122;s disease. Journal of Neural Transmission, 2017, 124, 369-377.   | 1.4 | 12        |
| 44 | The identification of molecular-genetic background of familial atypical parkinsonism in "Hornacko", a specific region of the South-Eastern Moravia, Czech Republic. Journal of the Neurological Sciences, 2017, 381, 581.                                       | 0.3 | 0         |
| 45 | Neural Network of Predictive Motor Timing in the Context of Gender Differences. Neural Plasticity, 2016, 2016, 1-9.   | 1.0 | 10        |
| 46 | Psychosocial Modulators of Motor Learning in Parkinson&#x2122;s Disease. Frontiers in Human Neuroscience, 2016, 10, 74.   | 1.0 | 5         |
| 47 | Predictive Motor Timing and the Cerebellar Vermis in Schizophrenia: An fMRI Study. Schizophrenia Bulletin, 2016, 42, 1517-1527.   | 2.3 | 18        |
| 48 | Impulse control disorders in patients with young-onset Parkinson&#x2122;s disease: A cross-sectional study seeking associated factors. Basal Ganglia, 2016, 6, 197-205.   | 0.3 | 4         |
| 49 | Efficacy and safety of abobotulinumtoxinA liquid formulation in cervical dystonia: A randomized&#x201c;controlled trial. Movement Disorders, 2016, 31, 1649-1657.   | 2.2 | 35        |
| 50 | Neuronal substrate and effective connectivity of abnormal movement sequencing in schizophrenia. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2016, 67, 1-9.  | 2.5 | 8         |
| 51 | The clinical phenomenology and associations of trick maneuvers in cervical dystonia. Journal of Neural Transmission, 2016, 123, 269-275.  | 1.4 | 9         |
| 52 | Trial-to-trial Adaptation: Parsing out the Roles of Cerebellum and BG in Predictive Motor Timing. Journal of Cognitive Neuroscience, 2016, 28, 920-934.   | 1.1 | 20        |
| 53 | Interdisciplinary approach to diagnosing adult-onset Niemann&#x201c;Pick disease type C. Basal Ganglia, 2016, 6, 121-122.   | 0.3 | 0         |
| 54 | Linking Essential Tremor to the Cerebellum: Physiological Evidence. Cerebellum, 2016, 15, 774-780.  | 1.4 | 66        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Cerebellar Dysfunction and Ataxia in Patients with Epilepsy: Coincidence, Consequence, or Cause?. Tremor and Other Hyperkinetic Movements, 2016, 6, 376.   | 1.1 | 20        |
| 56 | Feasibility and reproducibility of neurochemical profile quantification in the human hippocampus at 3â€‰%T. NMR in Biomedicine, 2015, 28, 685-693.   | 1.6 | 46        |
| 57 | Impulse control disorders in young-onset patients with Parkinsonâ€™s disease: cross-sectional study seeking associated factors with regard of personal characteristics. Journal of the Neurological Sciences, 2015, 357, e272-e273.  | 0.3 | 0         |
| 58 | Repetitive Transcranial Magnetic Stimulation in ADHD. , 2015, , .  |     | 0         |
| 59 | Psychological Benefits of Nonpharmacological Methods Aimed for Improving Balance in Parkinsonâ€™s Disease: A Systematic Review. Behavioural Neurology, 2015, 2015, 1-16.   | 1.1 | 56        |
| 60 | ARE SUBTHALAMICUS NUCLEUS, INTERNAL GLOBUS PALLIDUS AND THALAMUS INVOLVED IN THINKING?. Journal of Neurology, Neurosurgery and Psychiatry, 2015, 86, e4.77-e4.   | 0.9 | 0         |
| 61 | QEEG Theta Cordance in the Prediction of Treatment Outcome to Prefrontal Repetitive Transcranial Magnetic Stimulation or Venlafaxine ER in Patients With Major Depressive Disorder. Clinical EEG and Neuroscience, 2015, 46, 73-80.  | 0.9 | 39        |
| 62 | The effectiveness of prefrontal theta cordance and early reduction of depressive symptoms in the prediction of antidepressant treatment outcome in patients with resistant depression: analysis of naturalistic data. European Archives of Psychiatry and Clinical Neuroscience, 2015, 265, 73-82. | 1.8 | 31        |
| 63 | Long-Term Treatment of Focal Dystonias (Cervical and Writerâ€™s Cramp): Clinical and Quality of Life Impact. , 2015, , 151-164.  |     | 1         |
| 64 | Acute Hyperkinetic Syndromes Treated with Stereotactic Neurosurgery Intervention â€“â€Š â€“Three Case Reports. Ceska A Slovenska Neurologie A Neurochirurgie, 2015, 78/111, 591-596.   | 0.0 | 0         |
| 65 | Functional Imaging of the Cerebellum and Basal Ganglia During Predictive Motor Timing in Early Parkinson's Disease. Journal of Neuroimaging, 2014, 24, 45-53.  | 1.0 | 34        |
| 66 | Motor cortex plasticity and excitability in Parkinsonâ€™s disease. Clinical Neurophysiology, 2014, 125, 2135-2136.   | 0.7 | 2         |
| 67 | Mismatch negativity-like potential (MMN-like) in the subthalamic nuclei in Parkinsonâ€™s disease patients. Journal of Neural Transmission, 2014, 121, 1507-1522.   | 1.4 | 10        |
| 68 | Long-term therapy of benign essential blepharospasm and facial hemispasm with botulinum toxin A: retrospective assessment of the clinical and quality of life impact in patients treated for more than 15Â¥years. Acta Neurologica Belgica, 2014, 114, 285-291.                                    | 0.5 | 33        |
| 69 | Epidemiological Study of Neurodegenerative Parkinsonism in â€œHornackoâ€œ, a Specific Region of the South-eastern Moravia, Czech Republic. Ceska A Slovenska Neurologie A Neurochirurgie, 2014, 77/110, 714-720.   | 0.0 | 5         |
| 70 | Functional anatomy of outcome evaluation during Iowa Gambling Task performance in patients with Parkinsonâ€™s disease: an fMRI study. Neurological Sciences, 2013, 34, 2159-2166.  | 0.9 | 69        |
| 71 | Rare neurological presentation of human granulocytic anaplasmosis. European Journal of Neurology, 2013, 20, e70-2.   | 1.7 | 3         |
| 72 | Dystonia and the cerebellum: A new field of interest in movement disorders?. Clinical Neurophysiology, 2013, 124, 1269-1276.   | 0.7 | 106       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Antidepressant monotherapy compared with combinations of antidepressants in the treatment of resistant depressive patients: A randomized, open-label study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2013, 17, 35-43.                                | 1.2 | 8         |
| 74 | Similar Circuits but Different Connectivity Patterns Between The Cerebellum, Basal Ganglia, and Supplementary Motor Area In Early Parkinson's Disease Patients and Controls During Predictive Motor Timing. <i>Journal of Neuroimaging</i> , 2013, 23, 452-462.               | 1.0 | 27        |
| 75 | The Mechanisms of Movement Control and Time Estimation in Cervical Dystonia Patients. <i>Neural Plasticity</i> , 2013, 2013, 1-10.  | 1.0 | 36        |
| 76 | Iowa Gambling Task in patients with early-onset Parkinson's disease: strategy analysis. <i>Neurological Sciences</i> , 2012, 33, 1329-1335.   | 0.9 | 31        |
| 77 | The change of QEEG prefrontal cordance as a response predictor to antidepressive intervention in bipolar depression. A pilot study. <i>Journal of Psychiatric Research</i> , 2012, 46, 219-225.   | 1.5 | 26        |
| 78 | Does WOQ-9 help to recognize symptoms of non-motor wearing-off in Parkinson's disease?. <i>Journal of Neural Transmission</i> , 2012, 119, 373-380.   | 1.4 | 14        |
| 79 | Essential tremor, the cerebellum, and motor timing: towards integrating them into one complex entity. <i>Tremor and Other Hyperkinetic Movements</i> , 2012, 2, .   | 1.1 | 34        |
| 80 | W9.4 Iowa gambling task in patients with Parkinson's disease without a history of pathological gambling: strategy analysis and neural correlates revealed by functional imaging. <i>Clinical Neurophysiology</i> , 2011, 122, S31.  | 0.7 | 0         |
| 81 | DYT 6-A novel THAP1 mutation with excellent effect on pallidal DBS. <i>Movement Disorders</i> , 2011, 26, 924-925.  | 2.2 | 20        |
| 82 | The Neural Substrate of Predictive Motor Timing in Spinocerebellar Ataxia. <i>Cerebellum</i> , 2011, 10, 233-244.   | 1.4 | 49        |
| 83 | Is the Cerebellum a Potential Target for Stimulation in Parkinson's Disease? Results of 1-Hz rTMS on Upper Limb Motor Tasks. <i>Cerebellum</i> , 2011, 10, 804-811.   | 1.4 | 29        |
| 84 | Impulse control disorders in patients with Parkinson's disease. <i>Acta Neurologica Belgica</i> , 2011, 111, 3-9.   | 0.5 | 17        |
| 85 | Predictive Motor Timing Performance Dissociates Between Early Diseases of the Cerebellum and Parkinson's Disease. <i>Cerebellum</i> , 2010, 9, 124-135.   | 1.4 | 97        |
| 86 | Correspondence on "Outcome Measures Used in Studies of Botulinum Toxin in Childhood Cerebral Palsy: A Systematic Review". <i>Journal of Child Neurology</i> , 2010, 25, 793-794.  | 0.7 | 0         |
| 87 | The change of prefrontal QEEG theta cordance as a predictor of response to bupropion treatment in patients who had failed to respond to previous antidepressant treatments. <i>European Neuropsychopharmacology</i> , 2010, 20, 459-466.                                      | 0.3 | 81        |
| 88 | Antidepressant monotherapy and combination of antidepressants in the treatment of resistant depression in current clinical practice: A retrospective study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2010, 14, 303-308.                              | 1.2 | 4         |
| 89 | TRANSCRANIAL MAGNETIC STIMULATION OF THE CEREBELLUM. <i>Biomedical Papers of the Medical Faculty of the University Palacký&amp;#x0301;, Olomouc, Czechoslovakia</i> , 2010, 154, 133-139.   | 0.2 | 23        |
| 90 | Low frequency (1-Hz), right prefrontal repetitive transcranial magnetic stimulation (rTMS) compared with venlafaxine ER in the treatment of resistant depression: A double-blind, single-centre, randomized study. <i>Journal of Affective Disorders</i> , 2009, 118, 94-100. | 2.0 | 53        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Directional functional coupling of cerebral rhythms between anterior cingulate and dorsolateral prefrontal areas during rare stimuli: A directed transfer function analysis of human depth EEG signal. <i>Human Brain Mapping</i> , 2009, 30, 138-146. | 1.9 | 18        |
| 92  | Deep brain stimulation in acute management of status dystonicus. <i>Movement Disorders</i> , 2009, 24, 2291-2292.  | 2.2 | 43        |
| 93  | Long-term efficacy and tolerability of 4-monthly versus yearly botulinum toxin type A treatment for lower-limb spasticity in children with cerebral palsy. <i>Developmental Medicine and Child Neurology</i> , 2009, 51, 436-445.                      | 1.1 | 35        |
| 94  | FP44-TH-01 Epidemiology of wearing-off symptoms among the population of Parkinson's disease patients on l-dopa in the Czech Republic: the results of E.W.O. study. <i>Journal of the Neurological Sciences</i> , 2009, 285, S127.                      | 0.3 | 0         |
| 95  | PO24-TH-10 Gender differences in motor and non-motor clinical manifestation of Parkinson's disease: analysis of the E.W.O study. <i>Journal of the Neurological Sciences</i> , 2009, 285, S288.  | 0.3 | 0         |
| 96  | P2.117 Wearing-off symptoms in Parkinson's disease patients on L-DOPA in the Czech Republic – the results of E.W.O. study. <i>Parkinsonism and Related Disorders</i> , 2009, 15, S121.   | 1.1 | 0         |
| 97  | Heart valve abnormalities in Parkinson's disease treated with dopamine agonists. <i>Journal of Neurology</i> , 2008, 255, 1596-1596.   | 1.8 | 3         |
| 98  | Functional coupling between anterior prefrontal cortex (BA10) and hand muscle contraction during intentional and imitative motor acts. <i>NeuroImage</i> , 2008, 39, 1314-1323.  | 2.1 | 27        |
| 99  | Early reduction in prefrontal theta QEEG cordance value predicts response to venlafaxine treatment in patients with resistant depressive disorder. <i>European Psychiatry</i> , 2008, 23, 350-355.   | 0.1 | 120       |
| 100 | Effects of Ropinirole on Nonmotor Symptoms of Parkinson Disease. <i>Clinical Neuropharmacology</i> , 2008, 31, 261-266.  | 0.2 | 70        |
| 101 | Disturbed intracortical excitability in early Parkinson's disease is l-DOPA dose related: A prospective 12-month paired TMS study. <i>Parkinsonism and Related Disorders</i> , 2007, 13, 489-494.  | 1.1 | 12        |
| 102 | The effect of response type (motor output versus mental counting) on the intracerebral distribution of the slow cortical potentials in an externally cued (CNV) paradigm. <i>Brain Research Bulletin</i> , 2007, 71, 428-435.                          | 1.4 | 36        |
| 103 | Modifications of cognitive and motor tasks affect the occurrence of event-related potentials in the human cortex. <i>European Journal of Neuroscience</i> , 2007, 26, 1371-1380.   | 1.2 | 18        |
| 104 | Changes in QEEG prefrontal cordance as a predictor of response to antidepressants in patients with treatment resistant depressive disorder: A pilot study. <i>Journal of Psychiatric Research</i> , 2007, 41, 319-325.                                 | 1.5 | 107       |
| 105 | Impaired predictive motor timing in patients with cerebellar disorders. <i>Experimental Brain Research</i> , 2007, 180, 355-365.   | 0.7 | 79        |
| 106 | Cognitive performance in people with Parkinson's disease and mild or moderate depression: effects of dopamine agonists in an add-on to l-dopa therapy. <i>European Journal of Neurology</i> , 2005, 12, 9-15.  | 1.7 | 38        |
| 107 | Cognitive- and movement-related potentials recorded in the human basal ganglia. <i>Movement Disorders</i> , 2005, 20, 562-568.   | 2.2 | 52        |
| 108 | Cognitive functioning after repetitive transcranial magnetic stimulation in patients with cerebrovascular disease without dementia: a pilot study of seven patients. <i>Journal of the Neurological Sciences</i> , 2005, 229-230, 157-161.             | 0.3 | 76        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | The long-lasting improvement of sexual dysfunction in patients with advanced, fluctuating Parkinson's disease induced by pergolide: evidence from the results of an open, prospective, one-year trial. <i>Parkinsonism and Related Disorders</i> , 2005, 11, 509-512. | 1.1 | 29        |
| 110 | Dropped head syndrome in severe intractable epilepsies with mental retardation. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2005, 14, 282-287.  | 0.9 | 6         |
| 111 | Pergolide mesylate can improve sexual dysfunction in patients with Parkinson's disease: the results of an open, prospective, 6-month follow-up. <i>European Journal of Neurology</i> , 2004, 11, 483-488.   | 1.7 | 34        |
| 112 | Synchronization of gamma oscillations increases functional connectivity of human hippocampus and inferior-middle temporal cortex during repetitive visuomotor events. <i>European Journal of Neuroscience</i> , 2004, 19, 3088-3098.                                  | 1.2 | 19        |
| 113 | Cognitive potentials in the basal ganglia—frontocortical circuits. An intracerebral recording study. <i>Experimental Brain Research</i> , 2004, 158, 289-301.   | 0.7 | 48        |
| 114 | Abnormalities of cortical excitability and cortical inhibition in cervical dystonia. <i>Journal of Neurology</i> , 2003, 250, 42-50.  | 1.8 | 78        |
| 115 | Excessive daytime sleepiness and 'sleep attacks' induced by entacapone. <i>Fundamental and Clinical Pharmacology</i> , 2003, 17, 113-116.   | 1.0 | 20        |
| 116 | Intracortical inhibition and facilitation are impaired in patients with early Parkinson's disease: a paired TMS study. <i>European Journal of Neurology</i> , 2003, 10, 385-389.  | 1.7 | 88        |
| 117 | Pramipexole and pergolide in the treatment of depression in Parkinson's disease: a national multicentre prospective randomized study. <i>European Journal of Neurology</i> , 2003, 10, 399-406.   | 1.7 | 220       |
| 118 | A SEEG study of ERP in motor and premotor cortices and in the basal ganglia. <i>Clinical Neurophysiology</i> , 2003, 114, 463-471.  | 0.7 | 62        |
| 119 | The selective gating of the N30 cortical component of the somatosensory evoked potentials of median nerve is different in the mesial and dorsolateral frontal cortex: evidence from intracerebral recordings. <i>Clinical Neurophysiology</i> , 2003, 114, 981-991.   | 0.7 | 65        |
| 120 | Cortical and subcortical distribution of middle and long latency auditory and visual evoked potentials in a cognitive (CNV) paradigm. <i>Clinical Neurophysiology</i> , 2003, 114, 2447-2460.   | 0.7 | 36        |
| 121 | The effect of apomorphine administration on smooth pursuit ocular movements in early Parkinsonian patients. <i>Parkinsonism and Related Disorders</i> , 2003, 9, 139-144.   | 1.1 | 41        |
| 122 | The impact of motor activity on intracerebral ERPs: P3 latency variability in modified auditory odd-ball paradigms involving a motor task. <i>Neurophysiologie Clinique</i> , 2003, 33, 159-168.  | 1.0 | 15        |
| 123 | Levodopa-induced dyskinesias and continuous subcutaneous infusions of apomorphine: Results of a two-year, prospective follow-up. <i>Movement Disorders</i> , 2002, 17, 188-191.   | 2.2 | 82        |
| 124 | Wegener's granulomatosis: ischemic stroke as the first clinical manifestation (case study). <i>Journal of Neurology</i> , 2002, 249, 1593-1594.   | 1.8 | 18        |
| 125 | Penile erections and hypersexuality induced by pergolide treatment in advanced, fluctuating Parkinson's disease. <i>Journal of Neurology</i> , 2002, 249, 112-114.  | 1.8 | 31        |
| 126 | Movement-related potentials in the basal ganglia: a SEEG readiness potential study. <i>Clinical Neurophysiology</i> , 2001, 112, 2146-2153.   | 0.7 | 71        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Basal ganglia involvement in sensory and cognitive processing. A depth electrode CNV study in human subjects. <i>Clinical Neurophysiology</i> , 2001, 112, 2022-2030.  | 0.7 | 68        |
| 128 | Event-related potentials, CNV, readiness potential, and movement accompanying potential recorded from posterior thalamus in human subjects. A SEEG study. <i>Neurophysiologie Clinique</i> , 2001, 31, 253-261.  | 1.0 | 49        |
| 129 | Intracerebral recording of readiness potential induced by a complex motor task. <i>Movement Disorders</i> , 2001, 16, 698-704.   | 2.2 | 33        |
| 130 | Efficacy and safety of a standardised 500 unit dose of Dysport Â® (Clostridium botulinum toxin type A) Tj ETQq0 0 0 rgBT /Overlock 10 multicentre, randomised, double-blind, placebo-controlled, parallel group study. <i>Journal of Neurology</i> , 2001, 248, 1073-1078. | 1.8 | 79        |
| 131 | Amantadine infusion in treatment of motor fluctuations and dyskinesias in Parkinson's disease. <i>Journal of Neural Transmission</i> , 2000, 107, 1297-1306.   | 1.4 | 32        |
| 132 | Treatment of facial and orolingual tardive dystonia by botulinum toxin a: Evidence of a long-lasting effect. <i>Movement Disorders</i> , 1999, 14, 886-888.  | 2.2 | 29        |
| 133 | WILSON'S DISEASE AND EPILEPSY. <i>Brain</i> , 1988, 111, 1139-1155.  | 3.7 | 99        |
| 134 | Genetics of the Dystonias. , 0, , 53-58.   |     | 0         |