Chang-Hee Lee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8836555/publications.pdf Version: 2024-02-01



CHANC-HEELEE

#	Article	IF	CITATIONS
1	Dense WDM-PON based on wavelength-locked Fabry-Pe/spl acute/rot laser diodes. IEEE Photonics Technology Letters, 2005, 17, 1579-1581.	2.5	81
2	Demonstration of a Long-Reach DWDM-PON for Consolidation of Metro and Access Networks. Journal of Lightwave Technology, 2007, 25, 271-276.	4.6	69
3	Modeling of Seeded Reflective Modulators for DWDM Systems. IEEE Journal of Selected Topics in Quantum Electronics, 2013, 19, 1-7.	2.9	49
4	Effects of Back-Reflection in WDM-PONs Based on Seed Light Injection. IEEE Photonics Technology Letters, 2007, 19, 2045-2047.	2.5	44
5	Demonstration of a Bidirectional 80-km-Reach DWDM-PON With 8-Gb/s Capacity. IEEE Photonics Technology Letters, 2007, 19, 405-407.	2.5	37
6	Broad-band light source using mutually injected Fabry-Pe/spl acute/rot laser diodes for WDM-PON. IEEE Photonics Technology Letters, 2005, 17, 2529-2531.	2.5	36
7	An Efficient Evolution Method From TDM-PON to Next-Generation PON. IEEE Photonics Technology Letters, 2007, 19, 647-649.	2.5	30
8	Bidirectional WDM self-healing ring network based on simple bidirectional add/drop amplifier modules. IEEE Photonics Technology Letters, 1998, 10, 1340-1342.	2.5	28
9	A theoretical model of a wavelength-locked Fabry-Pe/spl acute/rot laser diode to the externally injected narrow-band ASE. IEEE Photonics Technology Letters, 2005, 17, 1797-1799.	2.5	28
10	Reliable Wavelength-Division-Multiplexed Passive Optical Network Using Novel Protection Scheme. IEEE Photonics Technology Letters, 2008, 20, 679-681.	2.5	27
11	Mutual Interferences of a True-Random LiDAR With Other LiDAR Signals. IEEE Access, 2020, 8, 124123-124133.	4.2	22
12	Color-free operation of dense WDM-PON based on the wavelength-locked fabry-Pe/spl acute/rot laser diodes injecting a low-noise BLS. IEEE Photonics Technology Letters, 2006, 18, 1167-1169.	2.5	21
13	An Automatic Wavelength Control Method of a Tunable Laser for a WDM-PON. IEEE Photonics Technology Letters, 2009, 21, 325-327.	2.5	20
14	Bidirectional WDM self-healing ring network for hub/remote nodes. IEEE Photonics Technology Letters, 2003, 15, 1657-1659.	2.5	19
15	A novel bidirectional add/drop amplifier (BADA). IEEE Photonics Technology Letters, 1998, 10, 1118-1120.	2.5	18
16	Noise Characteristics of a Wavelength-Locked Fabry–Perot Laser Diode. IEEE Journal of Quantum Electronics, 2008, 44, 995-1002.	1.9	17
17	Passive optical network for microcellular CDMA personal communication service. IEEE Photonics Technology Letters, 1998, 10, 1641-1643.	2.5	16
18	A Simple and Color-Free WDM-Passive Optical Network Using Spectrum-Sliced Fabry–PÉrot Laser Diodes. IEEE Photonics Technology Letters, 2008, 20, 220-222.	2.5	16

#	Article	IF	CITATIONS
19	A Remotely Reconfigurable Remote Node for Next-Generation Access Networks. IEEE Photonics Technology Letters, 2008, 20, 915-917.	2.5	13
20	Seamless Upgrades From a TDM-PON With a Video Overlay to a WDM-PON. Journal of Lightwave Technology, 2009, 27, 3116-3123.	4.6	12
21	Wavelength interleaved bidirectional add/drop amplifier module. IEEE Photonics Technology Letters, 2000, 12, 326-328.	2.5	11
22	The efficient clock-extraction methods of NRZ signal for chromatic dispersion monitoring. IEEE Photonics Technology Letters, 2005, 17, 1100-1102.	2.5	11
23	Intensity Noise in a Wavelength-Locked Fabry–Perot Laser Diode to a Spectrum Sliced ASE. IEEE Journal of Quantum Electronics, 2008, 44, 209-215.	1.9	10
24	Capacities of WDM transmission systems and networks limited by stimulated Raman scattering. IEEE Photonics Technology Letters, 2001, 13, 379-381.	2.5	8
25	Hybrid WDM/SCMA-PON using wavelength-locked fabry-Pe/spl acute/rot laser diodes. IEEE Photonics Technology Letters, 2006, 18, 1585-1587.	2.5	8
26	Laser spectral envelope control using a double contact fabry-Perot laser diode for WDM-PON. IEEE Photonics Technology Letters, 2006, 18, 2132-2134.	2.5	8
27	An Evolution Method From a TDM-PON With a Video Overlay to a WDM-PON. IEEE Photonics Technology Letters, 2008, 20, 312-314.	2.5	8
28	Fault-localization in WDM-PONs. , 2006, , .		7
29	High-Capacity DWDM-PON Using Triple-Contact F-P LDs. IEEE Photonics Technology Letters, 2011, 23, 127-129.	2.5	7
30	Flexible Polymeric Tunable Lasers for WDM Passive Optical Networks. Journal of Lightwave Technology, 2013, 31, 982-987.	4.6	7
31	An Improved ICP Registration Algorithm by Combining PointNet++ and ICP Algorithm. , 2020, , .		7
32	Optical path monitoring based on the identification of optical cross-connect input ports. , 0, , .		6
33	Consolidation of a metro network into an access network based on long-reach DWDM-PON. , 2006, , .		6
34	A method of lifeline communication in WDM passive optical networks. IEEE Photonics Technology Letters, 2005, 17, 1124-1126.	2.5	5
35	Feed Forward Noise Suppression for ASE-Seeded WDM Systems. Journal of Lightwave Technology, 2016, 34, 2297-2303.	4.6	5
36	Wavelength Self-Managed Optical WDM Source Using Polarization-Multiplexed Fabry–PÉrot Laser Diodes. IEEE Photonics Technology Letters, 2004, 16, 2347-2349.	2.5	4

#	Article	IF	CITATIONS
37	A WDM-PON Employing Fabry–PÉrot Laser Diodes Without a Seed Light Injection. IEEE Photonics Technology Letters, 2007, 19, 1729-1731.	2.5	4
38	A WDM-PON with a 40 Gb/s capacity based on wavelength-locked Fabry-Perot laser diodes. , 2008, , .		4
39	Automatic gain-controlled bidirectional add-drop amplifier for dynamically reconfigurable bidirectional WDM networks. IEEE Photonics Technology Letters, 2003, 15, 135-137.	2.5	3
40	Dense WDM-PON based on wavelength locked Fabry-Perot lasers. , 2005, , .		3
41	Passive optical networks for FTTx applications. , 2005, , .		3
42	A Low-Noise Broadband Light Source for a WDM-PON Based on Mutually Injected Fabry–PÉrot Laser Diodes With RF Modulation. IEEE Photonics Technology Letters, 2008, 20, 2072-2074.	2.5	3
43	Effect of Noise Distribution in a WDM System Seeded by a Spectrum-Sliced ASE. Journal of Lightwave Technology, 2014, 32, 2271-2276.	4.6	3
44	Injection Locked Triple Contact F–P LDs for Uncooled WDM Systems. IEEE Photonics Technology Letters, 2018, 30, 213-216.	2.5	3
45	Analysis of penalty due to low-frequency intensity modulation in optical transmission systems. Journal of Lightwave Technology, 2003, 21, 3300-3307.	4.6	2
46	A low cost WDM-PON using spectrum sliced F-P LDs with Cyclic Arrayed Waveguide Gratings. , 2007, , .		2
47	Seamless Maintenance and Protection Scheme for Next-Generation Access Networks. IEEE Photonics Technology Letters, 2009, 21, 799-801.	2.5	2
48	Mitigation of filtering effect in an injection seeded WDM-PON. , 2012, , .		2
49	Feed Forward Noise Suppression in Injection Seeded WDM-PON With ASE. IEEE Photonics Technology Letters, 2012, 24, 1270-1272.	2.5	2
50	Bidirectional WDM self-healing ring network based on simple bidirectional add/drop amplifier modules. , 0, , .		1
51	Optical path monitoring and path dependent loss compensation for optical cross-connect systems. , 0, , .		1
52	Large-capacity hybrid WDM/SCMA-PON using wavelength-locked Fabry-Perot laser diodes. , 2006, , .		1
53	A Self-restorable Colorless Bidirectional WDM-PON based on ASE-injected FP-LDs. , 2007, , .		1
54	Low-noise broadband light source with a RF modulation for a large capacity and high bit-rate WDM-PON. , 2008, , .		1

#	Article	IF	CITATIONS
55	An Efficient Evolution Method from a TDM-PON with a Video Overlay to NGA. , 2008, , .		1
56	Colorless optical sources for WDM-PON. , 2009, , .		1
57	Optical noise suppression techniques for wavelength-locked Fabry-Perot laser diode. , 2009, , .		1
58	A cost-effective WDM-PON using a multiple contact Fabry-Pérot laser diode. , 2010, , .		1
59	A WDM-PON with an 80 Gb/s capacity based on wavelength-locked polarisation independent Fabry-Perot laser diode. , 2010, , .		1
60	A Cost-Effective WDM-PON Using a Multiple Section Fabry–Pérot Laser Diode. IEEE Photonics Technology Letters, 2010, , .	2.5	1
61	Secure Communication using Anti-correlated Noise from an ASE-injected F-P LD. , 2018, , .		1
62	Injection seeding technologies and their applications. , 2018, , .		1
63	Pixel-Level Bird View Image Generation from Front View by Using a Generative Adversarial Network. , 2020, , .		1
64	Analysis of ultimate capacity and transparency cost of all-optical transport networks based on node throughput. , 0, , .		0
65	Long-Reach Wavelength Division Multiplexing-Passive Optical Networks (WDM-PONs). , 2007, , .		Ο
66	An Efficient Evolution Method of Current TDM-PON for Next-Generation Access. , 2007, , .		0
67	Analytic expressions of the modulation response and the relative intensity noise of a wavelength-locked F-P LD. , 2007, , .		0
68	Effects of back-reflection in WDM-PONs based on injected seed light. , 2007, , .		0
69	Measurement of Facet Reflectivity Through Reflection Gain in Fabry–PÉrot Laser Diode. IEEE Photonics Technology Letters, 2008, 20, 1225-1227.	2.5	0
70	Evolution methods for next-generation access networks with reconfigurable remote nodes. , 2008, , .		0
71	A self wavelength managed tunable laser for WDM-PONs. , 2008, , .		0
72	Survivable network architecture for colorless WDM-PON against both feeder and distribution fiber failures. , 2008, , .		0

#	Article	IF	CITATIONS
73	Protection Architecture for Colorless DWDM Passive Optical Networks. , 2008, , .		0
74	Reflection Considerations in Seeded DWDM Transmission Links. , 2011, , .		0
75	Lasing wavelength shift of ASEâ€injected wavelengthâ€locked Fâ€P LD in WDMâ€PON. Microwave and Optical Technology Letters, 2011, 53, 1522-1524.	1.4	Ο
76	Broadcast signal transmission for WDM-PON with mutually injected Fabry-Perot laser diode. , 2012, , .		0
77	Injection-locked dual fabry-perot laser diodes for interferometric noise suppression. , 2015, , .		0
78	Tunable wavelength filters based on dual polymer Bragg gratings and a mode sorting waveguide. , 2015, , .		0
79	A 2.5-Gb/s per channel DWDM-PON with a pulsed-ASE seed light source. , 2015, , .		0
80	A novel switchable microwave photonic filter. , 2017, , .		0