Zati Vatansever

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8837361/publications.pdf

Version: 2024-02-01

430442 42 1,026 18 citations h-index papers

31 g-index 45 45 45 1234 citing authors all docs docs citations times ranked

433756

#	Article	IF	CITATIONS
1	Modeling the Spatial Distribution of Crimean-Congo Hemorrhagic Fever Outbreaks in Turkey. Vector-Borne and Zoonotic Diseases, 2007, 7, 667-678.	0.6	77
2	Unraveling the Ecological Complexities of Tick-Associated Crimean-Congo Hemorrhagic Fever Virus Transmission: A Gap Analysis for the Western Palearctic. Vector-Borne and Zoonotic Diseases, 2012, 12, 743-752.	0.6	76
3	A novel double-antigen sandwich ELISA for the species-independent detection of Crimean-Congo hemorrhagic fever virus-specific antibodies. Antiviral Research, 2018, 151, 24-26.	1.9	59
4	The trend towards habitat fragmentation is the key factor driving the spread of Crimean-Congo haemorrhagic fever. Epidemiology and Infection, 2010, 138, 1194-1203.	1.0	58
5	Ticks biting humans in the urban area of Istanbul. Parasitology Research, 2008, 102, 551-553.	0.6	54
6	Molecular evidence for Anaplasma phagocytophilum in Ixodes ricinus from Turkey. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2010, 104, 10-15.	0.7	48
7	Crimean-Congo Hemorrhagic Fever Virus in Ticks Collected from Humans, Livestock, and Picnic Sites in the Hyperendemic Region of Turkey. Vector-Borne and Zoonotic Diseases, 2011, 11, 1411-1416.	0.6	48
8	Crimean-Congo Hemorrhagic Fever in European Part of Turkey: Genetic Analysis of the Virus Strains from Ticks and a Seroepidemiological Study in Humans. Vector-Borne and Zoonotic Diseases, 2011, 11, 747-752.	0.6	45
9	A comparative test of ixodid tick identification by a network of European researchers. Ticks and Tick-borne Diseases, 2017, 8, 540-546.	1.1	44
10	Circulation of Crimean-Congo Hemorrhagic Fever Virus in the Former Yugoslav Republic of Macedonia Revealed by Screening of Cattle Sera Using a Novel Enzyme-linked Immunosorbent Assay. PLoS Neglected Tropical Diseases, 2015, 9, e0003519.	1.3	43
11	Proinflammatory cytokine expression by Theileria annulata infected cell lines correlates with the pathology they cause in vivo. Vaccine, 2001, 19, 2932-2944.	1.7	41
12	Detection of Theileria and Babesia species in ticks collected from cattle. Veterinary Parasitology, 2007, 148, 156-160.	0.7	39
13	Molecular and serological evidence of Anaplasma phagocytophilum infection of farm animals in the Black Sea Region of Turkey. Acta Veterinaria Hungarica, 2008, 56, 281-292.	0.2	35
14	An early warning system for Crimean-Congo haemorrhagic fever seasonality in Turkey based on remote sensing technology. Geospatial Health, 2007, 2, 127.	0.3	31
15	Molecular evidence for trans-stadial and transovarial transmission of Babesia occultans in Hyalomma marginatum and Rhipicephalus turanicus in Turkey. Veterinary Parasitology, 2014, 204, 369-371.	0.7	30
16	External morphological anomalies in ixodid ticks from Thrace, Turkey. Experimental and Applied Acarology, 2015, 67, 457-466.	0.7	28
17	Crimean–Congo Hemorrhagic Fever Virus in Bulgaria and Turkey. Vector-Borne and Zoonotic Diseases, 2016, 16, 619-623.	0.6	27
18	A comparison of susceptibilities to infection of four species of Hyalomma ticks with Theileria annulata. Veterinary Parasitology, 2003, 113, 115-121.	0.7	25

#	Article	IF	Citations
19	Crimean-Congo Hemorrhagic Fever in Turkey. , 2007, , 59-74.		24
20	Studies on the epidemiology of tropical theileriosis (Theileria annulata infection) in cattle in Central Anatolia, Turkey. Tropical Animal Health and Production, 2003, 35, 521-539.	0.5	21
21	Economical impact of tropical theileriosis in the Cappadocia region of Turkey. Parasitology Research, 2007, 101, 171-174.	0.6	21
22	Vectors and Vector-Borne Diseases in Turkey. Ankara Universitesi Veteriner Fakultesi Dergisi, 2013, 60, 281-296.	0.4	18
23	Status of tick infestation of cattle in the Kayseri region of Turkey. Parasitology Research, 2007, 101, 167-169.	0.6	17
24	The Huge Risks Due to Hyalomma Ticks. Parasitology Research Monographs, 2012, , 167-194.	0.4	17
25	Otoacariasis: demographic and clinical outcomes of patients with ticks in the ear canal. Brazilian Journal of Otorhinolaryngology, 2016, 82, 416-421.	0.4	16
26	The tree that hides the forest: cryptic diversity and phylogenetic relationships in the Palaearctic vector Obsoletus/Scoticus Complex (Diptera: Ceratopogonidae) at the European level. Parasites and Vectors, 2020, 13, 265.	1.0	15
27	Dynamic Modeling of Crimean Congo Hemorrhagic Fever Virus (CCHFV) Spread to Test Control Strategies. Journal of Medical Entomology, 2018, 55, 1124-1132.	0.9	10
28	Identifying main drivers and testing control strategies for CCHFV spread. Experimental and Applied Acarology, 2016, 68, 347-359.	0.7	9
29	Molecular identification of Eimeria species of broiler chickens in Turkey. Ankara Universitesi Veteriner Fakultesi Dergisi, 2013, 60, 245-250.	0.4	9
30	The First Crimean-Congo Hemorrhagic Fever Case in the Winter Season from Turkey. Intervirology, 2011, 54, 144-145.	1.2	8
31	Potential Mosquito Vectors of <i>Dirofilaria immitis</i> and <i>Dirofilaira repens</i> (Spirurida:) Tj ETQq1 1 0.784	-314 rgBT 0.9	/Qverlock 1
32	High prevalence and different genotypes of Crimean-Congo hemorrhagic fever virus genome in questing unfed adult Hyalomma marginatum in Thrace, Turkey. Ticks and Tick-borne Diseases, 2021, 12, 101622.	1.1	6
33	Rediscovery and first genetic description of some poorly known tick species: Haemaphysalis kopetdaghica Kerbabaev, 1962 and Dermacentor raskemensis Pomerantzev, 1946. Ticks and Tick-borne Diseases, 2021, 12, 101726.	1.1	5
34	Monthly infestation characteristics of ticks on cattle in Thrace, a Crimean Congo hemorrhagic fever-endemic area of Turkey. Parasitology Research, 2021, 120, 3395-3404.	0.6	4
35	TÃ⅓rkiye'de Köpeklerde Babesia canis canis'in Klinik ve Parazitolojik Olarak İlk Tespiti. Kafkas Universit Veteriner Fakultesi Dergisi, 2013, , .	esi 0.0	3
36	Monthly dynamics of the cold-adapted one-host biological north form of Hyalomma scupense under the influence of the warm summer subtype of the Mediterranean climate in Turkey. Parasitology International, 2021, 85, 102427.	0.6	3

#	Article	IF	CITATIONS
37	Trakya İllerinde İnsanları Tutan Kenelerin Değerlendirilmesi. Kafkas Universitesi Veteriner Fakultesi Dergisi, 2009, , .	0.0	2
38	Molecular Epidemiology of Babesia and <i>Theileria</i> Species in Sheep in Kars Region of Turkey. Turkiye Parazitolojii Dergisi, 2022, 46, 20-27.	0.2	2
39	Epidemiological survey and economic significance of bovine hypodermosis on the Kars Plateau in the Northeast Anatolia Region of Turkey. Turkish Journal of Veterinary and Animal Sciences, 2018, 42, 277-284.	0.2	0
40	Türkiye'de İki Komşu İlde İnsanları Tutan Kene Dağılımındaki Farklılıklar. Kafkas Unive Fakultesi Dergisi, 2009, , .	rsitesi Vet 0.0	eriner 0
41	Ankara'da İnsan ve Buzağılarda Cryptosporidium spp. Varlığının Nested PCR ve Carbol Fuchsin E Yöntemleri ile Belirlenmesi. Kafkas Universitesi Veteriner Fakultesi Dergisi, 2009, , .	Boyama	0
42	Türkiye'nin Kuzeydoğu Anadolu Bölgesinde Kazlarda (Anser anser domesticus) Trypanosoma spp. Prevalansı ve Moleküler Karakterizasyonu. Kafkas Universitesi Veteriner Fakultesi Dergisi, 2018, , .	0.0	0