

# Gigliola Reato

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8838777/publications.pdf>

Version: 2024-02-01

18  
papers

1,279  
citations

687363

13  
h-index

839539

18  
g-index

18  
all docs

18  
docs citations

18  
times ranked

2364  
citing authors

#	ARTICLE	IF	CITATIONS
1	ERBB3 overexpression due to miR-205 inactivation confers sensitivity to FGF, metabolic activation, and liability to ERBB3 targeting in glioblastoma. <i>Cell Reports</i> , 2021, 36, 109455.	6.4	18
2	A Molecularly Annotated Model of Patient-Derived Colon Cancer Stem-Like Cells to Assess Genetic and Nongenetic Mechanisms of Resistance to Anti-EGFR Therapy. <i>Clinical Cancer Research</i> , 2018, 24, 807-820.	7.0	23
3	<sc>MET</sc> inhibition overcomes radiation resistance of glioblastoma stem-like cells. <i>EMBO Molecular Medicine</i> , 2016, 8, 550-568.	6.9	74
4	TNF $\alpha$ promotes invasive growth through the MET signaling pathway. <i>Molecular Oncology</i> , 2015, 9, 377-388.	4.6	40
5	MET Signaling in Colon Cancer Stem-like Cells Blunts the Therapeutic Response to EGFR Inhibitors. <i>Cancer Research</i> , 2014, 74, 1857-1869.	0.9	120
6	The <i>MET</i> Oncogene Is a Functional Marker of a Glioblastoma Stem Cell Subtype. <i>Cancer Research</i> , 2012, 72, 4537-4550.	0.9	120
7	Induction of MET by Ionizing Radiation and Its Role in Radioresistance and Invasive Growth of Cancer. <i>Journal of the National Cancer Institute</i> , 2011, 103, 645-661.	6.3	300
8	The MET oncogene drives a genetic programme linking cancer to haemostasis. <i>Nature</i> , 2005, 434, 396-400.	27.8	245
9	Immunomodulating effect of antimicrobial agents on cytokine production by human polymorphonuclear neutrophils. <i>International Journal of Antimicrobial Agents</i> , 2004, 23, 150-154.	2.5	54
10	Monitoring of minimal residual disease after CHOP and rituximab in previously untreated patients with follicular lymphoma. <i>Blood</i> , 2002, 99, 856-862.	1.4	155
11	Naturally-occurring anti-G-CSF antibodies produced by human cord blood B-cell lines infected with Epstein-Barr virus. <i>The Hematology Journal</i> , 2001, 2, 161-171.	1.4	2
12	Interleukin-2 gene-transduced human leukemic cells induce major histocompatibility complex-restricted and -unrestricted anti-leukemic effectors in mixed lymphocyte-tumor cultures. <i>Cancer Gene Therapy</i> , 2000, 7, 167-176.	4.6	6
13	Somatic alterations of the androgen receptor CAG repeat in human colon cancer delineate a novel mutation pathway independent of microsatellite instability. <i>Cancer Genetics and Cytogenetics</i> , 2000, 123, 35-40.	1.0	24
14	Antibodies Binding Granulocyte-Macrophage Colony Stimulating Factor Produced by Cord Blood-Derived B Cell Lines Immortalized by Epstein-Barr Virus in Vitro. <i>Cellular Immunology</i> , 2000, 204, 114-127.	3.0	11
15	IL4 production and increased CD30 expression by a unique CD8+ T-cell subset in B-cell chronic lymphocytic leukaemia. <i>British Journal of Haematology</i> , 1999, 104, 589-599.	2.5	58
16	<i>In situ</i> hybridization evidence of the donor origin of a post-transplant lymphoproliferative disorder. <i>European Journal of Haematology</i> , 1999, 63, 61-63.	2.2	1
17	Human herpesvirus type 7 in Hodgkin's disease. <i>British Journal of Haematology</i> , 1998, 101, 492-499.	2.5	27
18	Immunoglobulin Light Chain Restriction and Clonal Rearrangement in Nodular Paragranuloma. Leukemia and Lymphoma, 1994, 14, 515-520.	1.3	1