

Søren Eik Skovlund

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8839152/publications.pdf>

Version: 2024-02-01

66
papers

5,673
citations

101384

36
h-index

106150

65
g-index

71
all docs

71
docs citations

71
times ranked

4501
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Psychosocial problems and barriers to improved diabetes management: results of the Cross-National Diabetes Attitudes, Wishes and Needs (DAWN) Study. <i>Diabetic Medicine</i> , 2005, 22, 1379-1385. | 1.2 | 728 |
| 2 | Resistance to Insulin Therapy Among Patients and Providers: Results of the cross-national Diabetes Attitudes, Wishes, and Needs (DAWN) study. <i>Diabetes Care</i> , 2005, 28, 2673-2679. | 4.3 | 709 |
| 3 | Diabetes Attitudes, Wishes and Needs second study (DAWN2 ^{â„†}): Cross-national benchmarking of diabetes-related psychosocial outcomes for people with diabetes. <i>Diabetic Medicine</i> , 2013, 30, 767-777. | 1.2 | 540 |
| 4 | Short-form measures of diabetes-related emotional distress: the Problem Areas in Diabetes Scale (PAID)-5 and PAID-1. <i>Diabetologia</i> , 2010, 53, 66-69. | 2.9 | 290 |
| 5 | Diabetes Attitudes, Wishes and Needs second study (DAWN2 ^{â„†}): Cross-national benchmarking indicators for family members living with people with diabetes. <i>Diabetic Medicine</i> , 2013, 30, 778-788. | 1.2 | 216 |
| 6 | Diabetes Attitudes Wishes and Needs 2 (DAWN2): A multinational, multi-stakeholder study of psychosocial issues in diabetes and person-centred diabetes care. <i>Diabetes Research and Clinical Practice</i> , 2013, 99, 174-184. | 1.1 | 195 |
| 7 | Are family factors universally related to metabolic outcomes in adolescents with Type 1 diabetes?. <i>Diabetic Medicine</i> , 2008, 25, 463-468. | 1.2 | 158 |
| 8 | Psychometric and screening properties of the WHO's well-being index in adult outpatients with Type 1 or Type 2 diabetes mellitus. <i>Diabetic Medicine</i> , 2013, 30, e63-9. | 1.2 | 158 |
| 9 | Diabetes Attitudes, Wishes and Needs second study (DAWN2 ^{â„†}): Cross-national comparisons on barriers and resources for optimal care—healthcare professional perspective. <i>Diabetic Medicine</i> , 2013, 30, 789-798. | 1.2 | 137 |
| 10 | Target setting in intensive insulin management is associated with metabolic control: the Hvidoere Childhood Diabetes Study Group Centre Differences Study 2005. <i>Pediatric Diabetes</i> , 2010, 11, 271-278. | 1.2 | 115 |
| 11 | Development and validation of the insulin treatment appraisal scale (ITAS) in patients with type 2 diabetes. <i>Health and Quality of Life Outcomes</i> , 2007, 5, 69. | 1.0 | 107 |
| 12 | Where Is the Patient in Diabetes Performance Measures?: The case for including patient-centered and self-management measures. <i>Diabetes Care</i> , 2008, 31, 1046-1050. | 4.3 | 105 |
| 13 | Personal Accounts of the Negative and Adaptive Psychosocial Experiences of People With Diabetes in the Second Diabetes Attitudes, Wishes and Needs (DAWN2) Study. <i>Diabetes Care</i> , 2014, 37, 2466-2474. | 4.3 | 104 |
| 14 | Development and validation of the insulin treatment satisfaction questionnaire. <i>Clinical Therapeutics</i> , 2004, 26, 565-578. | 1.1 | 103 |
| 15 | Monitoring of Individual Needs in Diabetes (MIND): Baseline Data From the Cross-National Diabetes Attitudes, Wishes, and Needs (DAWN) MIND Study. <i>Diabetes Care</i> , 2011, 34, 601-603. | 4.3 | 103 |
| 16 | Associations between physical activity, sedentary behavior, and glycemic control in a large cohort of adolescents with type 1 diabetes: the Hvidoere Study Group on Childhood Diabetes. <i>Pediatric Diabetes</i> , 2009, 10, 234-239. | 1.2 | 93 |
| 17 | Monitoring of Individual Needs in Diabetes (MIND)-2. <i>Diabetes Care</i> , 2012, 35, 2128-2132. | 4.3 | 92 |
| 18 | Patient and provider perceptions of care for diabetes: results of the cross-national DAWN Study. <i>Diabetologia</i> , 2006, 49, 279-288. | 2.9 | 89 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Lessons from the Hvidoere International Study Group on childhood diabetes: be dogmatic about outcome and flexible in approach. <i>Pediatric Diabetes</i> , 2013, 14, 473-480. | 1.2 | 84 |
| 20 | Effect of the rapid-acting insulin analogue insulin aspart on quality of life and treatment satisfaction in patients with Type 1 diabetes. <i>Diabetic Medicine</i> , 2003, 20, 626-634. | 1.2 | 76 |
| 21 | Measuring the Impact of Diabetes Through Patient Report of Treatment Satisfaction, Productivity and Symptom Experience. <i>Quality of Life Research</i> , 2006, 15, 481-491. | 1.5 | 74 |
| 22 | Correlates of diabetes-related distress in type 2 diabetes: Findings from the benchmarking network for clinical and humanistic outcomes in diabetes (BENCH-D) study. <i>Journal of Psychosomatic Research</i> , 2015, 79, 348-354. | 1.2 | 73 |
| 23 | Symptoms of depression and diabetes-specific emotional distress are associated with a negative appraisal of insulin therapy in insulin-naïve patients with Type 2 diabetes mellitus. A study from the European Depression in Diabetes [EDID] Research Consortium. <i>Diabetic Medicine</i> , 2009, 26, 28-33. | 1.2 | 71 |
| 24 | Assessing diabetes-related quality of life of youth with type 1 diabetes in routine clinical care: the MIND Youth Questionnaire (MY-Q). <i>Pediatric Diabetes</i> , 2012, 13, 638-646. | 1.2 | 64 |
| 25 | Patient empowerment in endocrinology. <i>Indian Journal of Endocrinology and Metabolism</i> , 2012, 16, 1. | 0.2 | 63 |
| 26 | Assessing the impact of diabetes on quality of life: what have the past 25 years taught us?. <i>Diabetic Medicine</i> , 2020, 37, 483-492. | 1.2 | 62 |
| 27 | A standard set of person-centred outcomes for diabetes mellitus: results of an international and unified approach. <i>Diabetic Medicine</i> , 2020, 37, 2009-2018. | 1.2 | 62 |
| 28 | Preference and resource utilization in elderly patients: InnoLet® versus vial/syringe. <i>Diabetes Research and Clinical Practice</i> , 2004, 63, 27-35. | 1.1 | 58 |
| 29 | A short form of the Diabetes Quality of Life for Youth questionnaire: exploratory and confirmatory analysis in a sample of 2,077 young people with type 1 diabetes mellitus. <i>Diabetologia</i> , 2006, 49, 621-628. | 2.9 | 57 |
| 30 | Correlates of psychological outcomes in people with diabetes: results from the second Diabetes Attitudes, Wishes and Needs (DAWN2) study. <i>Diabetic Medicine</i> , 2016, 33, 1194-1203. | 1.2 | 51 |
| 31 | Can the Routine Use of Patient-Reported Outcome Measures Improve the Delivery of Person-Centered Diabetes Care? A Review of Recent Developments and a Case Study. <i>Current Diabetes Reports</i> , 2019, 19, 84. | 1.7 | 48 |
| 32 | Recommendations for age-appropriate education of children and adolescents with diabetes and their parents in the European Union. <i>Pediatric Diabetes</i> , 2012, 13, 20-28. | 1.2 | 46 |
| 33 | Interplay among patient empowerment and clinical and person-centered outcomes in type 2 diabetes. The BENCH-D study. <i>Patient Education and Counseling</i> , 2015, 98, 1142-1149. | 1.0 | 43 |
| 34 | Co-creation of patient engagement quality guidance for medicines development: an international multistakeholder initiative. <i>BMJ Innovations</i> , 2019, 5, 43-55. | 1.0 | 41 |
| 35 | Do My Best To Listen to Patients: Qualitative Insights Into DAWN2 (Diabetes Psychosocial Care From) Tj ETQq1 1 0.784314 rgsB | 1.1 | 40 |
| 36 | Barriers towards insulin therapy in type 2 diabetic patients: results of an observational longitudinal study. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 113. | 1.0 | 39 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Deficiencies in postgraduate training for healthcare professionals who provide diabetes education and support: results from the Diabetes Attitudes, Wishes and Needs (<scp>DAWN</scp>2) study. <i>Diabetic Medicine</i> , 2017, 34, 1074-1083. | 1.2 | 38 |
| 38 | Epidemiology and correlates of weight worry in the multinational Diabetes Attitudes, Wishes and Needs study. <i>Current Medical Research and Opinion</i> , 2009, 25, 1985-1993. | 0.9 | 37 |
| 39 | Psychologic effects of structured cognitive psychotherapy in young patients with Parkinson disease: A pilot study. <i>Nordic Journal of Psychiatry</i> , 1999, 53, 217-221. | 0.7 | 28 |
| 40 | Benchmarking network for clinical and humanistic outcomes in diabetes (BENCH-D) study: protocol, tools, and population. <i>SpringerPlus</i> , 2014, 3, 83. | 1.2 | 27 |
| 41 | Assessing the perceived impact of diabetes on quality of life: Psychometric validation of the DAWN2 Impact of Diabetes Profile in the second Diabetes MILES "Australia (MILES-2) survey. <i>Diabetes Research and Clinical Practice</i> , 2019, 150, 253-263. | 1.1 | 27 |
| 42 | Parent and health professional perspectives in the management of adolescents with diabetes: Development of assessment instruments for international studies. <i>Quality of Life Research</i> , 2006, 15, 1033-1042. | 1.5 | 20 |
| 43 | Correlates of psychological outcomes among family members of people with diabetes in the second Diabetes Attitudes, Wishes and Needs (<scp>DAWN</scp>2^{â„¢}) study. <i>Diabetic Medicine</i> , 2016, 33, 1184-1193. | 1.2 | 19 |
| 44 | The complex interplay between clinical and person-centered diabetes outcomes in the two genders. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 41. | 1.0 | 19 |
| 45 | Targets and teamwork: Understanding differences in pediatric diabetes centers treatment outcomes. <i>Pediatric Diabetes</i> , 2018, 19, 559-565. | 1.2 | 19 |
| 46 | Treatment beliefs, health behaviors and their association with treatment outcome in type 2 diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2016, 4, e000166. | 1.2 | 18 |
| 47 | Correlates of psychological care strategies for people with diabetes in the second Diabetes Attitudes, Wishes and Needs (<scp>DAWN</scp>2^{â„¢}) study. <i>Diabetic Medicine</i> , 2016, 33, 1174-1183. | 1.2 | 18 |
| 48 | Good practice recommendations on paediatric training programmes for health care professionals in the EU. <i>Pediatric Diabetes</i> , 2012, 13, 29-38. | 1.2 | 15 |
| 49 | Correlates and outcomes of worries about hypoglycemia in family members of adults with diabetes: The second Diabetes Attitudes, Wishes and Needs (DAWN2) study. <i>Journal of Psychosomatic Research</i> , 2016, 89, 69-77. | 1.2 | 14 |
| 50 | 1267-P: Psychometric Development of a Multidimensional Patient-Reported Outcomes Questionnaire and Clinical Dialogue Platform for Routine Diabetes Care. <i>Diabetes</i> , 2019, 68, 1267-P. | 0.3 | 13 |
| 51 | Living with an adult who has diabetes: Qualitative insights from the second Diabetes Attitudes, Wishes and Needs (DAWN2) study. <i>Diabetes Research and Clinical Practice</i> , 2016, 116, 270-278. | 1.1 | 12 |
| 52 | The participatory development of a national core set of person-centred diabetes outcome constructs for use in routine diabetes care across healthcare sectors. <i>Research Involvement and Engagement</i> , 2021, 7, 62. | 1.1 | 12 |
| 53 | The Potential Role of Individual-Level Benefit-Risk Assessment in Treatment Decision Making: A DIA Study Endpoints Community Workstream. <i>Therapeutic Innovation and Regulatory Science</i> , 2019, 53, 630-638. | 0.8 | 11 |
| 54 | Patient-reported assessments in diabetes care: Clinical and research applications. <i>Current Diabetes Reports</i> , 2005, 5, 115-123. | 1.7 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Patient Perception and Use of an Insulin Injector/Glucose Monitor Combined Device. The Diabetes Educator, 2004, 30, 301-308. | 2.6 | 8 |
| 56 | Feasibility and Acceptability of a Digital Patient-Reported Outcome Tool in Routine Outpatient Diabetes Care: Mixed Methods Formative Pilot Study. JMIR Formative Research, 2021, 5, e28329. | 0.7 | 8 |
| 57 | Household composition and psychological health: Results of the Second Diabetes Attitudes, Wishes and Needs (DAWN2) study. Journal of Diabetes and Its Complications, 2017, 31, 340-346. | 1.2 | 7 |
| 58 | InDuoÂ®, a Novel Combined Insulin Injection and Blood Glucose Monitoring Device - Effective and Save as Other Devices, and Patient Preference. Experimental and Clinical Endocrinology and Diabetes, 2005, 113, 541-544. | 0.6 | 4 |
| 59 | Perceived Benefits, Barriers, and Facilitators of a Digital Patient-Reported Outcomes Tool for Routine Diabetes Care: Protocol for a National, Multicenter, Mixed Methods Implementation Study. JMIR Research Protocols, 2021, 10, e28391. | 0.5 | 4 |
| 60 | Psychological well-being and diabetes-related distress in states of type 2 diabetes in the first multi-national Diabetes Attitudes, Wishes and Needs (DAWN) Study. Clinical Diabetology, 2019, 8, 167-175. | 0.2 | 4 |
| 61 | 20-OR: Psychological Impact and Need for Psychological Care and Support: What Do People with Diabetes and Caregivers Say? Results of a Scientific Survey of 9,869 People with Diabetes and Caregivers in Denmark. Diabetes, 2020, 69, 20-OR. | 0.3 | 4 |
| 62 | 839-P: Outcomes of Systematic User Involvement and User Research in a National Patient-Reported Outcomes Diabetes Initiative. Diabetes, 2019, 68, 839-P. | 0.3 | 2 |
| 63 | Development of a National Minimal Set of Patient-Important Outcome Domains for Value-Based Diabetes Care in Denmark. Diabetes, 2018, 67, . | 0.3 | 1 |
| 64 | 824-P: Quality of Behavior Change Action Plans Created in Primary Care Settings as a Tool for Patient Involvement in Type 2 Diabetes Care. Diabetes, 2020, 69, . | 0.3 | 0 |
| 65 | 754-P: Design of a Protocol and Psychometric Evaluation Questionnaires for a National PRO Diabetes Multisector Pilot Study in Denmark. Diabetes, 2020, 69, . | 0.3 | 0 |
| 66 | Second Diabetes Attitudes, Wishes and Needs (DAWN2) study: relevance to Pakistan. JPMA the Journal of the Pakistan Medical Association, 2013, 63, 1218-9. | 0.1 | 0 |