

Shusheng Gong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/883937/publications.pdf>

Version: 2024-02-01

63
papers

612
citations

706676

14
h-index

889612

19
g-index

65
all docs

65
docs citations

65
times ranked

635
citing authors

#	ARTICLE	IF	CITATIONS
1	ROS-Induced Oxidative Damage and Mitochondrial Dysfunction Mediated by Inhibition of SIRT3 in Cultured Cochlear Cells. <i>Neural Plasticity</i> , 2022, 2022, 1-12.	1.0	9
2	Dual-phase contrast-enhanced CT evaluation of dural arteriovenous fistula in patients with pulsatile tinnitus as an initial symptom. <i>European Journal of Radiology</i> , 2022, 148, 110137.	1.2	1
3	Effects of Different Degrees of Extraluminal Compression on Hemodynamics in a Prominent Transverse-Sigmoid Sinus Junction. <i>Frontiers in Human Neuroscience</i> , 2022, 16, 823455.	1.0	3
4	Distinct brain structural and functional network topological coupling explains different outcomes in tinnitus patients treated with sound therapy. <i>Human Brain Mapping</i> , 2022, 43, 3245-3256.	1.9	9
5	Autophagy-Mediated Synaptic Refinement and Auditory Neural Pruning Contribute to Ribbon Synaptic Maturity in the Developing Cochlea. <i>Frontiers in Molecular Neuroscience</i> , 2022, 15, 850035.	1.4	2
6	D-Galactose-Induced Accelerated Aging Model on Auditory Cortical Neurons by Regulating Oxidative Stress and Apoptosis in Vitro. <i>Journal of Nutrition, Health and Aging</i> , 2022, 26, 13-22.	1.5	7
7	SIRT3-mediated deacetylation protects inner hair cell synapses in a H2O2-induced oxidative stress model in vitro. <i>Experimental Cell Research</i> , 2022, 418, 113280.	1.2	5
8	CT venography correlate of transverse sinus stenosis and venous transstenotic pressure gradient in unilateral pulsatile tinnitus patients with sigmoid sinus wall anomalies. <i>European Radiology</i> , 2021, 31, 2896-2902.	2.3	19
9	Outcomes at 6 months are related to brain structural and white matter microstructural reorganization in idiopathic tinnitus patients treated with sound therapy. <i>Human Brain Mapping</i> , 2021, 42, 753-765.	1.9	16
10	Why does unilateral pulsatile tinnitus occur in patients with idiopathic intracranial hypertension?. <i>Neuroradiology</i> , 2021, 63, 209-216.	1.1	24
11	Predicting outcome of velopharyngeal surgery in drug-induced sleep endoscopy by traction velum. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 821-826.	0.8	3
12	Brain Structural and Functional Reorganization in Tinnitus Patients Without Hearing Loss After Sound Therapy: A Preliminary Longitudinal Study. <i>Frontiers in Neuroscience</i> , 2021, 15, 573858.	1.4	10
13	Mitochondrial Dysfunction and Sirtuins: Important Targets in Hearing Loss. <i>Neural Plasticity</i> , 2021, 2021, 1-10.	1.0	1
14	Cortical Thickness Alterations in Patients With Tinnitus Before and After Sound Therapy: A Surface-Based Morphometry Study. <i>Frontiers in Neuroscience</i> , 2021, 15, 633364.	1.4	7
15	Lateralization effects in brain white matter reorganization in patients with unilateral idiopathic tinnitus: a preliminary study. <i>Brain Imaging and Behavior</i> , 2021, , 1.	1.1	2
16	Altered cerebral blood flow in patients with unilateral venous pulsatile tinnitus: an arterial spin labeling study. <i>British Journal of Radiology</i> , 2021, 94, 20200990.	1.0	6
17	Myoelectric characteristics of tensor palatini and collapsibility of upper airway in OSA patients with different phenotypes under DISE. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, , 1.	0.8	0
18	Correlation Between Trans-Stenotic Blood Flow Velocity Differences and the Cerebral Venous Pressure Gradient in Transverse Sinus Stenosis: A Prospective 4-Dimensional Flow Magnetic Resonance Imaging Study. <i>Neurosurgery</i> , 2021, 89, 549-556.	0.6	22

#	ARTICLE	IF	CITATIONS
19	Complete Elimination of Peripheral Auditory Input Before Onset of Hearing Causes Long-Lasting Impaired Social Memory in Mice. <i>Frontiers in Neuroscience</i> , 2021, 15, 723658.	1.4	3
20	Pretreatment intranetwork connectivity can predict the outcomes in idiopathic tinnitus patients treated with sound therapy. <i>Human Brain Mapping</i> , 2021, 42, 4762-4776.	1.9	9
21	Deletion of C1ql1 Causes Hearing Loss and Abnormal Auditory Nerve Fibers in the Mouse Cochlea. <i>Frontiers in Cellular Neuroscience</i> , 2021, 15, 713651.	1.8	10
22	Recording of electrocochleography from the facial nerve canal in mice. <i>Journal of Neuroscience Methods</i> , 2021, 360, 109256.	1.3	2
23	Sound therapy can modulate the functional connectivity of the auditory network. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 110, 110323.	2.5	6
24	The Relationships Among Transverse Sinus Stenosis Measured by CT Venography, Venous Trans-stenotic Pressure Gradient and Intracranial Pressure in Patients With Unilateral Venous Pulsatile Tinnitus. <i>Frontiers in Neuroscience</i> , 2021, 15, 694731.	1.4	3
25	Effects of different morphologic abnormalities on hemodynamics in patients with venous pulsatile tinnitus: A four-dimensional flow magnetic resonance imaging study. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 53, 1744-1751.	1.9	16
26	Sirtuin-3 Protects Cochlear Hair Cells Against Noise-Induced Damage via the Superoxide Dismutase 2/Reactive Oxygen Species Signaling Pathway. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 766512.	1.8	11
27	Effect of Emissary Vein on Hemodynamics of the Transverse- Sigmoid Sinus Junction. <i>Frontiers in Human Neuroscience</i> , 2021, 15, 707014.	1.0	1
28	Surface-Based Amplitude of Low-Frequency Fluctuation Alterations in Patients With Tinnitus Before and After Sound Therapy: A Resting-State Functional Magnetic Resonance Imaging Study. <i>Frontiers in Neuroscience</i> , 2021, 15, 709482.	1.4	3
29	Altered Neurovascular Coupling in Unilateral Pulsatile Tinnitus. <i>Frontiers in Neuroscience</i> , 2021, 15, 791436.	1.4	2
30	Transverse Sinus Stenosis in Venous Pulsatile Tinnitus Patients May Lead to Brain Perfusion and White Matter Changes. <i>Frontiers in Neuroscience</i> , 2021, 15, 732113.	1.4	2
31	Altered functional connectivity of the thalamus in tinnitus patients is correlated with symptom alleviation after sound therapy. <i>Brain Imaging and Behavior</i> , 2020, 14, 2668-2678.	1.1	20
32	Neuroanatomical Alterations in Patients With Tinnitus Before and After Sound Therapy: A Voxel-Based Morphometry Study. <i>Frontiers in Neuroscience</i> , 2020, 14, 911.	1.4	7
33	Lateralization Effects on Cerebral Blood Flow in Patients With Unilateral Pulsatile Tinnitus Measured With Arterial Spin Labeling. <i>Frontiers in Human Neuroscience</i> , 2020, 14, 591260.	1.0	7
34	Loss of Cochlear Ribbon Synapse Is a Critical Contributor to Chronic Salicylate Sodium Treatment-Induced Tinnitus without Change Hearing Threshold. <i>Neural Plasticity</i> , 2020, 2020, 1-9.	1.0	6
35	Comparison of primary musicality development between children with cochlear implants and children with normal hearing. <i>Acta Oto-Laryngologica</i> , 2020, 140, 741-747.	0.3	1
36	Nicotinamide riboside protects noise-induced hearing loss by recovering the hair cell ribbon synapses. <i>Neuroscience Letters</i> , 2020, 725, 134910.	1.0	22

#	ARTICLE	IF	CITATIONS
37	Reorganization of Brain White Matter in Persistent Idiopathic Tinnitus Patients Without Hearing Loss: Evidence From Baseline Data. <i>Frontiers in Neuroscience</i> , 2020, 14, 591.	1.4	22
38	The Effect of Cochlear Implantation on Vestibular Evoked Myogenic Potential in Children. <i>Laryngoscope</i> , 2020, 130, E918-E925.	1.1	13
39	Autophagy is Required for Remodeling in Postnatal Developing Ribbon Synapses of Cochlear Inner Hair Cells. <i>Neuroscience</i> , 2020, 431, 1-16.	1.1	13
40	Repeated Moderate Sound Exposure Causes Accumulated Trauma to Cochlear Ribbon Synapses in Mice. <i>Neuroscience</i> , 2020, 429, 173-184.	1.1	10
41	Neuroanatomical Alterations in Patients With Tinnitus Before and After Sound Therapy: A Combined VBM and SCN Study. <i>Frontiers in Human Neuroscience</i> , 2020, 14, 607452.	1.0	6
42	Temporal bone contrast-enhanced high-resolution CT evaluation of pulsatile tinnitus after sigmoid sinus wall reconstruction. <i>Acta Radiologica</i> , 2019, 60, 54-60.	0.5	8
43	NADPH Oxidase 2-Mediated Insult in the Auditory Cortex of Zucker Diabetic Fatty Rats. <i>Neural Plasticity</i> , 2019, 2019, 1-9.	1.0	3
44	Mitochondrial DNA 3,860-bp Deletion Increases with Aging in the Auditory Nervous System of C57BL/6j Mice. <i>Orl</i> , 2019, 81, 92-100.	0.6	10
45	Investigation of the impact of PM2.5 on the ciliary motion of human nasal epithelial cells. <i>Chemosphere</i> , 2019, 233, 309-318.	4.2	15
46	Dynamic Changes of Functional Neuronal Activities Between the Auditory Pathway and Limbic Systems Contribute to Noise-Induced Tinnitus with a Normal Audiogram. <i>Neuroscience</i> , 2019, 408, 31-45.	1.1	20
47	Long-Term Conductive Auditory Deprivation During Early Development Causes Irreversible Hearing Impairment and Cochlear Synaptic Disruption. <i>Neuroscience</i> , 2019, 406, 345-355.	1.1	5
48	Morphological Neuroimaging Biomarkers for Tinnitus: Evidence Obtained by Applying Machine Learning. <i>Neural Plasticity</i> , 2019, 2019, 1-11.	1.0	16
49	The Cochlear Alternating Acoustic Beam Therapy (CAABT): A pre-clinical trial. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2018, 39, 401-409.	0.6	4
50	Lateralization effects on functional connectivity of the auditory network in patients with unilateral pulsatile tinnitus as detected by functional MRI. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 81, 228-235.	2.5	22
51	Maximal number of pre-synaptic ribbons are formed in cochlear region corresponding to middle frequency in mice. <i>Acta Oto-Laryngologica</i> , 2018, 138, 25-30.	0.3	7
52	Neuroanatomical Alterations in Patients with Early Stage of Unilateral Pulsatile Tinnitus: A Voxel-Based Morphometry Study. <i>Neural Plasticity</i> , 2018, 2018, 1-7.	1.0	21
53	Isolation and characterization of endothelial colony-forming cells from mononuclear cells of rat bone marrow. <i>Experimental Cell Research</i> , 2018, 370, 116-126.	1.2	14
54	Abnormal regional activity and functional connectivity in resting-state brain networks associated with etiology confirmed unilateral pulsatile tinnitus in the early stage of disease. <i>Hearing Research</i> , 2017, 346, 55-61.	0.9	19

#	ARTICLE	IF	CITATIONS
55	Unitary ototoxic gentamicin exposure may not disrupt the function of cochlear outer hair cells in mice. <i>Acta Oto-Laryngologica</i> , 2017, 137, 842-849.	0.3	1
56	Frequency-Dependent Neural Activity in Patients with Unilateral Vascular Pulsatile Tinnitus. <i>Neural Plasticity</i> , 2016, 2016, 1-9.	1.0	15
57	Abnormal resting-state functional connectivity study in unilateral pulsatile tinnitus patients with single etiology: A seed-based functional connectivity study. <i>European Journal of Radiology</i> , 2016, 85, 2023-2029.	1.2	18
58	Gene expression of NMDA and AMPA receptors in different facial motor neurons. <i>Laryngoscope</i> , 2016, 126, E6-11.	1.1	4
59	Synaptic plasticity in the facial nucleus in rats following infraorbital nerve manipulation after facial nerve injury. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 3135-3142.	0.8	3
60	Round window application of an active middle ear implant (AMEI) system in congenital oval window atresia. <i>Acta Oto-Laryngologica</i> , 2016, 136, 23-33.	0.3	19
61	Morphology and Ciliary Motion of Mucosa in the Eustachian Tube of Neonatal and Adult Gerbils. <i>PLoS ONE</i> , 2014, 9, e99840.	1.1	7
62	Effect of age at cochlear implantation on auditory and speech development of children with auditory neuropathy spectrum disorder. <i>Auris Nasus Larynx</i> , 2014, 41, 502-506.	0.5	25
63	The Development of Auditory Skills in Young Children with Mondini Dysplasia after Cochlear Implantation. <i>PLoS ONE</i> , 2014, 9, e108079.	1.1	15