

# Yifei Weng

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8839434/yifei-weng-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

19  
papers

146  
citations

7  
h-index

12  
g-index

19  
ext. papers

224  
ext. citations

5  
avg. IF

2.54  
L-index

#	Paper	IF	Citations
19	Sex Differences in Re-experiencing Symptoms Between Husbands and Wives Who Lost Their Only Child in China: A Resting-State Functional Connectivity Study of Hippocampal Subfields. <i>Frontiers in Human Neuroscience</i> , <b>2021</b> , 15, 655044	3.3	0
18	Distributed Functional Connectome of White Matter in Patients With Functional Dyspepsia. <i>Frontiers in Human Neuroscience</i> , <b>2021</b> , 15, 589578	3.3	0
17	Anti-seizure medication correlated changes of cortical morphology in childhood epilepsy with centrotemporal spikes. <i>Epilepsy Research</i> , <b>2021</b> , 173, 106621	3	
16	Influence of epileptogenic region on brain structural changes in Rolandic epilepsy. <i>Brain Imaging and Behavior</i> , <b>2021</b> , 1	4.1	0
15	Cortico-striato-thalamo-cerebellar networks of structural covariance underlying different epilepsy syndromes associated with generalized tonic-clonic seizures. <i>Human Brain Mapping</i> , <b>2021</b> , 42, 1102-1115 <sup>5.9</sup>	5.9	3
14	Functional connectome contractions in temporal lobe epilepsy: Microstructural underpinnings and predictors of surgical outcome. <i>Epilepsia</i> , <b>2020</b> , 61, 1221-1233	6.4	27
13	Social support modulates the association between PTSD diagnosis and medial frontal volume in Chinese adults who lost their only child. <i>Neurobiology of Stress</i> , <b>2020</b> , 13, 100227	7.6	1
12	FKBP5 haplotypes and PTSD modulate the resting-state brain activity in Han Chinese adults who lost their only child. <i>Translational Psychiatry</i> , <b>2020</b> , 10, 91	8.6	3
11	Decreased functional connectivity of hippocampal subregions and methylation of the gene in Han Chinese adults who lost their only child. <i>Psychological Medicine</i> , <b>2020</b> , 1-10	6.9	3
10	Effects of COMT rs4680 and BDNF rs6265 polymorphisms on brain degree centrality in Han Chinese adults who lost their only child. <i>Translational Psychiatry</i> , <b>2020</b> , 10, 46	8.6	5
9	Macroscale and microcircuit dissociation of focal and generalized human epilepsies. <i>Communications Biology</i> , <b>2020</b> , 3, 244	6.7	14
8	Similarity and diversity of spontaneous brain activity in functional dyspepsia subtypes. <i>Acta Radiologica</i> , <b>2020</b> , 61, 927-935	2	5
7	Functional brain network topology in parents who lost their only child in China: Post-traumatic stress disorder and sex effects. <i>Journal of Affective Disorders</i> , <b>2019</b> , 257, 632-639	6.6	5
6	Disturbed effective connectivity patterns in an intrinsic triple network model are associated with posttraumatic stress disorder. <i>Neurological Sciences</i> , <b>2019</b> , 40, 339-349	3.5	9
5	Pathological factors contributing to crossed cerebellar diaschisis in cerebral gliomas: a study combining perfusion, diffusion, and structural MR imaging. <i>Neuroradiology</i> , <b>2018</b> , 60, 643-650	3.2	7
4	The Temporal Propagation of Intrinsic Brain Activity Associate With the Occurrence of PTSD. <i>Frontiers in Psychiatry</i> , <b>2018</b> , 9, 218	5	3
3	Dynamic Network Analysis Reveals Altered Temporal Variability in Brain Regions after Stroke: A Longitudinal Resting-State fMRI Study. <i>Neural Plasticity</i> , <b>2018</b> , 2018, 9394156	3.3	15

- |   |   |     |    |
|---|---|-----|----|
| 2 | Disrupted functional connectivity density in irritable bowel syndrome patients. <i>Brain Imaging and Behavior</i> , <b>2017</b> , 11, 1812-1822                                       | 4.1 | 29 |
| 1 | Disturbed Interhemispheric Functional Connectivity Rather than Structural Connectivity in Irritable Bowel Syndrome. <i>Frontiers in Molecular Neuroscience</i> , <b>2016</b> , 9, 141 | 6.1 | 17 |