

Daniele Pereira Santos-Bezerra

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8839492/publications.pdf>

Version: 2024-02-01

21
papers

188
citations

1040056

9
h-index

1125743

13
g-index

21
all docs

21
docs citations

21
times ranked

335
citing authors

#	ARTICLE	IF	CITATIONS
1	Beta-2-microglobulin (B2M) expression in the urinary sediment correlates with clinical markers of kidney disease in patients with type 1 diabetes. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 816-824.	3.4	24
2	Thioredoxin interacting protein expression in the urinary sediment associates with renal function decline in type 1 diabetes. <i>Free Radical Research</i> , 2016, 50, 101-110.	3.3	23
3	The impact of ethnicity, educational and economic status on the prescription of insulin therapeutic regimens and on glycemetic control in patients with type 1 diabetes. A nationwide study in Brazil. <i>Diabetes Research and Clinical Practice</i> , 2017, 134, 44-52.	2.8	18
4	Micro-RNAs 518d-3p and 618 Are Upregulated in Individuals With Type 1 Diabetes With Multiple Microvascular Complications. <i>Frontiers in Endocrinology</i> , 2019, 10, 385.	3.5	14
5	Increased DNA Damage is Related to Maternal Blood Glucose Levels in the Offspring of Women With Diabetes and Mild Gestational Hyperglycemia. <i>Reproductive Sciences</i> , 2016, 23, 318-323.	2.5	13
6	Optimization of total RNA isolation from human urinary sediment. <i>Clinica Chimica Acta</i> , 2016, 462, 158-161.	1.1	12
7	Dietary advanced glycated end-products and medicines influence the expression of <i>SIRT1</i> and <i>DDOST</i> in peripheral mononuclear cells from long-term type 1 diabetes patients. <i>Diabetes and Vascular Disease Research</i> , 2018, 15, 81-89.	2.0	12
8	Glutathione peroxidase 4 functional variant rs713041 modulates the risk for cardiovascular autonomic neuropathy in individuals with type 1 diabetes. <i>Diabetes and Vascular Disease Research</i> , 2019, 16, 297-299.	2.0	10
9	Alcohol Use Disorder is Associated with Upregulation of MicroRNA-34a and MicroRNA-34c in Hippocampal Postmortem Tissue. <i>Alcoholism: Clinical and Experimental Research</i> , 2021, 45, 64-68.	2.4	10
10	N-Acetyl Cysteine Attenuated the Deleterious Effects of Advanced Glycation End-Products on the Kidney of Non-Diabetic Rats. <i>Cellular Physiology and Biochemistry</i> , 2016, 40, 608-620.	1.6	9
11	Allelic variations in genes belonging to glutathione system increase proliferative retinopathy risk in type 1 diabetes individuals. <i>Gene</i> , 2019, 703, 120-124.	2.2	7
12	Urinary Sediment Transcriptomic and Longitudinal Data to Investigate Renal Function Decline in Type 1 Diabetes. <i>Frontiers in Endocrinology</i> , 2020, 11, 238.	3.5	7
13	Variants in HSD11B1 gene modulate susceptibility to diabetes kidney disease and to insulin resistance in type 1 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2021, 37, e3352.	4.0	7
14	Genetic variants in <i>DNMT1</i> and the risk of cardiac autonomic neuropathy in women with type 1 diabetes. <i>Journal of Diabetes Investigation</i> , 2019, 10, 985-989.	2.4	6
15	Regional differences in the prevalence of diabetic retinopathy: a multi center study in Brazil. <i>Diabetology and Metabolic Syndrome</i> , 2018, 10, 17.	2.7	5
16	Increased leukotriene B4 plasma concentration in type 2 diabetes individuals with cardiovascular autonomic neuropathy. <i>Diabetology and Metabolic Syndrome</i> , 2020, 12, 99.	2.7	4
17	Leukotriene Pathway Activation Associates with Poor Glycemic Control and with Cardiovascular Autonomic Neuropathy in Type 1 Diabetes. <i>Mediators of Inflammation</i> , 2020, 2020, 1-9.	3.0	4
18	MicroRNAs 1915-3p, 2861, and 4532 Are Associated with Long-Term Renal Function Decline in Type 1 Diabetes. <i>Clinical Chemistry</i> , 2019, 65, 1458-1459.	3.2	3

#	ARTICLE	IF	CITATIONS
19	In type 1 diabetes mellitus impaired vascular function relates to the expression of MYD88 in lymphomononuclear cells but not to dietary advanced glycation end-products. <i>Atherosclerosis</i> , 2018, 275, e63.	0.8	0
20	Cardiovascular Autonomic Reflex Tests and 7 Heart Rate Variability Indices for Early Diagnosis of Cardiovascular Autonomic Neuropathy in Type 2 Diabetes Individuals. <i>Current Diabetes Reviews</i> , 2021, 17, .	1.3	0
21	Reproducibility of a nylon fishing line as a screening test for diabetic foot ulceration risk. <i>Clinics</i> , 2020, 75, e1658.	1.5	0