Seung Min Jung

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8839693/publications.pdf Version: 2024-02-01



SELING MIN LUNG

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Integrative analysis of lung molecular signatures reveals key drivers of systemic sclerosis-associated interstitial lung disease. Annals of the Rheumatic Diseases, 2022, 81, 108-116. | 0.5 | 16 |
| 2 | Drug Survival of Biologic Therapy in Elderly Patients With Rheumatoid Arthritis Compared With Nonelderly Patients. Journal of Clinical Rheumatology, 2022, 28, e81-e88. | 0.5 | 4 |
| 3 | Targeted Immunotherapy for Autoimmune Disease. Immune Network, 2022, 22, e9. | 1.6 | 46 |
| 4 | Clinical characteristics and long-term outcomes in patients with mixed Class III/IV + V and pure proliferative lupus nephritis: A single-center experience. Lupus, 2022, 31, 588-595. | 0.8 | 0 |
| 5 | Use of Disease-modifying Antirheumatic Drugs After Cancer Diagnosis in Rheumatoid Arthritis Patients. Journal of Rheumatic Diseases, 2022, 29, 162-170. | 0.4 | 2 |
| 6 | Clinical Implications of Shared Epitope and Anti-citrullinated Peptide Antibody in Patients With Rheumatoid Arthritis. Journal of Rheumatic Diseases, 2022, 29, 171-180. | 0.4 | 2 |
| 7 | Comparison of developing tuberculosis following tumor necrosis factor inhibition and interleukin-6 inhibition in patients with rheumatoid arthritis: a nationwide observational study in South Korea, 2013–2018. Arthritis Research and Therapy, 2022, 24, . | 1.6 | 1 |
| 8 | Deep phenotyping of synovial molecular signatures by integrative systems analysis in rheumatoid arthritis. Rheumatology, 2021, 60, 3420-3431. | 0.9 | 7 |
| 9 | Clinical and imaging findings suggestive of histopathological immunoglobulin G4-related disease: a single-center retrospective study. Clinical Rheumatology, 2021, 40, 1423-1430. | 1.0 | 2 |
| 10 | Characterization of Early-Onset Finger Osteoarthritis-Like Condition Using Patient-Derived Induced Pluripotent Stem Cells. Cells, 2021, 10, 317. | 1.8 | 4 |
| 11 | Reclassification of Korean patients with polymyositis and dermatomyositis based on the Bohan and Peter criteria by the 2017 European League Against Rheumatism/American College of Rheumatology classification criteria for adult and juvenile idiopathic inflammatory myopathies. Korean Journal of Internal Medicine, 2021, 36, 441-446. | 0.7 | 3 |
| 12 | Evaluation of body composition using computed tomography in patients with anti-neutrophil cytoplasmic antibody-associated vasculitis. Korean Journal of Internal Medicine, 2021, 36, 1221-1232. | 0.7 | 1 |
| 13 | Prevalence of Osteopenia in Drug-Naive Patients With Antineutrophil Cytoplasmic Antibody–Associated Vasculitis. Journal of Clinical Rheumatology, 2021, 27, e330-e335. | 0.5 | 2 |
| 14 | Integrative analysis of lung molecular signatures reveals key drivers of idiopathic pulmonary fibrosis. BMC Pulmonary Medicine, 2021, 21, 404. | 0.8 | 11 |
| 15 | Clinical phenotype with high risk for initiation of biologic therapy in rheumatoid arthritis: a data-driven cluster analysis. Clinical and Experimental Rheumatology, 2021, 39, 1282-1290. | 0.4 | 1 |
| 16 | Can antineutrophil cytoplasmic antibody positivity at diagnosis predict the poor outcomes of Sjögren's syndrome?. Rheumatology International, 2020, 40, 1063-1070. | 1.5 | 4 |
| 17 | Clinical implication of chronic paranasal sinusitis for the classification of microscopic polyangiitis. International Journal of Clinical Practice, 2020, 74, e13431. | 0.8 | 2 |
| 18 | Double positivity for antineutrophil cytoplasmic antibody (ANCA) and anti-glomerular basement membrane antibody could predict end-stage renal disease in ANCA-associated vasculitis: a monocentric pilot study. Clinical Rheumatology, 2020, 39, 831-840. | 1.0 | 2 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Clinical characteristics and long-term outcomes of Libman–Sacks endocarditis in patients with systemic lupus erythematosus. Lupus, 2020, 29, 1115-1120. | 0.8 | 11 |
| 20 | Non-histologic factors discriminating proliferative lupus nephritis from membranous lupus nephritis. Arthritis Research and Therapy, 2020, 22, 138. | 1.6 | 5 |
| 21 | Comparison of clinical features and outcomes between patients with early and delayed lupus nephritis. BMC Nephrology, 2020, 21, 258. | 0.8 | 5 |
| 22 | Hyperuricemia is associated with decreased renal function and occurrence of end-stage renal disease in patients with microscopic polyangiitis and granulomatosis with polyangiitis: a retrospective study. Rheumatology International, 2020, 40, 1089-1099. | 1.5 | 7 |
| 23 | Clinical characteristics associated with drug-free sustained remission in patients with rheumatoid arthritis: Data from Korean Intensive Management of Early Rheumatoid Arthritis (KIMERA). Seminars in Arthritis and Rheumatism, 2020, 50, 1414-1420. | 1.6 | 3 |
| 24 | Serum Mannose-Binding Lectin Levels Are Correlated with the Disease Activity of Antineutrophil Cytoplasmic Antibody-Associated Vasculitis: A Single-Center Study. Tohoku Journal of Experimental Medicine, 2020, 251, 117-123. | 0.5 | 7 |
| 25 | 1,25-dihydroxy Vitamin D3 and Interleukin-6 Blockade Synergistically Regulate Rheumatoid Arthritis by Suppressing Interleukin-17 Production and Osteoclastogenesis. Journal of Korean Medical Science, 2020, 35, e40. | 1.1 | 26 |
| 26 | The use of biological disease-modifying antirheumatic drugs for inflammatory arthritis in Korea: results of a Korean Expert Consensus. Korean Journal of Internal Medicine, 2020, 35, 41-59. | 0.7 | 20 |
| 27 | Recommendations for the management of patients with systemic rheumatic diseases during the coronavirus disease pandemic. Korean Journal of Internal Medicine, 2020, 35, 1317-1332. | 0.7 | 11 |
| 28 | The Use of Biological Disease-modifying Antirheumatic Drugs for Inflammatory Arthritis in Korea: Results of a Korean Expert Consensus. Journal of Rheumatic Diseases, 2020, 27, 4. | 0.4 | 17 |
| 29 | Recommendations for the Management of Patients With Systemic Rheumatic Diseases During the Coronavirus Disease Pandemic. Journal of Rheumatic Diseases, 2020, 27, 218-232. | 0.4 | 1 |
| 30 | Denosumab-Related Osteonecrosis of the Jaw May Not Be a Subject of Teriparatide Treatment. Journal of Bone and Mineral Research, 2020, 37, 2044-2045. | 3.1 | 3 |
| 31 | Predictor of depressive disorders in patients with antineutrophil cytoplasmic antibody-associated vasculitis. Clinical Rheumatology, 2019, 38, 3485-3491. | 1.0 | 7 |
| 32 | Evaluation of macrophage activation syndrome in hospitalised patients with Kikuchi-Fujimoto disease based on the 2016 EULAR/ACR/PRINTO classification criteria. PLoS ONE, 2019, 14, e0219970. | 1.1 | 8 |
| 33 | Could hypereosinophilia at diagnosis estimate the current activity or predict relapse in systemic immunosuppressive drug-naA¯ve patients with eosinophilic granulomatosis with polyangiitis?. Rheumatology International, 2019, 39, 1899-1905. | 1.5 | 3 |
| 34 | Comparison of the Clinical Implications among Five Different Nutritional Indices in Patients with Lupus Nephritis. Nutrients, 2019, 11, 1456. | 1.7 | 14 |
| 35 | Risk of Cancers in Antineutrophil Cytoplasmic Antibody-Associated Vasculitis: Results from the Korea National Health Insurance Claims Database 2010–2018. Journal of Clinical Medicine, 2019, 8, 1871. | 1.0 | 10 |
| 36 | Clinical characteristics of patients with systemic lupus erythematosus showing a false-positive result of syphilis screening. Rheumatology International, 2019, 39, 1859-1866. | 1.5 | 4 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Anti-Smith antibody is associated with disease activity in patients with new-onset systemic lupus erythematosus. Rheumatology International, 2019, 39, 1937-1944. | 1.5 | 26 |
| 38 | Fibrosis-4 index at diagnosis is associated with all-cause mortality in patients with microscopic polyangiitis and granulomatosis with polyangiitis. BMC Gastroenterology, 2019, 19, 90. | 0.8 | 13 |
| 39 | Comparison of Radiological and Histological Findings of Lung Parenchyma in Patients with Antineutrophil Cytoplasmic Antibody-Associated Vasculitis. Yonsei Medical Journal, 2019, 60, 454. | 0.9 | 10 |
| 40 | Should nasal biopsy inevitably be performed for classifying granulomatosis with polyangiitis in patients with rhinosinusitis? A retrospective chart review study. Rheumatology International, 2019, 39, 885-892. | 1.5 | 3 |
| 41 | ExÂVivo Interferon Gamma Production by Peripheral Immune Cells Predicts Survival in Lung Adenocarcinoma. Clinical Lung Cancer, 2019, 20, e299-e308. | 1.1 | 2 |
| 42 | Prognostic nutritional index is associated with disease severity and relapse in ANCAâ€associated vasculitis. International Journal of Rheumatic Diseases, 2019, 22, 797-804. | 0.9 | 16 |
| 43 | ANCA positivity at the time of renal biopsy is associated with chronicity index of lupus nephritis. Rheumatology International, 2019, 39, 879-884. | 1.5 | 9 |
| 44 | Persistent antiphospholipid antibodies are associated with thrombotic events in ANCA-associated vasculitis: A retrospective monocentric study. Nefrologia, 2019, 39, 395-401. | 0.2 | 6 |
| 45 | 2018 update of the APLAR recommendations for treatment of rheumatoid arthritis. International Journal of Rheumatic Diseases, 2019, 22, 357-375. | 0.9 | 115 |
| 46 | 122â€Persistence of anti-smith antibody is associated with disease activity in patients with new-onset systemic lupus erythematosus. , 2019, , . | | 0 |
| 47 | 123â€Clinical characteristics of patients with systemic lupus erythematosus showing the false positive result of syphilis test. , 2019, , . | | Ο |
| 48 | 125â€Treatment outcome in lupus nephritis patients treated with mycophenolate mofetil: from a real-world clinical practice. , 2019, , . | | 0 |
| 49 | Clinical role of albumin to globulin ratio in microscopic polyangiitis: a retrospective monocentric study. Clinical Rheumatology, 2019, 38, 487-494. | 1.0 | 11 |
| 50 | Low serum complement 3 level is associated with severe ANCA-associated vasculitis at diagnosis. Clinical and Experimental Nephrology, 2019, 23, 223-230. | 0.7 | 20 |
| 51 | Systemic immuneâ€inflammation index could estimate the crossâ€sectional high activity and the poor outcomes in immunosuppressive drugâ€naÃīve patients with antineutrophil cytoplasmic antibodyâ€associated vasculitis. Nephrology, 2019, 24, 711-717. | 0.7 | 42 |
| 52 | No overlap between IgG4-related disease and microscopic polyangiitis and granulomatosis with polyangiitis despite elevated serum IgG4 at diagnosis: a retrospective monocentric study. Clinical Rheumatology, 2019, 38, 1147-1154. | 1.0 | 21 |
| 53 | Sodium Chloride Aggravates Arthritis via Th17 Polarization. Yonsei Medical Journal, 2019, 60, 88. | 0.9 | 26 |
| 54 | Controlling Nutritional Status Score is Associated with All-Cause Mortality in Patients with Antineutrophil Cytoplasmic Antibody-Associated Vasculitis. Yonsei Medical Journal, 2019, 60, 1164. | 0.9 | 8 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Risk of malignancy in patients with rheumatoid arthritis after anti-tumor necrosis factor therapy: results from Korean National Health Insurance claims data. Korean Journal of Internal Medicine, 2019, 34, 669-677. | 0.7 | 13 |
| 56 | Serum soluble programmed cell death protein 1 could predict the current activity and severity of antineutrophil cytoplasmic antibody-associated vasculitis: a monocentric prospective study. Clinical and Experimental Rheumatology, 2019, 37 Suppl 117, 116-121. | 0.4 | 2 |
| 57 | Birmingham vasculitis activity and chest manifestation at diagnosis can predict hospitalised infection in ANCA-associated vasculitis. Clinical Rheumatology, 2018, 37, 2133-2141. | 1.0 | 12 |
| 58 | Mean platelet volume can estimate the current vasculitis activity of microscopic polyangiitis. Rheumatology International, 2018, 38, 1095-1101. | 1.5 | 9 |
| 59 | Interrupting oral infection of Porphyromonas gingivalis with anti-FimA antibody attenuates bacterial dissemination to the arthritic joint and improves experimental arthritis. Experimental and Molecular Medicine, 2018, 50, e460-e460. | 3.2 | 27 |
| 60 | Recent progress of national banking project on homozygous <scp>HLA</scp> â€typed induced pluripotent stem cells in <scp>S</scp> outh <scp>K</scp> orea. Journal of Tissue Engineering and Regenerative Medicine, 2018, 12, e1531-e1536. | 1.3 | 39 |
| 61 | Decreased muscle mass is independently associated with knee pain in female patients with radiographically mild osteoarthritis: a nationwide cross-sectional study (KNHANES 2010–2011). Clinical Rheumatology, 2018, 37, 1333-1340. | 1.0 | 15 |
| 62 | Hemoglobin A1c, Not Glycated Albumin, Can Independently Reflect the Ankylosing Spondylitis Disease Activity Score. Journal of Rheumatic Diseases, 2018, 25, 131. | 0.4 | 2 |
| 63 | Risk factors associated with inadequate control of disease activity in elderly patients with rheumatoid arthritis: Results from a nationwide KOrean College of Rheumatology BiOlogics (KOBIO) registry. PLoS ONE, 2018, 13, e0205651. | 1.1 | 13 |
| 64 | Application of 2012 EULAR/ACR criteria for polymyalgia rheumatica to Korean patients previously classified by Chuang and Hunder criteria or Healey criteria. International Journal of Rheumatic Diseases, 2018, 21, 1838-1843. | 0.9 | 2 |
| 65 | Red Blood Cell Distribution Width Can Predict Vasculitis Activity and Poor Prognosis in Granulomatosis with Polyangiitis. Yonsei Medical Journal, 2018, 59, 294. | 0.9 | 6 |
| 66 | Neutrophil to lymphocyte ratio at diagnosis can estimate vasculitis activity and poor prognosis in patients with ANCA-associated vasculitis: a retrospective study. BMC Nephrology, 2018, 19, 187. | 0.8 | 32 |
| 67 | Safety of Tocilizumab in Rheumatoid Arthritis Patients with Resolved Hepatitis B Virus Infection: Data from Real-World Experience. Yonsei Medical Journal, 2018, 59, 452. | 0.9 | 27 |
| 68 | Delta Neutrophil Index Is Associated with Vasculitis Activity and Risk of Relapse in ANCA-Associated Vasculitis. Yonsei Medical Journal, 2018, 59, 397. | 0.9 | 16 |
| 69 | Fraxinellone Attenuates Rheumatoid Inflammation in Mice. International Journal of Molecular Sciences, 2018, 19, 829. | 1.8 | 11 |
| 70 | Platelet to lymphocyte ratio is associated with the current activity of ANCA-associated vasculitis at diagnosis: a retrospective monocentric study. Rheumatology International, 2018, 38, 1865-1871. | 1.5 | 28 |
| 71 | Serum leucine-rich α2-glycoprotein is elevated in patients with systemic lupus erythematosus and correlates with disease activity. Clinica Chimica Acta, 2018, 486, 253-258. | 0.5 | 10 |
| 72 | Intraperitoneal infusion of mesenchymal stem cell attenuates severity of collagen antibody induced arthritis. PLoS ONE, 2018, 13, e0198740. | 1.1 | 25 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Reclassification of polyarteritis nodosa based on the 1990 ACR criteria using the 2007 EMA algorithm modified by the 2012 CHCC definitions. Clinical and Experimental Rheumatology, 2018, 36 Suppl 111, 165-166. | 0.4 | 2 |
| 74 | The utility of the ACR/EULAR 2017 provisional classification criteria for granulomatosis with polyangiitis in Korean patients with antineutrophil cytoplasmic antibody-associated vasculitis. Clinical and Experimental Rheumatology, 2018, 36 Suppl 111, 85-87. | 0.4 | 14 |
| 75 | Renal outcome of kidney-transplantation in Korean recipients with ANCA-associated vasculitis. Clinical and Experimental Rheumatology, 2018, 36 Suppl 111, 115-120. | 0.4 | 2 |
| 76 | Serum aminoacyl-tRNA synthetase-interacting multifunctional protein-1 (AIMP1), a novel disease activity predictive biomarker of systemic lupus erythematosus. Clinical and Experimental Rheumatology, 2018, 36, 533-539. | 0.4 | 2 |
| 77 | Cancer development in Korean patients with ANCA-associated vasculitis: a single centre study. Clinical and Experimental Rheumatology, 2018, 36 Suppl 111, 73-77. | 0.4 | 3 |
| 78 | The initial predictors of death in 153 patients with ANCA-associated vasculitis in a single Korean centre. Clinical and Experimental Rheumatology, 2018, 36 Suppl 111, 65-72. | 0.4 | 9 |
| 79 | Cord blood cell-derived iPSCs as a new candidate for chondrogenic differentiation and cartilage regeneration. Stem Cell Research and Therapy, 2017, 8, 16. | 2.4 | 59 |
| 80 | Etanercept-Synthesising Mesenchymal Stem Cells Efficiently Ameliorate Collagen-Induced Arthritis. Scientific Reports, 2017, 7, 39593. | 1.6 | 37 |
| 81 | In-hospital mortality in febrile lupus patients based on 2016 EULAR/ACR/PRINTO classification criteria for macrophage activation syndrome. Seminars in Arthritis and Rheumatism, 2017, 47, 216-221. | 1.6 | 28 |
| 82 | Evaluation of Spleen Glucose Metabolism Using ¹⁸ F-FDG PET/CT in Patients with Febrile Autoimmune Disease. Journal of Nuclear Medicine, 2017, 58, 507-513. | 2.8 | 33 |
| 83 | Application of the 2016 EULAR/ACR/PRINTO Classification Criteria for Macrophage Activation Syndrome in Patients with Adult-onset Still Disease. Journal of Rheumatology, 2017, 44, 996-1003. | 1.0 | 43 |
| 84 | Birmingham vasculitis activity score at diagnosis is a significant predictor of relapse of polyarteritis nodosa. Rheumatology International, 2017, 37, 685-694. | 1.5 | 11 |
| 85 | Echocardiographic features in patients with ANCA-associated vasculitis within 3Âmonths before and after diagnosis. Clinical Rheumatology, 2017, 36, 2751-2759. | 1.0 | 9 |
| 86 | Ethyl pyruvate ameliorates inflammatory arthritis in mice. International Immunopharmacology, 2017, 52, 333-341. | 1.7 | 19 |
| 87 | The clinical utility of splenic fluorodeoxyglucose uptake for diagnosis and prognosis in patients with macrophage activation syndrome. Medicine (United States), 2017, 96, e7901. | 0.4 | 6 |
| 88 | Birmingham vasculitis activity score of more than 9.5 at diagnosis is an independent predictor of refractory disease in granulomatosis with polyangiitis. International Journal of Rheumatic Diseases, 2017, 20, 1593-1605. | 0.9 | 17 |
| 89 | Clinical significance of delta neutrophil index in the differential diagnosis between septic arthritis and acute gout attack within 24 hours after hospitalization. Medicine (United States), 2017, 96, e7431. | 0.4 | 7 |
| 90 | Fever as an initial manifestation of spondyloarthritis: A retrospective study. PLoS ONE, 2017, 12, e0184323. | 1.1 | 5 |

Seung Min Jung

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Decreased ex vivo production of interferon-gamma is associated with severity and poor prognosis in patients with lupus. Arthritis Research and Therapy, 2017, 19, 193. | 1.6 | 14 |
| 92 | Platelet Distribution Width and Mean Platelet Volume Are Not Correlated with the Disease Activity Indices of Ankylosing Spondylitis. Journal of Rheumatic Diseases, 2017, 24, 143. | 0.4 | 0 |
| 93 | Subsequent Thrombotic Outcomes in Patients with Ischemic Stroke with Antiphospholipid Antibody Positivity. Yonsei Medical Journal, 2017, 58, 1128. | 0.9 | 6 |
| 94 | Predictors of mortality in autoimmune disease patients with concurrent cytomegalovirus infections detected by quantitative real-time PCR. PLoS ONE, 2017, 12, e0181590. | 1.1 | 9 |
| 95 | Arthritic role of Porphyromonas gingivalis in collagen-induced arthritis mice. PLoS ONE, 2017, 12, e0188698. | 1.1 | 39 |
| 96 | Chest and renal involvements, Birmingham vascular activity score more than 13.5 and five factor score (1996) more than 1 at diagnosis are significant predictors of relapse of microscopic polyangiitis. Clinical and Experimental Rheumatology, 2017, 35 Suppl 103, 47-54. | 0.4 | 11 |
| 97 | Clinical and prognostic features of Korean patients with MPO-ANCA, PR3-ANCA and ANCA-negative vasculitis. Clinical and Experimental Rheumatology, 2017, 35 Suppl 103, 111-118. | 0.4 | 16 |
| 98 | A Dual Target-directed Agent against Interleukin-6 Receptor and Tumor Necrosis Factor α ameliorates experimental arthritis. Scientific Reports, 2016, 6, 20150. | 1.6 | 26 |
| 99 | Brief Report: Atypical Femoral Fracture in Rheumatoid Arthritis Patients Treated With Bisphosphonates: A Nested Case–Control Study. Arthritis and Rheumatology, 2016, 68, 77-82. | 2.9 | 11 |
| 100 | Generation of Functional Cardiomyocytes from the Synoviocytes of Patients with Rheumatoid Arthritis via Induced Pluripotent Stem Cells. Scientific Reports, 2016, 6, 32669. | 1.6 | 6 |
| 101 | Preemptive antiviral therapy with entecavir can reduce acute deterioration of hepatic function following transarterial chemoembolization. Clinical and Molecular Hepatology, 2016, 22, 458-465. | 4.5 | 11 |
| 102 | Eupatilin Ameliorates Collagen Induced Arthritis. Journal of Korean Medical Science, 2015, 30, 233. | 1.1 | 17 |
| 103 | Radiographic Structural Damage Is Worse in the Dominant than the Non-Dominant Hand in Individuals with Early Rheumatoid Arthritis. PLoS ONE, 2015, 10, e0135409. | 1.1 | 14 |
| 104 | Antinociceptive and anti-inflammatory effects of essential oil extracted from Chamaecyparis obtusa in mice. International Immunopharmacology, 2015, 29, 320-325. | 1.7 | 15 |
| 105 | Development of synthetic anti-cyclic citrullinated peptide antibody and its arthritogenic role. Clinical and Translational Immunology, 2015, 4, e51. | 1.7 | 5 |
| 106 | Risk of tuberculosis in patients treated with antiâ€ŧumor necrosis factor therapy: a nationwide study in South Korea, aÂcountry with an intermediate tuberculosis burden. International Journal of Rheumatic Diseases, 2015, 18, 323-330. | 0.9 | 43 |
| 107 | <scp>APLAR</scp> rheumatoid arthritis treatment recommendations. International Journal of Rheumatic Diseases, 2015, 18, 685-713. | 0.9 | 109 |
| 108 | Downregulation of Tryptophan-related Metabolomic Profile in Rheumatoid Arthritis Synovial Fluid. Journal of Rheumatology, 2015, 42, 2003-2011. | 1.0 | 43 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Human adipose-derived mesenchymal stem cells attenuate collagen antibody-induced autoimmune arthritis by inducing expression of FCGIIB receptors. BMC Musculoskeletal Disorders, 2015, 16, 170. | 0.8 | 4 |
| 110 | The Interleukin 33/ST2 Axis in Patients with Primary Sjögren Syndrome: Expression in Serum and Salivary Glands, and the Clinical Association. Journal of Rheumatology, 2015, 42, 264-271. | 1.0 | 22 |
| 111 | Pulmonary hypertension in systemic lupus erythematosus: an independent predictor of patient survival. Korean Journal of Internal Medicine, 2015, 30, 232. | 0.7 | 26 |
| 112 | Type 4 dual left anterior descending coronary artery. Korean Journal of Internal Medicine, 2015, 30, 727-729. | 0.7 | 1 |
| 113 | Recent technological updates and clinical applications of induced pluripotent stem cells. Korean Journal of Internal Medicine, 2014, 29, 547. | 0.7 | 32 |
| 114 | The Risk of Osteoporotic Fractures According to the FRAX Model in Korean Patients with Rheumatoid Arthritis. Journal of Korean Medical Science, 2014, 29, 1082. | 1.1 | 15 |
| 115 | Role of Fractalkine in the Pathogenesis of Primary SjĶgren Syndrome: Increased Serum Levels of Fractalkine, Its Expression in Labial Salivary Glands, and the Association with Clinical Manifestations. Journal of Rheumatology, 2014, 41, 2425-2438. | 1.0 | 16 |
| 116 | Positron Emission Tomography of Chronic Panniculitis Mimicking Extranodal Lymphoma. Arthritis and Rheumatology, 2014, 66, 3250-3250. | 2.9 | 3 |
| 117 | Cytokine-Mediated Bone Destruction in Rheumatoid Arthritis. Journal of Immunology Research, 2014, 2014, 1014 | 0.9 | 119 |
| 118 | Generation of disease-specific induced pluripotent stem cells from patients with rheumatoid arthritis and osteoarthritis. Arthritis Research and Therapy, 2014, 16, R41. | 1.6 | 44 |
| 119 | Immunogenicity of anti-tumour necrosis factor therapy in Korean patients with rheumatoid arthritis and ankylosing spondylitis. International Immunopharmacology, 2014, 21, 20-25. | 1.7 | 18 |
| 120 | Induced production of anti-etanercept antibody in collagen-induced arthritis. Molecular Medicine Reports, 2014, 9, 2301-2308. | 1.1 | 20 |
| 121 | A New Strategy to Deliver Synthetic Protein Drugs: Self-reproducible Biologics Using Minicircles. Scientific Reports, 2014, 4, 5961. | 1.6 | 19 |
| 122 | Self in vivo production of a synthetic biological drug CTLA4lg using a minicircle vector. Scientific Reports, 2014, 4, 6935. | 1.6 | 12 |
| 123 | Role of intrahepatic tumor control in the prognosis of patients with hepatocellular carcinoma and extrahepatic metastases. Journal of Gastroenterology and Hepatology (Australia), 2012, 27, 684-689. | 1.4 | 61 |

8