

# Pr Hallberg

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8839751/par-hallberg-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

36  
papers

767  
citations

14  
h-index

27  
g-index

39  
ext. papers

928  
ext. citations

5.1  
avg, IF

3.45  
L-index

#	Paper	IF	Citations
36	Association of Variants Near the Bradykinin Receptor B Gene With Angioedema in Patients Taking ACEInhibitors. <i>Journal of the American College of Cardiology</i> , <b>2021</b> , 78, 696-709	15.1	2
35	Genome-wide association study of liver enzyme elevation in rheumatoid arthritis patients starting methotrexate. <i>Pharmacogenomics</i> , <b>2021</b> , 22, 973-982	2.6	1
34	Genome-Wide Association Study of Metamizole-Induced Agranulocytosis in European Populations. <i>Genes</i> , <b>2020</b> , 11,	4.2	1
33	Exome Sequencing Reveals Common and Rare Variants in F5 Associated With ACE Inhibitor and Angiotensin Receptor Blocker-Induced Angioedema. <i>Clinical Pharmacology and Therapeutics</i> , <b>2020</b> , 108, 1195-1202	6.1	5
32	Genome-wide association study of angioedema induced by angiotensin-converting enzyme inhibitor and angiotensin receptor blocker treatment. <i>Pharmacogenomics Journal</i> , <b>2020</b> , 20, 770-783	3.5	9
31	, and polymorphisms and adverse liver effects of methotrexate in rheumatoid arthritis. <i>Pharmacogenomics</i> , <b>2020</b> , 21, 337-346	2.6	1
30	SWEDEGENE-a Swedish nation-wide DNA sample collection for pharmacogenomic studies of serious adverse drug reactions. <i>Pharmacogenomics Journal</i> , <b>2020</b> , 20, 579-585	3.5	5
29	High-Throughput Sequencing to Investigate Associations Between HLA Genes and Metamizole-Induced Agranulocytosis. <i>Frontiers in Genetics</i> , <b>2020</b> , 11, 951	4.5	3
28	Drug-Induced Liver Injury due to Flucloxacillin: Relevance of Multiple Human Leukocyte Antigen Alleles. <i>Clinical Pharmacology and Therapeutics</i> , <b>2019</b> , 106, 245-253	6.1	35
27	Shared Genetic Risk Factors Across Carbamazepine-Induced Hypersensitivity Reactions. <i>Clinical Pharmacology and Therapeutics</i> , <b>2019</b> , 106, 1028-1036	6.1	34
26	Methotrexate treatment in rheumatoid arthritis and elevated liver enzymes: A long-term follow-up of predictors, surveillance, and outcome in clinical practice. <i>International Journal of Rheumatic Diseases</i> , <b>2019</b> , 22, 1226-1232	2.3	10
25	A Genome-Wide Association Study of Bisphosphonate-Associated Atypical Femoral Fracture. <i>Calcified Tissue International</i> , <b>2019</b> , 105, 51-67	3.9	10
24	A Missense Variant in PTPN22 is a Risk Factor for Drug-induced Liver Injury. <i>Gastroenterology</i> , <b>2019</b> , 156, 1707-1716.e2	13.3	59
23	Pandemrix-induced narcolepsy is associated with genes related to immunity and neuronal survival. <i>EBioMedicine</i> , <b>2019</b> , 40, 595-604	8.8	22
22	Pharmacogenomics of statin-related myopathy: Meta-analysis of rare variants from whole-exome sequencing. <i>PLoS ONE</i> , <b>2019</b> , 14, e0218115	3.7	12
21	Lateral fixation: an alternative surgical approach in the prevention of complete atypical femoral fractures. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , <b>2018</b> , 28, 299-304	2.2	8
20	Common variation near IRF6 is associated with IFN- $\gamma$ -induced liver injury in multiple sclerosis. <i>Nature Genetics</i> , <b>2018</b> , 50, 1081-1085	36.3	28

19	Sulfasalazine-Induced Agranulocytosis Is Associated With the Human Leukocyte Antigen Locus. <i>Clinical Pharmacology and Therapeutics</i> , <b>2018</b> , 103, 843-853	6.1	12
18	Clinical factors predicting drug-induced liver injury due to flucloxacillin. <i>Drug, Healthcare and Patient Safety</i> , <b>2018</b> , 10, 95-101	1.6	2
17	Fusidic Acid: A Neglected Risk Factor for Statin-Associated Myopathy. <i>Clinical Medicine Insights: Cardiology</i> , <b>2018</b> , 12, 1179546818815162	3.2	3
16	Genetic variants associated with angiotensin-converting enzyme inhibitor-induced cough: a genome-wide association study in a Swedish population. <i>Pharmacogenomics</i> , <b>2017</b> , 18, 201-213	2.6	15
15	Association of Liver Injury From Specific Drugs, or Groups of Drugs, With Polymorphisms in HLA and Other Genes in a Genome-Wide Association Study. <i>Gastroenterology</i> , <b>2017</b> , 152, 1078-1089	13.3	137
14	Reduced obstacles, maximized vision (ROMV): a new technique to facilitate laryngoscopy for endotracheal intubation. <i>Uppsala Journal of Medical Sciences</i> , <b>2017</b> , 122, 68-69	2.8	1
13	Comparison of Clinical Factors Between Patients With Angiotensin-Converting Enzyme Inhibitor-Induced Angioedema and Cough. <i>Annals of Pharmacotherapy</i> , <b>2017</b> , 51, 293-300	2.9	13
12	A common missense variant of LILRB5 is associated with statin intolerance and myalgia. <i>European Heart Journal</i> , <b>2017</b> , 38, 3569-3575	9.5	25
11	Entrapment of soft tissue: a new technique to improve the stability of malar augmentation with hydroxyapatite. <i>British Journal of Oral and Maxillofacial Surgery</i> , <b>2016</b> , 54, 826-7	1.4	3
10	Genetic variants associated with antithyroid drug-induced agranulocytosis: a genome-wide association study in a European population. <i>Lancet Diabetes and Endocrinology</i> , <b>2016</b> , 4, 507-16	18.1	67
9	Identification of Risk Factors for Bisphosphonate-Associated Atypical Femoral Fractures and Osteonecrosis of the Jaw in a Pharmacovigilance Database. <i>Annals of Pharmacotherapy</i> , <b>2016</b> , 50, 616-24	2.9	16
8	Mortality After Atypical Femoral Fractures: A Cohort Study. <i>Journal of Bone and Mineral Research</i> , <b>2016</b> , 31, 491-7	6.3	20
7	Risk of atypical femoral fractures and osteonecrosis of the jaw associated with alendronate use compared with other oral bisphosphonates. <i>Rheumatology</i> , <b>2014</b> , 53, 1911-3	3.9	12
6	Gender related difference in the risk of bisphosphonate associated atypical femoral fracture and osteonecrosis of the jaw. <i>Annals of the Rheumatic Diseases</i> , <b>2014</b> , 73, 1594	2.4	11
5	Identification of risk factors for carbamazepine-induced serious mucocutaneous adverse reactions: A case-control study using data from spontaneous adverse drug reaction reports. <i>Journal of Pharmacology and Pharmacotherapeutics</i> , <b>2014</b> , 5, 100-38	0.2	4
4	Digoxin and mortality in atrial fibrillation: a prospective cohort study. <i>European Journal of Clinical Pharmacology</i> , <b>2007</b> , 63, 959-71	2.8	90
3	Transforming growth factor beta1 genotype and change in left ventricular mass during antihypertensive treatment--results from the Swedish Irbesartan Left Ventricular Hypertrophy Investigation versus Atenolol (SILVHIA). <i>Clinical Cardiology</i> , <b>2004</b> , 27, 169-73	3.3	9
2	Adipocyte-derived leucine aminopeptidase genotype and response to antihypertensive therapy. <i>BMC Cardiovascular Disorders</i> , <b>2003</b> , 3, 11	2.3	15

- 1 The CYP2C9 genotype predicts the blood pressure response to irbesartan: results from the Swedish Irbesartan Left Ventricular Hypertrophy Investigation vs Atenolol (SILVHIA) trial. *Journal of Hypertension*, **2002**, 20, 2089-93 1.9 66